



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>



April 2019 Climate Summary for West Central and Southwest Florida

Temperatures across West Central and Southwest Florida averaged between about 68° and 75°, or near average to over 4 degrees above average for April 2019. These temperatures didn't break any records, but placed a few locations in the Top Fifteen Warmest for April.



APRIL MONTHLY TEMPERATURE (°F):

Location	Apr 2019		Normal Feb Temp	Dep fm Normal	Records Record	Records Began
	Rank	Avg Temp				
Plant City	9th	75.2	70.9	+4.3	76.9/2015	Sep 1892
Winter Haven Area	9th	75.1	72.2	+2.9	78.6/2015	Mar 1941
Venice	9th	74.3	71.1	+3.2	76.9/2015	May 1955
Sarasota-Bradenton Area	9th	74.1	71.1	+3.0	75.9/2015	Jan 1911
Tampa Area	14th	74.7	72.0	+2.7	78.0/2015	Apr 1890
Myakka River State Park	14th	73.7	71.6	+2.1	77.0/2015	Mar 1956


Temperature (F)
4/1/2019 - 4/30/2019




Departure from Normal Temperature (F)
4/1/2019 - 4/30/2019



As far as rainfall, April is usually one of the drier months of the year and in some locations south of Interstate 4 this was true. Farther north though across much of the Nature Coast, as well as over the southern interior counties, rainfall was above average.



April 2019 Rainfall



April 2019 Percent of Normal Rain

On the following pages are tables of the top ten warmest, coolest, wettest, and driest Aprils at some official NWS locations, which includes the average/total for this April where available, and the 1981-2010 average temperature and rainfall for the month of April.

CHIEFLAND 5 ESE (records began in July 1956):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 73.0 in 1991	1 63.4 in 1961	1 14.61 in 1982	1 0.00 in 1967
2 72.5 in 2002	2 64.8 in 2005	2 8.46 in 1997	2 0.30 in 1963
3 72.2 in 1999	3 64.9 in 2004	3 7.39 in 1995	3 0.31 in 1969
4 71.8 in 1970	4 65.0 in 1962	4 7.16 in 1985	4 0.42 in 2016
5 71.3 in 2017	5 65.3 in 1993	5 7.13 in 1991	5 0.79 in 1989
71.3 in 2011	6 65.5 in 2000	6 6.65 in 1957	6 0.80 in 2000
7 71.2 in 1911	7 65.6 in 2007	7 6.48 in 1983	7 0.88 in 2001
71.2 in 1965	8 66.4 in 1966	8 6.22 in 2005	0.88 in 1998
9 70.9 in 1994	9 66.6 in 1984	9 6.20 in 1961	9 0.91 in 1993
10 70.5 in 1979	10 66.9 in 1986	10 6.12 in 1979	0.91 in 1981
	66.9 in 1983		
...
24 69.1 in 2019	32 69.1 in 2019	20 3.67 in 2019	42 3.67 in 2019
in 1995	in 1995		
in 1972	in 1972		
in 1958	in 1958		

Normal Temperature for April at CHIF1 = 67.3°

Normal Rainfall for April at CHIF1 = 3.13 in.

INVERNESS 3 SE (records began in July 1948):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 75.5 in 1954	1 64.8 in 1993	1 7.88 in 1953	1 0.00 in 1967
2 74.9 in 2015	2 66.1 in 2004	2 5.89 in 1991	2 0.06 in 2001
3 74.5 in 1968	3 66.2 in 2000	3 5.76 in 2011	3 0.07 in 1998
4 74.3 in 1967	4 66.3 in 2007	4 5.20 in 1997	4 0.20 in 1978
5 74.1 in 1965	5 66.4 in 1996	5 5.15 in 1959	5 0.26 in 1987
6 74.0 in 1970	6 66.8 in 2003	6 5.01 in 2018	6 0.31 in 1977
7 73.5 in 2002	66.8 in 1992	7 5.00 in 1982	0.31 in 1974
8 73.1 in 1969	8 67.1 in 1998	8 4.89 in 1984	8 0.65 in 1999
73.1 in 1963	9 67.3 in 1988	9 4.62 in 1966	9 0.73 in 1968
10 72.9 in 1991	10 67.4 in 1950	10 4.47 in 1992	10 0.76 in 1981
	11 67.7 in 1990
	12 68.1 in 2019	28 2.67 in 2019	44 2.67 in 2019
	In 1961		

Normal Temperature for April at INV1 = 68.1°

Normal Rainfall for April at INV1 = 2.29 in.

BUSHNELL 1 E (records began in July 1948):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 74.7 in 2015	1 65.4 in 1987	1 8.45 in 1983	1 0.00 in 1981
2 73.8 in 1954	2 66.3 in 1950	2 6.60 in 1949	0.00 in 1967
3 73.6 in 1994	3 67.0 in 1961	3 5.84 in 1959	3 0.12 in 1972
4 73.1 in 1999	67.0 in 1952	4 5.61 in 1953	4 0.14 in 1998
5 72.9 in 1970	5 67.4 in 1986	5 5.48 in 1982	5 0.21 in 1970
6 72.5 in 1981	6 67.7 in 1951	6 5.41 in 1991	6 0.25 in 1977
7 72.4 in 1968	7 67.9 in 2009	7 4.88 in 1989	7 0.32 in 1968
8 72.3 in 1965	8 68.0 in 1973	8 4.84 in 1960	8 0.37 in 1978
9 72.2 in 1979	9 68.1 in 1971	9 4.83 in 1951	0.37 in 1974
72.2 in 1964	10 68.2 in 1997	10 4.72 in 1973	10 0.59 in 1990
	68.2 in 1976	11 4.69 in 2018	
	68.2 in 1962	12 4.58 in 2010	
...	...	13 3.95 in 1957	
39 68.8 in 2019	17 68.8 in 2019	14 3.78 in 2019	

Normal Temperature for April at BSHF1 = 69.2°

Normal Rainfall for April at BSHF1 = 2.34 in.

BROOKSVILLE AREA (records began in January 1892):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 75.5 in 1947	1 64.3 in 2005	1 14.49 in 1928	1 Trace in 2017
75.5 in 1945	64.3 in 2004	2 8.05 in 1900	Trace in 1967
75.5 in 1929	3 64.8 in 1901	3 7.54 in 1935	3 0.04 in 2001
4 75.2 in 2015	4 65.3 in 2000	4 7.41 in 1949	4 0.05 in 1998
5 74.5 in 1927	5 66.8 in 2007	5 7.38 in 1991	5 0.10 in 1903
6 74.4 in 1994	6 67.1 in 1950	6 6.92 in 1953	6 0.16 in 1977
7 74.0 in 1909	7 67.3 in 1892	7 6.48 in 1937	7 0.20 in 1981
8 73.8 in 1981	8 67.5 in 1998	8 6.39 in 1918	8 0.21 in 1932
9 73.7 in 2002	9 67.6 in 1926	9 6.33 in 1982	9 0.25 in 2006
73.7 in 1964	10 67.7 in 1952	10 6.20 in 1926	10 0.32 in 1896
73.7 in 1912			
...
45 71.1 in 2019	63 71.1 in 2019	32 3.34 in 2019	91 3.34 in 2019
		in 2010	in 2010
		in 1966	in 1966

Normal Temperature for April at BKV = 67.7°

Normal Rainfall for April at BKV = 2.56 in.

ST. LEO (records began in April 1895):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.8 in 1908	1 66.4 in 1931	1 15.55 in 1953	1 Trace in 1967
2 76.0 in 1954	2 66.7 in 1987	2 11.22 in 1928	2 0.06 in 1981
76.0 in 1947	66.7 in 1928	3 7.41 in 1937	0.06 in 1922
4 75.7 in 1945	4 67.7 in 1950	4 7.02 in 1997	4 0.09 in 2001
5 75.5 in 2015	67.7 in 1915	5 6.86 in 1991	5 0.11 in 1903
6 75.4 in 2002	67.7 in 1901	6 6.75 in 1949	6 0.12 in 1963
7 75.3 in 1994	7 68.0 in 1903	6.75 in 1941	7 0.13 in 2017
8 74.9 in 1991	8 68.4 in 1916	8 6.61 in 2018	8 0.20 in 1911
9 74.6 in 2006	9 68.6 in 1993	9 6.33 in 1895	9 0.21 in 1998
74.6 in 1999	10 68.7 in 1913	10 6.16 in 1931	10 0.23 in 1896
...
39 72.5 in 2019 in 2008	85 72.5 in 2019 in 2008	40 3.18 in 2019	85 3.18 in 2019

Normal Temperature for April at STLF1 = 71.9°

Normal Rainfall for April at STLF1 = 2.62 in.

TARPON SPRINGS (records began in January 1892):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.5 in 2015	1 65.7 in 1987	1 7.63 in 1931	1 0.00 in 1967
2 76.4 in 1947	2 67.1 in 1915	2 7.20 in 1942	2 Trace in 1896
3 76.0 in 1991	3 67.2 in 1962	3 6.97 in 1949	3 0.05 in 1922
4 75.3 in 1945	4 67.4 in 1950	4 6.66 in 1928	4 0.07 in 1981
5 75.1 in 1994	67.4 in 1940	5 6.31 in 1953	0.07 in 1972
6 74.9 in 1948	6 67.5 in 1903	6 6.01 in 1957	6 0.08 in 1923
7 74.8 in 1922	7 67.8 in 1916	7 5.97 in 1933	7 0.16 in 1998
74.8 in 1912	8 67.9 in 1971	8 5.90 in 1959	8 0.18 in 1903
9 74.7 in 2002	67.9 in 1961	9 5.70 in 1941	9 0.20 in 2017
74.7 in 1929	67.9 in 1910	10 5.60 in 1920	10 0.23 in 1910
...
18 73.8 in 2019	107 73.8 in 2019	25 4.00 in 2019	102 4.00 in 2019

Normal Temperature for April at TRPF1 = 70.7°

Normal Rainfall for April at TRPF1 = 2.37 in.

TAMPA AREA (records began in April 1890):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.0 in 2015	1 66.3 in 1987	1 10.71 in 1997	1 Trace in 1981
2 77.1 in 2017	2 66.7 in 1901	2 8.04 in 1920	Trace in 1967
3 76.8 in 1991	3 67.2 in 1993	3 7.23 in 1931	3 0.02 in 2001
4 76.6 in 1947	4 67.7 in 1950	4 6.59 in 1957	4 0.05 in 1969
5 76.4 in 1908	5 68.1 in 1903	5 6.14 in 1933	5 0.16 in 1922
6 76.3 in 2011	6 68.2 in 1899	6 5.75 in 1926	0.16 in 1898
7 76.3 in 2002	7 68.6 in 1983	7 5.48 in 1959	7 0.21 in 1963
8 76.0 in 1945	68.6 in 1961	8 5.38 in 1895	8 0.31 in 1892
9 75.4 in 2013	68.6 in 1915	9 5.19 in 1951	9 0.35 in 1938
10 75.3 in 1994	68.6 in 1891	5.19 in 1941	10 0.37 in 1946
11 75.2 in 1922	
12 74.9 in 1954		35 2.68 in 2019	96 2.68 in 2019
13 74.8 in 2012			
14 74.7 in 2019			
in 1929			

Normal Temperature for April at TPA = 72.0°

Normal Rainfall for April at TRA = 2.03 in.

ST. PETERSBURG (records began in August 1914):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.6 in 2015	1 68.5 in 1950	1 9.73 in 1997	1 0.00 in 1967
2 77.0 in 2011	2 68.7 in 1987	2 9.09 in 1920	2 Trace in 1981
77.0 in 1945	3 68.9 in 1993	3 8.45 in 1951	3 0.01 in 1974
4 76.9 in 2002	4 69.2 in 1952	4 7.69 in 1933	4 0.04 in 2001
5 76.6 in 1991	5 69.3 in 1983	5 7.39 in 1957	5 0.07 in 1987
6 76.5 in 2013	6 70.1 in 1916	6 7.20 in 2003	6 0.11 in 1998
7 76.1 in 1929	7 70.2 in 1915	7 6.16 in 1960	7 0.24 in 1932
8 76.0 in 1981	8 70.4 in 1951	8 6.09 in 1948	8 0.25 in 1977
76.0 in 1954	9 70.6 in 1931	9 5.81 in 1931	9 0.27 in 2006
76.0 in 1922	10 70.8 in 1996	10 5.46 in 1941	0.27 in 1963
	70.8 in 1961		

Average Temperature for April 2019 = Not Available, Several Days Missing

Normal Temperature for April at SPG = 72.9°

Total Rainfall for April 2019 = Not Available, a Couple of Days Missing

Normal Rainfall for April at SPG = 2.27 in.

PLANT CITY (Temperature records began in Sep 1892 and Rainfall records began in Jan 1893):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.9 in 2015	1 65.0 in 1901	1 7.29 in 1931	1 0.00 in 2001
2 76.1 in 1947	2 65.5 in 1987	2 7.13 in 1957	0.00 in 1981
3 75.9 in 1912	3 65.9 in 1931	3 7.11 in 1933	0.00 in 1967
4 75.8 in 1911	4 67.4 in 1932	4 6.56 in 1928	4 0.16 in 1987
5 75.7 in 1945	5 67.6 in 1983	5 6.53 in 1941	5 0.20 in 1923
6 75.6 in 2011	67.6 in 1902	6 6.40 in 1937	0.20 in 1911
7 75.5 in 1991	7 67.7 in 2005	7 6.36 in 1947	7 0.26 in 1938
8 75.3 in 2017	8 67.9 in 1993	8 6.06 in 1997	8 0.27 in 1963
9 75.2 in 2019	9 68.0 in 1940	9 6.00 in 1951	9 0.31 in 1977
10 74.8 in 1954	10 68.2 in 1925	10 5.78 in 1959	10 0.32 in 1898
	
		56 2.22 in 2019	66 2.22 in 2019

Normal Temperature for April at PLCF1 = 70.9°

Normal Rainfall for April at PLCF1 = 2.69 in.

LAKELAND AREA (records began in January 1915):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 77.2 in 2015	1 67.3 in 1950	1 8.48 in 1959	1 0.00 in 1967
2 76.5 in 1991	2 68.3 in 2005	2 8.36 in 1939	2 0.04 in 2001
3 76.3 in 1994	68.3 in 1952	3 8.35 in 1934	3 0.05 in 1963
4 76.2 in 1922	4 68.5 in 1987	4 8.15 in 1951	4 0.09 in 1981
5 76.1 in 2011	5 68.6 in 1961	5 7.71 in 1928	5 0.22 in 1977
6 75.8 in 1947	68.6 in 1951	6 6.84 in 1997	6 0.25 in 1922
7 75.6 in 1945	7 68.7 in 2007	7 6.77 in 1957	7 0.42 in 1972
8 75.4 in 1929	8 68.9 in 1973	8 6.66 in 1920	0.42 in 1969
9 75.2 in 2002	9 69.0 in 1983	9 5.82 in 1926	9 0.43 in 1932
10 75.1 in 2013	10 69.5 in 1931	10 5.60 in 1941	10 0.44 in 1945
75.1 in 1995	69.5 in 1915		
...
21 74.0 in 2019	85 74.0 in 2019	45 2.41 in 2019	61 2.41 in 2019

Normal Temperature for April at LLDF1 = 71.1°

Normal Rainfall for April at LLDF1 = 2.67 in.

BARTOW (records began in June 1892):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 81.2 in 2015	1 65.9 in 1926	1 9.70 in 1920	1 0.00 in 1967
2 78.7 in 1908	2 66.3 in 1901	2 8.40 in 1951	2 Trace in 2000
3 77.2 in 1945	3 66.9 in 1915	3 6.89 in 1941	Trace in 1907
4 76.1 in 1991	4 67.3 in 1928	4 6.69 in 1934	4 0.04 in 1922
5 76.0 in 1999	5 68.0 in 1913	5 6.43 in 1937	5 0.11 in 1981
76.0 in 1947	6 68.1 in 1987	6 6.14 in 1935	6 0.17 in 1938
75.0 in 1922	7 68.4 in 1950	7 6.12 in 1954	7 0.20 in 1987
8 75.9 in 2014	68.4 in 1931	6.12 in 1895	8 0.21 in 2006
9 75.7 in 1965	9 68.8 in 1952	9 5.94 in 1933	9 0.28 in 2001
10 75.6 in 2002	10 68.9 in 1937	10 5.87 in 1991	10 0.34 in 1919
75.6 in 1954			
...
40 73.3 in 2019	73 73.3 in 2019	58 2.34 in 2019	69 2.34 in 2019
in 1982	in 1982		
in 1963	in 1963		

Normal Temperature for April at BARF1 = 72.5°
Normal Rainfall for April at BARF1 = 2.73 in.

WINTER HAVEN AREA (records began in March 1941):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.6 in 2015	1 67.0 in 1987	1 7.36 in 1951	1 0.00 in 1981
2 77.8 in 1947	2 68.5 in 1983	2 7.29 in 1941	0.00 in 1967
3 77.5 in 1991	68.5 in 1973	3 6.51 in 2008	3 0.18 in 1963
4 77.1 in 1945	4 69.0 in 1961	4 6.34 in 1957	4 0.28 in 1946
5 76.6 in 2002	5 69.1 in 1971	5 5.55 in 1947	5 0.46 in 1952
6 76.3 in 2011	6 69.7 in 2005	6 5.30 in 1960	6 0.51 in 2017
7 75.8 in 1994	69.7 in 1962	7 5.11 in 1997	7 0.56 in 2001
8 75.7 in 1948	8 69.9 in 1993	8 5.01 in 1959	8 0.61 in 1978
9 75.1 in 2019	9 70.0 in 1951	9 4.96 in 1999	9 0.62 in 1968
10 75.0 in 2017	10 70.1 in 2004	10 4.42 in 2018	10 0.67 in 1971
75.0 in 1989		4.42 in 1991	
	
		58 2.08 in 2019	33 2.08 in 2019

Normal Temperature for April at GIF = 72.2°
Normal Rainfall for April at GIF = 2.48 in.

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 75.9 in 2015	1 65.9 in 1987	1 10.23 in 1957	1 0.00 in 1967
75.9 in 1945	2 67.0 in 1916	2 9.82 in 1920	2 Trace in 2017
3 75.1 in 1994	3 67.1 in 1915	3 8.78 in 1997	3 0.01 in 1923
4 75.0 in 2017	4 67.5 in 1931	4 7.22 in 1933	4 0.03 in 1981
5 74.9 in 1947	5 67.8 in 1986	5 7.09 in 1951	5 0.08 in 1963
6 74.6 in 2002	6 68.3 in 2005	6 5.55 in 1930	6 0.10 in 1998
7 74.5 in 1954	68.3 in 1950	7 5.11 in 1953	7 0.10 in 1922
8 74.4 in 2013	8 68.4 in 1993	8 4.87 in 1916	8 0.14 in 2006
9 74.1 in 2019	9 68.5 in 1971	9 4.85 in 1960	0.14 in 2001
74.1 in 1965	68.5 in 1940	10 4.57 in 1991	10 0.15 in 1938
	
		59 1.62 in 2019	51 1.62 in 2019

Normal Temperature for April at SRQ = 71.1°
 Normal Rainfall for April at SRQ = 2.44 in.

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
 and Rainfall records began in Sep 1943):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 77.0 in 2015	1 66.5 in 1987	1 8.93 in 1997	1 0.00 in 2001
2 76.0 in 1999	2 67.8 in 1962	2 7.85 in 1993	2 Trace in 1981
3 75.7 in 1994	3 68.0 in 1961	3 7.10 in 1954	3 0.02 in 1987
4 74.8 in 1982	4 68.3 in 2005	4 7.02 in 1948	4 0.04 in 1946
5 74.7 in 2013	5 68.4 in 1986	5 6.82 in 1957	5 0.10 in 2006
74.7 in 2011	6 68.7 in 1973	6 6.22 in 1951	6 0.12 in 1970
74.7 in 1981	7 69.2 in 2004	7 5.58 in 1995	7 0.15 in 1978
8 74.4 in 2002	8 69.3 in 1971	8 5.17 in 2008	8 0.20 in 1998
74.4 in 1970	9 69.7 in 1983	9 5.05 in 1982	9 0.33 in 1971
10 74.2 in 1979	10 70.0 in 1963	10 5.01 in 1962	10 0.43 in 1950
11 74.0 in 1975	
12 73.9 in 2017		29 2.22 in 2019	45 2.22 in 2019
13 73.8 in 1995			
14 73.7 in 2019			

Normal Temperature for April at MKCF1 = 71.6°
 Normal Rainfall for April at MKCF1 = 2.59 in.

VENICE (records began in May 1955):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.9 in 2015	1 65.5 in 1987	1 13.85 in 1957	1 0.00 in 1967
2 76.2 in 2011	2 68.0 in 1986	2 7.86 in 1997	2 0.06 in 1975
3 76.1 in 1994	3 68.5 in 1993	3 6.10 in 1962	3 0.07 in 1987
4 75.9 in 2013	4 68.6 in 2005	4 5.20 in 1993	0.07 in 1978
5 75.5 in 2002	5 68.8 in 1983	5 5.18 in 1984	5 0.09 in 1963
6 74.5 in 2017	68.8 in 1962	6 5.09 in 1991	6 0.15 in 2006
74.5 in 1999	7 69.0 in 1988	7 4.51 in 2013	7 0.16 in 2001
8 74.4 in 2012	8 69.3 in 1984	4.51 in 1982	8 0.17 in 1970
9 74.3 in 2019	9 69.4 in 2007	9 4.12 in 1966	9 0.18 in 1999
10 74.2 in 2010	10 69.6 in 1956	10 4.01 in 2004	10 0.24 in 1972
	
		35 1.44 in 2019	30 1.44 in 2019

Normal Temperature for April at VNCF1 = 71.1°

Normal Rainfall for April at VNCF1 = 2.48 in.

WAUCHULA 2 N (records began in January 1933):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 77.2 in 1945	1 65.7 in 1950	1 8.26 in 1951	1 0.00 in 2017
2 76.3 in 1947	2 66.7 in 1993	2 7.75 in 1947	0.00 in 2001
3 75.4 in 2015	66.7 in 1987	3 6.94 in 1962	0.00 in 1978
4 74.8 in 1968	4 66.8 in 2004	4 6.60 in 1995	0.00 in 1967
5 74.7 in 1991	5 67.6 in 1983	5 6.55 in 1953	5 0.03 in 1963
6 74.5 in 1970	6 67.9 in 1952	6 6.44 in 1992	6 0.05 in 1971
7 74.4 in 1975	7 68.1 in 1951	7 6.36 in 1934	7 0.08 in 1981
8 74.2 in 1965	8 68.3 in 2000	8 5.95 in 1997	8 0.13 in 1970
9 74.1 in 1982	9 68.5 in 2007	9 5.44 in 1933	9 0.16 in 1987
74.1 in 1939	68.5 in 1997	10 4.66 in 1980	10 0.22 in 1945

Average Temperature for April 2019 = Not Available, Several Days Missing

Normal Temperature for April at WAUF1 = 71.7°

Total Rainfall for April 2019 = Not Available, Several Days Missing

Normal Rainfall for April at WAUF1 = 2.74 in.

ARCADIA (records began in November 1899):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.1 in 1908	1 66.9 in 1987	1 8.34 in 1997	1 0.00 in 1987
2 77.6 in 1912	2 67.0 in 1992	2 8.08 in 1933	0.00 in 1970
3 77.2 in 1945	3 67.2 in 1901	3 8.00 in 1951	0.00 in 1967
4 77.0 in 1947	4 67.4 in 1950	4 5.97 in 1957	4 0.02 in 2001
5 76.4 in 2015	5 67.7 in 2004	5 5.88 in 1954	0.02 in 1903
6 75.6 in 1911	6 67.9 in 1986	6 5.84 in 1920	6 0.06 in 1977
7 75.1 in 1954	7 68.6 in 1931	7 5.64 in 1939	7 0.08 in 1981
8 74.8 in 1991	8 68.7 in 2000	8 5.38 in 1930	8 0.11 in 1978
9 74.7 in 1929	9 69.0 in 1983	9 5.29 in 2015	9 0.13 in 1971
10 74.6 in 2011	69.0 in 1952	10 5.25 in 1963	10 0.14 in 1946
...
32 73.0 in 2019	75 73.0 in 2019	57 1.97 in 2019	55 1.97 in 2019
73.0 in 1994	73.0 in 1994		
73.0 in 1935	73.0 in 1935		

Normal Temperature for April at ARCF1 = 70.3°
Normal Rainfall for April at ARCF1 = 2.47 in.

ARCHBOLD BIO STN (records began in January 1969):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.6 in 2015	1 63.0 in 1987	1 5.90 in 1972	1 0.03 in 2006
2 74.8 in 1991	2 66.4 in 1986	2 5.65 in 2015	2 0.08 in 1971
3 74.4 in 2011	3 66.7 in 2004	3 5.47 in 1997	3 0.16 in 1981
4 74.1 in 1994	4 66.9 in 1993	4 5.37 in 2013	4 0.19 in 1970
5 73.7 in 1982	5 67.4 in 2005	5 4.91 in 1992	5 0.21 in 1986
6 73.5 in 1975	67.4 in 1983	6 4.90 in 1973	6 0.42 in 2016
7 73.4 in 2013	7 67.7 in 2000	7 4.15 in 1982	7 0.43 in 1978
8 73.1 in 2017	8 68.6 in 1971	8 4.10 in 2004	8 0.52 in 1987
9 73.0 in 2002	9 68.7 in 1992	9 3.90 in 1980	9 0.59 in 2009
73.0 in 1981	10 68.8 in 2007	10 3.48 in 1999	10 0.69 in 1977
...	68.8 in 1984
15 72.3 in 2019		21 2.25 in 2019	31 2.25 in 2019
72.3 in 1969			

Normal Temperature for April at ACHF1 = 69.7°
Normal Rainfall for April at ACHF1 = 2.25 in.

PUNTA GORDA AREA (records began in June 1914):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.7 in 1945	1 67.9 in 1987	1 8.70 in 1920	1 0.00 in 1981
2 78.2 in 1947	2 68.7 in 1915	2 7.93 in 1957	0.00 in 1963
3 76.9 in 1944	3 69.1 in 2004	3 7.08 in 1931	0.00 in 1946
4 76.6 in 2015	69.1 in 1916	4 5.80 in 1994	4 Trace in 1975
76.6 in 1994	5 69.2 in 2005	5 5.52 in 1941	Trace in 1967
6 76.1 in 1954	6 69.7 in 1971	6 5.36 in 1947	6 0.03 in 1922
7 76.0 in 1991	7 70.0 in 1993	7 5.20 in 1933	7 0.05 in 2006
76.0 in 1946	70.0 in 1986	8 5.15 in 1997	8 0.09 in 1970
9 75.9 in 1948	9 70.1 in 2000	9 5.08 in 1965	9 0.10 in 2001
10 75.8 in 2013	10 70.2 in 1950	5.08 in 1948	10 0.11 in 1987
...
33 73.7 in 2019	65 73.7 in 2019	38 2.21 in 2019	64 2.21 in 2019
in 1999	in 1999		
in 1939	in 1939		
in 1933	in 1933		

Normal Temperature for April at PGD = 71.8°
 Normal Rainfall for April at PGD = 2.43 in.

FORT MYERS AREA (records began in January 1902):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.8 in 2015	1 68.5 in 1950	1 8.42 in 1939	1 Trace in 1970
2 77.7 in 2011	2 68.8 in 1987	2 7.66 in 1941	Trace in 1967
77.7 in 1991	3 69.3 in 1915	3 6.06 in 1933	Trace in 1903
77.7 in 1947	4 69.6 in 1903	4 5.89 in 1930	4 0.01 in 2006
5 77.4 in 1994	5 70.1 in 1983	5 5.68 in 1994	0.01 in 1946
6 77.3 in 1908	70.1 in 1910	6 5.61 in 1916	6 0.02 in 1922
7 76.9 in 2018	7 70.2 in 1952	7 5.50 in 1949	7 0.08 in 1981
76.9 in 2013	8 70.4 in 1971	8 5.34 in 1995	0.08 in 1950
76.9 in 2002	9 70.6 in 1931	9 5.01 in 1991	9 0.11 in 1974
76.9 in 1945	10 70.8 in 2005	10 5.00 in 1997	10 0.14 in 1987
	70.8 in 1993
	70.8 in 1961	42 2.28 in 2019	76 2.28 in 2019
	70.8 in 1907	in 1953	in 1953
	70.8 in 1902		
...	...		
25 75.2 in 2019	92 75.2 in 2019		
in 1995	in 1995		
in 1948	in 1948		

Normal Temperature for April at FMY = 73.8°
 Normal Rainfall for April at FMY = 2.18 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past
 Weather drop down menu above the graphical forecast images.