



# NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>

## April 2020 Climate Summary for West Central and Southwest Florida


Temperatures across West Central and Southwest Florida averaged about 2 to 6 degrees above average for the month which placed several locations in the Top Ten Warmest for April.

### APRIL TEMPERATURE RANKINGS (Warmest-°F):


Location	Apr 2020		Normal Apr Temp	Dep fm Normal	Record/ Prev Rec Warmest	Records Began
	Rank	Avg Temp				
Fort Myers Area	1st	79.2°	73.8°	+5.4°	78.8/2015	Jan 1902
Plant City	1st	77.2°	70.9°	+6.3°	76.9/2015	Sep 1892
Lakeland Area	2nd	76.6°	71.1°	+5.5°	77.2/2015	Jan 1915
Archbold Bio Stn	2nd	75.0°	69.7°	+5.3°	76.6/2015	Jan 1969
Sarasota-Bradenton Area	3rd	75.2°	71.1°	+4.1°	75.9/2015*	Jan 1911
Chiefland 5 SE	5th	71.5°	67.3°	+4.2°	73.0/1991	Jun 1956
St Petersburg Area	6th(tie)	76.5°	72.9°	+3.6°	78.6/2015	Aug 1914
Tarpon Springs	6th	75.0°	70.7°	+4.3°	76.5/2015	Jan 1892
Venice	6th	75.0°	71.1°	+3.9°	76.9/2015	Apr 1955
Winter Haven Area	7th	76.0°	72.2°	+3.8°	78.6/2015	Mar 1941
Brooksville Area	8th	73.9°	67.7°	+6.2°	75.5/1947*	Jan 1892
Tampa Area	9th(tie)	75.4°	72.0°	+3.4°	78.0/2015	Apr 1890
Wauchula 2 N	9th(tie)	74.1°	71.7°	+2.4°	77.2/1945	Jan 1933
Inverness 3 SE	10th	73.0°	68.1°	+4.9°	75.5/1954	Jul 1948
Punta Gorda Area	11th	75.7°	71.8°	+3.9°	78.7/1945	May 1914
Arcadia	11th(tie)	74.4°	70.3°	+3.1°	78.1/1908	Nov 1899
St Leo	15th	74.0°	71.9°	+2.1°	76.8/1908	Apr 1895
Bartow	16th	74.8°	72.5°	+2.3°	78.7/1908	Jun 1892
Myakka River State Park	24th	72.3°	71.6°	+0.7°	77.0/2015	Mar 1956
Bushnell 1 E	25th	70.3°	69.2°	+1.1°	74.7/2015	Jul 1948

\* Last of multiple occurrences

Temperature (F)  
4/1/2020 - 4/30/2020



Departure from Normal Temperature (F)  
4/1/2020 - 4/30/2020




Graphics Source: NOAA Regional Climate Centers

As far as rainfall, April is usually one of the drier months of the year, which was generally true for the first half of the month, but during the second half we saw cold fronts move through every few days bringing widespread showers and thunderstorms to the northern and central parts of the region. Farther south though across parts of southwest Florida rainfall was below average.


**APRIL RAINFALL RANKINGS (Wettest - inches):**

Location	Apr 2020		Normal Apr Rain	Dep fm Normal	Record/ Prev Rec	Records Began
	Rank	Rainfall			Wettest	
Sarasota-Bradenton Area	4th	7.36	2.44	+4.92	10.23/1957	Jan 1911
Tampa Area	4th	6.73	2.03	+4.70	10.71/1997	Apr 1890
Myakka River State Park	6th	6.54	2.59	+3.95	8.93/1997	Sep 1943
Tarpon Springs	7th	6.00	2.37	+3.63	7.63/1931	Jan 1892
Arcadia	7th(tie)	5.64	2.47	+3.17	8.34/1997	Nov 1899
St Leo	10th	6.32	2.62	+3.70	15.55/1953	Apr 1895
Wauchula 2 N	10th	4.73	2.74	+1.99	8.26/1951	Jan 1933
Archbold Bio Stn	10th(tie)	3.48	2.25	+1.23	5.90/1972	Jan 1969
Bushnell 1 E	13th	4.56	2.34	+2.22	8.45/1983	Jul 1948
Chiefland 5 SE	15th	5.15	3.13	+2.02	14.61/1982	Jun 1956
Plant City	16th	5.24	2.69	+2.55	7.29/1931	Sep 1892
Inverness 3 SE	16th	3.58	2.29	+1.29	7.88/1953	Jul 1948
Punta Gorda Area	17th	4.02	2.43	+1.59	8.70/1920	May 1914
Lakeland Area	18th	4.29	2.67	+1.62	8.48/1959	Jan 1915
Winter Haven Area	18th	3.30	2.48	+0.82	7.36/1951	Mar 1941
Venice	18th	2.97	2.48	+0.49	13.85/1957	Apr 1955
Brooksville Area	22nd	4.79	2.56	+2.23	14.49/1956	Jan 1892
St Petersburg Area	22nd	3.65	2.27	+1.38	9.73/1997	Aug 1914
Bartow	37th	3.67	2.73	+0.94	9.70/1920	Jun 1892
Fort Myers Area	54th	1.71	2.18	-0.47	8.42/1939	Jan 1902

\* Last of multiple occurrences



April 2020 Rainfall



Percent of Normal Rain

On the following pages are tables of the top ten warmest, coolest, wettest, and driest Aprils at some official NWS locations, which includes the average/total for this April where available, and the 1981-2010 average temperature and rainfall for the month of April.

**CHIEFLAND 5 ESE** (records began in July 1956):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 73.0 in 1991	1 63.4 in 1961	1 14.61 in 1982	1 0.00 in 1967
2 72.5 in 2002	2 64.8 in 2005	2 8.46 in 1997	2 0.30 in 1963
3 72.2 in 1999	3 64.9 in 2004	3 7.39 in 1995	3 0.31 in 1969
4 71.8 in 1970	4 65.0 in 1962	4 7.16 in 1985	4 0.42 in 2016
<b>5 71.5 in 2020</b>	5 65.3 in 1993	5 7.13 in 1991	5 0.79 in 1989
6 71.3 in 2017	6 65.5 in 2000	6 6.65 in 1957	6 0.80 in 2000
71.3 in 2011	7 65.6 in 2007	7 6.48 in 1983	7 0.88 in 2001
8 71.2 in 1911	8 66.4 in 1966	8 6.22 in 2005	0.88 in 1998
71.2 in 1965	9 66.6 in 1984	9 6.20 in 1961	9 0.91 in 1993
10 70.9 in 1994	10 66.9 in 1986	10 6.12 in 1979	0.91 in 1981
	66.9 in 1983	...	
		<b>15 5.15 in 2020</b>	

Normal Temperature for April at CHIF1 = 67.3°  
 Normal Rainfall for April at CHIF1 = 3.13 in.

**INVERNESS 3 SE** (records began in July 1948):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 75.5 in 1954	1 64.8 in 1993	1 7.88 in 1953	1 0.00 in 1967
2 74.9 in 2015	2 66.1 in 2004	2 5.89 in 1991	2 0.06 in 2001
3 74.5 in 1968	3 66.2 in 2000	3 5.76 in 2011	3 0.07 in 1998
4 74.3 in 1967	4 66.3 in 2007	4 5.20 in 1997	4 0.20 in 1978
5 74.1 in 1965	5 66.4 in 1996	5 5.15 in 1959	5 0.26 in 1987
6 74.0 in 1970	6 66.8 in 2003	6 5.01 in 2018	6 0.31 in 1977
7 73.5 in 2002	66.8 in 1992	7 5.00 in 1982	0.31 in 1974
8 73.1 in 1969	8 67.1 in 1998	8 4.89 in 1984	8 0.65 in 1999
73.1 in 1963	9 67.3 in 1988	9 4.62 in 1966	9 0.73 in 1968
<b>10 73.0 in 2020</b>	10 67.4 in 1950	10 4.47 in 1992	10 0.76 in 1981
		...	
		<b>16 3.58 in 2020</b>	

Normal Temperature for April at INVF1 = 68.1°  
 Normal Rainfall for April at INVF1 = 2.29 in.

**BUSHNELL 1 E** (records began in July 1948):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 74.7 in 2015	1 65.4 in 1987	1 8.45 in 1983	1 0.00 in 1981
2 73.8 in 1954	2 66.3 in 1950	2 6.60 in 1949	0.00 in 1967
3 73.6 in 1994	3 67.0 in 1961	3 5.84 in 1959	3 0.12 in 1972
4 73.1 in 1999	67.0 in 1952	4 5.61 in 1953	4 0.14 in 1998
5 72.9 in 1970	5 67.4 in 1986	5 5.48 in 1982	5 0.21 in 1970
6 72.5 in 1981	6 67.7 in 1951	6 5.41 in 1991	6 0.25 in 1977
7 72.4 in 1968	7 67.9 in 2009	7 4.88 in 1989	7 0.32 in 1968
8 72.3 in 1965	8 68.0 in 1973	8 4.84 in 1960	8 0.37 in 1978
9 72.2 in 1979	9 68.1 in 1971	9 4.83 in 1951	0.37 in 1974
72.2 in 1964	10 68.2 in 1997	10 4.72 in 1973	10 0.59 in 1990
...	68.2 in 1976	11 4.69 in 2018	
	68.2 in 1962	12 4.58 in 2010	
		<b>13 4.56 in 2020</b>	
<b>25 70.3 in 2020</b>	<b>32 70.3 in 2020</b>		

Normal Temperature for April at BSHF1 = 69.2°

Normal Rainfall for April at BSHF1 = 2.34 in.

---

**BROOKSVILLE AREA** (records began in January 1892):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 75.5 in 1947	1 64.3 in 2005	1 14.49 in 1928	1 Trace in 2017
75.5 in 1945	64.3 in 2004	2 8.05 in 1900	Trace in 1967
75.5 in 1929	3 64.8 in 1901	3 7.54 in 1935	3 0.04 in 2001
4 75.2 in 2015	4 65.3 in 2000	4 7.41 in 1949	4 0.10 in 1903
5 74.5 in 1927	5 66.8 in 2007	5 7.38 in 1991	5 0.16 in 1977
6 74.4 in 1994	6 67.1 in 1950	6 6.92 in 1953	6 0.20 in 1981
7 74.0 in 1909	7 67.3 in 1892	7 6.48 in 1937	7 0.21 in 1932
<b>8 73.9 in 2020</b>	8 67.5 in 1998	8 6.39 in 1918	8 0.25 in 2006
9 73.8 in 1981	9 67.6 in 1926	9 6.33 in 1982	9 0.26 in 1998
10 73.7 in 2002	10 67.7 in 1952	10 6.20 in 1926	10 0.32 in 1896
73.7 in 1964		...	
73.7 in 1912		<b>22 4.79 in 2020</b>	

Normal Temperature for April at BKV = 67.7°

Normal Rainfall for April at BKV = 2.56 in.

---

**ST. LEO** (records began in April 1895):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 76.8 in 1908	1 66.4 in 1931	1 15.55 in 1953	1 Trace in 1967
2 76.0 in 1954	2 66.7 in 1987	2 11.22 in 1928	2 0.06 in 1981
76.0 in 1947	66.7 in 1928	3 7.41 in 1937	0.06 in 1922
4 75.7 in 1945	4 67.7 in 1950	4 7.02 in 1997	4 0.09 in 2001
5 75.5 in 2015	67.7 in 1915	5 6.86 in 1991	5 0.11 in 1903
6 75.4 in 2002	67.7 in 1901	6 6.75 in 1949	6 0.12 in 1963
7 75.3 in 1994	7 68.0 in 1903	6.75 in 1941	7 0.13 in 2017
8 74.9 in 1991	8 68.4 in 1916	8 6.61 in 2018	8 0.20 in 1911
9 74.6 in 2006	9 68.6 in 1993	9 6.33 in 1895	9 0.21 in 1998
74.6 in 1999	10 68.7 in 1913	<b>10 6.32 in 2020</b>	10 0.23 in 1896
...			
<b>15 74.0 in 2020</b>			
74.0 in 1970			

Normal Temperature for April at STLF1 = 71.9°  
Normal Rainfall for April at STLF1 = 2.62 in.

---

**TARPON SPRINGS** (records began in January 1892):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 76.5 in 2015	1 65.7 in 1987	1 7.63 in 1931	1 0.00 in 1967
2 76.4 in 1947	2 67.1 in 1915	2 7.20 in 1942	2 Trace in 1896
3 76.0 in 1991	3 67.2 in 1962	3 6.97 in 1949	3 0.05 in 1922
4 75.3 in 1945	4 67.4 in 1950	4 6.66 in 1928	4 0.07 in 1981
5 75.1 in 1994	67.4 in 1940	5 6.31 in 1953	0.07 in 1972
<b>6 75.0 in 2020</b>	6 67.5 in 1903	6 6.01 in 1957	6 0.08 in 1923
7 74.9 in 1948	7 67.8 in 1916	<b>7 6.00 in 2020</b>	7 0.16 in 1998
8 74.8 in 1922	8 67.9 in 1971	8 5.97 in 1933	8 0.18 in 1903
74.8 in 1912	67.9 in 1961	9 5.90 in 1959	9 0.20 in 2017
10 74.7 in 2002	67.9 in 1910	10 5.70 in 1941	10 0.23 in 1910
74.7 in 1929			

Normal Temperature for April at TRPF1 = 70.7°  
Normal Rainfall for April at TRPF1 = 2.37 in.

---

**TAMPA AREA** (records began in April 1890):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 78.0 in 2015	1 66.3 in 1987	1 10.71 in 1997	1 Trace in 1981
2 77.1 in 2017	2 66.7 in 1901	2 8.04 in 1920	Trace in 1967
3 76.8 in 1991	3 67.2 in 1993	3 7.23 in 1931	3 0.02 in 2001
4 76.6 in 1947	4 67.7 in 1950	<b>4 6.73 in 2020</b>	4 0.05 in 1969
5 76.4 in 1908	5 68.1 in 1903	5 6.59 in 1957	5 0.16 in 1922
6 76.3 in 2011	6 68.2 in 1899	6 6.14 in 1933	0.16 in 1898
76.3 in 2002	7 68.6 in 1983	7 5.75 in 1926	7 0.21 in 1963
8 76.0 in 1945	68.6 in 1961	8 5.48 in 1959	8 0.31 in 1892
<b>9 75.4 in 2020</b>	68.6 in 1915	9 5.38 in 1895	9 0.35 in 1938
75.4 in 2013	68.6 in 1891	10 5.19 in 1951	10 0.37 in 1946
		5.19 in 1941	

Normal Temperature for April at TPA = 72.0°

Normal Rainfall for April at TRA = 2.03 in.

---

**ST. PETERSBURG** (records began in August 1914):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 78.6 in 2015	1 68.5 in 1950	1 9.73 in 1997	1 0.00 in 1967
2 77.0 in 2011	2 68.7 in 1987	2 9.09 in 1920	2 Trace in 1981
77.0 in 1947	3 68.9 in 1993	3 8.45 in 1951	3 0.01 in 1974
4 76.9 in 2002	4 69.2 in 1952	4 7.69 in 1933	4 0.04 in 2001
5 76.6 in 1991	5 69.3 in 1983	5 7.39 in 1957	5 0.07 in 1987
<b>6 76.5 in 2020</b>	6 70.1 in 1916	6 7.20 in 2003	6 0.11 in 1998
76.5 in 2013	7 70.2 in 1915	7 6.16 in 1960	7 0.24 in 1932
8 76.1 in 1929	8 70.4 in 1951	8 6.09 in 1948	8 0.25 in 1977
9 76.0 in 1981	9 70.6 in 1931	9 5.81 in 1931	9 0.27 in 2006
76.0 in 1954	10 70.8 in 1996	10 5.46 in 1941	0.27 in 1963
76.0 in 1922	70.8 in 1961	...	
		<b>22 3.65 in 2020</b>	

Normal Temperature for April at SPG = 72.9°

Normal Rainfall for April at SPG = 2.27 in.

---

**PLANT CITY** (Temperature records began in Sep 1892 and Rainfall records began in Jan 1893):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
<b>1 77.2 in 2020</b>	1 65.0 in 1901	1 7.29 in 1931	1 0.00 in 2001
2 76.9 in 2015	2 65.5 in 1987	2 7.13 in 1957	0.00 in 1981
3 76.1 in 1947	3 65.9 in 1931	3 7.11 in 1933	0.00 in 1967
4 75.9 in 1912	4 67.4 in 1932	4 6.56 in 1928	4 0.16 in 1987
5 75.8 in 1911	5 67.6 in 1983	5 6.53 in 1941	5 0.20 in 1923
6 75.7 in 1945	67.6 in 1902	6 6.40 in 1937	0.20 in 1911
7 75.6 in 2011	7 67.7 in 2005	7 6.36 in 1947	7 0.26 in 1938
8 75.5 in 1991	8 67.9 in 1993	8 6.06 in 1997	8 0.27 in 1963
9 75.3 in 2017	9 68.0 in 1940	9 6.00 in 1951	9 0.31 in 1977
10 75.2 in 2019	10 68.2 in 1925	10 5.78 in 1959	10 0.32 in 1898
		...	
		<b>16 5.24 in 2020</b>	

Normal Temperature for April at PLCF1 = 70.9°  
 Normal Rainfall for April at PLCF1 = 2.69 in.

**LAKELAND AREA** (records began in January 1915):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 77.2 in 2015	1 67.3 in 1950	1 8.48 in 1959	1 0.00 in 1967
<b>2 76.6 in 2020</b>	2 68.3 in 2005	2 8.36 in 1939	2 0.04 in 2001
3 76.5 in 1991	68.3 in 1952	3 8.35 in 1934	3 0.05 in 1963
4 76.3 in 1994	4 68.5 in 1987	4 8.15 in 1951	4 0.09 in 1981
5 76.2 in 1922	5 68.6 in 1961	5 7.71 in 1928	5 0.22 in 1977
6 76.1 in 2011	68.6 in 1951	6 6.84 in 1997	6 0.25 in 1922
7 75.8 in 1947	7 68.7 in 2007	7 6.77 in 1957	7 0.42 in 1972
8 75.6 in 1945	8 68.9 in 1973	8 6.66 in 1920	0.42 in 1969
9 75.4 in 1929	9 69.0 in 1983	9 5.82 in 1926	9 0.43 in 1932
10 75.2 in 2002	10 69.5 in 1931	10 5.60 in 1941	10 0.44 in 1945
	69.5 in 1915	...	
		<b>18 4.29 in 2020</b>	

Normal Temperature for April at LLDF1 = 71.1°  
 Normal Rainfall for April at LLDF1 = 2.67 in.

**BARTOW** (records began in June 1892):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 78.7 in 1908	1 65.9 in 1926	1 9.70 in 1920	1 0.00 in 1967
2 77.2 in 1945	2 66.3 in 1901	2 8.40 in 1951	2 Trace in 2000
3 76.1 in 1991	3 66.9 in 1915	3 6.89 in 1941	Trace in 1907
4 76.0 in 1999	4 67.3 in 1928	4 6.69 in 1934	4 0.04 in 1922
76.0 in 1947	5 68.0 in 1913	5 6.43 in 1937	5 0.11 in 1981
76.0 in 1922	6 68.1 in 1987	6 6.14 in 1935	6 0.17 in 1938
7 75.9 in 2014	7 68.4 in 1950	7 6.12 in 1954	7 0.20 in 1987
8 75.7 in 1965	68.4 in 1931	6.12 in 1895	8 0.21 in 2006
9 75.6 in 2002	9 68.8 in 1952	9 5.94 in 1933	9 0.28 in 2001
10 75.6 in 1954	10 68.9 in 1937	10 5.87 in 1991	10 0.34 in 1919
...		...	...
<b>16 74.8 in 2020</b>		<b>37 3.67 in 2020</b>	<b>90 3.67 in 2020</b>
74.8 in 1968			

Normal Temperature for April at BARF1 = 72.5°

Normal Rainfall for April at BARF1 = 2.73 in.

-----

**WINTER HAVEN AREA** (records began in March 1941):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 78.6 in 2015	1 67.0 in 1987	1 7.36 in 1951	1 0.00 in 1981
2 77.8 in 1947	2 68.5 in 1983	2 7.29 in 1941	0.00 in 1967
3 77.5 in 1991	68.5 in 1973	3 6.51 in 2008	3 0.18 in 1963
4 77.1 in 1945	4 69.0 in 1961	4 6.34 in 1957	4 0.28 in 1946
5 76.6 in 2002	5 69.1 in 1971	5 5.55 in 1947	5 0.46 in 1952
6 76.3 in 2011	6 69.7 in 2005	6 5.30 in 1960	6 0.51 in 2017
<b>7 76.0 in 2020</b>	69.7 in 1962	7 5.11 in 1997	7 0.56 in 2001
8 75.8 in 1994	8 69.9 in 1993	8 5.01 in 1959	8 0.61 in 1978
9 75.7 in 1948	9 70.0 in 1951	9 4.42 in 2018	9 0.62 in 1968
10 75.1 in 2019	10 70.1 in 2004	4.42 in 1991	10 0.64 in 1986
		...	
		<b>18 3.30 in 2020</b>	

Normal Temperature for April at GIF = 72.2°

Normal Rainfall for April at GIF = 2.48 in.

**SARASOTA-BRADENTON AREA** (records began in January 1911):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 75.9 in 2015	1 65.9 in 1987	1 10.23 in 1957	1 0.00 in 1967
75.9 in 1945	2 67.0 in 1916	2 9.82 in 1920	2 Trace in 2017
<b>3 75.2 in 2020</b>	3 67.1 in 1915	3 8.78 in 1997	3 0.01 in 1923
4 75.1 in 1994	4 67.5 in 1931	<b>4 7.36 in 2020</b>	4 0.03 in 1981
5 75.0 in 2017	5 67.8 in 1986	5 7.22 in 1933	5 0.08 in 1963
6 74.9 in 1947	6 68.3 in 2005	6 7.09 in 1951	6 0.10 in 1998
7 74.6 in 2002	68.3 in 1950	7 5.55 in 1930	7 0.10 in 1922
8 74.5 in 1954	8 68.4 in 1993	8 5.11 in 1953	8 0.14 in 2006
9 74.4 in 2013	9 68.5 in 1971	9 4.87 in 1916	0.14 in 2001
10 74.1 in 2019	68.5 in 1940	10 4.85 in 1960	10 0.15 in 1938
74.1 in 1965			

Normal Temperature for April at SRQ = 71.1°

Normal Rainfall for April at SRQ = 2.44 in.

---

**MYAKKA RIVER STATE PARK** (Temperature records began in March 1956  
and Rainfall records began in Sep 1943):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 77.0 in 2015	1 66.5 in 1987	1 8.93 in 1997	1 0.00 in 2001
2 76.0 in 1999	2 67.8 in 1962	2 7.85 in 1993	2 Trace in 1981
3 75.7 in 1994	3 68.0 in 1961	3 7.10 in 1954	3 0.02 in 1987
4 74.8 in 1982	4 68.3 in 2005	4 7.02 in 1948	4 0.04 in 1946
5 74.7 in 2013	5 68.4 in 1986	5 6.82 in 1957	5 0.10 in 2006
74.7 in 2011	6 68.7 in 1973	<b>6 6.54 in 2020</b>	6 0.12 in 1970
74.7 in 1981	7 69.2 in 2004	7 6.22 in 1951	7 0.15 in 1978
8 74.4 in 2002	8 69.3 in 1971	8 5.58 in 1995	8 0.20 in 1998
74.4 in 1970	9 69.7 in 1983	9 5.17 in 2008	9 0.33 in 1971
10 74.2 in 1979	10 70.0 in 1963	10 5.05 in 1982	10 0.43 in 1950
...	...		
<b>24 72.3 in 2020</b>	<b>34 72.3 in 2020</b>		
72.3 in 2001	72.3 in 2001		

Normal Temperature for April at MKCF1 = 71.6°

Normal Rainfall for April at MKCF1 = 2.59 in.

---

**VENICE** (records began in May 1955):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 76.9 in 2015	1 65.5 in 1987	1 13.85 in 1957	1 0.00 in 1967
2 76.2 in 2011	2 68.0 in 1986	2 7.86 in 1997	2 0.06 in 1975
3 76.1 in 1994	3 68.5 in 1993	3 6.10 in 1962	3 0.07 in 1987
4 75.9 in 2013	4 68.6 in 2005	4 5.20 in 1993	0.07 in 1978
5 75.5 in 2002	5 68.8 in 1983	5 5.18 in 1984	5 0.09 in 1963
<b>6 75.0 in 2020</b>	68.8 in 1962	6 5.09 in 1991	6 0.15 in 2006
7 74.5 in 2017	7 69.0 in 1988	7 4.51 in 2013	7 0.16 in 2001
74.5 in 1999	8 69.3 in 1984	4.51 in 1982	8 0.17 in 1970
9 74.4 in 2012	9 69.4 in 2007	9 4.12 in 1966	9 0.18 in 1999
10 74.3 in 2019	10 69.6 in 1956	10 4.01 in 2004	10 0.24 in 1972
		...	
		<b>18 2.97 in 2020</b>	

Normal Temperature for April at VNCF1 = 71.1°

Normal Rainfall for April at VNCF1 = 2.48 in.

---

**WAUCHULA 2 N** (records began in January 1933):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 77.2 in 1945	1 65.7 in 1950	1 8.26 in 1951	1 0.00 in 2001
2 76.3 in 1947	2 66.7 in 1993	2 7.75 in 1947	0.00 in 1978
3 75.4 in 2015	66.7 in 1987	3 6.94 in 1962	0.00 in 1967
4 74.8 in 1968	4 66.8 in 2004	4 6.60 in 1995	4 0.03 in 1963
5 74.7 in 1991	5 67.6 in 1983	5 6.55 in 1953	5 0.05 in 1971
6 74.5 in 1970	6 67.9 in 1952	6 6.44 in 1992	6 0.08 in 1981
7 74.4 in 1975	7 68.1 in 1951	7 6.36 in 1934	7 0.13 in 1970
8 74.2 in 1965	8 68.3 in 2000	8 5.95 in 1997	8 0.16 in 1987
<b>9 74.1 in 2020</b>	9 68.5 in 2007	9 5.44 in 1933	9 0.22 in 1945
74.1 in 1982	68.5 in 1997	<b>10 4.73 in 2020</b>	10 0.23 in 1975
74.1 in 1939			

Normal Temperature for April at WAUF1 = 71.7°

Normal Rainfall for April at WAUF1 = 2.74 in.

---

**ARCADIA** (records began in November 1899):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 78.1 in 1908	1 66.9 in 1987	1 8.34 in 1997	1 0.00 in 1987
2 77.6 in 1912	2 67.0 in 1992	2 8.08 in 1933	0.00 in 1970
3 77.2 in 1945	3 67.2 in 1901	3 8.00 in 1951	0.00 in 1967
4 77.0 in 1947	4 67.4 in 1950	4 5.97 in 1957	4 0.02 in 2001
5 76.4 in 2015	5 67.7 in 2004	5 5.88 in 1954	0.02 in 1903
6 75.6 in 1911	6 67.9 in 1986	6 5.84 in 1920	6 0.06 in 1977
7 75.1 in 1954	7 68.6 in 1931	<b>7 5.64 in 2020</b>	7 0.08 in 1981
8 74.8 in 1991	8 68.7 in 2000	5.64 in 1939	8 0.11 in 1978
9 74.7 in 1929	9 69.0 in 1983	9 5.38 in 1930	9 0.13 in 1971
10 74.6 in 2011	69.0 in 1952	10 5.29 in 2015	10 0.14 in 1946
<b>11 74.4 in 2020</b>			
74.4 in 2013			

Normal Temperature for April at ARCF1 = 70.3°

Normal Rainfall for April at ARCF1 = 2.47 in.

---

**ARCHBOLD BIO STN** (records began in January 1969):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 76.6 in 2015	1 63.0 in 1987	1 5.90 in 1972	1 0.03 in 2006
<b>2 75.0 in 2020</b>	2 66.4 in 1986	2 5.65 in 2015	2 0.08 in 1971
3 74.8 in 1991	3 66.7 in 2004	3 5.47 in 1997	3 0.16 in 1981
4 74.4 in 2011	4 66.9 in 1993	4 5.37 in 2013	4 0.19 in 1970
5 74.1 in 1994	5 67.4 in 2005	5 4.91 in 1992	5 0.21 in 1986
6 73.7 in 1982	67.4 in 1983	6 4.90 in 1973	6 0.42 in 2016
7 73.5 in 1975	7 67.7 in 2000	7 4.15 in 1982	7 0.43 in 1978
8 73.4 in 2013	8 68.6 in 1971	8 4.10 in 2004	8 0.52 in 1987
9 73.1 in 2017	9 68.7 in 1992	9 3.90 in 1980	9 0.59 in 2009
10 73.0 in 2002	10 68.8 in 2007	<b>10 3.48 in 2020</b>	10 0.69 in 1977
73.0 in 1981	68.8 in 1984	3.48 in 1999	

Normal Temperature for April at ACHF1 = 69.7°

Normal Rainfall for April at ACHF1 = 2.25 in.

---

**PUNTA GORDA AREA** (records began in June 1914):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 78.7 in 1945	1 67.9 in 1987	1 8.70 in 1920	1 0.00 in 1981
2 78.2 in 1947	2 68.7 in 1915	2 7.93 in 1957	0.00 in 1963
3 76.9 in 1944	3 69.1 in 2004	3 7.08 in 1931	0.00 in 1946
4 76.6 in 2015	69.1 in 1916	4 5.80 in 1994	4 Trace in 1975
76.6 in 1994	5 69.2 in 2005	5 5.52 in 1941	Trace in 1967
6 76.1 in 1954	6 69.7 in 1971	6 5.36 in 1947	6 0.03 in 1922
7 76.0 in 1991	7 70.0 in 1993	7 5.20 in 1933	7 0.05 in 2006
76.0 in 1946	70.0 in 1986	8 5.15 in 1997	8 0.09 in 1970
9 75.9 in 1948	9 70.1 in 2000	9 5.08 in 1965	9 0.10 in 2001
10 75.8 in 2013	10 70.2 in 1950	5.08 in 1948	10 0.11 in 1987
<b>11 75.7 in 2020</b>		...	
		<b>17 4.02 in 2020</b>	

Normal Temperature for April at PGD = 71.8°

Normal Rainfall for April at PGD = 2.43 in.

---

**FORT MYERS AREA** (records began in January 1902):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
<b>1 79.2 in 2020</b>	1 68.5 in 1950	1 8.42 in 1939	1 Trace in 1970
2 78.8 in 2015	2 68.8 in 1987	2 7.66 in 1941	Trace in 1967
3 77.7 in 2011	3 69.3 in 1915	3 6.06 in 1933	Trace in 1903
77.7 in 1991	4 69.6 in 1903	4 5.89 in 1930	4 0.01 in 2006
77.7 in 1947	5 70.1 in 1983	5 5.68 in 1994	0.01 in 1946
6 77.4 in 1994	70.1 in 1910	6 5.61 in 1916	6 0.02 in 1922
7 77.3 in 1908	7 70.2 in 1952	7 5.50 in 1949	7 0.08 in 1981
8 76.9 in 2018	8 70.4 in 1971	8 5.34 in 1995	0.08 in 1950
76.9 in 2013	9 70.6 in 1931	9 5.01 in 1991	9 0.11 in 1974
76.9 in 2002	10 70.8 in 2005	10 5.00 in 1997	10 0.14 in 1987
76.9 in 1945	70.8 in 1993	...	...
	70.8 in 1961	<b>54 1.71 in 2020</b>	<b>65 1.71 in 2020</b>
	70.8 in 1907		
	70.8 in 1902		

Normal Temperature for April at FMY = 73.8°

Normal Rainfall for April at FMY = 2.18 in.

---

For more Climate information visit our web site at the following link:  
<https://www.weather.gov/tampabay> and then go to the Climate and Past Weather drop down menu above the graphical forecast images.