

### NOAA - National Weather Service

Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay


# April 2024 Climate Summary for West Central and Southwest Florida

Temperatures averaged from about 2.5 degrees Fahrenheit below normal to 1 degree Fahrenheit above normal this April. This is thanks to many days with rather dry air across the region which allowed the low temperatures to fall below normal on numerous mornings while some afternoons were above normal.


### APRIL TEMPERATURE RANKINGS (°F):

		April 202	4	Normal	Dep fm	Records
Location	Ra	ank Av	g Temp	Apr Temp	Normal	Began
C+ Do+onolouson Associ	26-6	TaT o some o o d	75.1°	74.1°	+1.0°	7 1014
St Petersburg Area		Warmest				Aug 1914
Fort Myers Area		Coolest	74.6°	74.8°	-0.2°	Jan 1902
Punta Gorda Area	35th	Warmest(tie)	73.8°	73.1°	+0.7°	May 1914
Tampa Area	104th	Coolest	73.7°	73.9°	-0.2°	Apr 1890
Winter Haven Area	40th	Coolest(tie)		73.8°	-0.4°	Mar 1941
Venice	26th	Warmest	72.8°	72.5°	+0.3°	May 1955
Plant City	80th	Coolest(tie)	72.8°	73.5°	-0.7°	Sep 1892
Lakeland Area	51st	Coolest	72.3°	73.2°	-0.9°	Jan 1915
Sarasota-Bradenton	Area 72nd	Coolest(tie)	72.2°	72.6°	-0.4°	Jan 1911
Tarpon Springs	83rd	Coolest	72.0°	72.2°	-0.2°	Jan 1892
Bartow	36th	Coolest(tie)	71.1°	72.5°	-1.4°	Jun 1892
St. Leo	52nd	Coolest	70.8°	71.4°	-0.6°	Apr 1895
Wauchula 2 N	21st	Coolest	70.2°	71.0°	-0.8°	Jan 1933
Myakka River State	Pk 10th	Coolest	69.8°	72.5°	-2.7°	Mar 1956
Archbold Bio Stn	16th	Coolest	69.7°	71.7°	-2.0°	Jan 1969
Brooksville Area	30th	Coolest(tie)	69.1°	69.2°	-0.1°	Jan 1892
Inverness 3 SE	14th	Coolest(tie)		68.5°	-0.3°	Jul 1948
Chiefland 5 ESE	15th	Coolest	67.3°	68.4°	-1.1°	Jul 1956

Contact: Paul Close, Paul.Close@noaa.gov Date: 05/10/2024



Departure from Normal Temperature (F) 4/1/2024 - 4/30/2024





Graphics Source: High Plains Regional Climate Center (HPRCC)

As far as rainfall, April is usually one of the drier months of the year. This was true across almost all of the area this year, especially south of a line from about Sarasota to Frostproof where many areas ended up less than 50 percent of normal.

### APRIL RAINFALL (inches):

	Apri	1 2024	Normal	Dep fm	Records
Location	Rank	Rain Total	Apr Rain	Normal	Began
Lakeland Area	60th Driest	2.14	2.82	-0.68	Jan 1915
Inverness 3 SE	36th Driest	2.05	2.69	-0.64	Jul 1948
Brooksville Area	57th Driest(	tie) 1.98	2.18	-0.20	Jan 1892
Winter Haven Area	42nd Driest	1.84	2.50	-0.66	Mar 1941
St. Petersburg Area	51st Driest	1.63	1.93	-0.30	Aug 1914
Bartow	45th Driest	1.55	2.72	-1.17	Jun 1892
Venice	34th Driest	1.52	2.47	-0.95	May 1955
Plant City	48th Driest	1.51	2.88	-1.37	Jan 1893
Tarpon Springs	58th Driest	1.47	2.69	-1.22	Jan 1892
Tampa Area	55th Driest(	tie) 1.34	2.55	-1.21	Apr 1890
St. Leo	36th Driest	1.32	3.06	-1.74	Apr 1895
Myakka River State Pk	28th Driest	1.28	2.98	-1.70	Sep 1943
Wauchula 2 N	21st Driest	1.14	2.92	-1.78	Jan 1933
Chiefland 5 ESE	14th Driest	1.08	2.97	-1.89	Jul 1956
Sarasota-Bradenton Area	34th Driest	1.06	2.46	-1.40	Jan 1911
Fort Myers Area	39th Driest	0.87	2.44	-1.57	Jan 1902
Punta Gorda Area	29th Driest	0.75	2.23	-1.48	May 1914
Archbold Bio Stn	10th Driest	0.62	2.54	-1.92	Jan 1969





April 2024 Rainfall Percent of Normal Rain

Contact: Paul Close, <a href="Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

Date: 05/10/2024

On the following pages are tables of the top ten warmest, coolest, wettest, and driest Aprils at some official NWS locations, which includes the average/total so far for this April where available, and the 1991-2020 average temperature and rainfall for the month of April.

#### CHIEFLAND 5 ESE (records began in July 1956):

Wa	armest	z Ag	prils	Co	oolest	t A <u>r</u>	prils	We	ettest	Apı	rils	Γ	)ri	iest A	Apri	ils
1	73.0	in	1991	1	63.4	in	1961	1	14.61	in	1982	1	L	0.00	in	1967
2	72.5	in	2002	2	64.8	in	2005	2	8.46	in	1997	2	2	0.30	in	1963
3	72.2	in	1999	3	64.9	in	2004	3	7.39	in	1995	3	3	0.31	in	1969
4	71.8	in	1970	4	65.0	in	1962	4	7.16	in	1985	4	1	0.42	in	2016
5	71.5	in	2020	5	65.3	in	1993	5	7.13	in	1991	5	5	0.79	in	1989
6	71.3	in	2017	6	65.5	in	2000	6	6.65	in	1957	6	5	0.80	in	2000
	71.3	in	2011	7	65.6	in	2007	7	6.48	in	1983	7	7	0.88	in	2001
8	71.2	in	1911	8	66.4	in	1966	8	6.22	in	2005			0.88	in	1998
	71.2	in	1965	9	66.6	in	1984	9	6.20	in	1961	Ç	9	0.91	in	1993
10	70.9	in	1994	10	66.9	in	1986	10	6.12	in	1979			0.91	in	1981
					66.9	in	1983					11	Ĺ	0.98	in	2007
				12	67.0	in	1996					12	2	1.00	in	1974
					67.0	in	1974					13	3	1.04	in	1988
				14	67.1	in	2009					14	1	1.08	in	2024
				15	67.3	in	2024									

Normal Temperature for April at CHIF1 =  $68.4^{\circ}$  Normal Rainfall for April at CHIF1 = 2.97 in.

\_\_\_\_\_

### INVERNESS 3 SE (records began in July 1948):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 75.5 in 1954	1 64.8 in 1993	1 7.88 in 1953	1 0.00 in 1967
2 74.9 in 2015	2 66.1 in 2004	2 5.89 in 1991	2 0.06 in 2001
3 74.5 in 1968	3 66.2 in 2000	3 5.76 in 2011	3 0.07 in 1998
4 74.3 in 1967	4 66.3 in 2007	4 5.52 in 2021	4 0.20 in 1978
5 74.2 in 2023	5 66.4 in 1996	5 5.49 in 2022	5 0.26 in 1987
6 74.1 in 1965	6 66.8 in 2003	6 5.20 in 1997	6 0.31 in 1977
7 74.0 in 1970	66.8 in 1992	7 5.15 in 1959	0.31 in 1974
8 73.5 in 2002	8 67.1 in 1998	8 5.01 in 2018	8 0.65 in 1999
9 73.1 in 1969	9 67.3 in 1988	9 5.00 in 1982	9 0.73 in 1968
73.1 in 1963	10 67.4 in 1950	10 4.89 in 1984	10 0.76 in 1981
	11 67.7 in 1990	• • •	• • •
	12 68.1 in 2019	41 2.05 in 2024	36 2.05 in 2024
	68.1 in 1961		
	14 68.2 in 2024		
	68.2 in 2001		
	68.2 in 1997		

Normal Temperature for April at INVF1 = 68.5° Normal Rainfall for April at INVF1 = 2.69 in.

-----

### BROOKSVILLE AREA (records began in January 1892):

Wá	armest	. Ar	prils	Co	oolest	t Ag	prils	W€	ettest	Арі	cils	Ε	riest A	4pri	ils
1	75.5	in	1947	1	64.3	in	2005	1	14.49	in	1928	1	Trace	in	2017
	75.5	in	1945		64.3	in	2004	2	8.05	in	1900		Trace	in	1967
	75.5	in	1929	3	64.8	in	1901	3	7.54	in	1935	3	0.04	in	2001
4	75.2	in	2015	4	65.3	in	2000	4	7.41	in	1949	4	0.10	in	1903
5	74.5	in	1927	5	66.8	in	2007	5	7.38	in	1991	5	0.16	in	1977
6	74.4	in	1994	6	67.1	in	1950	6	6.92	in	1953	6	0.20	in	1981
7	74.3	in	2023	7	67.3	in	1892	7	6.48	in	1937	7	0.21	in	1932
8	74.0	in	1909	8	67.5	in	1998	8	6.39	in	1918	8	0.25	in	2006
9	73.9	in	2020	9	67.6	in	1926	9	6.33	in	1982	9	0.26	in	1998
10	73.8	in	1981	10	67.7	in	1952	10	6.20	in	1926	1.0	0.32	in	1896
	•								•						
79	69.1	in	2024	30	69.1	in	2024	70	1.98	in	2024	57	1.98	in	2024
	69.1	in	2014		69.1	in	2014		1.98	in	2024		1.98	in	2024
	69.1	in	1992		69.1	in	1992								
	69.1	in	1925		69.1	in	1925								
	69.1	in	1904		69.1	in	1904								

Normal Temperature for April at BKV =  $69.2^{\circ}$  Normal Rainfall for April at BKV = 2.18 in.

-----

### ST. LEO (records began in April 1895):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 76.8 in 1908	1 66.4 in 1931	1 15.55 in 1953	1 Trace in 1967
2 76.0 in 1954	2 66.7 in 1987	2 11.22 in 1928	2 0.06 in 1981
76.0 in 1947	66.7 in 1928	3 7.41 in 1937	0.06 in 1922
4 75.7 in 1945	4 67.7 in 1950	4 7.02 in 1997	4 0.09 in 2001
5 75.5 in 2015	67.7 in 1915	5 6.86 in 1991	5 0.11 in 1903
6 75.4 in 2002	67.7 in 1901	6 6.75 in 1949	6 0.12 in 1963
7 75.3 in 1994	7 68.0 in 1903	6.75 in 1941	7 0.13 in 2017
8 74.9 in 2023	8 68.4 in 1916	8 6.61 in 2018	8 0.20 in 1911
74.9 in 1991	9 68.6 in 1993	9 6.33 in 1895	9 0.21 in 1998
10 74.6 in 2006	10 68.7 in 1913	10 6.32 in 2020	10 0.23 in 1896
74.6 in 1999			
		94 1.32 in 2024	36 1.32 in 2024
77 70.8 in 2024	52 70.8 in 2024		

Normal Temperature for April at STLF1 =  $71.4^{\circ}$  Normal Rainfall for April at STLF1 = 3.06 in.

\_\_\_\_\_\_

### TARPON SPRINGS (records began in January 1892):

Wá	armest	. Ar	prils	Co	polest	t Ap	prils	7	Wet	test	Apı	rils	Ι	)ri	est <i>I</i>	Apri	lls
1	76.5	in	2015	1	65.7	in	1987		1	7.63	in	1931	1	L (	0.00	in	1967
2	76.4	in	1947	2	67.1	in	1915	,	2	7.20	in	1942	2	2 T:	race	in	1896
3	76.0	in	1991	3	67.2	in	1962		3	6.97	in	1949	3	3 (	0.05	in	1922
4	75.3	in	1945	4	67.4	in	1950	4	4	6.66	in	1928	4	1 (	0.07	in	1981
5	75.1	in	1994		67.4	in	1940	ļ	5	6.31	in	1953		(	0.07	in	1972
6	75.0	in	2020	6	67.5	in	1903	(	6	6.01	in	1957	6	5 (	0.08	in	1923
7	74.9	in	1948	7	67.8	in	1916	•	7	6.00	in	2020	-	7 (	0.16	in	1998
8	74.8	in	1922	8	67.9	in	1971	8	8	5.97	in	1933	8	3 (	0.18	in	1903
	74.8	in	1912		67.9	in	1961	9	9	5.90	in	1959	9	9 (	0.20	in	2017
10	74.7	in	2002		67.9	in	1910	1	0	5.70	in	1941	10	) (	0.23	in	1910
	74.7	in	1929														
	•				•			74	4	1.47	in	2024	58	3 :	1.47	in	2024
43	72.0	in	2024	83	72.0	in	2024										
	72.0	in	2012		72.0	in	2012										
	72.0	in	1967		72.0	in	1967										
	72.0	in	1957		72.0	in	1957										
	72.0	in	1933		72.0	in	1933										

Normal Temperature for April at TRPF1 =  $72.2^{\circ}$  Normal Rainfall for April at TRPF1 = 2.69 in.

-----

### TAMPA AREA (records began in April 1890):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 78.0 in 2015 2 77.1 in 2017 3 77.0 in 2023	1 66.3 in 1987 2 66.7 in 1901 3 67.2 in 1993	1 10.71 in 1997 2 8.04 in 1920 3 7.23 in 1931	1 Trace in 1981 Trace in 1967 3 0.02 in 2001
4 76.9 in 2022		4 6.76 in 2022	4 0.05 in 1969
5 76.8 in 1991	5 68.1 in 1903	5 6.73 in 2020	5 0.16 in 1922
6 76.6 in 1947	6 68.2 in 1899	6 6.59 in 1957	0.16 in 1898
7 76.4 in 1908	7 68.6 in 1983	7 6.14 in 1933	7 0.21 in 1963
8 76.3 in 2011	68.6 in 1961	8 5.75 in 1926	8 0.31 in 1892
76.3 in 2002	68.6 in 1915	9 5.48 in 1959	9 0.35 in 1938
10 76.0 in 1945	68.6 in 1891	10 5.38 in 1895	10 0.37 in 1946
	• • •	• • •	
32 73.7 in 2024	104 73.7 in 2024	80 1.34 in 2024	55 1.34 in 2024
		1.34 in 1893	1.34 in 1893

Normal Temperature for April at TPA =  $73.9^{\circ}$  Normal Rainfall for April at TRA = 2.55 in.

\_\_\_\_\_\_

## ST. PETERSBURG (records began in August 1914):

Warmest April:	Coolest Ap	orils We	ettest Ap	rils I	Oriest Ap	prils
1 78.6 in 201	1 68.5 in	1950 1	9.73 in	1997 1	0.00	in 1967
2 77.2 in 2023	2 68.7 in	1987 2	9.09 in	1920 2	2 Trace	in 1981
3 77.0 in 2013	3 68.9 in	1993 3	8.45 in	1951 3	0.01	in 1974
77.0 in 194	4 69.2 in	1952 4	7.69 in	1933 4	0.04	in 2001
5 76.9 in 2002	5 69.3 in	1983 5	7.39 in	1957 5	0.07	in 1987
6 76.6 in 199	6 70.1 in	1916 6	7.20 in	2003 6	0.11	in 1998
7 76.5 in 2020	7 70.2 in	1915 7	6.16 in	1960 7	0.24	in 1932
76.5 in 2013	8 70.4 in	1951 8	6.09 in	1948 8	0.25	in 1977
9 76.1 in 192	9 70.6 in	1931 9	5.81 in	1931 9	0.27	in 2006
10 76.0 in 1983	10 70.8 in	1996 10	5.46 in	1941	0.27	in 1963
76.0 in 195	70.8 in	1961				
76.0 in 192			1.63 in		1.63	in 2024

. . .

### 26 75.1 in 2024

Normal Temperature for April at SPG =  $74.1^{\circ}$  Normal Rainfall for April at SPG = 1.93 in.

\_\_\_\_\_\_

## **PLANT CITY** (Temperature records began in Sep 1892 and Rainfall records began in Jan 1893):

Warmest	: Ap	orils	С	polest	E Ag	orils	Wet	test	Apı	rils	D	riest A	Apri	ls
1 77.9 2 77.2 3 76.9 4 76.1	in in	2020 2015	2	65.0 65.5 65.9	in in	1987 1931	1 2 3 4	7.29 7.13 7.11 6.56	in in	1957 1933	1	0.00 0.00 0.00 0.16	in in	1981 1967
5 75.9 6 75.8	in	1912	_	67.4 67.6	in	1983	5 6	6.53 6.40	in	1941	5		in	1923
7 75.7 8 75.6	in	1945	-	67.7 67.9	in	2005	7 8	6.36 6.06	in	1947	7 8		in	1938
9 75.5 10 75.3			_	68.0 68.2			9 10	6.00 5.78			9 10	0.01		
<b>36 72.8</b> 72.8 72.8	in	1995	80	<b>72.8</b> 72.8 72.8	in	1995	79	1.51	in	2024	48		in	2024

Normal Temperature for April at PLCF1 =  $73.5^{\circ}$  Normal Rainfall for April at PLCF1 = 2.88 in.

\_\_\_\_\_\_

### LAKELAND AREA (records began in January 1915):

Wá	armest	z Ag	prils	Co	oolest	. Ag	orils	We	ttest	Apı	rils		Dri	iest <i>A</i>	\pri	ils
1	77.2	in	2015	1	67.3	in	1950	1	8.48	in	1959		1	0.00	in	1967
2	77.0	in	2023	2	68.3	in	2005	2	8.36	in	1939		2	0.04	in	2001
3	76.6	in	2020		68.3	in	1952	3	8.35	in	1934		3	0.05	in	1963
4	76.5	in	1991	4	68.5	in	1987	4	8.15	in	1951		4	0.09	in	1981
5	76.3	in	1994	5	68.6	in	1961	5	7.71	in	1928		5	0.22	in	1977
6	76.2	in	1922		68.6	in	1951	6	6.84	in	1997		6	0.25	in	1922
7	76.1	in	2011	7	68.7	in	2007	7	6.77	in	1957		7	0.42	in	1972
8	75.8	in	1947	8	68.9	in	1973	8	6.66	in	1920			0.42	in	1969
9	75.6	in	1945	9	69.0	in	1983	9	5.82	in	1926		9	0.43	in	1932
10	75.4	in	1929	10	69.5	in	1931	10	5.60	in	1941	1	0	0.44	in	1945
					69.5	in	1915									
	•							51	2.14	in	2024	6	0	2.14	in	2024
57	72.3	in	2024	51	72.3	in	2024									
	72.3	in	1985		72.3	in	1985									
	72.3	in	1938		72.3	in	1938									
	72.3	in	1917		72.3	in	1917									

Normal Temperature for April at LLDF1 =  $73.2^{\circ}$ Normal Rainfall for April at LLDF1 = 2.82 in.

\_\_\_\_\_

### WINTER HAVEN AREA (records began in March 1941):

Wa	armest	z Ag	prils	Co	oolest	t Ag	orils	We	ttest	Apı	cils	Dr	iest A	Apri	ils
_	78.6 77.8				67.0 68.5			1 2	7.36 7.29			1	0.00		
3	77.5	in	1991		68.5	in	1973	3	6.51	in	2008	3	0.18	in	1963
4	77.1	in	1945	4	69.0	in	1961	4	6.34	in	1957	4	0.28	in	1946
5	76.6	in	2002	5	69.1	in	1971	5	5.55	in	1947	5	0.46	in	1952
6	76.3	in	2011	6	69.7	in	2005	6	5.30	in	1960	6	0.51	in	2017
7	76.2	in	2023		69.7	in	1962	7	5.11	in	1997	7	0.56	in	2001
8	76.0	in	2020	8	69.9	in	1993	8	5.01	in	1959	8	0.61	in	1978
9	75.8	in	1994	9	70.0	in	1951	9	4.42	in	2018	9	0.62	in	1968
10	75.7	in	1948	10	70.1	in	2004		4.42	in	1991	10	0.64	in	1986
	i				•										
29	73.4	in	2024	40	73.4	in	2024	42	1.84	in	2024	42	1.84	in	2024
	73.4	in	2016		73.4	in	2016								
	73.4	in	1990		73.4	in	1990								
	73.4	in	1968		73.4	in	1968								

Normal Temperature for April at GIF =  $73.8^{\circ}$  Normal Rainfall for April at GIF = 2.50 in.

\_\_\_\_\_\_

Contact: Paul Close, <a href="Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

### BARTOW (records began in June 1892):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils				
1 78.7 in 1908	1 65.9 in 1926	1 9.70 in 1920	1 0.00 in 1967				
2 77.2 in 1945	2 66.3 in 1901	2 8.40 in 1951	2 Trace in 2000				
3 76.1 in 1991	3 66.9 in 1915	3 6.89 in 1941	Trace in 1907				
4 76.0 in 1999	4 67.3 in 1928	4 6.69 in 1934	4 0.04 in 1922				
76.0 in 1947	5 68.0 in 1913	5 6.43 in 1937	5 0.11 in 1981				
76.0 in 1922	6 68.1 in 1987	6 6.14 in 1935	6 0.17 in 1938				
7 75.9 in 2023	7 68.4 in 1950	7 6.12 in 1954	7 0.20 in 1987				
75.9 in 2014	68.4 in 1931	6.12 in 1895	8 0.21 in 2006				
9 75.7 in 1965	9 68.8 in 1952	9 5.94 in 1933	9 0.28 in 2001				
10 75.6 in 2002	10 68.9 in 1937	10 5.87 in 1991	10 0.34 in 1919				
75.6 in 1954		• • •	• • •				
• • •	• • •	87 1.55 in 2024	45 1.55 in 2024				
82 71.1 in 2024	36 71.1 in 2024						
71.1 in 1977	71.1 in 1977						
71.1 in 1932	71.1 in 1932						

Normal Temperature for April at BARF1 =  $72.5^{\circ}$  Normal Rainfall for April at BARF1 = 2.72 in.

\_\_\_\_\_

### SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 76.2 in 2023	1 65.9 in 1987	1 10.23 in 1957	1 0.00 in 1967
2 75.9 in 2015	2 67.0 in 1916	2 9.82 in 1920	2 Trace in 2017
75.9 in 1945	3 67.1 in 1915	3 8.78 in 1997	3 0.01 in 1923
4 75.2 in 2020	4 67.5 in 1931	4 7.36 in 2020	4 0.03 in 1981
5 75.1 in 1994	5 67.8 in 1986	5 7.22 in 1933	5 0.08 in 1963
6 75.0 in 2017	6 68.3 in 2005	6  7.09  in  1951	6 0.10 in 1998
7 74.9 in 1947	68.3 in 1950	7 5.55 in 1930	7 0.10 in 1922
8 74.6 in 2002	8 68.4 in 1993	8 5.11 in 1953	8 0.14 in 2006
9 74.5 in 2022	9 68.5 in 1971	9 4.87 in 1916	0.14 in 2001
74.5 in 1954	68.5 in 1940	10 4.85 in 1960	10 0.15 in 1938
• • •			
38 72.2 in 2024	73 72.2 in 2024	81 1.06 in 2024	34 1.06 in 2024
72.2 in 1955	72.2 in 1955		

Normal Temperature for April at SRQ =  $72.6^{\circ}$  Normal Rainfall for April at SRQ = 2.46 in.

\_\_\_\_\_\_

### **VENICE** (records began in May 1955):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 76.9 in 2015	1 65.5 in 1987	1 13.85 in 1957	1 0.00 in 1967
2 76.6 in 2023	2 68.0 in 1986	2 7.86 in 1997	2 0.06 in 1975
3 76.2 in 2011	3 68.5 in 1993	3 6.10 in 1962	3 0.07 in 1987
4 76.1 in 1994	4 68.6 in 2005	4 5.20 in 1993	0.07 in 1978
5 75.9 in 2013	5 68.8 in 1983	5 5.18 in 1984	5 0.09 in 1963
6 75.5 in 2002	68.8 in 1962	6 5.09 in 1991	6 0.15 in 2006
7 75.0 in 2020	7 69.0 in 1988	7 4.51 in 2013	7 0.16 in 2001
8 74.5 in 2017	8 69.3 in 1984	4.51 in 1982	8 0.17 in 1970
74.5 in 1999	9 69.4 in 2007	9 4.12 in 1966	9 0.18 in 1999
10 74.4 in 2012	10 69.6 in 1956	10 4.01 in 2004	10 0.24 in 1972
• • •	• • •	• • •	• • •
26 72.8 in 2024	41 72.8 in 2024	36 1.52 in 2024	34 1.52 in 2024

Normal Temperature for April at  $VNCF1 = 72.5^{\circ}$ Normal Rainfall for April at VNCF1 = 2.47 in.

\_\_\_\_\_

## MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 77.0 in 2015	1 66.5 in 1987	1 8.93 in 1997	1 0.00 in 2001
2 76.0 in 1999	2 67.8 in 1962	2 7.85 in 1993	2 Trace in 1981
3 75.7 in 1994	3 68.0 in 1961	3 7.10 in 1954	3 0.02 in 1987
4 74.9 in 2023	4 68.3 in 2005	4 7.02 in 1948	4 0.04 in 1946
5 74.8 in 1982	5 68.4 in 1986	5 6.82 in 1957	5 0.10 in 2006
6 74.7 in 2013	6 68.7 in 1973	6 6.54 in 2020	6 0.12 in 1970
74.7 in 2011	7 69.2 in 2004	7 6.22 in 1951	7 0.15 in 1978
74.7 in 1981	8 69.3 in 1971	8 5.58 in 1995	8 0.20 in 1998
9 74.4 in 2002	9 69.7 in 1983	9 5.17 in 2008	9 0.33 in 1971
74.4 in 1970	10 69.8 in 2024	10 5.05 in 1982	10 0.43 in 1950
		51 1.28 in 2024	28 1.28 in 2024

Normal Temperature for April at MKCF1 =  $72.5^{\circ}$  Normal Rainfall for April at MKCF1 = 2.98 in.

\_\_\_\_\_

WAUCHULA 2 N (records began in January 1933):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 77.2 in 1945	1 65.7 in 1950	1 8.26 in 1951	1 0.00 in 2001
2 76.3 in 1947	2 66.7 in 1993	2 7.75 in 1947	0.00 in 1978
3 75.6 in 2023	66.7 in 1987	3 6.94 in 1962	0.00 in 1967
4 75.4 in 2015	4 66.8 in 2004	4 6.60 in 1995	4 0.03 in 1963
5 74.8 in 1968	5 67.6 in 1983	5 6.55 in 1953	5 0.05 in 1971
6 74.7 in 1991	6 67.9 in 1952	6 6.44 in 1992	6 0.08 in 1981
7 74.5 in 1970	7 68.1 in 1951	7 6.36 in 1934	7 0.13 in 1970
8 74.4 in 1975	8 68.3 in 2000	8 6.16 in 2021	8 0.16 in 1987
9 74.2 in 1965	9 68.5 in 2007	9 5.95 in 1997	9 0.22 in 1945
10 74.1 in 2020	68.5 in 1997	10 5.44 in 1933	10 0.23 in 1975
74.1 in 1982	• • •		• • •
74.1 in 1939	21 70.2 in 2024		21 1.14 in 2024

Normal Temperature for April at WAUF1 =  $71.0^{\circ}$  Normal Rainfall for April at WAUF1 = 2.92 in.

\_\_\_\_\_

## ARCHBOLD BIO STN (records began in January 1969):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils			
1 76.6 in 2015	1 63.0 in 1987	1 9.53 in 2021	1 0.03 in 2006			
2 75.0 in 2023	2 66.4 in 1986	2 5.90 in 1972	2 0.08 in 1971			
75.0 in 2020	3 66.7 in 2004	3 5.65 in 2015	3 0.16 in 1981			
4 74.8 in 1991	4 66.9 in 1993	4 5.64 in 2023	4 0.19 in 1970			
5 74.4 in 2011	5 67.4 in 2005	5 5.47 in 1997	5 0.21 in 1986			
6 74.1 in 1994	67.4 in 1983	6 5.37 in 2013	6 0.42 in 2016			
7 73.7 in 1982	7 67.7 in 2000	7 4.91 in 1992	7 0.43 in 1978			
8 73.5 in 1975	8 68.6 in 1971	8 4.90 in 1973	8 0.52 in 1987			
9 73.4 in 2013	9 68.7 in 1992	9 4.15 in 1982	9 0.59 in 2009			
10 73.1 in 2017	10 68.8 in 2007	10 4.10 in 2004	10 0.62 in 2024			
	68.8 in 1984					
	12 68.9 in 1988					
	13 69.1 in 1973					
	14 69.6 in 1998					
	69.6 in 1996					
	16 69.7 in 2024					

Normal Temperature for April at ACHF1 =  $71.7^{\circ}$  Normal Rainfall for April at ACHF1 = 2.54 in.

\_\_\_\_\_\_

Contact: Paul Close, <a href="Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

### PUNTA GORDA AREA (records began in May 1914):

Wa	armest	. Ar	prils	С	oolest	t Ar	prils	We:	ttest	Apı	rils	D	riest A	Apri	ils
1	78.7	in	1945	1	67.9	in	1987	1	8.70	in	1920	1	0.00	in	1981
2	78.2	in	1947	2	68.7	in	1915	2	7.93	in	1957		0.00	in	1963
3	76.9	in	1944	3	69.1	in	2004	3	7.08	in	1931		0.00	in	1946
4	76.6	in	2023		69.1	in	1916	4	6.07	in	2023	4	Trace	in	1975
	76.6	in	2015	5	69.2	in	2005	5	5.80	in	1994		Trace	in	1967
	76.6	in	1994	6	69.7	in	1971	6	5.52	in	1941	6	0.03	in	1922
7	76.1	in	1954	7	70.0	in	1993	7	5.36	in	1947	7	0.05	in	2006
8	76.0	in	1991		70.0	in	1986	8	5.20	in	1933	8	0.09	in	1970
	76.0	in	1946	9	70.1	in	2000	9	5.15	in	1997	9	0.10	in	2001
10	75.9	in	1948	10	70.2	in	1950	10	5.08	in	1965	10	0.11	in	1987
	•				•				5.08	in	1948				
35	73.8	in	2024	70	73.8	in	2024						•		
	73.8	in	1995		73.8	in	1995	76	0.75	in	2024	29	0.75	in	2024
									0.75	in	1969		0.75	in	1969

Normal Temperature for April at PGD =  $73.1^{\circ}$ Normal Rainfall for April at PGD = 2.23 in.

\_\_\_\_\_

### FORT MYERS AREA (records began in January 1902):

Warmest Aprils C			Co	Coolest Aprils				Wettest			cils	D	Driest Aprils			
1	79.2	in	2020	1	68.5	in	1950		1	8.42	in	1939	1	Trace	in	1970
2	79.0	in	2023	2	68.8	in	1987		2	7.66	in	1941		Trace	in	1967
3	78.8	in	2015	3	69.3	in	1915		3	6.06	in	1933		Trace	in	1903
4	77.7	in	2011	4	69.6	in	1903		4	5.89	in	1930	4	0.01	in	2006
	77.7	in	1991	5	70.1	in	1983		5	5.83	in	2022		0.01	in	1946
	77.7	in	1947		70.1	in	1910		6	5.68	in	1994	6	0.02	in	1922
7	77.5	in	2022	7	70.2	in	1952		7	5.61	in	1916	7	0.08	in	1981
8	77.4	in	1994	8	70.4	in	1971		8	5.50	in	1949		0.08	in	1950
9	77.3	in	1908	9	70.6	in	1931		9	5.34	in	1995	9	0.11	in	1974
10	76.9	in	2018	10	70.8	in	2005		10	5.01	in	1991	10	0.14	in	1987
	76.9	in	2013		70.8	in	1993									
	76.9	in	2002		70.8	in	1961		85	0.87	in	2024	39	0.87	in	2024
	76.9	in	1945		70.8	in	1907									
					70.8	in	1902									
					•											
43	74.6	in	2024	80	74.6	in	2024									
	74.6	in	1974		74.6	in	1974									

Normal Temperature for April at FMY =  $74.8^{\circ}$  Normal Rainfall for April at FMY = 2.44 in.

\_\_\_\_\_\_

For more Climate information visit our web site at the following link: <a href="https://www.weather.gov/tampabay">https://www.weather.gov/tampabay</a> and then go to the Climate and Past Weather drop down menu above the graphical forecast images.

Contact: Paul Close, Paul.Close@noaa.gov

Date: 05/10/2024