



# NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570


813-645-2323 <http://weather.gov/tampabay>

## August 2018 Top Ten Climate Data for Central and Southwest Florida


August 2018 was warm, but not too extreme, with averages from about 1 degree below normal to almost 3 degrees above normal with a few of the official NWS locations ending up in the Top Ten Warmest.

### AUGUST 2018 TEMPERATURE (deg F) :

Location	Aug 2018 Rank	Aug 2018 Avg Temp	Normal Aug Temperature	Dep fm Normal	Records Began
Chiefland 5 ESE	2nd(tie)	82.8	80.1	+2.7	1956
Punta Gorda Area	6th(tie)	84.2	83.0	+1.2	1914
Tampa Area	9th(tie)	83.9	83.2	+0.7	1890



August 2018 Average Temperature




August 2018 Departure from Normal Temperature


As for rainfall it was highly variable across the region with amounts ranging from as little as 4.5 inches to over 14 inches, and thanks to the wind shift to a more classic summertime east to southeast flow during the last week or so of the month areas near the west coast saw plentiful rainfall and were able to climb out of the Top Ten Driest for the month of August.

**AUGUST 2018 RAINFALL (inches) :**

Location	Aug 2018 Rank	Aug 2018 Rain Total	Normal Aug Rainfall	Dep fm Normal	Records Began
Tampa Area	7th	14.60	7.77	+6.83	1890
Punta Gorda Area	9th	12.37	8.61	+3.76	1914



**August 2018 Total Rainfall**



**August 2018 Departure from Normal**

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest August's at some official NWS locations, which includes the average/total for this August and the 1981-2010 Normal (average) temperature and rainfall for the month of August.

**CHIEFLAND 5 ESE** (records began in July 1956):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.4 in 1980	1	78.3 in 1969	1	20.44 in 1971	1	3.17 in 1980
<b>2</b>	<b>82.8 in 2018</b>	2	78.9 in 1967	2	17.10 in 1986	2	3.71 in 1973
	82.8 in 1999	3	79.0 in 1994	3	16.59 in 1985	3	3.97 in 2000
4	82.7 in 2016	4	79.3 in 2008	4	16.44 in 2015	4	4.06 in 1956
5	82.6 in 2015	5	79.4 in 1996	5	14.61 in 1988	5	5.28 in 2014
6	82.5 in 2011	6	79.5 in 2003	6	14.55 in 1961	6	5.39 in 2009
	82.5 in 1987		79.5 in 2002	7	14.43 in 1979	7	5.50 in 1963
8	82.3 in 2014		79.5 in 1979	8	14.33 in 2010	8	5.51 in 1976
9	82.2 in 2007	9	79.7 in 2004		14.33 in 1966	9	5.72 in 1987
	82.2 in 1998		79.7 in 1966	10	14.23 in 1968	10	5.88 in 1989
						11	5.99 in 1990
						<b>12</b>	<b>6.09 in 2018</b>

Normal Temperature for August at CHIF1 = 80.1°

Normal Rainfall for August at CHIF1 = 9.79 inches

-----

**INVERNESS 3 SE** (records began in July 1948):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.4 in 2011	1	78.1 in 1994	1	16.70 in 1949	1	1.77 in 1963
2	84.0 in 2010	2	78.5 in 2004	2	16.58 in 2008	2	2.43 in 1993
3	83.7 in 1954	3	79.8 in 1997	3	16.19 in 1961	3	3.08 in 2013
4	83.4 in 1956	4	79.9 in 1976	4	15.87 in 1953	4	3.27 in 1999
5	83.3 in 2016	5	80.0 in 1992	5	15.03 in 1992	5	3.86 in 1989
6	83.2 in 1955	6	80.2 in 2003	6	13.35 in 1985	6	3.88 in 1997
7	83.0 in 1983	7	80.4 in 2002	7	13.15 in 1970	7	4.18 in 2014
	83.0 in 1963		80.4 in 1996	8	12.97 in 1965	8	4.48 in 1987
9	82.9 in 2013	9	80.7 in 1986	9	12.43 in 1968	9	4.50 in 1973
	82.9 in 1999		80.7 in 1949	10	12.24 in 1977	10	4.57 in 2001
			80.7 in 1948			11	4.63 in 1984
		<b>12</b>	<b>80.8 in 2018</b>			12	4.70 in 1955
						<b>13</b>	<b>5.03 in 2018</b>

Normal Temperature for August at INV1 = 81.5°

Normal Rainfall for August at INV1 = 7.90 inches

**BUSHNELL 1 E** (records began in July 1948):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	82.8 in 2011	1	79.4 in 2004	1	20.25 in 1992	1	3.20 in 1963
2	82.7 in 1951	2	79.6 in 1967	2	15.12 in 1949	2	3.32 in 1976
3	82.6 in 1998	3	79.7 in 1969	3	12.70 in 1967	3	3.47 in 2014
4	82.4 in 1995	4	80.0 in 1957	4	11.46 in 1981	4	3.61 in 1987
	82.4 in 1954	5	80.2 in 2002	5	11.40 in 1948	5	4.00 in 1964
6	82.3 in 1983		80.2 in 1978	6	11.08 in 1985	6	4.17 in 1984
7	82.2 in 1997	7	80.3 in 1973	7	10.46 in 1965	7	4.22 in 1989
8	82.1 in 2007		80.3 in 1972	8	10.28 in 1968	8	4.38 in 1997
	82.1 in 1987	9	80.4 in 1976	9	9.97 in 1953	9	4.50 in 1996
	82.1 in 1960	10	80.5 in 1968	10	9.93 in 2012	10	4.51 in 1950
					9.93 in 1969		

Average Temperature for August 2018 = Not Available Yet  
 Normal Temperature for August at BSHF1 = 81.5°

Total Rainfall for August 2018 = Not Available Yet  
 Normal Rainfall for August at BSHF1 = 7.24 inches

-----

**BROOKSVILLE AREA** (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.9 in 1926	1	79.1 in 1922	1	23.95 in 1949	1	2.61 in 1955
2	83.8 in 2011		79.1 in 1894	2	20.91 in 1945	2	2.65 in 1958
3	83.5 in 2017	3	79.2 in 1994	3	17.47 in 1905	3	2.68 in 2002
4	83.2 in 1928	4	79.3 in 1932	4	17.13 in 1928	4	2.76 in 1963
5	83.1 in 1927		79.3 in 1892	5	16.34 in 1901	5	3.45 in 1919
6	82.9 in 2013	6	79.5 in 1949	6	14.84 in 1965	6	3.68 in 2009
	82.9 in 1963		79.5 in 1920		14.84 in 1957	7	3.76 in 1916
	82.9 in 1941		79.5 in 1898	8	14.19 in 1995	8	3.88 in 1951
	82.9 in 1933	9	79.6 in 1904	9	13.74 in 1910	9	4.12 in 1976
10	82.8 in 1909	10	79.7 in 1901	10	13.68 in 1939	10	4.15 in 1997
...				...		...	
<b>15</b>	<b>82.4 in 2018</b>			<b>82</b>	<b>6.92 in 2018</b>	<b>43</b>	<b>6.92 in 2018</b>
	in 2014				in 1991		in 1991
	in 1980						
	in 1954						
	in 1929						

Normal Temperature for August at BKV = 81.0°  
 Normal Rainfall for August at BKV = 7.72 inches

-----

**TARPON SPRINGS** (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.9 in 1995	1	79.5 in 1905	1	23.60 in 1949	1	1.96 in 1930
2	84.3 in 1993		79.5 in 1904	2	20.99 in 1906	2	2.02 in 1899
3	84.2 in 2014	3	79.6 in 1969	3	18.97 in 2017	3	2.39 in 1963
	84.2 in 2007		79.6 in 1900	4	18.52 in 1969	4	2.57 in 2001
	84.2 in 1999	5	80.1 in 1967	5	17.77 in 1957	5	2.84 in 1964
	84.2 in 1997		80.1 in 1892	6	17.06 in 1928	6	2.90 in 1934
7	84.1 in 2017	7	80.2 in 1894	7	16.99 in 2010	7	3.70 in 2006
8	84.0 in 2005	8	80.4 in 1911	8	16.80 in 1905	8	3.72 in 1921
	84.0 in 2004		80.4 in 1910	9	16.67 in 1939	9	4.33 in 1916
	84.0 in 1941		80.4 in 1907	10	16.05 in 1898	10	4.39 in 1936
...				...		...	
<b>18</b>	<b>83.5 in 2018</b>			<b>27</b>	<b>11.81 in 2018</b>	<b>101</b>	<b>11.81 in 2018</b>
	in 2016						
	in 2010						
	in 1996						
	in 1942						

Normal Temperature for August at TRPF1 = 82.1°

Normal Rainfall for August at TRPF1 = 8.32 inches

-----

**TAMPA AREA** (records began in April 1890):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.1 in 2011	1	80.2 in 1905	1	18.59 in 1949	1	0.78 in 1938
	85.1 in 1941	2	80.3 in 1967	2	17.83 in 1898	2	2.35 in 1952
3	85.0 in 2017		80.3 in 1913	3	16.47 in 2015	3	2.38 in 1921
4	84.9 in 2007	4	80.4 in 1922	4	15.17 in 1932	4	2.83 in 2001
5	84.7 in 2005	5	80.5 in 1901	5	14.90 in 2003	5	3.27 in 1990
6	84.4 in 1951	6	80.6 in 1904	6	14.66 in 1905	6	3.47 in 1924
7	84.3 in 2014		80.6 in 1890	<b>7</b>	<b>14.60 in 2018</b>	7	3.52 in 2009
	84.3 in 2010	8	80.7 in 1939	8	14.29 in 1939	8	3.63 in 1919
<b>9</b>	<b>83.9 in 2018</b>		80.7 in 1911	9	14.03 in 2004	9	3.75 in 1907
	83.9 in 2009	10	80.8 in 1969	10	13.75 in 1995	10	3.87 in 1941
	83.9 in 1990		80.8 in 1957				
			80.8 in 1898				

Normal Temperature for August at TPA = 83.2°

Normal Rainfall for August at TPA = 7.77 inches

**ST PETERSBURG** (records began in August 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.5 in 2005	1	80.8 in 1922	1	21.85 in 1939	1	0.82 in 1938
2	85.7 in 2013	2	81.3 in 1939	2	19.57 in 1949	2	2.91 in 1984
3	85.4 in 2017	3	81.4 in 1947	3	18.62 in 1915	3	2.96 in 1941
4	85.3 in 2014	4	81.5 in 1953	4	17.93 in 1967	4	3.21 in 1998
	85.3 in 1941	5	81.6 in 1957	5	17.75 in 1995	5	3.33 in 1951
6	85.2 in 2007	6	81.8 in 1995	6	16.65 in 1971	6	3.37 in 1919
7	85.0 in 2010		81.8 in 1994	7	16.53 in 1945	7	3.40 in 1933
	85.0 in 1980		81.8 in 1974	8	16.04 in 1922	8	3.66 in 2005
9	84.8 in 1987		81.8 in 1917	9	15.49 in 2016	9	3.67 in 1996
10	84.7 in 2011	10	81.9 in 2016	10	15.33 in 1947	10	4.30 in 1914
	84.7 in 1986		81.9 in 1967	...		...	
			81.9 in 1949	<b>52</b>	<b>8.06 in 2018</b>	<b>54</b>	<b>8.06 in 2018</b>
...		...					
<b>23</b>	<b>84.1 in 2018</b>	<b>80</b>	<b>84.1 in 2018</b>				
	in 2009		in 2009				

Normal Temperature for August at SPG = 83.9°  
 Normal Rainfall for August at SPG = 8.38 inches

**LAKELAND** (records began in January 1915):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.1 in 1987	1	80.0 in 1967	1	15.57 in 1948	1	3.40 in 1942
2	84.6 in 1995	2	80.5 in 1973	2	15.19 in 2010	2	3.58 in 1921
3	84.4 in 1989		80.5 in 1949	3	14.15 in 1935	3	3.65 in 1947
4	84.3 in 2011	4	80.6 in 1939	4	13.49 in 1915	4	3.73 in 1930
	84.3 in 2010		80.6 in 1923	5	12.52 in 2004	5	3.89 in 1950
6	84.1 in 2017		80.6 in 1920	6	12.23 in 2015	6	3.98 in 1960
7	83.9 in 2016	7	80.8 in 1969	7	11.97 in 1928	7	4.56 in 1982
	83.9 in 2005		80.8 in 1957	8	11.93 in 1949	8	4.61 in 1934
	83.9 in 1993	9	80.9 in 1959	9	11.37 in 2016	9	4.68 in 1970
10	83.8 in 2013	10	81.0 in 1953	10	10.93 in 1998	10	4.75 in 1997
	83.8 in 1988		81.0 in 1922	...		...	
	83.8 in 1941			<b>60</b>	<b>6.86 in 2018</b>	<b>44</b>	<b>6.86 in 2018</b>
<b>13</b>	<b>83.7 in 2018</b>						
	in 2014						
	in 2009						
	in 1990						

Normal Temperature for August at LLDF1 = 82.3°  
 Normal Rainfall for August at LLDF1 = 8.50 inches

**WINTER HAVEN AREA** (records began in January 1941):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.6 in 1989	1	80.0 in 1972	1	14.59 in 1949	1	1.78 in 1960
2	85.3 in 2005	2	80.4 in 1971	2	12.76 in 1977	2	1.88 in 1998
3	84.9 in 2007		80.4 in 1967	3	12.21 in 1952	3	2.04 in 1980
	84.9 in 1941	4	80.6 in 1957	4	11.94 in 1992	4	2.63 in 1942
5	84.7 in 2011	5	80.8 in 1969	5	11.78 in 1995	5	2.80 in 2005
6	84.6 in 1998		80.8 in 1959	6	11.39 in 1981	6	3.09 in 1954
7	84.5 in 1951	7	80.9 in 1968		11.39 in 1957	7	3.65 in 1970
8	84.4 in 2010	8	81.0 in 1982	8	11.25 in 1948	8	3.73 in 1955
9	84.2 in 2014		81.0 in 1962	9	11.22 in 2011	9	3.96 in 1945
	84.2 in 1991	10	81.1 in 2008	10	10.83 in 2008	10	4.05 in 1999
11	84.1 in 2017		81.1 in 1990		10.83 in 1984		
	84.1 in 2016			...		...	
<b>13</b>	<b>84.0 in 2018</b>			<b>40</b>	<b>6.15 in 2018</b>	<b>35</b>	<b>6.15 in 2018</b>
	in 2009				in 1996		in 1996
	in 1993						

Normal Temperature for August at GIF = 83.2°

Normal Rainfall for August at GIF = 7.86 inches

-----  
**BARTOW** (records began in June 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.4 in 2014	1	79.7 in 1913	1	14.62 in 1905	1	1.60 in 2014
2	86.1 in 2013	2	79.9 in 1894	2	14.39 in 1949	2	2.45 in 1912
3	84.6 in 1987	3	80.3 in 1898	3	14.38 in 1909	3	2.60 in 1987
	84.6 in 1951	4	80.5 in 1967	4	13.38 in 2003	4	2.98 in 1936
5	84.4 in 1998	5	80.6 in 1975		13.38 in 2002	5	3.02 in 1950
6	84.2 in 2011		80.6 in 1947	6	13.01 in 1981	6	3.18 in 1938
7	84.1 in 1941		80.6 in 1916	7	12.83 in 1928	7	3.57 in 1930
	84.1 in 1924	8	80.7 in 1911	8	12.65 in 1992	8	3.74 in 1996
9	83.9 in 2010		80.7 in 1892	9	12.57 in 2012	9	4.08 in 2010
	83.9 in 2005	10	80.8 in 1901	10	12.39 in 1901	10	4.29 in 1991
	83.9 in 1999					...	
	83.9 in 1997			<b>102</b>	<b>5.02 in 2018</b>	<b>26</b>	<b>5.02 in 2018</b>
...		...					
<b>36</b>	<b>82.8 in 2018</b>	<b>77</b>	<b>82.8 in 2018</b>				
	in 2001		in 2001				
	in 1966		in 1966				
	in 1965		in 1965				
	in 1964		in 1964				
	in 1938		in 1938				
	in 1925		in 1925				
	in 1896		in 1896				

Normal Temperature for August at BARF1 = 83.0°

Normal Rainfall for August at BARF1 = 7.85 inches

**SARASOTA-BRADENTON** (records began in January 1911):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.0 in 2014	1	79.6 in 1911	1	24.42 in 1981	1	2.51 in 1938
2	84.7 in 2016	2	79.9 in 1947	2	20.97 in 2017	2	2.52 in 1930
3	84.5 in 2011		79.9 in 1922	3	19.97 in 1959	3	3.09 in 1944
4	84.2 in 2007	4	80.0 in 1939	4	19.73 in 1949	4	3.10 in 1952
5	83.9 in 1995	5	80.3 in 1967	5	19.35 in 1922	5	3.11 in 2001
6	83.8 in 2005		80.3 in 1931	6	18.14 in 1928	6	3.20 in 1996
7	83.7 in 1990		80.3 in 1927	7	17.79 in 2003	7	3.91 in 2008
	83.7 in 1987	8	80.4 in 1930	8	17.63 in 1999	8	3.93 in 1963
9	83.6 in 1998		80.4 in 1916	9	17.04 in 1939	9	3.96 in 1984
10	83.4 in 2010	10	80.5 in 1934	10	15.92 in 1962	10	3.97 in 2014
	83.4 in 2009		80.5 in 1929			11	4.15 in 1934
	83.4 in 1989					12	4.19 in 1950
...		...				13	4.45 in 1987
<b>25</b>	<b>82.7 in 2018</b>	<b>77</b>	<b>82.7 in 2018</b>			14	4.47 in 2015
	in 2006		in 2006			15	4.60 in 1964
	in 1997		in 1997			<b>16</b>	<b>4.62 in 2018</b>
	in 1988		in 1988				

Normal Temperature for August at SRQ = 82.2°  
 Normal Rainfall for August at SRQ = 9.14 inches

**VENICE** (records began in April 1955):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.0 in 2010	1	80.5 in 1975	1	20.18 in 2017	1	2.96 in 2007
2	85.4 in 2011		80.5 in 1967	2	16.77 in 1981	2	3.00 in 2005
	85.4 in 2009	3	80.6 in 1968	3	16.47 in 1967	3	3.04 in 1955
4	84.8 in 2012	4	80.9 in 1976	4	15.76 in 1999	4	3.10 in 2014
5	84.7 in 1998	5	81.0 in 1959	5	13.69 in 1974	5	3.21 in 1997
6	84.5 in 1988	6	81.1 in 1969	6	13.41 in 1971	6	3.25 in 1990
7	84.2 in 1997	7	81.2 in 1974	7	13.11 in 1970	7	3.28 in 1958
8	84.1 in 2013		81.2 in 1957	8	12.94 in 2016	8	3.49 in 1984
	84.1 in 2005	9	81.4 in 1958	9	12.56 in 1959	9	3.51 in 1956
10	83.9 in 2014	10	81.5 in 1977	10	11.72 in 1977	10	4.06 in 1963
...		...		...			
<b>19</b>	<b>82.9 in 2018</b>			<b>15</b>	<b>10.36 in 2018</b>		
	in 2001						

Normal Temperature for August at VNCF1 = 82.6°  
 Normal Rainfall for August at VNCF1 = 7.78 inches

**MYAKKA RIVER STATE PARK** (Temperature records began in March 1956  
and Rainfall records began in Sep 1943):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.7 in 1993	1	80.4 in 1962	1	19.85 in 1981	1	2.81 in 2005
2	85.0 in 1998	2	80.5 in 1959	2	18.61 in 1971	2	3.44 in 1991
3	84.8 in 2017		80.5 in 1957	3	18.45 in 2003	3	3.94 in 2001
4	84.3 in 2005	4	80.9 in 2002	4	17.18 in 2016	4	5.05 in 1974
	84.3 in 1999		80.9 in 1972	<b>5</b>	<b>16.85 in 2018</b>	5	5.17 in 1976
6	84.1 in 2011		80.9 in 1971	6	16.60 in 1949	6	5.32 in 1996
7	84.0 in 2016	7	81.1 in 1985	7	15.99 in 1980	7	5.33 in 1944
	84.0 in 2010	8	81.3 in 2001	8	15.66 in 1999	8	5.35 in 1956
9	83.9 in 1997		81.3 in 1969	9	15.62 in 1988	9	5.48 in 1948
10	83.8 in 2015		81.3 in 1963	10	14.54 in 1965	10	5.58 in 1989
11	83.6 in 1995						
<b>12</b>	<b>83.4 in 2018</b>						
	in 2014						
	in 2013						
	in 1991						

Normal Temperature for August at MKCF1 = 82.4°

Normal Rainfall for August at MKCF1 = 9.65 inches

-----

**WAUCHULA 2 N** (records began in January 1933):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.4 in 2009	1	77.7 in 1950	1	15.53 in 1949	1	2.66 in 1982
2	85.2 in 2007	2	80.1 in 1953	2	14.17 in 2010	2	2.97 in 1938
3	84.2 in 1941	3	80.3 in 2000	3	14.04 in 2015	3	3.30 in 1958
4	83.6 in 1993	4	80.4 in 1939	4	13.68 in 1939	4	3.67 in 2005
5	83.5 in 1989	5	80.5 in 1967	5	12.76 in 1992	5	3.75 in 1957
	83.5 in 1987	6	80.7 in 2003	6	12.54 in 1943	6	4.17 in 1965
7	83.4 in 2005		80.7 in 1996	7	12.46 in 1953	7	4.24 in 1970
8	83.3 in 2016		80.7 in 1949	8	12.28 in 2003	8	4.48 in 2009
	83.3 in 1983	9	80.8 in 1959	9	12.11 in 1956	9	4.52 in 1933
10	83.2 in 2008		80.8 in 1947	10	11.45 in 2016	10	4.59 in 1941
...		...		...		...	
<b>25</b>	<b>82.4 in 2018</b>	<b>54</b>	<b>82.4 in 2018</b>	<b>58</b>	<b>6.04 in 2018</b>	<b>29</b>	<b>6.04 in 2018</b>
	in 1937		in 1937				

Normal Temperature for August at WAUF1 = 83.7°

Normal Rainfall for August at WAUF1 = 7.80 inches

-----

**ARCADIA** (records began in January 1899):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.9 in 1919	1	78.5 in 1992	1	19.54 in 2004	1	2.37 in 1996
	83.9 in 1917	2	79.3 in 1971	2	18.24 in 1908	2	2.95 in 1938
3	83.6 in 1951	3	80.2 in 1994	3	17.41 in 1967	3	3.31 in 1991
4	83.5 in 1915		80.2 in 1963	4	16.22 in 1949	4	3.36 in 2007
5	83.4 in 1941		80.2 in 1947	5	15.72 in 2011	5	3.46 in 1934
6	83.3 in 1990		80.2 in 1913	6	15.40 in 2017	6	3.67 in 1999
7	83.2 in 2005	7	80.3 in 1989	7	13.89 in 1925	7	3.84 in 1989
8	83.1 in 2011	8	80.4 in 1967	8	13.57 in 1981	8	4.01 in 1954
9	83.0 in 2014	9	80.5 in 1996	9	13.56 in 2008	9	4.31 in 1923
	83.0 in 1954	10	80.6 in 2003	10	13.55 in 1994	10	4.40 in 1915
	83.0 in 1902		80.6 in 1976	...		...	
...		...		<b>43</b>	<b>8.20 in 2018</b>	<b>70</b>	<b>8.20 in 2018</b>
<b>38</b>	<b>81.9 in 2018</b>	<b>62</b>	<b>81.9 in 2018</b>				
	in 1983		in 1983				
	in 1966		in 1966				
	in 1960		in 1960				

Normal Temperature for August at ARCF1 = 81.7°

Normal Rainfall for August at ARCF1 = 7.99 inches

-----

**ARCHBOLD BIO STN** (records began in January 1969):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.6 in 2016	1	79.7 in 1994	1	20.05 in 2006	1	1.94 in 2000
2	83.3 in 2010	2	79.9 in 1971	2	17.88 in 2004	2	2.71 in 1984
3	82.9 in 2017	3	80.0 in 1984	3	14.31 in 1999	3	2.75 in 2009
4	82.8 in 2014	4	80.1 in 1974	4	13.70 in 2010	4	3.14 in 2007
5	82.7 in 2015	5	80.2 in 1973	5	12.76 in 1979	5	3.50 in 1987
	82.7 in 2011	6	80.3 in 1976	6	12.33 in 2008	6	4.24 in 1970
7	82.5 in 2005		80.3 in 1972	7	12.12 in 1992	7	4.28 in 1993
8	82.4 in 2009	8	80.4 in 2003	8	11.35 in 2015	8	4.40 in 1997
	82.4 in 1987		80.4 in 2000	9	11.22 in 2012	9	4.55 in 2014
10	82.3 in 1969	10	80.6 in 2002	10	10.80 in 2002	10	4.71 in 1980

Average Temperature for August 1-23, 2018 = 82.2°

Normal Temperature for August at ACHF1 = 80.9°

Total Rainfall for August 1-23, 2018 = 3.82 inches

Normal Rainfall for August at ACHF1 = 8.31 inches

**PUNTA GORDA AREA** (records began in June 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.1 in 1951	1	79.8 in 1939	1	19.56 in 1928	1	1.86 in 1927
2	84.7 in 2014	2	80.3 in 1922	2	15.60 in 1995	2	2.07 in 1938
3	84.5 in 1987	3	80.6 in 1969	3	14.01 in 1922	3	2.78 in 1936
4	84.4 in 2011	4	80.8 in 1949	4	13.75 in 2009	4	3.36 in 1976
5	84.3 in 2005	5	80.9 in 1967	5	13.47 in 2017	5	3.41 in 1997
<b>6</b>	<b>84.2 in 2018</b>		80.9 in 1930	6	13.42 in 1949	6	3.50 in 1984
	84.2 in 2007	7	81.0 in 1955	7	13.03 in 1959	7	3.55 in 1952
8	83.9 in 2009		81.0 in 1929	8	12.45 in 1967	8	3.82 in 1978
9	83.8 in 2017		81.0 in 1928	<b>9</b>	<b>12.37 in 2018</b>	9	3.93 in 1955
	83.8 in 2016		81.0 in 1926	10	11.54 in 1947	10	4.02 in 1943
							4.02 in 1921

Normal Temperature for August at PGD = 83.0°

Normal Rainfall for August at PGD = 8.61 inches

-----

**FORT MYERS AREA** (records began in January 1902):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.8 in 1987	1	79.6 in 1906	1	17.64 in 1932	1	3.12 in 1919
2	84.4 in 2014		79.6 in 1904	2	16.95 in 2017	2	3.14 in 1927
	84.4 in 2005	3	79.7 in 1910	3	16.82 in 2004	3	3.55 in 1934
	84.4 in 1985	4	79.8 in 1908	4	16.80 in 2003	4	3.97 in 1902
5	84.3 in 1995	5	80.0 in 1913	5	16.73 in 1981	5	3.98 in 1963
	84.3 in 1981	6	80.4 in 1911	6	16.22 in 1972	6	4.07 in 1996
	84.3 in 1979		80.4 in 1909	7	15.86 in 1967	7	4.12 in 1958
8	84.2 in 2010	8	80.5 in 1917	8	14.97 in 1990	8	4.26 in 1964
	84.2 in 2007	9	80.6 in 1922	9	14.81 in 1926	9	4.29 in 1955
10	84.1 in 2012		80.6 in 1907	10	14.79 in 1979	10	4.32 in 1953
	84.1 in 1990						4.32 in 1924
...		...		...		...	
<b>57</b>	<b>82.7 in 2018</b>	<b>54</b>	<b>82.7 in 2018</b>	<b>22</b>	<b>11.06 in 2018</b>	<b>95</b>	<b>11.06 in 2018</b>
	in 2004		in 2004		in 1945		in 1945
	in 1970		in 1970				
	in 1965		in 1965				
	in 1945		in 1945				
	in 1938		in 1938				
	in 1936		in 1936				

Normal Temperature for August at FMY = 83.4°

Normal Rainfall for August at FMY = 10.14 inches

-----

For more Climate information visit our web site at the following link:  
<http://www.weather.gov/tampabay> and then go to the Climate and Past  
 Weather drop down menu above the graphical forecast images.