



# NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


## August and Summer 2019 Climate Summary for West Central and Southwest Florida

For August and for the Summer (June/July/August) temperatures across West Central and Southwest Florida ranged from about 1 degree below average to 3 degrees above average which placed several locations in the Top Ten Warmest for August and the Summer.


### AUGUST TEMPERATURE (deg F - Top Ten Warmest):

Location	August 2019 Rank	August 2019 Avg Temp	Normal Aug Temp	Dep fm Normal	Record Warmest	Records Began
Winter Haven Area	3rd(tie)	84.9	83.2	+1.7	85.6/1989	Mar 1941
Plant City	4th	84.1	81.8	+2.3	85.6/2017	Sep 1892
Tampa Area	6th	84.6	83.2	+1.4	85.1/2011	Apr 1890
Venice	7th	84.4	82.6	+1.8	86.0/2010	Apr 1955
Tarpon Springs	7th(tie)	84.1	82.1	+2.0	84.9/1995	Jan 1892
Myakka River State Park	7th(tie)	84.0	82.4	+1.6	86.7/1993	Mar 1956
Inverness 3 SE	7th	83.1	81.5	+1.6	84.4/2011	Jul 1948
Sarasota-Bradenton Area	9th(tie)	83.6	82.2	+1.4	85.0/2014	Jan 1911
Brooksville Area	10th(tie)	82.8	81.0	+1.8	83.9/1926	Jan 1892

Temperature (F)  
8/1/2019 - 8/31/2019




Departure from Normal Temperature (F)  
8/1/2019 - 8/31/2019




**SUMMER (JUNE/JULY/AUGUST) TEMPERATURE (deg F - Top Ten Warmest):**

Location	Summer 2019		Normal Sum Temp	Dep fm Normal	Record Warmest	Records Began
	Rank	Avg Temp				
Plant City	1st(tie)	84.6	81.4	+3.2	84.6/2017	Sep 1892
Winter Haven Area	2nd(tie)	84.7	82.7	+2.0	84.8/1989	Mar 1941
Venice	4th	84.0	82.0	+2.0	86.2/2010	May 1955
Tarpon Springs	4th(tie)	83.8	81.7	+2.1	84.4/2004	Jan 1892
Myakka River State Park	5th(tie)	83.3	81.8	+1.5	85.0/1998	Mar 1956
Sarasota-Bradenton Area	5th	83.2	81.8	+1.4	84.5/2016	Jan 1911
Brooksville Area	6th(tie)	82.2	80.6	+1.6	83.6/1927	Jan 1892
Archbold Bio Stn	6th	81.9	80.3	+1.6	83.3/2010	Jan 1969
Tampa Area	7th	83.8	82.8	+1.0	84.5/2010	Apr 1890
Lakeland	7th(tie)	83.5	81.7	+1.8	84.6/2010	Jan 1915
Inverness 3 SE	7th	83.1	81.5	+1.6	84.4/2011	Jul 1948
Chiefland 5 ESE	8th	81.4	79.7	+1.7	82.9/2016	Jul 1956

**Temperature (F)  
6/1/2019 - 8/31/2019**




**Departure from Normal Temperature (F)  
6/1/2019 - 8/31/2019**




As for rainfall it was variable across the region with amounts ranging from as little as 6 inches to over 20 inches in August, while summer totals ranged from 20 to over 40 inches. Much of the rainfall during August fell in less than one week during the middle of the month when a deep southwest flow of tropical moisture setup south of a stalled frontal boundary across north Florida. This brought rounds of showers and thunderstorms to the region with parts of Levy county seeing over 20 inches of rain in less than 5 days. Rainfall for August and the summer did climb into the Top Ten Wettest in a few locations.

**AUGUST RAINFALL (inches - Top Ten Wettest):**

Location	August 2019		Normal Aug Rain	Dep fm Normal	Record Wettest	Records Began
	Rank	Rainfall				
Plant City	4th	15.92	8.32	+7.60	17.79/2004	Sep 1892
Lakeland	5th	12.63	8.50	+4.13	15.57/1948	Jan 1915
Inverness 3 SE	9th	12.63	7.90	+4.73	16.70/1949	Jul 1948




**August 2019 Total Rainfall**




**August 2019 Percent of Normal**

**SUMMER RAINFALL (inches - Top Ten Wettest):**

Location	Summer 2019		Normal Sum Rain	Dep fm Normal	Record Wettest	Records Began
	Rank	Rainfall				
Chiefland 5 ESE	2nd	36.55	25.75	+10.80	37.95/2012	Jul 1956
Lakeland	3rd	34.42	24.01	+10.41	43.60/2017	Jan 1915
Plant City	6th	38.40	24.54	+13.86	41.73/1943	Sep 1892
Tarpon Springs	6th	37.28	23.10	+14.18	45.10/1909	Jan 1892
Winter Haven	9th	29.75	23.07	+6.68	34.98/1949	Mar 1941
Punta Gorda	10th	32.92	25.03	+7.89	47.45/1943	Jun 1914



Summer 2019 Total Rainfall



Summer 2019 Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest August's and Summers at some official NWS locations, which includes the average/total for this August and Summer, as well as the 1981-2010 Normal (average) temperature and rainfall for these time periods.

**CHIEFLAND 5 ESE** (records began in July 1956):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.4 in 1980	1	78.3 in 1969	1	20.44 in 1971	1	3.17 in 1980
2	82.9 in 2018	2	78.9 in 1967	2	17.10 in 1986	2	3.71 in 1973
3	82.8 in 1999	3	79.0 in 1994	3	16.59 in 1985	3	3.97 in 2000
4	82.7 in 2016	4	79.3 in 2008	4	16.44 in 2015	4	4.06 in 1956
5	82.6 in 2015	5	79.4 in 1996	5	14.61 in 1988	5	5.28 in 2014
6	82.5 in 2011	6	79.5 in 2003	6	14.55 in 1961	6	5.39 in 2009
	82.5 in 1987		79.5 in 2002	7	14.43 in 1979	7	5.50 in 1963
8	82.3 in 2014		79.5 in 1979	8	14.33 in 2010	8	5.51 in 1976
9	82.2 in 2007	9	79.7 in 2004		14.33 in 1966	9	5.72 in 1987
	82.2 in 1998		79.7 in 1966	10	14.23 in 1968	10	5.88 in 1989
11	81.9 in 1959			11	14.02 in 2012		
12	81.8 in 1995			12	13.92 in 1994		
<b>13</b>	<b>81.7 in 2019</b>			<b>13</b>	<b>13.84 in 2019</b>		
	in 2005				in 1977		
	in 1988						

Normal August Temp at CHIF1 = 80.1°

Normal August Rain at CHIF1 = 9.79 in.

---

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	82.9 in 2016	1	79.0 in 1965	1	37.95 in 2012	1	15.28 in 1973
2	82.6 in 1998	2	79.1 in 1974	<b>2</b>	<b>36.55 in 2019</b>	2	15.58 in 2014
3	82.5 in 2015		79.1 in 1966	3	36.38 in 2001	3	18.48 in 1969
4	82.0 in 2018	4	79.2 in 1969	4	35.41 in 1965	4	18.49 in 1972
5	81.9 in 2017	5	79.4 in 2008	5	34.90 in 2018	5	18.54 in 2006
6	81.7 in 2011		79.4 in 2002	6	34.89 in 1964	6	18.76 in 1998
7	81.6 in 1999		79.4 in 1994	7	34.88 in 2003	7	19.05 in 2011
<b>8</b>	<b>81.4 in 2019</b>		79.4 in 1972	8	34.30 in 2013	8	19.17 in 1977
9	81.2 in 2014	9	79.5 in 1979	9	34.21 in 1974	9	19.48 in 1993
	81.2 in 2010		79.5 in 1963	10	33.23 in 1988	10	19.57 in 2007
	81.2 in 1993						
	81.2 in 1980						

Normal Summer Temp at CHIF1 = 79.7°

Normal Summer Rain at CHIF1 = 25.75 in.

---

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 46 days)

1	62 days in 1994	6	55 days in 2003
2	61 days in 2018		55 days in 1971
3	58 days in 2004	8	54 days in 1965
4	58 days in 1992	9	53 days in 2002
5	56 days in 1997	<b>10</b>	<b>52 days in 2019, 1996 and 1964</b>

---



**INVERNESS 3 SE** (records began in July 1948):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.4 in 2011	1	78.1 in 1994	1	16.70 in 1949	1	1.77 in 1963
2	84.0 in 2010	2	78.5 in 2004	2	16.58 in 2008	2	2.43 in 1993
3	83.7 in 1954	3	79.8 in 1997	3	16.19 in 1961	3	3.08 in 2013
4	83.4 in 1956	4	79.9 in 1976	4	15.87 in 1953	4	3.27 in 1999
5	83.3 in 2016	5	80.0 in 1992	5	15.03 in 1992	5	3.86 in 1989
6	83.2 in 1955	6	80.2 in 2003	6	13.35 in 1985	6	3.88 in 1997
<b>7</b>	<b>83.1 in 2019</b>	7	80.4 in 2002	7	13.15 in 1970	7	4.18 in 2014
8	83.0 in 1983		80.4 in 1996	8	12.97 in 1965	8	4.48 in 1987
	83.0 in 1963	9	80.7 in 1986	<b>9</b>	<b>12.63 in 2019</b>	9	4.50 in 1973
10	82.9 in 2013		80.7 in 1949	10	12.43 in 1968	10	4.57 in 2001
	82.9 in 1999		80.7 in 1948				

Normal August Temp at INVF1 = 81.5°      Normal August Rain at INVF1 = 7.90 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	83.9 in 2010	1	78.4 in 1994	1	37.83 in 1965	1	14.38 in 1993
2	83.4 in 2016	2	79.6 in 2003	2	36.34 in 2003	2	14.48 in 1952
3	83.2 in 2011		79.6 in 1995	3	35.38 in 1985	3	14.73 in 1998
<b>4</b>	<b>83.0 in 2019</b>	4	79.9 in 1997	4	35.23 in 1949	4	15.10 in 1997
	83.0 in 1998	5	80.0 in 2004	5	35.17 in 1953	5	16.47 in 1979
6	82.6 in 1981	6	80.1 in 2018	6	34.33 in 1960	6	17.02 in 1999
	82.6 in 1969	7	80.2 in 1991	7	34.30 in 1982	7	17.32 in 1987
	82.6 in 1954	8	80.3 in 2001	8	34.06 in 2002	8	17.39 in 1972
	82.6 in 1952		80.3 in 1996	9	33.99 in 2012	9	17.84 in 2006
10	82.4 in 1963		80.3 in 1986	10	32.74 in 2008	10	17.96 in 1956
	82.4 in 1958			11	32.08 in 1974		
				12	31.12 in 2007		
				<b>13</b>	<b>30.28 in 2019</b>		

Normal Summer Temp at INVF1 = 81.1°      Normal Summer Rain at INVF1 = 23.59 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 47 days)

1	65 days in 1985
2	61 days in 1965
3	60 days in 1982
	60 days in 1953
5	58 days in 1986
...	
<b>29</b>	<b>47 days in 2019, 2016, 2011, 2001, 2000</b>

**BUSHNELL 1 E** (records began in July 1948):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	82.8 in 2011	1	79.4 in 2004	1	20.25 in 1992	1	3.20 in 1963
2	82.7 in 1951	2	79.6 in 1967	2	15.12 in 1949	2	3.32 in 1976
3	82.6 in 1998	3	79.7 in 1969	3	12.70 in 1967	3	3.47 in 2014
4	82.4 in 1995	4	80.0 in 1957	4	11.46 in 1981	4	3.61 in 1987
	82.4 in 1954	5	80.2 in 2002	5	11.40 in 1948	5	4.00 in 1964
6	82.3 in 1983		80.2 in 1978	6	11.08 in 1985	6	4.17 in 1984
7	82.2 in 1997	7	80.3 in 1973	7	10.46 in 1965	7	4.22 in 1989
8	82.1 in 2007		80.3 in 1972	8	10.28 in 1968	8	4.38 in 1997
	82.1 in 1987	9	80.4 in 1976	9	9.97 in 1953	9	4.50 in 1996
	82.1 in 1960	10	80.5 in 1968	10	9.93 in 2012	10	4.51 in 1950
					9.93 in 1969		

Average Temp August 2019 = N/A  
Normal August Temp at BSHF1 = 81.5°

Rainfall August 2019 = N/A  
Normal August Rain at BSHF1 = 7.24 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	83.6 in 1927	1	78.4 in 1894	1	57.08 in 1945	1	13.03 in 1996
2	82.6 in 2011	2	78.8 in 1920	2	41.37 in 2003	2	13.05 in 1997
3	82.4 in 1928	3	79.0 in 1922	3	41.33 in 1949	3	14.06 in 1979
4	82.3 in 2017	4	79.1 in 1921	4	39.60 in 1943	4	14.34 in 1958
	82.3 in 1981	5	79.3 in 1904	5	38.64 in 1928	5	14.97 in 1931
6	82.2 in 2010	6	79.4 in 1947	6	38.55 in 1906	6	14.99 in 1954
	82.2 in 1998		79.4 in 1946	7	37.96 in 2013	7	15.06 in 1902
8	82.1 in 2016	8	79.5 in 1965	8	37.46 in 1905	8	15.56 in 1973
	82.1 in 1993		79.5 in 1949	9	36.81 in 2012	9	15.84 in 1955
10	82.0 in 1899		79.5 in 1919	10	34.93 in 2015	10	15.90 in 1916

Average Temp Summer 2019 = N/A  
Normal Summer Temp at BSHF1 = 81.1°

Rainfall Summer 2019 = N/A  
Normal Summer Rain at BSHF1 = 19.85 in

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 36 days)

- 1 59 days in 1965
- 2 56 days in 1960
- 3 54 days in 1953
- 4 53 days in 1967
- 5 52 days in 1978

-----

**BROOKSVILLE AREA** (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.9 in 1926	1	79.1 in 1922	1	23.95 in 1949	1	2.61 in 1955
2	83.8 in 2011		79.1 in 1894	2	20.91 in 1945	2	2.65 in 1958
3	83.5 in 2017	3	79.2 in 1994	3	17.47 in 1905	3	2.68 in 2002
4	83.2 in 1928	4	79.3 in 1932	4	17.13 in 1928	4	2.76 in 1963
5	83.1 in 1927		79.3 in 1892	5	16.34 in 1901	5	3.45 in 1919
6	82.9 in 2013	6	79.5 in 1949	6	14.84 in 1965	6	3.68 in 2009
	82.9 in 1963		79.5 in 1920		14.84 in 1957	7	3.76 in 1916
	82.9 in 1941		79.5 in 1898	8	14.19 in 1995	8	3.88 in 1951
	82.9 in 1933	9	79.6 in 1904	9	13.74 in 1910	9	4.12 in 1976
<b>10</b>	<b>82.8 in 2019</b>	10	79.7 in 1901	10	13.68 in 1939	10	4.15 in 1997
	82.8 in 1909			...		...	
				<b>67</b>	<b>7.73 in 2019</b>	<b>60</b>	<b>7.73 in 2019</b>

Normal August Temp at BKV = 81.0°

Normal August Rain at BKV = 7.72 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	83.6 in 1927	1	78.4 in 1894	1	57.08 in 1945	1	13.03 in 1996
2	82.6 in 2011	2	78.8 in 1920	2	41.37 in 2003	2	13.05 in 1997
3	82.4 in 1928	3	79.0 in 1922	3	41.33 in 1949	3	14.06 in 1979
4	82.3 in 2017	4	79.1 in 1921	4	39.60 in 1943	4	14.34 in 1958
	82.3 in 1981	5	79.3 in 1904	5	38.64 in 1928	5	14.97 in 1931
<b>6</b>	<b>82.2 in 2019</b>	6	79.4 in 1947	6	38.55 in 1906	6	14.99 in 1954
	82.2 in 2010		79.4 in 1946	7	37.96 in 2013	7	15.06 in 1902
	82.2 in 1998	8	79.5 in 1965	8	37.46 in 1905	8	15.56 in 1973
9	82.1 in 2016		79.5 in 1949	9	36.81 in 2012	9	15.84 in 1955
	82.1 in 1939		79.5 in 1919	10	34.93 in 2015	10	15.90 in 1916
				...			
				<b>19</b>	<b>31.95 in 2019</b>		

Normal Summer Temp at BKV = 80.6°

Normal Summer Rain at BKV = 23.41 in

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 46 days)

1	73 days in 2004
	73 days in 2003
3	65 days in 2013
4	64 days in 1994
5	63 days in 1919
<b>6</b>	<b>61 days in 2019</b> and 1952



**ST LEO** (records began in April 1895):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.8 in 2007	1	77.5 in 1922	1	20.16 in 1898	1	2.16 in 1930
2	84.7 in 2005	2	79.4 in 1920	2	19.75 in 1901	2	2.72 in 1980
3	84.1 in 1900		79.4 in 1913	3	17.60 in 1945	3	2.97 in 1921
4	84.0 in 1987	4	79.5 in 1930	4	16.99 in 1979	4	3.05 in 1915
5	83.9 in 1941		79.5 in 1919	5	16.26 in 1905	5	3.78 in 1938
6	83.7 in 1924		79.5 in 1904	6	16.08 in 1965	6	3.90 in 1941
7	83.6 in 2006	7	79.7 in 1992	7	14.97 in 1967	7	4.03 in 1996
	83.6 in 1983	8	79.8 in 1917	8	14.56 in 1917		4.03 in 1976
	83.6 in 1951	9	80.1 in 1923	9	14.20 in 1942	9	4.17 in 1924
	83.6 in 1899		80.1 in 1911	10	13.14 in 1949	10	4.25 in 2005
				...		...	
				<b>87</b>	<b>6.32 in 2019</b>	<b>38</b>	<b>6.32 in 2019</b>
					in 1903		in 1903

Average Temp Aug 2019 = Not Available  
 Several Days Missing

Normal August Temp at STLF1 = 82.6°

Normal August Rain at STLF1 = 7.87 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.6 in 1998	1	78.2 in 1922	1	53.02 in 1945	1	12.71 in 1930
2	83.4 in 2005	2	78.5 in 1919	2	43.25 in 1901	2	14.51 in 1958
3	83.2 in 1987	3	78.6 in 1920	3	40.38 in 1934	3	15.09 in 1951
	83.2 in 1900	4	78.8 in 1930	4	37.52 in 2012	4	15.97 in 1987
5	83.0 in 2006	5	78.9 in 1923	5	36.13 in 1898	5	15.98 in 1915
6	82.9 in 1981	6	79.2 in 1904	6	35.05 in 1965	6	16.10 in 1980
	82.9 in 1896	7	79.3 in 1921	7	35.02 in 1943		16.10 in 1902
8	82.8 in 2007	8	79.5 in 1918	8	34.48 in 2002	8	16.20 in 1921
	82.8 in 1924		79.5 in 1910	9	33.33 in 2003	9	16.94 in 1997
10	82.7 in 2009	10	79.6 in 1935	10	32.26 in 1906	10	17.01 in 1952
	82.7 in 1989		79.6 in 1917	...		...	
	82.7 in 1983		79.6 in 1913	<b>43</b>	<b>26.63 in 2019</b>	<b>83</b>	<b>26.63 in 2019</b>
	82.7 in 1897						

Average Temp Summer 2019 = Not Available  
 Several Days Missing

Normal Summer Temp at STLF1 = 82.3°

Normal Summer Rain at STLF1 = 23.52 in

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 47 days)

1	63 days in 1906
2	62 days in 2018
	62 days in 1900
4	61 days in 1905
5	60 days in 1986
	60 days in 1909
...	
<b>25</b>	<b>54 days in 2019</b> , 2016, and 1953

**TARPON SPRINGS** (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.9 in 1995	1	79.5 in 1905	1	23.60 in 1949	1	1.96 in 1930
2	84.3 in 1993		79.5 in 1904	2	20.99 in 1906	2	2.02 in 1899
3	84.2 in 2014	3	79.6 in 1969	3	18.97 in 2017	3	2.39 in 1963
	84.2 in 2007		79.6 in 1900	4	18.52 in 1969	4	2.57 in 2001
	84.2 in 1999	5	80.1 in 1967	5	17.77 in 1957	5	2.84 in 1964
	84.2 in 1997		80.1 in 1892	6	17.06 in 1928	6	2.90 in 1934
<b>7</b>	<b>84.1 in 2019</b>	7	80.2 in 1894	7	16.99 in 2010	7	3.70 in 2006
	84.1 in 2017	8	80.4 in 1911	8	16.80 in 1905	8	3.72 in 1921
9	84.0 in 2005		80.4 in 1910	9	16.67 in 1939	9	4.33 in 1916
	84.0 in 2004		80.4 in 1907	10	16.05 in 1898	10	4.39 in 1936
	84.0 in 1941			...			
				<b>19</b>	<b>14.01 in 2019</b>		

Normal August Temp at TRPF1 = 82.1°

Normal August Rain at TRPF1 = 8.32 in

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.4 in 2004	1	79.0 in 1904	1	45.10 in 1909	1	11.64 in 1952
2	84.1 in 1998		79.0 in 1900	2	44.25 in 2012	2	12.65 in 1956
3	83.9 in 1993	3	79.1 in 1894	3	41.21 in 1906	3	12.87 in 1970
<b>4</b>	<b>83.8 in 2019</b>	4	79.4 in 1907	4	37.71 in 1957	4	13.49 in 1916
	83.8 in 2016	5	79.5 in 1895	5	37.51 in 2015	5	13.64 in 1914
	83.8 in 2005	6	79.6 in 1974	<b>6</b>	<b>37.28 in 2019</b>	6	14.17 in 1980
7	83.7 in 1997		79.6 in 1939	7	36.54 in 1943	7	14.80 in 1976
8	83.6 in 2014		79.6 in 1910	8	36.47 in 1939	8	14.90 in 1902
	83.6 in 2010	9	79.7 in 1908	9	36.17 in 1928	9	15.07 in 1988
10	83.5 in 2018	10	79.8 in 1892	10	36.10 in 1945	10	15.17 in 1993
	83.5 in 1995						

Normal Summer Temp at TRPF1 = 81.7°

Normal Summer Rain at TRPF1 = 23.10 in

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 42 days)

1	61 days in 2013
2	60 days in 1994
3	57 days in 2017
	57 days in 1909
5	55 days in 1949
...	
<b>15</b>	<b>48 days in 2019</b> , 2015, 1990, 1966, and 1959

-----

**TAMPA AREA** (records began in April 1890):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.1 in 2011	1	80.2 in 1905	1	18.59 in 1949	1	0.78 in 1938
	85.1 in 1941	2	80.3 in 1967	2	17.83 in 1898	2	2.35 in 1952
3	85.0 in 2017		80.3 in 1913	3	16.47 in 2015	3	2.38 in 1921
4	84.9 in 2007	4	80.4 in 1922	4	15.17 in 1932	4	2.83 in 2001
5	84.7 in 2005	5	80.5 in 1901	5	14.90 in 2003	5	3.27 in 1990
<b>6</b>	<b>84.6 in 2019</b>	6	80.6 in 1904	6	14.66 in 1905	6	3.47 in 1924
7	84.4 in 1951		80.6 in 1890	7	14.60 in 2018	7	3.52 in 2009
8	84.3 in 2014	8	80.7 in 1939	8	14.29 in 1939	8	3.63 in 1919
	84.3 in 2010		80.7 in 1911	9	14.03 in 2004	9	3.75 in 1907
10	83.9 in 2018	10	80.8 in 1969	10	13.75 in 1995	10	3.87 in 1941
	83.9 in 2009		80.8 in 1957	...		...	
	83.9 in 1990		80.8 in 1898	<b>29</b>	<b>10.42 in 2019</b>	<b>102</b>	<b>10.42 in 2019</b>

Normal August Temp at TPA = 83.2°

Normal August Rain at TPA = 7.77 in

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.5 in 2010	1	80.1 in 1910	1	43.03 in 1945	1	11.16 in 1993
2	84.4 in 2011	2	80.2 in 1955	2	36.13 in 2012	2	13.15 in 1956
3	84.2 in 1998		80.2 in 1913	3	34.79 in 1909	3	13.25 in 1970
4	83.9 in 2018		80.2 in 1904	4	34.67 in 1960	4	13.85 in 1978
	83.9 in 2017	5	80.3 in 1967	5	34.54 in 2015	5	14.00 in 1977
	83.9 in 2016	6	80.4 in 1965	6	33.71 in 1925	6	14.25 in 1918
<b>7</b>	<b>83.8 in 2019</b>	7	80.5 in 1968	7	33.68 in 1896	7	15.05 in 1931
8	83.4 in 2007		80.5 in 1890	8	33.66 in 1995	8	15.65 in 2001
9	83.3 in 2009	9	80.6 in 1907	9	33.46 in 1957	9	15.73 in 1944
10	83.2 in 2014		80.6 in 1899	10	33.40 in 2013	10	15.88 in 1952
	83.2 in 2005		80.6 in 1894	...			
	83.2 in 1977			<b>20</b>	<b>30.86 in 2019</b>		
	83.2 in 1942						

Normal Summer Temp at TPA = 82.8°

Normal Summer Rain at TPA = 21.52 in

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 45 days)

1	63 days in 1905
2	61 days in 2003
	61 days in 1894
4	60 days in 2013
	60 days in 1959
	60 days in 1906
...	
<b>14</b>	<b>56 days in 2019</b> and 1901

-----

**ST PETERSBURG** (records began in August 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.5 in 2005	1	80.8 in 1922	1	21.85 in 1939	1	0.82 in 1938
2	85.7 in 2013	2	81.3 in 1939	2	19.57 in 1949	2	2.91 in 1984
3	85.4 in 2017	3	81.4 in 1947	3	18.62 in 1915	3	2.96 in 1941
4	85.3 in 2014	4	81.5 in 1953	4	17.93 in 1967	4	3.21 in 1998
	85.3 in 1941	5	81.6 in 1957	5	17.75 in 1995	5	3.33 in 1951
6	85.2 in 2007	6	81.8 in 1995	6	16.65 in 1971	6	3.37 in 1919
7	85.0 in 2010		81.8 in 1994	7	16.53 in 1945	7	3.40 in 1933
	85.0 in 1980		81.8 in 1974	8	16.04 in 1922	8	3.66 in 2005
9	84.8 in 1987		81.8 in 1917	9	15.49 in 2016	9	3.67 in 1996
10	84.7 in 2011	10	81.9 in 2016	10	15.33 in 1947	10	4.30 in 1914
	84.7 in 1986		81.9 in 1967	...			
...			81.9 in 1949	<b>18</b>	<b>11.64 in 2019</b>		
<b>19</b>	<b>84.3 in 2019</b>						
	in 2000						

Normal Temp August at SPG = 83.9°

Normal August Rain at SPG = 8.38 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.7 in 2005	1	80.9 in 1922	1	47.62 in 1945	1	10.52 in 1931
2	85.6 in 2010	2	81.1 in 1974	2	45.31 in 1939	2	11.17 in 1984
3	84.6 in 1988		81.1 in 1955	3	40.99 in 1995	3	11.48 in 1970
4	84.5 in 2017	4	81.2 in 1947	4	38.08 in 1943	4	12.32 in 1930
	84.5 in 1998	5	81.4 in 1920	5	36.66 in 1947	5	12.39 in 1916
6	84.3 in 2013	6	81.6 in 1995	6	35.03 in 2016	6	13.10 in 1996
7	84.2 in 1980		81.6 in 1923	7	35.00 in 1922	7	13.14 in 1993
8	84.1 in 2014		81.6 in 1919	8	34.49 in 1974	8	14.18 in 1941
	84.1 in 1973	9	81.7 in 1968	9	33.26 in 1959	9	14.31 in 1966
10	84.0 in 2018		81.7 in 1965	10	32.62 in 1971	10	14.99 in 1951
	84.0 in 2011		81.7 in 1956	...			
	84.0 in 1931		81.7 in 1953	<b>19</b>	<b>29.02 in 2019</b>		
...			81.7 in 1917				
<b>15</b>	<b>83.8 in 2019</b>						
	in 2006						
	in 1986						
	in 1977						

Normal Summer Temp at SPG = 83.5°

Normal Summer Rain at SPG = 22.10 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 40 days)

1	62 days in 2017
2	61 days in 2015
3	58 days in 1943
	58 days in 1929
5	57 days in 1939
...	
<b>64</b>	<b>41 days in 2019, 1978, and 1969</b>

-----

**PLANT CITY** (records began in September 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.6 in 2017	1	78.7 in 1930	1	17.79 in 2004	1	3.40 in 1942
2	84.6 in 2018	2	79.1 in 1907	2	17.48 in 1953	2	3.58 in 1921
3	84.3 in 2011	3	79.6 in 1939	3	17.17 in 1949	3	3.65 in 1947
<b>4</b>	<b>84.1 in 2019</b>		79.6 in 1906	<b>4</b>	<b>15.92 in 2019</b>	4	3.73 in 1930
5	83.9 in 2007	5	79.7 in 1931	5	15.69 in 1906	5	3.89 in 1950
	83.9 in 1980	6	79.9 in 1905	6	15.06 in 1898	6	3.98 in 1960
7	83.7 in 2016	7	80.1 in 2000	7	14.96 in 1939	7	4.56 in 1982
	83.7 in 2005	8	80.2 in 1933	8	14.04 in 1967	8	4.61 in 1934
9	83.4 in 2010		80.2 in 1911	9	13.95 in 1979	9	4.68 in 1970
10	83.3 in 1951	10	80.3 in 1973	10	13.92 in 1908	10	4.75 in 1997
	83.3 in 1924		80.3 in 1967				
			80.3 in 1904				

Normal Temp August at PLCF1 = 81.8°

Normal Rain Aug at PLCF1 = 8.32 in.

---

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
<b>1</b>	<b>84.6 in 2019</b>	1	79.7 in 1919	1	41.73 in 1943	1	14.60 in 1956
	84.6 in 2017	2	79.8 in 1923	2	40.04 in 1910	2	14.98 in 1915
3	84.1 in 2018	3	79.9 in 1921	3	39.69 in 1945	3	15.23 in 1989
4	84.0 in 2016		79.9 in 1920	4	39.40 in 2004	4	15.34 in 1993
5	83.4 in 2010	5	80.2 in 1967	5	38.77 in 2017	5	15.36 in 1961
6	83.3 in 1981		80.2 in 1947	<b>6</b>	<b>38.40 in 2019</b>	6	15.52 in 1952
7	83.1 in 2011		80.2 in 1930	7	37.53 in 1939	7	16.01 in 1951
8	82.7 in 1998	8	80.3 in 1966	8	36.18 in 1925	8	17.02 in 1970
9	82.5 in 1915		80.3 in 1965	9	36.08 in 1906	9	17.30 in 1988
10	82.4 in 2009	10	80.4 in 1974	10	35.94 in 1905	10	17.39 in 1987
	82.4 in 1969		80.4 in 1968				
			80.4 in 1929				

Normal Summer Temp at PLCF1 = 81.4°

Normal Summer Rain at PLCF1 = 24.54 in.

---

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 51 days)

- 1 62 days in 1967
- 2 61 days in 2005
- 3 60 days in 2013
- 60 days in 2008
- 60 days in 2001
- 60 days in 1986
- 60 days in 1953
- ...
- 33 52 days in 2019**, 2015, and 1992

**LAKELAND** (records began in January 1915):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.1 in 1987	1	80.0 in 1967	1	15.57 in 1948	1	3.40 in 1942
2	84.6 in 1995	2	80.5 in 1973	2	15.19 in 2010	2	3.58 in 1921
3	84.4 in 1989		80.5 in 1949	3	14.15 in 1935	3	3.65 in 1947
4	84.3 in 2011	4	80.6 in 1939	4	13.49 in 1915	4	3.73 in 1930
	84.3 in 2010		80.6 in 1923	<b>5</b>	<b>12.63 in 2019</b>	5	3.89 in 1950
6	84.1 in 2017		80.6 in 1920	6	12.52 in 2004	6	3.98 in 1960
7	83.9 in 2016	7	80.8 in 1969	7	12.23 in 2015	7	4.56 in 1982
	83.9 in 2005		80.8 in 1957	8	11.97 in 1928	8	4.61 in 1934
	83.9 in 1993	9	80.9 in 1959	9	11.93 in 1949	9	4.68 in 1970
10	83.8 in 2013	10	81.0 in 1953	10	11.37 in 2016	10	4.75 in 1997
	83.8 in 1988		81.0 in 1922				
	83.8 in 1941						
...							
<b>17</b>	<b>83.6 in 2019</b>						
	in 1991						

Normal Temp August at LLDF1 = 82.3°

Normal Rain Aug at LLDF1 = 8.50 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.6 in 2010	1	79.7 in 1919	1	43.60 in 2017	1	13.76 in 1958
2	84.4 in 1987	2	79.8 in 1923	2	36.50 in 2015	2	13.88 in 1998
3	84.0 in 2016	3	79.9 in 1921	<b>3</b>	<b>34.42 in 2019</b>	3	13.96 in 1918
4	83.8 in 1998		79.9 in 1920	4	33.76 in 2013	4	14.67 in 1972
	83.8 in 1989	5	80.2 in 1967	5	33.29 in 1994	5	15.35 in 1936
6	83.6 in 1995		80.2 in 1947	6	32.40 in 2005	6	15.51 in 1931
<b>7</b>	<b>83.5 in 2019</b>		80.2 in 1930	7	32.12 in 1968	7	16.05 in 1950
	83.5 in 2011	8	80.3 in 1966	8	31.87 in 2001	8	16.71 in 1942
	83.2 in 1993		80.3 in 1965	9	31.78 in 1948	9	16.92 in 1954
10	83.4 in 1990	10	80.4 in 1974	10	31.59 in 1995	10	16.95 in 1921
			80.4 in 1968				
			80.4 in 1929				

Normal Summer Temp at LLDF1 = 81.7°

Normal Summer Rain at LLDF1 = 24.01 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 51 days)

2	67 days in 2017
<b>2</b>	<b>66 days in 2019</b>
3	64 days in 2013
4	62 days in 2015
	62 days in 1994



**WINTER HAVEN AREA** (records began in March 1941):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.6 in 1989	1	80.0 in 1972	1	14.59 in 1949	1	1.78 in 1960
2	85.3 in 2005	2	80.4 in 1971	2	12.76 in 1977	2	1.88 in 1998
<b>3</b>	<b>84.9 in 2019</b>		80.4 in 1967	3	12.21 in 1952	3	2.04 in 1980
	84.9 in 2007	4	80.6 in 1957	4	11.94 in 1992	4	2.63 in 1942
	84.9 in 1941	5	80.8 in 1969	5	11.78 in 1995	5	2.80 in 2005
6	84.7 in 2011		80.8 in 1959	6	11.39 in 1981	6	3.09 in 1954
7	84.6 in 1998	7	80.9 in 1968		11.39 in 1957	7	3.65 in 1970
8	84.5 in 1951	8	81.0 in 1982	8	11.25 in 1948	8	3.73 in 1955
9	84.4 in 2010		81.0 in 1962	9	11.22 in 2011	9	3.96 in 1945
10	84.2 in 2014	10	81.1 in 2008	10	10.83 in 2008	10	4.05 in 1999
	84.2 in 1991		81.1 in 1990		10.83 in 1984		
				...		...	
				<b>24</b>	<b>8.21 in 2019</b>	<b>53</b>	<b>8.21 in 2019</b>

Normal Temp August at GIF = 83.2°

Normal Rain Aug at GIF = 7.86 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.8 in 1989	1	79.4 in 1968	1	34.98 in 1949	1	9.33 in 1999
<b>2</b>	<b>84.7 in 2019</b>	2	79.7 in 1972	2	34.87 in 1945	2	12.07 in 1980
	84.7 in 2010		79.7 in 1971	3	32.95 in 1992	3	12.14 in 1998
	84.7 in 1998	4	80.0 in 1974	4	32.77 in 1995	4	14.37 in 1963
5	84.4 in 2016	5	80.4 in 1967	5	30.66 in 1981	5	14.62 in 1997
6	83.7 in 2005	6	80.7 in 1963	6	30.57 in 2015	6	14.88 in 1972
7	83.3 in 2018		80.7 in 1962	7	30.08 in 1948	7	14.98 in 2009
	83.3 in 2017	8	80.8 in 1965	8	29.77 in 1974	8	15.10 in 1979
	83.3 in 2015	9	80.9 in 1959	<b>9</b>	<b>29.75 in 2019</b>	9	16.02 in 1964
	83.3 in 2007	10	81.0 in 1966	10	28.69 in 1965	10	16.27 in 1996
	83.3 in 1985						

Normal Summer Temp at GIF = 82.7°

Normal Summer Rain at GIF = 23.07 in.

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 47 days)

1	65 days in 1994
2	62 days in 2002
3	61 days in 2013
	61 days in 1984
<b>5</b>	<b>60 days in 2019</b>
	60 days in 1995

**BARTOW** (records began in June 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.4 in 2014	1	79.7 in 1913	1	14.62 in 1905	1	1.60 in 2014
2	86.1 in 2013	2	79.9 in 1894	2	14.39 in 1949	2	2.45 in 1912
3	84.6 in 1987	3	80.3 in 1898	3	14.38 in 1909	3	2.60 in 1987
	84.6 in 1951	4	80.5 in 1967	4	13.38 in 2003	4	2.98 in 1936
5	84.4 in 1998	5	80.6 in 1975		13.38 in 2002	5	3.02 in 1950
6	84.2 in 2011		80.6 in 1947	6	13.01 in 1981	6	3.18 in 1938
7	84.1 in 1941		80.6 in 1916	7	12.83 in 1928	7	3.57 in 1930
	84.1 in 1924	8	80.7 in 1911	8	12.65 in 1992	8	3.74 in 1996
9	83.9 in 2010		80.7 in 1892	9	12.57 in 2012	9	4.08 in 2010
	83.9 in 2005	10	80.8 in 1901	10	12.39 in 1901	10	4.29 in 1991
	83.9 in 1999			...		...	
	83.9 in 1997			<b>42</b>	<b>8.31 in 2019</b>	<b>85</b>	<b>8.31 in 2019</b>
...		...			in 1925		in 1925
<b>28</b>	<b>83.0 in 2019</b>	<b>87</b>	<b>83.0 in 2019</b>		in 1907		in 1907
	in 2017		in 2017				
	in 1990		in 1990				
	in 1986		in 1986				
	in 1956		in 1956				
	in 1942		in 1942				
	in 1932		in 1932				

Normal Temp August at BARF1 = 83.0°

Normal Rain Aug at BARF1 = 7.85 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.6 in 2014	1	79.0 in 1894	1	36.81 in 2003	1	13.22 in 1964
2	84.8 in 1998	2	79.4 in 1913	2	36.13 in 1909	2	13.28 in 1950
3	84.5 in 2013	3	79.8 in 1892	3	35.84 in 2012	3	14.92 in 1931
4	83.9 in 2010	4	79.9 in 1947	4	35.15 in 1924	4	15.39 in 1996
5	83.7 in 1987	5	80.3 in 1936	5	35.01 in 1939	5	15.47 in 1979
6	83.3 in 2016		80.3 in 1916	6	34.85 in 1949	6	15.56 in 1902
	83.3 in 1969	7	80.4 in 1976	7	34.31 in 2005	7	15.67 in 1987
8	83.2 in 1981		80.4 in 1974	8	34.14 in 1945	8	15.97 in 2007
	83.2 in 1958		80.4 in 1972	9	33.82 in 1934	9	16.40 in 2014
10	83.1 in 2011		80.4 in 1935	10	33.42 in 1928	10	16.42 in 1936
11	83.0 in 2009			11	33.09 in 1901		
	83.0 in 1951			12	32.90 in 1995		
<b>13</b>	<b>82.9 in 2019</b>			<b>13</b>	<b>31.80 in 2019</b>		
	in 1993						
	in 1989						

Normal Summer Temp at BARF1 = 82.6°

Normal Summer Rain at BARF1 = 24.24 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 44 days)

1	64 days in 1923	5	60 days in 1968
<b>2</b>	<b>62 days in 2019</b>		60 days in 1962
	62 days in 1983		
	62 days in 1924		

**SARASOTA-BRADENTON** (records began in January 1911):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.0 in 2014	1	79.6 in 1911	1	24.42 in 1981	1	2.51 in 1938
2	84.7 in 2016	2	79.9 in 1947	2	20.97 in 2017	2	2.52 in 1930
3	84.5 in 2011		79.9 in 1922	3	19.97 in 1959	3	3.09 in 1944
4	84.2 in 2007	4	80.0 in 1939	4	19.73 in 1949	4	3.10 in 1952
5	83.9 in 1995	5	80.3 in 1967	5	19.35 in 1922	5	3.11 in 2001
6	83.8 in 2005		80.3 in 1931	6	18.14 in 1928	6	3.20 in 1996
7	83.7 in 1990		80.3 in 1927	7	17.79 in 2003	7	3.91 in 2008
	83.7 in 1987	8	80.4 in 1930	8	17.63 in 1999	8	3.93 in 1963
<b>9</b>	<b>83.6 in 2019</b>		80.4 in 1916	9	17.04 in 1939	9	3.96 in 1984
	83.6 in 1998	10	80.5 in 1934	10	15.92 in 1962	10	3.97 in 2014
			80.5 in 1929	...		...	
				<b>23</b>	<b>12.86 in 2019</b>	<b>87</b>	<b>12.86 in 2019</b>

Normal Temp August at SRQ = 82.2°

Normal Rain Aug at SRQ = 9.14 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.5 in 2016	1	78.9 in 1947	1	45.69 in 1943	1	11.09 in 1930
2	83.9 in 1998		78.9 in 1913	2	41.23 in 2017	2	11.20 in 1998
3	83.6 in 2014	3	79.4 in 1911	3	41.08 in 1912	3	11.94 in 1944
4	83.4 in 2010	4	79.5 in 1930	4	39.63 in 1992	4	12.48 in 1951
<b>5</b>	<b>83.2 in 2019</b>	5	79.7 in 1976	5	38.29 in 1922	5	12.66 in 2007
6	83.0 in 2011		79.7 in 1916	6	38.23 in 1945	6	12.75 in 1952
7	82.8 in 1987	7	79.8 in 1929	7	37.73 in 1939	7	13.10 in 2014
8	82.7 in 2009	8	79.9 in 1974	8	35.21 in 1959	8	13.12 in 1948
	82.7 in 2007		79.9 in 1931	9	35.12 in 1981	9	14.67 in 2009
	82.7 in 1993	10	80.0 in 1922	10	33.86 in 1928	10	14.80 in 1914
	82.7 in 1990			11	33.47 in 1949		
	82.7 in 1989			12	33.08 in 1960		
				13	32.44 in 1986		
				<b>14</b>	<b>32.43 in 2019</b>		

Normal Summer Temp at SRQ = 81.8°

Normal Summer Rain at SRQ = 24.63 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 46 days)

1	62 days in 1959
<b>2</b>	<b>57 days in 2019</b>
3	55 days in 2003
4	54 days in 1968
	54 days in 1957
	54 days in 1954

-----

**VENICE** (records began in May 1955):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.0 in 2010	1	80.5 in 1975	1	20.18 in 2017	1	2.96 in 2007
2	85.4 in 2011		80.5 in 1967	2	16.77 in 1981	2	3.00 in 2005
	85.4 in 2009	3	80.6 in 1968	3	16.47 in 1967	3	3.04 in 1955
4	84.8 in 2012	4	80.9 in 1976	4	15.76 in 1999	4	3.10 in 2014
5	84.7 in 1998	5	81.0 in 1959	5	13.69 in 1974	5	3.21 in 1997
6	84.5 in 1988	6	81.1 in 1969	6	13.41 in 1971	6	3.25 in 1990
<b>7</b>	<b>84.4 in 2019</b>	7	81.2 in 1974	7	13.11 in 1970	7	3.28 in 1958
8	84.2 in 1997		81.2 in 1957	8	12.94 in 2016	8	3.49 in 1984
9	84.1 in 2013	9	81.4 in 1958	9	12.56 in 1959	9	3.51 in 1956
	84.1 in 2005	10	81.5 in 1977	10	11.72 in 1977	10	4.06 in 1963
				11	10.69 in 2002		
				<b>12</b>	<b>10.65 in 2019</b>		

Normal Temp August at VNCF1 = 82.6°

Normal Rain Aug at VNCF1 = 7.78 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	86.2 in 2010	1	80.3 in 1975	1	38.01 in 1995	1	11.65 in 2014
2	85.1 in 1998	2	80.4 in 1974	2	37.89 in 2017	2	12.14 in 1990
3	84.7 in 2011	3	80.5 in 1967	3	37.79 in 1992	3	12.88 in 1997
<b>4</b>	<b>84.0 in 2019</b>	4	80.7 in 1984	4	36.76 in 1974	4	13.54 in 1956
5	83.9 in 2012		80.7 in 1966	5	36.72 in 2003	5	13.56 in 1979
6	83.5 in 1997	6	80.8 in 1956	6	32.82 in 1999	6	13.72 in 2007
7	83.3 in 2013	7	80.9 in 1978	7	32.69 in 2012	7	13.77 in 1955
	83.3 in 2004	8	81.0 in 2008	8	30.31 in 2005	8	14.13 in 2009
	83.3 in 1993		81.0 in 1972	9	29.35 in 1987	9	14.26 in 1985
10	83.2 in 2018		81.0 in 1959	10	29.34 in 1959		14.26 in 1980
				...		...	
				<b>32</b>	<b>20.77 in 2019</b>	<b>31</b>	<b>20.77 in 2019</b>

Normal Summer Temp at VNCF1 = 82.0°

Normal Summer Rain at VNCF1 = 22.60 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 41 days)

1	57 days in 1959	6	50 days in 2016
2	56 days in 2017		50 days in 2015
3	55 days in 2013		50 days in 2002
4	51 days in 2006		50 days in 1974
	51 days in 1999	<b>10</b>	<b>49 days in 2019</b> , 1994, 1981, and 1957

-----

**MYAKKA RIVER STATE PARK** (Temperature records began in March 1956  
and Rainfall records began in Sep 1943):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.7 in 1993	1	80.4 in 1962	1	19.85 in 1981	1	2.81 in 2005
2	85.0 in 1998	2	80.5 in 1959	2	18.61 in 1971	2	3.44 in 1991
3	84.8 in 2017		80.5 in 1957	3	18.45 in 2003	3	3.94 in 2001
4	84.3 in 2005	4	80.9 in 2002	4	17.18 in 2016	4	5.05 in 1974
	84.3 in 1999		80.9 in 1972	5	16.85 in 2018	5	5.17 in 1976
6	84.1 in 2011		80.9 in 1971	6	16.60 in 1949	6	5.32 in 1996
<b>7</b>	<b>84.0 in 2019</b>	7	81.1 in 1985	7	15.99 in 1980	7	5.33 in 1944
	84.0 in 2016	8	81.3 in 2001	8	15.66 in 1999	8	5.35 in 1956
	84.0 in 2010		81.3 in 1969	9	15.62 in 1988	9	5.48 in 1948
10	83.9 in 1997		81.3 in 1963	10	14.54 in 1965	10	5.58 in 1989
				...		...	
				<b>31</b>	<b>9.62 in 2019</b>	<b>44</b>	<b>9.62 in 2019</b>

Normal Temp August at MKCF1 = 82.4°

Normal Rain Aug at MKCF1 = 9.65 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.0 in 1998	1	79.8 in 1962	1	47.18 in 2003	1	13.38 in 1956
2	84.0 in 2010	2	80.1 in 1959	2	46.76 in 2017	2	16.52 in 1996
3	83.5 in 2017	3	80.3 in 1984	3	46.32 in 1995	3	17.03 in 1948
4	83.4 in 2016		80.3 in 1974	4	43.79 in 1981	4	17.41 in 1961
<b>5</b>	<b>83.3 in 2019</b>	5	80.5 in 1972	5	41.67 in 1965	5	17.42 in 2009
	83.3 in 1999		80.5 in 1963	6	40.81 in 2012	6	18.65 in 1952
7	83.2 in 2018	7	80.6 in 2002	7	40.58 in 1982	7	19.68 in 1944
	83.2 in 1993		80.6 in 1986	8	40.14 in 1992	8	20.18 in 1986
9	83.1 in 2005		80.6 in 1971	9	37.94 in 1968	9	20.32 in 1954
	83.1 in 1997		80.6 in 1960	10	37.52 in 2013	10	20.37 in 1964
				...		...	
				<b>37</b>	<b>25.92 in 2019</b>	<b>36</b>	<b>25.92 in 2019</b>

Normal Summer Temp at MKCF1 = 81.8°

Normal Summer Rain at MKCF1 = 28.96 in.

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 48 days)

1	67 days in 2016
2	66 days in 2017
3	64 days in 2013
	64 days in 2002
5	62 days in 1959
...	
<b>14</b>	<b>56 days in 2019</b> and 1974

**WAUCHULA 2 N** (records began in January 1933):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.4 in 2009	1	77.7 in 1950	1	15.53 in 1949	1	2.66 in 1982
2	85.2 in 2007	2	80.1 in 1953	2	14.17 in 2010	2	2.97 in 1938
3	84.2 in 1941	3	80.3 in 2000	3	14.04 in 2015	3	3.30 in 1958
4	83.6 in 1993	4	80.4 in 1939	4	13.68 in 1939	4	3.67 in 2005
5	83.5 in 1989	5	80.5 in 1967	5	12.76 in 1992	5	3.75 in 1957
	83.5 in 1987	6	80.7 in 2003	6	12.54 in 1943	6	4.17 in 1965
7	83.4 in 2005		80.7 in 1996	7	12.46 in 1953	7	4.24 in 1970
8	83.3 in 2016		80.7 in 1949	8	12.28 in 2003	8	4.48 in 2009
	83.3 in 1983	9	80.8 in 1959	9	12.11 in 1956	9	4.52 in 1933
10	83.2 in 2008		80.8 in 1947	10	11.45 in 2016	10	4.59 in 1941
...				...			
<b>20</b>	<b>82.5 in 2019</b>			<b>21</b>	<b>8.95 in 2019</b>		
	in 2015						
	in 1995						
	in 1943						
	in 1935						
	in 1933						

Normal Temp August at WAUF1 = 83.7°

Normal Rain Aug at WAUF1 = 7.80 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.6 in 2009	1	78.3 in 1950	1	43.85 in 1939	1	14.24 in 1999
2	83.2 in 2008	2	79.9 in 2012	2	39.39 in 1943	2	14.30 in 1964
	83.2 in 1993		79.9 in 1955	3	38.22 in 1949	3	14.60 in 2000
4	82.9 in 1998	4	80.0 in 1947	4	37.38 in 1953	4	14.65 in 1958
	82.9 in 1987	5	80.1 in 1996	5	35.80 in 2017	5	15.13 in 1952
6	82.7 in 2016		80.1 in 1956	6	34.17 in 1959	6	16.05 in 1998
	82.7 in 2007	7	80.2 in 2013	7	34.14 in 1945	7	16.30 in 2018
8	82.6 in 1942		80.2 in 2000	8	32.94 in 1974	8	16.51 in 1996
9	82.5 in 1969		80.2 in 1953	9	32.53 in 1968	9	16.97 in 1957
10	82.4 in 2017		80.3 in 1976	10	30.58 in 2013	10	17.21 in 1981
	82.4 in 1992		80.3 in 1965	...		...	
	82.4 in 1989			<b>42</b>	<b>24.83 in 2019</b>	<b>44</b>	<b>24.83 in 2019</b>
13	82.3 in 1983						
<b>14</b>	<b>82.2 in 2019</b>						
	in 2005						
	in 1963						
	in 1940						

Normal Summer Temp at WAUF1 = 83.0°

Normal Summer Rain at WAUF1 = 23.81 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 41 days)

1	66 days in 1939	5	60 days in 1986
2	64 days in 1959		60 days in 1965
3	61 days in 1949	...	
	61 days in 1945	<b>23</b>	<b>50 days in 2019</b> and 1976



**ARCADIA** (records began in January 1899):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.9 in 1919	1	78.5 in 1992	1	19.54 in 2004	1	2.37 in 1996
	83.9 in 1917	2	79.3 in 1971	2	18.24 in 1908	2	2.95 in 1938
3	83.6 in 1951	3	80.2 in 1994	3	17.41 in 1967	3	3.31 in 1991
4	83.5 in 1915		80.2 in 1963	4	16.22 in 1949	4	3.36 in 2007
5	83.4 in 1941		80.2 in 1947	5	15.72 in 2011	5	3.46 in 1934
6	83.3 in 1990		80.2 in 1913	6	15.40 in 2017	6	3.67 in 1999
7	83.2 in 2005	7	80.3 in 1989	7	13.89 in 1925	7	3.84 in 1989
8	83.1 in 2011	8	80.4 in 1967	8	13.57 in 1981	8	4.01 in 1954
9	83.0 in 2014	9	80.5 in 1996	9	13.56 in 2008	9	4.31 in 1923
	83.0 in 1954	10	80.6 in 2003	10	13.55 in 1994	10	4.40 in 1915
	83.0 in 1902		80.6 in 1976				
...		...		...			
<b>50</b>	<b>81.6 in 2019</b>	<b>48</b>	<b>81.6 in 2019</b>	<b>18</b>	<b>11.68 in 2019</b>		
	in 1993		in 1993				
	in 1981		in 1981				
	in 1978		in 1978				
	in 1946		in 1946				
	in 1943		in 1943				
	in 1932		in 1932				

Normal Temp August at ARCF1 = 81.7°

Normal Rain Aug at ARCF1 = 7.99 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	82.8 in 1998	1	79.3 in 1971	1	38.22 in 2013	1	12.83 in 1931
2	82.7 in 1927	2	79.7 in 1976	2	37.99 in 1982	2	13.07 in 1932
3	82.6 in 2010	3	79.9 in 1992	3	37.67 in 2017	3	13.33 in 1921
	82.6 in 1981		79.9 in 1970	4	36.98 in 1974	4	13.61 in 1980
5	82.5 in 1919		79.9 in 1968	5	36.14 in 1949	5	14.14 in 1976
	82.5 in 1902		79.9 in 1963	6	35.56 in 1967	6	14.15 in 1996
7	82.3 in 1942		79.9 in 1947	7	35.17 in 2001	7	14.41 in 1955
8	82.2 in 2016		79.9 in 1938	8	34.99 in 1939	8	14.59 in 1961
9	82.1 in 1952	9	80.0 in 1996	9	34.77 in 1965	9	14.60 in 1956
	82.1 in 1914		80.0 in 1910	10	34.57 in 2015	10	15.54 in 1998
<b>11</b>	<b>82.0 in 2019</b>			...		...	
	in 2005			<b>61</b>	<b>22.59 in 2019</b>	<b>49</b>	<b>22.59 in 2019</b>
	in 1941						

Normal Summer Temp at ARCF1 = 81.2°

Normal Summer Rain at ARCF1 = 24.80 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 41 days)

1	63 days in 1947
2	62 days in 1965
	62 days in 1913
	62 days in 1910
5	61 days in 1967
...	
<b>14</b>	<b>57 days in 2019, 2013, 1940, and 1924</b>

**ARCHBOLD BIO STN** (records began in January 1969):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.6 in 2016	1	79.7 in 1994	1	20.05 in 2006	1	1.94 in 2000
2	83.3 in 2010	2	79.9 in 1971	2	17.88 in 2004	2	2.71 in 1984
3	82.9 in 2017	3	80.0 in 1984	3	14.31 in 1999	3	2.75 in 2009
4	82.8 in 2014	4	80.1 in 1974	4	13.70 in 2010	4	3.14 in 2007
5	82.7 in 2015	5	80.2 in 1973	5	12.76 in 1979	5	3.50 in 1987
	82.7 in 2011	6	80.3 in 1976	6	12.33 in 2008	6	4.24 in 1970
7	82.5 in 2005		80.3 in 1972	7	12.12 in 1992	7	4.28 in 1993
8	82.4 in 2009	8	80.4 in 2003	8	11.35 in 2015	8	4.40 in 1997
	82.4 in 1987		80.4 in 2000	9	11.22 in 2012	9	4.55 in 2014
10	82.3 in 1969	10	80.6 in 2002	10	10.80 in 2002	10	4.71 in 1980
11	82.1 in 1998			...		...	
<b>12</b>	<b>82.0 in 2019</b>			<b>30</b>	<b>7.22 in 2019</b>	<b>22</b>	<b>7.22 in 2019</b>
	in 2018						
	in 1995						
	in 1980						

Normal Temp August at ACHF1 = 80.9°

Normal Rain Aug at ACHF1 = 8.31 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	83.3 in 2010	1	78.8 in 1984	1	41.24 in 1974	1	10.76 in 2000
2	82.9 in 2016	2	79.3 in 1976	2	40.51 in 2002	2	11.29 in 1987
3	82.5 in 2017		79.3 in 1974	3	39.46 in 2013	3	13.75 in 1980
4	82.1 in 1998	4	79.4 in 1971	4	34.04 in 2006	4	14.20 in 1998
5	82.0 in 2015	5	79.8 in 1973	5	34.02 in 2008	5	17.45 in 1997
<b>6</b>	<b>81.9 in 2019</b>		79.8 in 1972	6	33.94 in 2001	6	18.50 in 2009
7	81.8 in 1969	7	79.9 in 2008	7	33.72 in 2004	7	18.57 in 2007
8	81.6 in 2018		79.9 in 1994	8	32.56 in 1992	8	19.23 in 1985
	81.6 in 2011	9	80.0 in 2002	9	31.74 in 1986	9	19.49 in 1983
	81.6 in 1987		80.0 in 1970	10	31.01 in 2012	10	19.78 in 1972
						...	
						<b>18</b>	<b>21.22 in 2019</b>

Normal Summer Temp at ACHF1 = 80.3°

Normal Summer Rain at ACHF1 = 24.71 in.

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 48 days)

1	66 days in 2018	<b>6</b>	<b>56 days in 2019, 2002, 2001, and 1971</b>
	66 days in 2013		
3	61 days in 1991		
4	59 days in 1986		
5	58 days in 2008		

**PUNTA GORDA AREA** (records began in June 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.1 in 1951	1	79.8 in 1939	1	19.56 in 1928	1	1.86 in 1927
2	84.7 in 2014	2	80.3 in 1922	2	15.60 in 1995	2	2.07 in 1938
3	84.5 in 1987	3	80.6 in 1969	3	14.01 in 1922	3	2.78 in 1936
4	84.4 in 2011	4	80.8 in 1949	4	13.75 in 2009	4	3.36 in 1976
5	84.3 in 2005	5	80.9 in 1967	5	13.47 in 2017	5	3.41 in 1997
6	84.2 in 2018		80.9 in 1930	6	13.42 in 1949	6	3.50 in 1984
	84.2 in 2007	7	81.0 in 1955	7	13.03 in 1959	7	3.55 in 1952
8	83.9 in 2009		81.0 in 1929	8	12.45 in 1967	8	3.82 in 1978
9	83.8 in 2017		81.0 in 1928	9	12.37 in 2018	9	3.93 in 1955
	83.8 in 2016		81.0 in 1926	10	11.54 in 1947	10	4.02 in 1943
...		...					4.02 in 1921
<b>24</b>	<b>83.3 in 2019</b>	<b>76</b>	<b>83.3 in 2019</b>	...		...	
	in 1941		in 1941	<b>43</b>	<b>7.94 in 2019</b>	<b>60</b>	<b>7.94 in 2019</b>
					in 1998		in 1998

Normal Temp August at PGD = 83.0°

Normal Rain Aug at PGD = 8.61 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.0 in 2018	1	79.8 in 1929	1	47.45 in 1943	1	9.88 in 1921
2	83.9 in 1951	2	80.3 in 1939	2	43.12 in 2017	2	13.96 in 1932
3	83.7 in 2010	3	80.4 in 1955	3	41.80 in 1912	3	14.17 in 1920
4	83.6 in 2016		80.4 in 1949	4	38.16 in 1992	4	14.88 in 1927
5	83.5 in 1980	5	80.5 in 1971	5	37.93 in 1922	5	15.05 in 1955
6	83.4 in 2014		80.5 in 1938	6	37.24 in 1945	6	15.12 in 1979
	83.4 in 2011	7	80.6 in 1930	7	33.90 in 1939	7	15.24 in 1956
8	83.3 in 1987		80.6 in 1925	8	33.81 in 1959	8	15.43 in 1952
9	83.2 in 2009		80.6 in 1922	9	33.24 in 1981	9	15.75 in 1990
10	83.1 in 2017	10	80.8 in 1974	<b>10</b>	<b>32.92 in 1928</b>	10	15.94 in 2007
	83.1 in 2005		80.8 in 1967		in 1999		
	83.1 in 1993		80.8 in 1928				
	83.1 in 1962		80.8 in 1923				
...							
<b>15</b>	<b>82.9 in 2019</b>						
	in 1997						
	in 1982						

Normal Summer Temp at PGD = 82.5°

Normal Summer Rain at PGD = 25.03 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 44 days)

1	70 days in 2003	6	62 days in 1971
	70 days in 1974		62 days in 1967
3	67 days in 1999	8	61 days in 1973
4	66 days in 2017	<b>9</b>	<b>58 days in 2019</b> , 2013, 2008, and 1986
5	63 days in 2018		

**FORT MYERS AREA** (records began in January 1902):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.8 in 1987	1	79.6 in 1906	1	17.64 in 1932	1	3.12 in 1919
2	84.4 in 2014		79.6 in 1904	2	16.95 in 2017	2	3.14 in 1927
	84.4 in 2005	3	79.7 in 1910	3	16.82 in 2004	3	3.55 in 1934
	84.4 in 1985	4	79.8 in 1908	4	16.80 in 2003	4	3.97 in 1902
5	84.3 in 1995	5	80.0 in 1913	5	16.73 in 1981	5	3.98 in 1963
	84.3 in 1981	6	80.4 in 1911	6	16.22 in 1972	6	4.07 in 1996
	84.3 in 1979		80.4 in 1909	7	15.86 in 1967	7	4.12 in 1958
8	84.2 in 2010	8	80.5 in 1917	8	14.97 in 1990	8	4.26 in 1964
	84.2 in 2007	9	80.6 in 1922	9	14.81 in 1926	9	4.29 in 1955
10	84.1 in 2012		80.6 in 1907	10	14.79 in 1979	10	4.32 in 1953
	84.1 in 1990				...		4.32 in 1924
	...		...	<b>16</b>	<b>13.32 in 2019</b>		
<b>33</b>	<b>83.4 in 2019</b>	<b>84</b>	<b>83.4 in 2019</b>				
	in 1935		in 1935				

Normal Temp August at FMY = 83.4°

Normal Rain Aug at FMY = 10.14 in.

-----

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.3 in 1981	1	79.1 in 1904	1	42.27 in 1974	1	11.12 in 1964
2	84.6 in 2010	2	79.2 in 1910	2	42.24 in 2004	2	14.71 in 1944
3	84.2 in 1979	3	79.7 in 1908	3	41.55 in 1912	3	15.74 in 1963
4	84.0 in 1998	4	79.8 in 1906	4	40.57 in 2017	4	16.67 in 1956
5	83.9 in 1987	5	80.0 in 1913	5	40.01 in 1995	5	17.03 in 1970
	83.9 in 1980	6	80.1 in 1917	6	38.76 in 2005	6	17.20 in 1902
7	83.7 in 2016	7	80.2 in 1903	7	37.58 in 2006	7	17.56 in 1931
8	83.6 in 1990		80.2 in 1907	8	36.90 in 1982	8	17.60 in 1950
	83.6 in 1942		80.2 in 1909	9	36.89 in 1943	9	17.80 in 1980
10	83.5 in 2011	10	80.4 in 1918	10	36.76 in 1981	10	17.90 in 2014
	83.5 in 1996				...		...
	83.5 in 1985			<b>37</b>	<b>29.92 in 2019</b>	<b>82</b>	<b>29.92 in 2019</b>
	83.5 in 1982						
	...						
<b>22</b>	<b>83.2 in 2019</b>						
	in 1961						

Normal Summer Temp at FMY = 83.0°

Normal Summer Rain at FMY = 29.27 in.

-----

Most Number of Days with Rainfall >= 0.01 inch during Summer (Normal = 52 days)

2	67 days in 2016	6	63 days in 2002
2	66 days in 1945		63 days in 1920
3	65 days in 1947	8	62 days in 2008
	65 days in 1939		62 days in 1949
5	64 days in 2003	<b>10</b>	<b>61 days in 2019</b> , 2017, 1941, and 1924

-----

For more Climate information visit our web site at the following link:  
<http://www.weather.gov/tampabay> and then go to the Climate and Past  
 Weather drop down menu above the graphical forecast images.