



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


August and Summer 2022 Climate Summary for West Central and Southwest Florida

For August and for the Summer (June/July/August) temperatures across West Central and Southwest Florida ranged from 1 degree below normal to 3 degrees above normal, with several sites ending up in the Top Ten Warmest for August and Summer.


AUGUST TEMPERATURE RANKINGS (°F) :

Location	August 2022 Rank	August 2022 Avg Temp	Normal Aug Temp	Dep fm Normal	Records Began
Plant City	1st Warmest	86.6°	83.6°	+3.0°	Sep 1892
Tampa Area	1st Warmest	85.6°	84.0°	+1.6°	Apr 1890
Fort Myers Area	1st Warmest	85.2°	83.4°	+1.8°	Jan 1902
Winter Haven Area	4th Warmest (tie)	84.9°	84.1°	+0.8°	Mar 1941
Lakeland Area	2nd Warmest	84.8°	83.3°	+1.5°	Jan 1915
St Petersburg Area	14th Warmest (tie)	84.6°	84.0°	+0.6°	Aug 1914
Punta Gorda Area	10th Warmest	84.0°	83.5°	+0.5°	May 1914
Venice	11th Warmest (tie)	83.9°	83.1°	+0.8°	May 1955
Bartow	18th Warmest (tie)	83.5°	82.3°	+1.2°	Jun 1892
Inverness 3 SE	5th Warmest (tie)	83.3°	80.7°	+2.6°	Jul 1948
Archbold Bio Stn	4th Warmest	83.1°	82.1°	+1.0°	Jan 1969
Brooksville Area	6th Warmest	83.0°	81.5°	+1.5°	Jan 1892
Sarasota-Bradenton Area	26th Warmest (tie)	82.9°	83.4°	-0.5°	Jan 1911
Wauchula 2 N	14th Warmest (tie)	82.9°	82.3°	+0.6°	Jan 1933
Chiefland 5 ESE	5th Warmest (tie)	82.7°	80.8°	+1.9°	Jul 1956
Myakka River State Park	24th Coolest (tie)	82.2°	83.1°	-0.9°	Mar 1956
St. Leo	45th Warmest (tie)	82.1°	81.4°	+0.7°	Apr 1895

Temperature (F)
8/1/2022 - 8/31/2022



Departure from Normal Temperature (F)
8/1/2022 - 8/31/2022




Graphics Source: NOAA Regional Climate Centers


SUMMER TEMPERATURE RANKINGS (°F) :

Location	Summer 2022 Rank	Avg Temp	Normal Sum Temp	Dep fm Normal	Records Began
Tampa Area	1st Warmest	85.7°	83.6°	+2.1°	Apr 1890
Plant City	1st Warmest	85.6°	83.2°	+2.4°	Sep 1892
Winter Haven Area	2nd Warmest (tie)	84.7°	83.8°	+0.9°	Mar 1941
Fort Myers Area	3rd Warmest	84.5°	83.0°	+1.5°	Jan 1902
St Petersburg Area	7th Warmest (tie)	84.3°	83.5°	+0.8°	Aug 1914
Lakeland Area	3rd Warmest	84.1°	82.8°	+1.3°	Jan 1915
Punta Gorda Area	7th Warmest (tie)	83.4°	82.8°	+0.6°	May 1914
Venice	8th Warmest (tie)	83.3°	82.5°	+0.8°	May 1955
Inverness 3 SE	3rd Warmest (tie)	83.2°	80.4°	+2.8°	Jul 1948
Bartow	11th Warmest (tie)	83.0°	81.9°	+1.1°	Jun 1892
Sarasota-Bradenton Area	8th Warmest (tie)	82.9°	82.8°	+0.1°	Jan 1911
Brooksville Area	3rd Warmest	82.5°	80.9°	+1.6°	Jan 1892
Chiefland 5 ESE	4th Warmest	82.3°	80.2°	+2.1°	Jul 1956
Archbold Bio Stn	4th Warmest	82.2°	81.4°	+0.8°	Jan 1969
Wauchula 2 N	14th Warmest (tie)	82.2°	81.6°	+0.6°	Jan 1933
St. Leo	23rd Warmest (tie)	82.2°	81.0°	+1.2°	Apr 1895
Myakka River State Park	23rd Coolest (tie)	81.8°	82.3°	-0.5°	Mar 1956

Temperature (F)
6/1/2022 - 8/31/2022



Departure from Normal Temperature (F)
6/1/2022 - 8/31/2022




Graphics Source: NOAA Regional Climate Centers


As for rainfall it was variable across the region with amounts ranging from less than 5 inches to over 13 inches in August, while summer (June/July/August) totals ranged from as little as about 17 inches to over 34 inches.

AUGUST RAINFALL RANKINGS (inches):

Location	August 2022 Rank	Rain Total	Normal Aug Rain	Dep fm Normal	Records Began
St. Leo	10th Wettest	13.75	8.28	+5.47	Apr 1895
Winter Haven Area	3rd Wettest	12.42	6.52	+5.90	Mar 1941
Fort Myers Area	35th Wettest (tie)	10.52	10.43	+0.09	Jan 1902
Bartow	34th Wettest	9.72	7.78	+1.94	Jun 1892
Archbold Bio Stn	17th Wettest	9.14	8.49	+0.65	Jan 1969
Sarasota-Bradenton Area	67th Driest	8.91	9.11	-0.20	Jan 1911
Punta Gorda Area	66nd Driest	8.23	9.11	-0.88	May 1914
Venice	39th Driest	8.23	8.34	-0.11	May 1955
Chiefland 5 ESE	16th Driest	6.71	9.87	-3.16	Jul 1956
Tampa Area	41st Driest	6.51	9.03	-2.52	Apr 1890
Inverness 3 SE	21st Driest (tie)	6.45	8.69	-2.24	Jul 1948
Wauchula 2 N	31st Driest	6.18	8.46	-2.28	Jan 1933
Tarpon Springs	25th Driest	5.73	9.66	-3.93	Jan 1892
Plant City	15th Driest	5.15	8.85	-3.70	Feb 1893
Myakka River State Park	5th Driest	5.11	10.12	-5.01	Sep 1943
Lakeland Area	15th Driest (tie)	5.03	9.08	-4.05	Jan 1915
St. Petersburg Area	19th Driest	4.80	8.39	-3.59	Aug 1914




August 2022 Rainfall




Percent of Normal

SUMMER RAINFALL RANKINGS (inches):

Location	Summer Rank	2022 Rain	Total	Normal Sum Rain	Dep fm Normal	Records Began
Fort Myers Area	17th Wettest		34.12	29.47	+4.65	Jan 1902
St. Leo	20th Wettest		30.06	24.72	+5.34	Apr 1895
Tampa Area	35th Wettest		26.57	24.15	+2.42	Apr 1890
Punta Gorda Area	72nd Driest		26.36	26.41	-0.05	May 1914
Archbold Bio Stn	36th Driest		25.46	25.68	-0.22	Jan 1969
Sarasota-Bradenton Area	50th Driest		22.81	23.55	-0.74	Jan 1911
Plant City	41st Driest		22.33	27.21	-4.88	Feb 1893
Myakka River State Park	15th Driest		22.00	29.88	-7.88	Sep 1943
Venice	40th Driest		21.77	23.54	-1.77	May 1955
Winter Haven Area	34th Driest		21.02	21.32	-0.30	Mar 1941
Bartow	39th Driest		20.79	23.62	-2.83	Jun 1892
Wauchula 2 N	20th Driest		20.41	24.61	-4.20	Jan 1933
Chiefland 5 ESE	11th Driest		19.77	26.22	-6.45	Jul 1956
Inverness 3 SE	17th Driest		19.34	24.62	-5.28	Jul 1948
Lakeland Area	12th Driest (tie)		17.22	26.62	-9.40	Jan 1915
Tarpon Springs	20th Driest		16.87	25.77	-8.90	Jan 1892
St. Petersburg Area	24th Driest		16.79	22.67	-5.88	Aug 1914



Summer 2022 Total Rainfall



Summer 2022 Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest August's and Summers at some official NWS locations, which includes the average/total for this August and Summer where available, as well as the 1991-2020 Normal (average) temperature and rainfall for these time periods.

CHIEFLAND 5 ESE (records began in July 1956):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.4 in 1980	1	78.3 in 1969	1	20.44 in 1971	1	3.17 in 1980
2	82.9 in 2020	2	78.9 in 1967	2	17.10 in 1986	2	3.71 in 1973
	82.9 in 2018	3	79.0 in 1994	3	16.59 in 1985	3	3.97 in 2000
4	82.8 in 1999	4	79.3 in 2008	4	16.44 in 2015	4	4.06 in 1956
5	82.7 in 2022	5	79.4 in 1996	5	14.61 in 1988	5	5.28 in 2014
	82.7 in 2016	6	79.5 in 2003	6	14.55 in 1961	6	5.39 in 2009
7	82.6 in 2015		79.5 in 2002	7	14.43 in 1979	7	5.50 in 1963
8	82.5 in 2011		79.5 in 1979	8	14.33 in 2010	8	5.51 in 1976
	82.5 in 1987	9	79.7 in 2004		14.33 in 1966	9	5.72 in 1987
10	82.3 in 2014		79.7 in 1966	10	14.23 in 1968	10	5.88 in 1989
				
				50	6.71 in 2022	16	6.71 in 2022

Normal August Temp at CHIF1 = 80.8°
 Normal August Rain at CHIF1 = 9.87 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	82.9 in 2016	1	79.0 in 1965	1	37.95 in 2012	1	15.28 in 1973
2	82.6 in 1998	2	79.1 in 1974	2	36.55 in 2019	2	15.58 in 2014
3	82.5 in 2015		79.1 in 1966	3	36.38 in 2001	3	18.48 in 1969
4	82.3 in 2022	4	79.2 in 1969	4	35.41 in 1965	4	18.49 in 1972
5	82.0 in 2018	5	79.4 in 2008	5	34.90 in 2018	5	18.54 in 2006
6	81.9 in 2017		79.4 in 2002	6	34.89 in 1964	6	18.76 in 1998
7	81.8 in 2020		79.4 in 1994	7	34.88 in 2003	7	19.05 in 2011
8	81.7 in 2011		79.4 in 1972	8	34.30 in 2013	8	19.17 in 1977
9	81.6 in 1999	9	79.5 in 1979	9	34.21 in 1974	9	19.48 in 1993
10	81.5 in 2021		79.5 in 1963	10	33.23 in 1988	10	19.57 in 2007
						11	19.77 in 2022

Normal Summer Temp at CHIF1 = 80.2°
 Normal Summer Rain at CHIF1 = 26.22 in.

INVERNESS 3 SE (records began in July 1948):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.4 in 2011	1	78.1 in 1994	1	16.70 in 1949	1	1.77 in 1963
2	84.0 in 2010	2	78.5 in 2004	2	16.58 in 2008	2	2.43 in 1993
3	83.7 in 1954	3	79.8 in 1997	3	16.19 in 1961	3	3.08 in 2013
4	83.4 in 1956	4	79.9 in 1976	4	15.87 in 1953	4	3.27 in 1999
5	83.3 in 2022	5	80.0 in 1992	5	15.03 in 1992	5	3.86 in 1989
	83.3 in 2016	6	80.2 in 2003	6	13.35 in 1985	6	3.88 in 1997
7	83.2 in 2020	7	80.4 in 2002	7	13.15 in 1970	7	4.18 in 2014
	83.2 in 1955		80.4 in 1996	8	12.97 in 1965	8	4.48 in 1987
9	83.0 in 1983	9	80.7 in 1986	9	12.63 in 2019	9	4.50 in 1973
	83.0 in 1963		80.7 in 1949	10	12.43 in 1968	10	4.57 in 2001
			80.7 in 1948			...	
						21	6.45 in 2022
							6.45 in 2022

Normal August Temp at INVf1 = 80.7°
 Normal August Rain at INVf1 = 8.69 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	83.9 in 2010	1	78.4 in 1994	1	37.83 in 1965	1	14.38 in 1993
2	83.4 in 2016	2	79.6 in 2003	2	36.34 in 2003	2	14.48 in 1952
3	83.2 in 2022		79.6 in 1995	3	35.38 in 1985	3	14.73 in 1998
	83.2 in 2011	4	79.9 in 1997	4	35.23 in 1949	4	15.10 in 1997
5	83.0 in 1998	5	80.0 in 2004	5	35.17 in 1953	5	16.47 in 1979
6	82.9 in 2020	6	80.1 in 2018	6	34.33 in 1960	6	17.02 in 1999
	82.9 in 2019	7	80.2 in 1991	7	34.30 in 1982	7	17.32 in 1987
8	82.6 in 1981	8	80.3 in 2001	8	34.06 in 2002	8	17.39 in 1972
	82.6 in 1969		80.3 in 1996	9	33.99 in 2012	9	17.84 in 2006
	82.6 in 1954		80.3 in 1986	10	32.74 in 2008	10	17.96 in 1956
	82.6 in 1952					11	17.98 in 1988
						12	18.07 in 1990
						13	18.15 in 1996
						14	18.22 in 1981
						15	18.87 in 2014
						16	19.01 in 1984
						17	19.34 in 2022

Normal Summer Temp at INVf1 = 80.4°
 Normal Summer Rain at INVf1 = 24.62 in.

BROOKSVILLE AREA (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.9 in 1926	1	79.1 in 1922	1	23.95 in 1949	1	2.61 in 1955
2	83.8 in 2011		79.1 in 1894	2	20.91 in 1945	2	2.65 in 1958
3	83.5 in 2017	3	79.2 in 1994	3	17.47 in 1905	3	2.68 in 2002
4	83.2 in 1928	4	79.3 in 1932	4	17.13 in 1928	4	2.76 in 1963
5	83.1 in 1927		79.3 in 1892	5	16.34 in 1901	5	3.45 in 1919
6	83.0 in 2022	6	79.5 in 1949	6	14.84 in 1965	6	3.68 in 2009
7	82.9 in 2013		79.5 in 1920		14.84 in 1957	7	3.76 in 1916
	82.9 in 1963		79.5 in 1898	8	14.19 in 1995	8	3.88 in 1951
	82.9 in 1941	9	79.6 in 1904	9	13.74 in 1910	9	4.12 in 1976
	82.9 in 1933	10	79.7 in 1901	10	13.68 in 1939	10	4.15 in 1997

Normal August Temp at BKV = 81.5°

Total Rainfall for August 2022 = Not available, a few days missing

Normal August Rain at BKV = 8.12 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	83.6 in 1927	1	78.4 in 1894	1	57.08 in 1945	1	13.03 in 1996
2	82.6 in 2011	2	78.8 in 1920	2	41.37 in 2003	2	13.05 in 1997
3	82.5 in 2022	3	79.0 in 1922	3	41.33 in 1949	3	14.06 in 1979
4	82.4 in 1928	4	79.1 in 1921	4	39.60 in 1943	4	14.34 in 1958
5	82.3 in 2017	5	79.3 in 1904	5	38.64 in 1928	5	14.97 in 1931
	82.3 in 1981	6	79.4 in 1947	6	38.55 in 1906	6	14.99 in 1954
7	82.2 in 2019		79.4 in 1946	7	37.96 in 2013	7	15.06 in 1902
	82.2 in 2010	8	79.5 in 1965	8	37.46 in 1905	8	15.56 in 1973
	82.2 in 1998		79.5 in 1949	9	36.81 in 2012	9	15.84 in 1955
10	82.1 in 2016		79.5 in 1919	10	34.93 in 2015	10	15.90 in 1916
	82.1 in 1939						

Normal Summer Temp at BKV = 80.9°

Total Rainfall for Summer 2022 = Not available, several days missing

Normal Summer Rain at BKV = 25.44 in

ST LEO (records began in April 1895):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.8 in 2007	1	77.5 in 1922	1	20.16 in 1898	1	2.16 in 1930
2	84.7 in 2005	2	79.4 in 1920	2	19.75 in 1901	2	2.72 in 1980
3	84.1 in 1900		79.4 in 1913	3	17.60 in 1945	3	2.97 in 1921
4	84.0 in 1987	4	79.5 in 1930	4	16.99 in 1979	4	3.05 in 1915
5	83.9 in 1941		79.5 in 1919	5	16.26 in 1905	5	3.78 in 1938
6	83.7 in 1924		79.5 in 1904	6	16.08 in 1965	6	3.90 in 1941
7	83.6 in 2006	7	79.7 in 1992	7	14.97 in 1967	7	4.03 in 1996
	83.6 in 1983	8	79.8 in 1917	8	14.56 in 1917		4.03 in 1976
	83.6 in 1951	9	80.1 in 1923	9	14.20 in 1942	9	4.17 in 1924
	83.6 in 1899		80.1 in 1911	10	13.75 in 2022	10	4.25 in 2005
...							
45	82.1 in 2022	77	82.1 in 2022				
	82.1 in 2011		82.1 in 2011				
	82.1 in 1981		82.1 in 1981				
	82.1 in 1952		82.1 in 1952				
	82.1 in 1944		82.1 in 1944				

Normal August Temp at STLf1 = 81.4°
 Normal August Rain at STLf1 = 8.28 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.6 in 1998	1	78.2 in 1922	1	53.02 in 1945	1	12.71 in 1930
2	83.4 in 2005	2	78.5 in 1919	2	43.25 in 1901	2	14.51 in 1958
3	83.2 in 1987	3	78.6 in 1920	3	40.38 in 1934	3	15.09 in 1951
	83.2 in 1900	4	78.8 in 1930	4	37.52 in 2012	4	15.97 in 1987
5	83.0 in 2006	5	78.9 in 1923	5	36.13 in 1898	5	15.98 in 1915
6	82.9 in 1981	6	79.2 in 1904	6	35.05 in 1965	6	16.10 in 1980
	82.9 in 1896	7	79.3 in 1921	7	35.02 in 1943		16.10 in 1902
8	82.8 in 2007	8	79.5 in 1918	8	34.48 in 2002	8	16.20 in 1921
	82.8 in 1924		79.5 in 1910	9	33.33 in 2003	9	16.94 in 1997
10	82.7 in 2009	10	79.6 in 1935	10	32.26 in 1906	10	17.01 in 1952
	82.7 in 1989		79.6 in 1917		...		
	82.7 in 1983		79.6 in 1913	20	30.06 in 2022		
	82.7 in 1897						
...							
23	82.2 in 2022						
	82.2 in 1997						
	82.2 in 1985						
	82.2 in 1902						

Normal Summer Temp at STLf1 = 81.0°
 Normal Summer Rain at STLf1 = 24.72 in

TARPON SPRINGS (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.2 in 2020	1	79.5 in 1905	1	23.60 in 1949	1	1.96 in 1930
2	84.9 in 1995		79.5 in 1904	2	20.99 in 1906	2	2.02 in 1899
3	84.3 in 1993	3	79.6 in 1969	3	18.97 in 2017	3	2.39 in 1963
4	84.2 in 2014		79.6 in 1900	4	18.52 in 1969	4	2.57 in 2001
	84.2 in 2007	5	80.1 in 1967	5	17.77 in 1957	5	2.84 in 1964
	84.2 in 1999		80.1 in 1892	6	17.06 in 1928	6	2.90 in 1934
	84.2 in 1997	7	80.2 in 1894	7	16.99 in 2010	7	3.70 in 2006
8	84.1 in 2019	8	80.4 in 1911	8	16.80 in 1905	8	3.72 in 1921
	84.1 in 2017		80.4 in 1910	9	16.67 in 1939	9	4.33 in 1916
10	84.0 in 2005		80.4 in 1907	10	16.05 in 1898	10	4.39 in 1936
	84.0 in 2004					...	
	84.0 in 1941					25	5.73 in 2022

Average Temperature for August 2022 = Several days missing/unrepresentative

Normal August Temp at TRPF1 = 83.3°

Normal August Rain at TRPF1 = 9.66 in

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.5 in 2020	1	79.0 in 1904	1	45.10 in 1909	1	11.64 in 1952
2	84.4 in 2004		79.0 in 1900	2	44.25 in 2012	2	12.65 in 1956
3	84.1 in 1998	3	79.1 in 1894	3	41.21 in 1906	3	12.87 in 1970
4	83.9 in 1993	4	79.4 in 1907	4	37.71 in 1957	4	13.49 in 1916
5	83.8 in 2019	5	79.5 in 1895	5	37.51 in 2015	5	13.64 in 1914
	83.8 in 2016	6	79.6 in 1974	6	37.28 in 2019	6	14.17 in 1980
	83.8 in 2005		79.6 in 1939	7	36.54 in 1943	7	14.80 in 1976
8	83.7 in 1997		79.6 in 1910	8	36.47 in 1939	8	14.90 in 1902
9	83.6 in 2014	9	79.7 in 1908	9	36.17 in 1928	9	15.07 in 1988
	83.6 in 2010	10	79.8 in 1892	10	36.10 in 1945	10	15.17 in 1993
						...	
						20	16.87 in 2022

Average Temperature for Summer 2022 = Several days missing/unrepresentative

Normal Summer Temp at TRPF1 = 82.8°

Normal Summer Rain at TRPF1 = 25.77 in

TAMPA AREA (records began in April 1890):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 85.6 in 2022	1 80.2 in 1905	1 18.59 in 1949	1 0.78 in 1938
2 85.1 in 2011	2 80.3 in 1967	2 17.83 in 1898	2 2.35 in 1952
85.1 in 1941	80.3 in 1913	3 16.47 in 2015	3 2.38 in 1921
4 85.0 in 2021	4 80.4 in 1922	4 15.17 in 1932	4 2.83 in 2001
85.0 in 2017	5 80.5 in 1901	5 14.90 in 2003	5 3.27 in 1990
6 84.9 in 2007	6 80.6 in 1904	6 14.66 in 1905	6 3.47 in 1924
7 84.8 in 2020	80.6 in 1890	7 14.60 in 2018	7 3.52 in 2009
8 84.7 in 2005	8 80.7 in 1939	8 14.29 in 1939	8 3.63 in 1919
9 84.6 in 2019	80.7 in 1911	9 14.03 in 2004	9 3.75 in 1907
10 84.4 in 1951	10 80.8 in 1969	10 13.75 in 1995	10 3.87 in 1941
	80.8 in 1957
	80.8 in 1898	93 6.51 in 2022	41 6.51 in 2022

Normal August Temp at TPA = 84.0°

Normal August Rain at TPA = 9.03 in

Warmest Summers	Coolest Summers	Wettest Summers	Driest Summers
1 85.7 in 2022	1 80.1 in 1910	1 43.03 in 1945	1 11.16 in 1993
2 84.8 in 2020	2 80.2 in 1955	2 36.13 in 2012	2 13.15 in 1956
3 84.6 in 2021	80.2 in 1913	3 34.79 in 1909	3 13.25 in 1970
4 84.5 in 2010	80.2 in 1904	4 34.67 in 1960	4 13.85 in 1978
5 84.4 in 2011	5 80.3 in 1967	5 34.54 in 2015	5 14.00 in 1977
6 84.2 in 1998	6 80.4 in 1965	6 33.71 in 1925	6 14.25 in 1918
7 83.9 in 2018	7 80.5 in 1968	7 33.68 in 1896	7 15.05 in 1931
83.9 in 2017	80.5 in 1890	8 33.66 in 1995	8 15.65 in 2001
83.9 in 2016	9 80.6 in 1907	9 33.46 in 1957	9 15.73 in 1944
10 83.8 in 2019	80.6 in 1899	10 33.40 in 2013	10 15.88 in 1952
	80.6 in 1894
		35 26.57 in 2022	99 26.57 in 2022

Normal Summer Temp at TPA = 83.6°

Normal Summer Rain at TPA = 24.15 in

ST PETERSBURG (records began in August 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.5 in 2005	1	80.8 in 1922	1	21.85 in 1939	1	0.82 in 1938
2	85.7 in 2013	2	81.3 in 1939	2	19.57 in 1949	2	2.91 in 1984
3	85.4 in 2017	3	81.4 in 1947	3	18.62 in 1915	3	2.96 in 1941
4	85.3 in 2014	4	81.5 in 1953	4	17.93 in 1967	4	3.21 in 1998
	85.3 in 1941	5	81.6 in 1957	5	17.75 in 1995	5	3.33 in 1951
6	85.2 in 2007	6	81.8 in 1995	6	16.65 in 1971	6	3.37 in 1919
7	85.0 in 2010		81.8 in 1994	7	16.53 in 1945	7	3.40 in 1933
	85.0 in 1980		81.8 in 1974	8	16.04 in 1922	8	3.66 in 2005
9	84.8 in 2021		81.8 in 1917	9	15.49 in 2016	9	3.67 in 1996
	84.8 in 2020	10	81.9 in 2016	10	15.33 in 1947	10	4.30 in 1914
	84.8 in 1987		81.9 in 1967			...	
12	84.7 in 2011		81.9 in 1949			19	4.80 in 2022
	84.7 in 1986						
14	84.6 in 2022						
	84.6 in 2006						
	84.6 in 1998						
	84.6 in 1924						

Normal Temp August at SPG = 84.0°
 Normal August Rain at SPG = 8.39 in.


Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.7 in 2005	1	80.9 in 1922	1	47.62 in 1945	1	10.52 in 1931
2	85.6 in 2010	2	81.1 in 1974	2	45.31 in 1939	2	11.17 in 1984
3	84.6 in 1987		81.1 in 1955	3	40.99 in 1995	3	11.48 in 1970
4	84.5 in 2020	4	81.2 in 1947	4	38.08 in 1943	4	12.32 in 1930
	84.5 in 2017	5	81.4 in 1920	5	36.66 in 1947	5	12.39 in 1916
	84.5 in 1998	6	81.6 in 1995	6	35.03 in 2016	6	13.10 in 1996
7	84.3 in 2022		81.6 in 1923	7	35.00 in 1922	7	13.14 in 1993
	84.3 in 2013		81.6 in 1919	8	34.49 in 1974	8	14.18 in 1941
9	84.2 in 1980	9	81.7 in 1968	9	33.26 in 1959	9	14.31 in 1966
10	84.1 in 2014		81.7 in 1965	10	32.62 in 1971	10	14.99 in 1951
	84.1 in 1973		81.7 in 1956			...	
			81.7 in 1953			24	16.79 in 2022
			81.7 in 1917				

Normal Summer Temp at SPG = 83.5°
 Normal Summer Rain at SPG = 22.67 in.

PLANT CITY (Temperature records began in September 1892 and
 Rainfall records began in February 1893):


Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.6 in 2022	1	78.7 in 1930	1	17.79 in 2004	1	1.87 in 1902
2	85.6 in 2017	2	79.1 in 1907	2	17.48 in 1953	2	2.44 in 1960
3	85.4 in 2021	3	79.6 in 1939	3	17.17 in 1949	3	3.62 in 1912
	85.4 in 2020		79.6 in 1906	4	16.43 in 2019	4	3.88 in 2021
5	84.6 in 2018	5	79.7 in 1931	5	15.69 in 1906	5	3.98 in 1996
6	84.3 in 2011	6	79.9 in 1905	6	15.06 in 1898	6	4.08 in 1954
7	84.1 in 2019	7	80.1 in 2000	7	14.96 in 1939	7	4.29 in 1991
8	83.9 in 2007	8	80.2 in 1933	8	14.04 in 1967	8	4.58 in 1997
	83.9 in 1980		80.2 in 1911	9	13.95 in 1979	9	4.76 in 1914
10	83.7 in 2016	10	80.3 in 1973	10	13.92 in 1908	10	4.80 in 1934
	83.7 in 2005		80.3 in 1967			11	4.85 in 1982
			80.3 in 1904			12	4.95 in 1930
						13	5.01 in 1978
						14	5.06 in 1989
						15	5.15 in 2022

Normal Temp August at PLCF1 = 83.6°
 Normal Rain August at PLCF1 = 8.85 in.



Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.6 in 2022	1	79.7 in 1919	1	41.73 in 1943	1	14.60 in 1956
2	85.1 in 2020	2	79.8 in 1923	2	40.04 in 1910	2	14.98 in 1915
3	84.6 in 2021	3	79.9 in 1921	3	39.69 in 1945	3	15.23 in 1989
	84.6 in 2017		79.9 in 1920	4	39.40 in 2004	4	15.34 in 1993
5	84.5 in 2019	5	80.2 in 1967	5	38.91 in 2019	5	15.36 in 1961
6	84.1 in 2018		80.2 in 1947	6	38.77 in 2017	6	15.52 in 1952
7	84.0 in 2016		80.2 in 1930	7	37.53 in 1939	7	16.01 in 1951
8	83.4 in 2010	8	80.3 in 1966	8	36.18 in 1925	8	17.02 in 1970
9	83.3 in 1981		80.3 in 1965	9	36.08 in 1906	9	17.30 in 1988
10	83.1 in 2011	10	80.4 in 1974	10	35.94 in 1905	10	17.39 in 1987
			80.4 in 1968	
			80.4 in 1929	78	22.33 in 2022	41	22.33 in 2022

Normal Summer Temp at PLCF1 = 83.2°
 Normal Summer Rain at PLCF1 = 27.21 in.



LAKELAND (records began in January 1915):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.1 in 1987	1	80.0 in 1967	1	15.57 in 1948	1	3.40 in 1942
2	84.8 in 2022	2	80.5 in 1973	2	15.19 in 2010	2	3.58 in 1921
3	84.6 in 1995		80.5 in 1949	3	14.15 in 1935	3	3.65 in 1947
4	84.4 in 2021	4	80.6 in 1939	4	13.49 in 1915	4	3.73 in 1930
	84.4 in 1989		80.6 in 1923	5	12.63 in 2019	5	3.89 in 1950
6	84.3 in 2020		80.6 in 1920	6	12.52 in 2004	6	3.98 in 1960
	84.3 in 2011	7	80.8 in 1969	7	12.23 in 2015	7	4.22 in 2021
	84.3 in 2010		80.8 in 1957	8	11.97 in 1928	8	4.56 in 1982
9	84.1 in 2017	9	80.9 in 1959	9	11.93 in 1949	9	4.61 in 1934
10	83.9 in 2016	10	81.0 in 1953	10	11.37 in 2016	10	4.68 in 1970
	83.9 in 2005		81.0 in 1922			11	4.75 in 1997
	83.9 in 1993					12	4.76 in 1943
						13	4.88 in 1972
						14	4.91 in 1998
						15	5.03 in 2022
							5.03 in 1931

Normal Temp August at LLDF1 = 83.3°
 Normal Rain August at LLDF1 = 9.08 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.6 in 2010	1	79.7 in 1919	1	43.60 in 2017	1	13.76 in 1958
2	84.4 in 1987	2	79.8 in 1923	2	36.50 in 2015	2	13.88 in 1998
3	84.1 in 2022	3	79.9 in 1921	3	34.42 in 2019	3	13.96 in 1918
4	84.0 in 2016		79.9 in 1920	4	33.76 in 2013	4	14.67 in 1972
5	83.8 in 2020	5	80.2 in 1967	5	33.29 in 1994	5	15.35 in 1936
	83.8 in 1998		80.2 in 1947	6	32.40 in 2005	6	15.51 in 1931
	83.8 in 1989		80.2 in 1930	7	32.12 in 1968	7	16.05 in 1950
8	83.6 in 1995	8	80.3 in 1966	8	31.87 in 2001	8	16.71 in 1942
9	83.5 in 2021		80.3 in 1965	9	31.78 in 1948	9	16.92 in 1954
	83.5 in 2019	10	80.4 in 1974	10	31.59 in 1995	10	16.95 in 1921
	83.5 in 2011		80.4 in 1968			11	17.15 in 1993
	83.5 in 1993		80.4 in 1929			12	17.22 in 2022
							17.22 in 1997

Normal Summer Temp at LLDF1 = 82.8°
 Normal Summer Rain at LLDF1 = 26.62 in.

WINTER HAVEN AREA (records began in March 1941):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.6 in 1989	1	80.0 in 1972	1	14.59 in 1949	1	1.78 in 1960
2	85.3 in 2005	2	80.4 in 1971	2	12.76 in 1977	2	1.88 in 1998
3	85.0 in 2020		80.4 in 1967	3	12.42 in 2022	3	2.04 in 1980
4	84.9 in 2022	4	80.6 in 1957	4	12.21 in 1952	4	2.63 in 1942
	84.9 in 2019	5	80.8 in 1969	5	11.94 in 1992	5	2.80 in 2005
	84.9 in 2007		80.8 in 1959	6	11.78 in 1995	6	3.09 in 1954
	84.9 in 1941	7	80.9 in 1968	7	11.39 in 1981	7	3.65 in 1970
8	84.7 in 2011	8	81.0 in 1982		11.39 in 1957	8	3.73 in 1955
9	84.6 in 1998		81.0 in 1962	9	11.25 in 1948	9	3.88 in 2021
10	84.5 in 1951	10	81.1 in 2008	10	11.22 in 2011	10	3.96 in 1945
			81.1 in 1990				

Normal Temp August at GIF = 84.1°
 Normal Rain August at GIF = 6.52 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.8 in 1989	1	79.4 in 1968	1	34.98 in 1949	1	9.33 in 1999
2	84.7 in 2022	2	79.7 in 1972	2	34.87 in 1945	2	12.07 in 1980
	84.7 in 2019		79.7 in 1971	3	32.95 in 1992	3	12.14 in 1998
	84.7 in 2010	4	80.0 in 1974	4	32.77 in 1995	4	14.37 in 1963
	84.7 in 1998	5	80.4 in 1967	5	30.66 in 1981	5	14.62 in 1997
6	84.4 in 2016	6	80.7 in 1963	6	30.57 in 2015	6	14.88 in 1972
7	84.3 in 2020		80.7 in 1962	7	30.08 in 1948	7	14.98 in 2009
8	83.7 in 2005	8	80.8 in 1965	8	29.77 in 1974	8	15.10 in 1979
9	83.5 in 2021	9	80.9 in 1959	9	29.75 in 2019	9	16.02 in 1964
10	83.3 in 2018	10	81.0 in 1966	10	28.69 in 1965	10	16.27 in 1996
	83.3 in 2017			
	83.3 in 2015			42	21.02 in 2022	34	21.02 in 2022
	83.3 in 2007						
	83.3 in 1985						

Normal Summer Temp at GIF = 83.8°
 Normal Summer Rain at GIF = 21.32 in.

BARTOW (records began in June 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.4 in 2014	1	79.7 in 1913	1	14.62 in 1905	1	1.60 in 2014
2	86.1 in 2013	2	79.9 in 1894	2	14.39 in 1949	2	2.45 in 1912
3	84.6 in 1987	3	80.3 in 1898	3	14.38 in 1909	3	2.60 in 1987
	84.6 in 1951	4	80.5 in 1967	4	13.38 in 2003	4	2.98 in 1936
5	84.4 in 1998	5	80.6 in 1975		13.38 in 2002	5	3.02 in 1950
6	84.2 in 2011		80.6 in 1947	6	13.01 in 1981	6	3.18 in 1938
7	84.1 in 1941		80.6 in 1916	7	12.83 in 1928	7	3.57 in 1930
	84.1 in 1924	8	80.7 in 1911	8	12.65 in 1992	8	3.74 in 1996
9	83.9 in 2010		80.7 in 1892	9	12.57 in 2012	9	4.08 in 2010
	83.9 in 2005	10	80.8 in 1901	10	12.39 in 1901	10	4.22 in 2021
	83.9 in 1999			
	83.9 in 1997			34	9.72 in 2022	98	9.72 in 2022
...							
18	83.5 in 2022						
	83.5 in 2020						
	83.5 in 2016						
	83.5 in 1995						
	83.5 in 1993						

Normal Temp August at BARF1 = 82.3°
 Normal Rain August at BARF1 = 7.78 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.6 in 2014	1	79.0 in 1894	1	36.81 in 2003	1	13.22 in 1964
2	84.8 in 1998	2	79.4 in 1913	2	36.13 in 1909	2	13.28 in 1950
3	84.5 in 2013	3	79.8 in 1892	3	35.84 in 2012	3	14.92 in 1931
4	83.9 in 2010	4	79.9 in 1947	4	35.15 in 1924	4	15.39 in 1996
5	83.7 in 1987	5	80.3 in 1936	5	35.01 in 1939	5	15.47 in 1979
6	83.3 in 2016		80.3 in 1916	6	34.85 in 1949	6	15.56 in 1902
	83.3 in 1969	7	80.4 in 1976	7	34.31 in 2005	7	15.67 in 1987
8	83.2 in 1981		80.4 in 1974	8	34.14 in 1945	8	15.97 in 2007
	83.2 in 1958		80.4 in 1972	9	33.82 in 1934	9	16.40 in 2014
10	83.1 in 2011		80.4 in 1935	10	33.42 in 1928	10	16.42 in 1936
11	83.0 in 2022			
	83.0 in 2020			93	20.79 in 2022	39	20.79 in 2022
	83.0 in 2009						
	83.0 in 1951						

Normal Summer Temp at BARF1 = 81.9°
 Normal Summer Rain at BARF1 = 23.62 in.

SARASOTA-BRADENTON (records began in January 1911):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.2 in 2020	1	79.6 in 1911	1	24.42 in 1981	1	2.51 in 1938
2	85.0 in 2014	2	79.9 in 1947	2	20.97 in 2017	2	2.52 in 1930
3	84.7 in 2016		79.9 in 1922	3	19.97 in 1959	3	3.09 in 1944
4	84.5 in 2011	4	80.0 in 1939	4	19.73 in 1949	4	3.10 in 1952
5	84.2 in 2007	5	80.3 in 1967	5	19.35 in 1922	5	3.11 in 2001
6	83.9 in 1995		80.3 in 1931	6	18.14 in 1928	6	3.20 in 1996
7	83.8 in 2005		80.3 in 1927	7	17.79 in 2003	7	3.91 in 2008
8	83.7 in 1990	8	80.4 in 1930	8	17.63 in 1999	8	3.93 in 1963
	83.7 in 1987		80.4 in 1916	9	17.04 in 1939	9	3.96 in 1984
10	83.6 in 2019	10	80.5 in 1934	10	15.92 in 1962	10	3.97 in 2014
	83.6 in 1998		80.5 in 1929	
...				46	8.91 in 2022	67	8.91 in 2022
26	82.9 in 2022						
	82.9 in 2008						
	82.9 in 1958						

Normal Temp August at SRQ = 83.4°
 Normal Rain August at SRQ = 9.11 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.6 in 2020	1	78.9 in 1947	1	45.69 in 1943	1	11.09 in 1930
2	84.5 in 2016		78.9 in 1913	2	41.23 in 2017	2	11.20 in 1998
3	83.9 in 1998	3	79.4 in 1911	3	41.08 in 1912	3	11.94 in 1944
4	83.6 in 2014	4	79.5 in 1930	4	39.63 in 1992	4	12.48 in 1951
5	83.4 in 2010	5	79.7 in 1976	5	38.29 in 1922	5	12.66 in 2007
6	83.2 in 2019		79.7 in 1916	6	38.23 in 1945	6	12.75 in 1952
7	83.0 in 2011	7	79.8 in 1929	7	37.73 in 1939	7	13.10 in 2014
8	82.9 in 2022	8	79.9 in 1974	8	35.21 in 1959	8	13.12 in 1948
	82.9 in 2021		79.9 in 1931	9	35.12 in 1981	9	14.67 in 2009
10	82.8 in 1987	10	80.0 in 1922	10	33.86 in 1928	10	14.80 in 1914
				
				62	22.81 in 2022	50	22.81 in 2022

Normal Summer Temp at SRQ = 82.8°
 Normal Summer Rain at SRQ = 23.55 in.

VENICE (records began in May 1955):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.0 in 2010	1	80.5 in 1975	1	20.18 in 2017	1	2.96 in 2007
2	85.4 in 2011		80.5 in 1967	2	16.77 in 1981	2	3.00 in 2005
	85.4 in 2009	3	80.6 in 1968	3	16.47 in 1967	3	3.04 in 1955
4	84.8 in 2012	4	80.9 in 1976	4	15.76 in 1999	4	3.10 in 2014
5	84.7 in 1998	5	81.0 in 1959	5	13.69 in 1974	5	3.21 in 1997
6	84.5 in 1988	6	81.1 in 1969	6	13.41 in 1971	6	3.25 in 1990
7	84.4 in 2019	7	81.2 in 1974	7	13.11 in 1970	7	3.28 in 1958
8	84.2 in 1997		81.2 in 1957	8	12.94 in 2016	8	3.49 in 1984
9	84.1 in 2013	9	81.4 in 1958	9	12.56 in 1959	9	3.51 in 1956
	84.1 in 2005	10	81.5 in 1977	10	11.72 in 1977	10	4.06 in 1963
11	83.9 in 2022			
	83.9 in 2014			30	8.23 in 2022	39	8.23 in 2022

Normal Temp August at VNCF1 = 83.1°
 Normal Rain August at VNCF1 = 8.34 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	86.2 in 2010	1	80.3 in 1975	1	38.01 in 1995	1	11.65 in 2014
2	85.1 in 1998	2	80.4 in 1974	2	37.89 in 2017	2	12.14 in 1990
3	84.7 in 2011	3	80.5 in 1967	3	37.79 in 1992	3	12.88 in 1997
4	84.0 in 2019	4	80.7 in 1984	4	36.76 in 1974	4	13.54 in 1956
5	83.9 in 2012		80.7 in 1966	5	36.72 in 2003	5	13.56 in 1979
6	83.8 in 2020	6	80.8 in 1956	6	32.82 in 1999	6	13.72 in 2007
7	83.5 in 1997	7	80.9 in 1978	7	32.69 in 2012	7	13.77 in 1955
8	83.3 in 2022	8	81.0 in 2008	8	30.31 in 2005	8	14.13 in 2009
	83.3 in 2013		81.0 in 1972	9	29.35 in 1987	9	14.26 in 1985
	83.3 in 2004		81.0 in 1959	10	29.34 in 1959		14.26 in 1980
	83.3 in 1993			
				28	21.77 in 2022	40	21.77 in 2022

Normal Summer Temp at VNCF1 = 82.5°
 Normal Summer Rain at VNCF1 = 23.54 in.

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.7 in 1993	1	80.4 in 1962	1	19.85 in 1981	1	2.81 in 2005
2	85.0 in 1998	2	80.5 in 1959	2	18.61 in 1971	2	3.44 in 1991
3	84.8 in 2017		80.5 in 1957	3	18.45 in 2003	3	3.94 in 2001
4	84.3 in 2005	4	80.9 in 2002	4	17.18 in 2016	4	5.05 in 1974
	84.3 in 1999		80.9 in 1972	5	16.85 in 2018	5	5.11 in 2022
6	84.1 in 2011		80.9 in 1971	6	16.60 in 1949	6	5.17 in 1976
7	84.0 in 2019	7	81.1 in 1985	7	15.99 in 1980	7	5.32 in 1996
	84.0 in 2016	8	81.3 in 2001	8	15.66 in 1999	8	5.33 in 1944
	84.0 in 2010		81.3 in 1969	9	15.62 in 1988	9	5.35 in 1956
10	83.9 in 1997		81.3 in 1963	10	14.54 in 1965	10	5.48 in 1948
...		...					
29	82.2 in 2022	24	82.2 in 2022				
	82.2 in 1994		82.2 in 1994				
	82.2 in 1989		82.2 in 1989				
	82.2 in 1982		82.2 in 1982				
	82.2 in 1981		82.2 in 1981				
	82.2 in 1970		82.2 in 1970				

Normal Temp August at MKCF1 = 83.1°
Normal Rain August at MKCF1 = 10.12 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.0 in 1998	1	79.8 in 1962	1	47.18 in 2003	1	13.38 in 1956
2	84.0 in 2010	2	80.1 in 1959	2	46.76 in 2017	2	16.52 in 1996
3	83.5 in 2017	3	80.3 in 1984	3	46.32 in 1995	3	17.03 in 1948
4	83.4 in 2016		80.3 in 1974	4	43.79 in 1981	4	17.41 in 1961
5	83.3 in 2019	5	80.5 in 1972	5	41.67 in 1965	5	17.42 in 2009
	83.3 in 1999		80.5 in 1963	6	40.81 in 2012	6	18.65 in 1952
7	83.2 in 2018	7	80.6 in 2002	7	40.58 in 1982	7	19.68 in 1944
	83.2 in 1993		80.6 in 1986	8	40.14 in 1992	8	20.18 in 1986
9	83.1 in 2005		80.6 in 1971	9	37.94 in 1968	9	20.32 in 1954
	83.1 in 1997		80.6 in 1960	10	37.52 in 2013	10	20.37 in 1964
...		...				11	21.23 in 2007
29	81.8 in 2022	23	81.8 in 2022			12	21.30 in 1955
	81.8 in 1990		81.8 in 1990			13	21.72 in 1993
	81.8 in 1989		81.8 in 1989			14	21.76 in 1958
						15	22.00 in 2022

Normal Summer Temp at MKCF1 = 82.3°
Normal Summer Rain at MKCF1 = 29.88 in.

WAUCHULA 2 N (records began in January 1933):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.4 in 2009	1	77.7 in 1950	1	15.53 in 1949	1	2.66 in 1982
2	85.2 in 2007	2	80.1 in 1953	2	14.17 in 2010	2	2.97 in 1938
3	84.2 in 1941	3	80.3 in 2000	3	14.04 in 2015	3	3.30 in 1958
4	83.6 in 1993	4	80.4 in 1939	4	13.68 in 1939	4	3.67 in 2005
5	83.5 in 1989	5	80.5 in 1967	5	12.76 in 1992	5	3.75 in 1957
	83.5 in 1987	6	80.7 in 2003	6	12.54 in 1943	6	4.17 in 1965
7	83.4 in 2005		80.7 in 1996	7	12.46 in 1953	7	4.24 in 1970
8	83.3 in 2016		80.7 in 1949	8	12.28 in 2003	8	4.48 in 2009
	83.3 in 1983	9	80.8 in 1959	9	12.11 in 1956	9	4.52 in 1933
10	83.2 in 2008		80.8 in 1947	10	11.45 in 2016	10	4.59 in 1941
11	83.1 in 2020			
	83.1 in 2017			60	6.18 in 2022	31	6.18 in 2022
	83.1 in 1942						
14	82.9 in 2022						
	82.9 in 1991						
	82.9 in 1963						

Normal Temp August at WAUF1 = 82.3°
 Normal Rain August at WAUF1 = 8.46 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.6 in 2009	1	78.3 in 1950	1	43.85 in 1939	1	14.24 in 1999
2	83.2 in 2008	2	79.9 in 2012	2	39.39 in 1943	2	14.30 in 1964
	83.2 in 1993		79.9 in 1955	3	38.22 in 1949	3	14.60 in 2000
4	82.9 in 1998	4	80.0 in 1947	4	37.38 in 1953	4	14.65 in 1958
	82.9 in 1987	5	80.1 in 1996	5	35.80 in 2017	5	15.13 in 1952
6	82.7 in 2016		80.1 in 1956	6	34.17 in 1959	6	16.05 in 1998
	82.7 in 2007	7	80.2 in 2013	7	34.14 in 1945	7	16.30 in 2018
8	82.6 in 1942		80.2 in 2000	8	32.94 in 1974	8	16.51 in 1996
9	82.5 in 1969		80.2 in 1953	9	32.53 in 1968	9	16.97 in 1957
10	82.4 in 2017		80.3 in 1976	10	30.58 in 2013	10	17.21 in 1981
	82.4 in 1992		80.3 in 1965			...	
	82.4 in 1989					21	20.41 in 2022
13	82.3 in 1983						
14	82.2 in 2022						
	82.2 in 2020						
	82.2 in 2019						
	82.2 in 2005						
	82.2 in 1963						
	82.2 in 1940						

Normal Summer Temp at WAUF1 = 81.6°
 Normal Summer Rain at WAUF1 = 24.61 in.

ARCHBOLD BIO STN (records began in January 1969):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	83.6 in 2016	1	79.7 in 1994	1	20.05 in 2006	1	1.94 in 2000
2	83.4 in 2020	2	79.9 in 1971	2	17.88 in 2004	2	2.71 in 1984
3	83.3 in 2010	3	80.0 in 1984	3	14.31 in 1999	3	2.75 in 2009
4	83.1 in 2022	4	80.1 in 1974	4	13.70 in 2010	4	3.14 in 2007
5	82.9 in 2017	5	80.2 in 1973	5	12.76 in 1979	5	3.50 in 1987
6	82.8 in 2014	6	80.3 in 1976	6	12.33 in 2008	6	4.24 in 1970
7	82.7 in 2015		80.3 in 1972	7	12.12 in 1992	7	4.28 in 1993
	82.7 in 2011	8	80.4 in 2003	8	11.35 in 2015	8	4.40 in 1997
9	82.5 in 2005		80.4 in 2000	9	11.22 in 2012	9	4.50 in 2020
10	82.4 in 2009	10	80.6 in 2002	10	10.80 in 2002	10	4.55 in 2014
	82.4 in 1987			...			
				17	9.14 in 2022		

Normal Temp August at ACHF1 = 82.1°
 Normal Rain August at ACHF1 = 8.49 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	83.3 in 2010	1	78.8 in 1984	1	41.24 in 1974	1	10.76 in 2000
2	82.9 in 2016	2	79.3 in 1976	2	40.51 in 2002	2	11.29 in 1987
3	82.5 in 2017		79.3 in 1974	3	39.46 in 2013	3	13.75 in 1980
4	82.2 in 2022	4	79.4 in 1971	4	34.04 in 2006	4	14.20 in 1998
5	82.1 in 2020	5	79.8 in 1973	5	34.02 in 2008	5	17.45 in 1997
	82.1 in 1998		79.8 in 1972	6	33.94 in 2001	6	18.50 in 2009
7	82.0 in 2015	7	79.9 in 2008	7	33.72 in 2004	7	18.57 in 2007
8	81.9 in 2019		79.9 in 1994	8	32.56 in 1992	8	19.23 in 1985
9	81.8 in 1969	9	80.0 in 2002	9	31.74 in 1986	9	19.49 in 1983
10	81.6 in 2018		80.0 in 1970	10	31.01 in 2012	10	19.78 in 1972
	81.6 in 2011			
	81.6 in 1987			19	25.46 in 2022	36	25.46 in 2022

Normal Summer Temp at ACHF1 = 81.4°
 Normal Summer Rain at ACHF1 = 25.68 in.

PUNTA GORDA AREA (records began in May 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.1 in 1951	1	79.8 in 1939	1	19.56 in 1928	1	1.86 in 1927
2	84.7 in 2014	2	80.3 in 1922	2	15.60 in 1995	2	2.07 in 1938
3	84.5 in 2020	3	80.6 in 1969	3	14.01 in 1922	3	2.78 in 1936
	84.5 in 1987	4	80.8 in 1949	4	13.75 in 2009	4	3.36 in 1976
5	84.4 in 2011	5	80.9 in 1967	5	13.47 in 2017	5	3.41 in 1997
6	84.3 in 2005		80.9 in 1930	6	13.42 in 1949	6	3.50 in 1984
7	84.2 in 2018	7	81.0 in 1955	7	13.03 in 1959	7	3.55 in 1952
	84.2 in 2007		81.0 in 1929	8	12.45 in 1967	8	3.82 in 1978
9	84.1 in 2021		81.0 in 1928	9	12.37 in 2018	9	3.93 in 1955
10	84.0 in 2022		81.0 in 1926	10	11.54 in 1947	10	4.02 in 1943
							4.02 in 1921
				
				41	8.23 in 2022	66	8.23 in 2022

Normal Temp August at PGD = 83.5°
 Normal Rain August at PGD = 9.11 in.


Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.2 in 2020	1	79.8 in 1929	1	47.45 in 1943	1	9.88 in 1921
2	84.0 in 2018	2	80.3 in 1939	2	43.12 in 2017	2	13.96 in 1932
3	83.9 in 1951	3	80.4 in 1955	3	41.80 in 1912	3	14.17 in 1920
4	83.7 in 2010		80.4 in 1949	4	38.16 in 1992	4	14.88 in 1927
5	83.6 in 2016	5	80.5 in 1971	5	37.93 in 1922	5	15.05 in 1955
6	83.5 in 1980		80.5 in 1938	6	37.24 in 1945	6	15.12 in 1979
7	83.4 in 2022	7	80.6 in 1930	7	34.55 in 2021	7	15.24 in 1956
	83.4 in 2014		80.6 in 1925	8	33.90 in 1939	8	15.43 in 1952
	83.4 in 2011		80.6 in 1922	9	33.81 in 1959	9	15.75 in 1990
10	83.3 in 1987	10	80.8 in 1974	10	33.24 in 1981	10	15.94 in 2007
			80.8 in 1967	
			80.8 in 1928	32	26.36 in 2022	72	26.36 in 2022

Normal Summer Temp at PGD = 82.8°
 Normal Summer Rain at PGD = 26.41 in.

FORT MYERS AREA (records began in January 1902):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.2 in 2022	1	79.6 in 1906	1	17.64 in 1932	1	3.12 in 1919
2	84.8 in 1987		79.6 in 1904	2	16.95 in 2017	2	3.14 in 1927
3	84.4 in 2014	3	79.7 in 1910	3	16.82 in 2004	3	3.55 in 1934
	84.4 in 2005	4	79.8 in 1908	4	16.80 in 2003	4	3.97 in 1902
	84.4 in 1985	5	80.0 in 1913	5	16.73 in 1981	5	3.98 in 1963
6	84.3 in 1995	6	80.4 in 1911	6	16.22 in 1972	6	4.07 in 1996
	84.3 in 1981		80.4 in 1909	7	15.86 in 1967	7	4.12 in 1958
	84.3 in 1979	8	80.5 in 1917	8	14.97 in 1990	8	4.26 in 1964
9	84.2 in 2010	9	80.6 in 1922	9	14.81 in 1926	9	4.29 in 1955
	84.2 in 2007		80.6 in 1907	10	14.79 in 1979	10	4.32 in 1953
							4.32 in 1924
				
				35	10.52 in 2022	86	10.52 in 2022
					10.52 in 1905		10.52 in 1905

Normal Temp August at FMY = 83.4°
 Normal Rain August at FMY = 10.43 in.



Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.3 in 1981	1	79.1 in 1904	1	42.27 in 1974	1	11.12 in 1964
2	84.6 in 2010	2	79.2 in 1910	2	42.24 in 2004	2	14.71 in 1944
3	84.5 in 2022	3	79.7 in 1908	3	41.55 in 1912	3	15.74 in 1963
4	84.2 in 1979	4	79.8 in 1906	4	40.57 in 2017	4	16.67 in 1956
5	84.0 in 1998	5	80.0 in 1913	5	40.01 in 1995	5	17.03 in 1970
6	83.9 in 1987	6	80.1 in 1917	6	38.76 in 2005	6	17.20 in 1902
	83.9 in 1980	7	80.2 in 1903	7	37.58 in 2006	7	17.56 in 1931
8	83.7 in 2021		80.2 in 1907	8	36.90 in 1982	8	17.60 in 1950
	83.7 in 2016		80.2 in 1909	9	36.89 in 1943	9	17.80 in 1980
10	83.6 in 2020	10	80.4 in 1918	10	36.76 in 1981	10	17.90 in 2014
	83.6 in 1990			...			
	83.6 in 1942			17	34.12 in 2022		

Normal Summer Temp at FMY = 83.0°
 Normal Summer Rain at FMY = 29.47 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past Weather drop down menu above the graphical forecast images.