



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


August and Summer 2025 Weather Summary for West Central and Southwest Florida

For August and for the Summer (June/July/August) temperatures across West Central and Southwest Florida averaged from 0.5 degrees below normal to about 2 degrees above normal, with several sites ending up in the Top Ten Warmest for August and the Summer (June/July/August), and a few in the Top Ten Warmest Month overall.


AUGUST TEMPERATURE RANKINGS (°F):

Location	August 2025 Ranking	August 2025 Avg Temp	Normal Aug Temp	Dep fm Normal	Records Began
Plant City	4th Warmest (tie)	85.6°	83.6°	+2.0°	Sep 1892
Tampa Area	3rd Warmest	85.3°	84.0°	+1.3°	Apr 1890
Winter Haven Area	5th Warmest (tie)	84.9°	84.1°	+0.8°	Mar 1941
Fort Myers Area	3rd Warmest (tie)	84.8°	83.4°	+1.4°	Jan 1902
Punta Gorda Area	11th Warmest (tie)	84.1°	83.5°	+0.6°	May 1914
Bartow	10th Warmest (tie)	83.9°	82.3°	+1.6°	Jun 1892
Venice	17th Warmest	83.5°	83.1°	+0.4°	May 1955
Sarasota-Bradenton Area	84th Coolest (tie)	83.0°	83.4°	-0.4°	Jan 1911
Brooksville Area	18th Warmest (tie)	82.6°	81.5°	+1.1°	Jan 1892
Chiefland 5 ESE	10th Warmest (tie)	82.5°	80.8°	+1.7°	Jul 1956
Inverness 3 SE	26th Warmest (tie)	82.2°	80.7°	+1.5°	Jul 1948

Temperature (F)
8/1/2025 - 8/31/2025



Departure from Normal Temperature (F)
8/1/2025 - 8/31/2025




Graphics Source: NOAA Regional Climate Centers


SUMMER TEMPERATURE RANKINGS (°F) :

Location	Summer 2025 Ranking	Avg Temp	Normal Sum Temp	Dep fm Normal	Records Began
Plant City	4th Warmest (tie)	85.1°	83.2°	+1.9°	Sep 1892
Tampa Area	3rd Warmest (tie)	84.8°	83.6°	+1.2°	Apr 1890
Winter Haven Area	7th Warmest	84.6°	83.8°	+0.8°	Mar 1941
Fort Myers Area	6th Warmest	84.3°	83.0°	+1.3°	Jan 1902
Punta Gorda Area	6th Warmest	83.8°	82.8°	+1.0°	May 1914
Venice	9th Warmest	83.7°	82.5°	+1.2°	May 1955
Bartow	10th Warmest (tie)	83.2°	81.9°	+1.3°	Jun 1892
Sarasota-Bradenton Area	87th Coolest (tie)	82.5°	82.8°	-0.3°	Jan 1911
Brooksville Area	6th Warmest (tie)	82.4°	80.9°	+1.5°	Jan 1892
Chiefland 5 ESE	9th Warmest (tie)	81.8°	80.2°	+1.6°	Jul 1956
Inverness 3 SE	22nd Warmest (tie)	81.8°	80.4°	+1.4°	Jul 1948

Temperature (F)
6/1/2025 – 8/31/2025



Departure from Normal Temperature (F)
6/1/2025 – 8/31/2025



Graphics Source: NOAA Regional Climate Centers

The table below list how August 2025 ranked versus any other month since records began at each location. A few sites ended up in the Top Ten for the Warmest Month since records began.

WARMEST MONTH TEMPERATURE RANKINGS (°F) :


Location	August 2025 Ranking	Avg Temp	Record Month and Year	Records Began
Plant City	10th Warmest (tie)	85.6°	87.8° in Aug 2023	Sep 1892
Tampa Area	9th Warmest	85.3°	86.9° in Aug 2023	Apr 1890
Winter Haven Area	11th Warmest (tie)	84.9°	86.1° in Jul 2024	Mar 1941
Fort Myers Area	10th Warmest (tie)	84.8°	86.1° in Jul 2023	Jan 1902
Punta Gorda Area	21st Warmest (tie)	84.1°	86.7° in Jul 2024	May 1914
Bartow	22nd Warmest (tie)	83.9°	87.4° in Aug 2014	Jun 1892
Venice	46th Warmest (tie)	83.5°	88.1° in Sep 1988	May 1955
Sarasota-Bradenton Area	50th Warmest (tie)	83.0°	86.2° in Jul 2023	Jan 1911
Brooksville Area	36th Warmest (tie)	82.6°	84.6° in Jul 2024*	Jan 1892
Chiefland 5 ESE	21st Warmest (tie)	82.5°	84.5° in Aug 2023	Jul 1956
Inverness 3 SE	67th Warmest (tie)	82.2°	84.6° in Jul 2016	Jul 1948

**Last of Multiple Occurrences*


As for rainfall it was variable across the region with amounts ranging from around 4 inches to over 13 inches this August, while summer (June/July/August) totals ranged from as little as 13.5 inches to over 32 inches.

AUGUST RAINFALL RANKINGS (inches):

Location	August 2025 Rank	2025 Rain Total	Normal Aug Rain	Dep fm Normal	Records Began
Plant City	14th Wettest	13.46	8.85	+4.61	Feb 1893
Sarasota-Bradenton Area	25th Wettest	12.78	9.11	+3.67	Jan 1911
Tampa Area	23rd Wettest	11.20	9.03	+2.17	Apr 1890
Fort Myers Area	68th Driest	9.11	10.43	-1.32	Jan 1902
Punta Gorda Area	74th Driest	8.89	9.11	-0.22	May 1914
Chiefland 5 ESE	30th Driest	8.65	9.87	-1.22	Jul 1956
Brooksville Area	52nd Driest	7.41	8.12	-0.71	Jan 1892
Venice	30th Driest	6.97	8.34	-1.37	May 1955
Inverness 3 SE	25th Driest	6.78	8.69	-1.91	Jul 1948
Bartow	58th Driest	6.70	7.78	-1.08	Jun 1892
Winter Haven Area	12th Driest	4.16	6.52	-2.36	Mar 1941




August 2025 Rainfall




Percent of Normal

SUMMER RAINFALL RANKINGS (inches):

Location	Summer Rank	2025 Rain Total	Normal Sum Rain	Dep fm Normal	Records Began
Sarasota-Bradenton Area	14th Wettest	32.52	23.55	+8.97	Jan 1911
Plant City	77th Driest	26.67	27.21	-0.54	Feb 1893
Chiefland 5 ESE	27th Driest	25.37	26.22	-0.85	Jul 1956
Tampa Area	45th Wettest	25.01	24.15	+0.86	Apr 1890
Punta Gorda Area	56th Driest	23.68	26.41	-2.73	May 1914
Venice	41st Driest	22.15	23.54	-1.39	May 1955
Fort Myers Area	24th Driest	21.26	29.47	-8.21	Jan 1902
Brooksville Area	35th Driest	20.86	25.44	-4.58	Jan 1892
Bartow	30th Driest	19.48	23.62	-4.14	Jun 1892
Inverness 3 SE	6th Driest	16.76	24.62	-7.86	Jul 1948
Winter Haven Area	4th Driest	13.53	21.32	-7.79	Mar 1941



Total Rainfall
June 1 - August 31, 2025



Percent of Normal
June 1 - August 31, 2025

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest August's and Summers at some official NWS locations, which includes the average/total for this August and Summer where available, as well as the 1991-2020 Normal (average) temperature and rainfall for these time periods. Also included are tables listing the Top Ten Warmest Average Monthly Temperatures, Warmest Monthly Average Maximum Temperatures, and the Warmest Monthly Average Minimum Temperatures.

CHIEFLAND 5 ESE (records began in July 1956):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.5 in 2023	1	78.3 in 1969	1	20.44 in 1971	1	3.17 in 1980
2	83.4 in 1980	2	78.9 in 1967	2	17.10 in 1986	2	3.71 in 1973
3	82.9 in 2020	3	79.0 in 1994	3	16.59 in 1985	3	3.84 in 2023
4	82.9 in 2018	4	79.3 in 2008	4	16.44 in 2015	4	3.97 in 2000
5	82.8 in 1999	5	79.4 in 1996	5	14.61 in 1988	5	4.06 in 1956
6	82.7 in 2024	6	79.5 in 2003	6	14.55 in 1961	6	5.28 in 2014
	82.7 in 2022		79.5 in 2002	7	14.43 in 1979	7	5.36 in 2009
	82.7 in 2016		79.5 in 1979	8	14.33 in 2010	8	5.50 in 1963
9	82.6 in 2015	9	79.7 in 2004		14.33 in 1966	9	5.51 in 1976
10	82.5 in 2011		79.7 in 1966	10	14.23 in 1968	10	5.72 in 1987
	82.5 in 1987			
				39	8.65 in 2025	30	8.65 in 2025

Normal August Temp at CHIF1 = 80.8°
Normal August Rain at CHIF1 = 9.87 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	82.9 in 2016	1	79.0 in 1965	1	37.95 in 2012	1	15.28 in 1973
2	82.7 in 2024	2	79.1 in 1974	2	36.55 in 2019	2	15.58 in 2014
3	82.6 in 1998		79.1 in 1966	3	36.38 in 2001	3	18.48 in 1969
4	82.5 in 2015	4	79.2 in 1969	4	35.41 in 1965	4	18.49 in 1972
5	82.4 in 2023	5	79.4 in 2008	5	34.90 in 2018	5	18.54 in 2006
6	82.3 in 2022		79.4 in 2002	6	34.89 in 1964	6	18.76 in 1998
7	82.0 in 2018		79.4 in 1994	7	34.88 in 2003	7	19.05 in 2011
8	81.9 in 2017		79.4 in 1972	8	34.30 in 2013	8	19.17 in 1977
9	81.8 in 2025	9	79.5 in 1979	9	34.21 in 1974	9	19.48 in 1993
	81.8 in 2020		79.5 in 1963	10	33.23 in 1988	10	19.57 in 2007
				
				39	25.37 in 2025	27	25.37 in 2025

Normal Summer Temp at CHIF1 = 80.2°
Normal Summer Rain at CHIF1 = 26.22 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 84.5 in Aug 2023	1 95.4 in Jun 1989	1 74.9 in Aug 2021
2 83.8 in Jul 2016	2 94.6 in Jul 1983	2 74.5 in Aug 2023
3 83.5 in Jul 2023	94.6 in Jun 1977	3 74.4 in Aug 2015
4 83.4 in Aug 1980	4 94.5 in Aug 2023	4 74.3 in Aug 2019
5 83.2 in Sep 2018	94.5 in Jun 1998	5 74.2 in Jul 2023
6 83.1 in Jul 2024	94.5 in Jul 1981	6 74.1 in Aug 2024
83.1 in Jul 1983	7 94.3 in Aug 1980	7 73.9 in Aug 2020
8 83.0 in Jul 1998	8 94.2 in Jul 1987	73.9 in Sep 2018
83.0 in Jul 1987	9 94.1 in Jun 1985	73.9 in Aug 2018
10 82.9 in Aug 2020	10 94.0 in Jul 2016	10 73.8 in Jul 2024
82.9 in Aug 2018	...	73.8 in Aug 2016
...	76 91.6 in Aug 2025	73.8 in Aug 2010
21 82.5 in Aug 2025	91.6 in Jul 2025	73.8 in Aug 1999
82.5 in Aug 2011	91.6 in Aug 2016	73.8 in Jul 1998
82.5 in Aug 1987	91.6 in Jul 1995	...
	91.6 in Jun 1960	24 73.3 in Aug 2025
		73.3 in Jul 2025
		73.3 in Jul 2020
		73.3 in Jul 2015

INVERNESS 3 SE (records began in July 1948):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 84.4 in 2011	1 78.1 in 1994	1 16.70 in 1949	1 1.77 in 1963
2 84.0 in 2010	2 78.5 in 2004	2 16.58 in 2008	2 2.43 in 1993
3 83.7 in 1954	3 79.8 in 1997	3 16.19 in 1961	3 3.08 in 2013
4 83.4 in 1956	4 79.9 in 1976	4 15.87 in 1953	4 3.27 in 1999
5 83.3 in 2022	5 80.0 in 1992	5 15.03 in 1992	5 3.86 in 1989
83.3 in 2016	6 80.2 in 2003	6 13.35 in 1985	6 3.88 in 1997
7 83.2 in 2020	7 80.4 in 2002	7 13.15 in 1970	7 4.18 in 2014
83.2 in 1955	80.4 in 1996	8 12.97 in 1965	8 4.48 in 1987
9 83.0 in 1983	9 80.7 in 1986	9 12.63 in 2019	9 4.50 in 1973
83.0 in 1963	80.7 in 1949	10 12.43 in 1968	10 4.57 in 2001
...	80.7 in 1948
26 82.2 in 2025			25 6.78 in 2025
82.2 in 1966			
82.2 in 1966			
82.2 in 1960			
82.2 in 1959			

Normal August Temp at INVf1 = 80.7°
Normal August Rain at INVf1 = 8.69 in.

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 83.9 in 2010	1 78.4 in 1994	1 37.83 in 1965	1 14.38 in 1993
2 83.4 in 2016	2 79.6 in 2003	2 36.34 in 2003	2 14.48 in 1952
3 83.2 in 2022	79.6 in 1995	3 35.38 in 1985	3 14.73 in 1998
83.2 in 2011	4 79.9 in 1997	4 35.23 in 1949	4 15.10 in 1997
5 83.0 in 1998	5 80.0 in 2004	5 35.17 in 1953	5 16.47 in 1979
6 82.9 in 2020	6 80.1 in 2018	6 34.33 in 1960	6 16.76 in 2025
82.9 in 2019	7 80.2 in 1991	7 34.30 in 1982	7 17.02 in 1999
8 82.6 in 1981	8 80.3 in 2001	8 34.06 in 2002	8 17.32 in 1987
82.6 in 1969	80.3 in 1996	9 33.99 in 2012	9 17.39 in 1972
82.6 in 1954	80.3 in 1986	10 32.74 in 2008	10 17.84 in 2006
82.6 in 1952			
...			
22 81.8 in 2025			
81.8 in 1956			

Normal Summer Temp at INVF1 = 80.4°
Normal Summer Rain at INVF1 = 24.62 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 84.6 in Jul 2016	1 96.8 in Jul 2016	1 75.1 in Jul 2023
2 84.4 in Aug 2011	2 95.9 in Jun 1998	2 74.7 in Jul 2024
3 84.3 in Jul 2024	3 95.8 in Jun 2010	3 74.5 in Aug 2024
4 84.2 in Jul 2023	4 95.7 in Jun 2011	74.5 in Aug 2021
5 84.0 in Aug 2010	5 95.1 in Jun 2015	74.5 in Aug 2010
84.0 in Jul 2010	95.1 in Jun 1981	6 74.3 in Aug 2019
7 83.8 in Jul 1969	7 95.0 in Aug 1956	74.3 in Aug 2011
8 83.7 in Aug 1954	8 94.7 in Jul 2010	8 74.2 in Aug 2020
9 83.6 in Jun 1981	94.7 in Jun 1950	9 74.1 in Jul 1969
10 83.5 in Jul 2020	10 94.5 in Jun 1977	10 74.0 in Aug 2022
83.5 in Jun 2010	94.5 in Aug 1955	74.0 in Aug 1983
83.5 in Jul 1979
...	113 91.7 in Aug 2025*	41 72.7 in Aug 2025*
67 82.2 in Aug 2025*		

**Last of Multiple Occurrences*

BROOKSVILLE AREA (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.6 in 2023	1	79.1 in 1922	1	23.95 in 1949	1	2.61 in 1955
2	83.9 in 1926		79.1 in 1894	2	20.91 in 1945	2	2.65 in 1958
3	83.8 in 2011	3	79.2 in 1994	3	17.47 in 1905	3	2.68 in 2002
4	83.5 in 2017	4	79.3 in 1932	4	17.13 in 1928	4	2.76 in 1963
5	83.3 in 2024		79.3 in 1892	5	16.34 in 1901	5	3.45 in 1919
6	83.2 in 1928	6	79.5 in 1949	6	14.84 in 1965	6	3.68 in 2009
7	83.1 in 1927		79.5 in 1920		14.84 in 1957	7	3.76 in 1916
8	83.0 in 2022		79.5 in 1898	8	14.19 in 1995	8	3.88 in 1951
9	82.9 in 2013	9	79.6 in 1904	9	13.74 in 1910	9	4.12 in 1976
	82.9 in 1963	10	79.7 in 1901	10	13.68 in 1939	10	4.15 in 1997
	82.9 in 1941			
	82.9 in 1933			81	7.41 in 2025	52	7.41 in 2025
...							
18	82.6 in 2025						
	82.6 in 2010						

Normal August Temp at BKV = 81.5°

Normal August Rain at BKV = 8.12 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	83.6 in 1927	1	78.4 in 1894	1	57.08 in 1945	1	13.03 in 1996
2	83.5 in 2024	2	78.8 in 1920	2	41.37 in 2003	2	13.05 in 1997
3	83.0 in 2023	3	79.0 in 1922	3	41.33 in 1949	3	14.06 in 1979
4	82.6 in 2011	4	79.1 in 1921	4	39.60 in 1943	4	14.34 in 1958
5	82.5 in 2022	5	79.3 in 1904	5	38.64 in 1928	5	14.97 in 1931
6	82.4 in 2025	6	79.4 in 1947	6	38.55 in 1906	6	14.99 in 1954
	82.4 in 1928		79.4 in 1946	7	37.96 in 2013	7	15.06 in 1902
8	82.3 in 2017	8	79.5 in 1965	8	37.46 in 1905	8	15.56 in 1973
	82.3 in 1981		79.5 in 1949	9	36.81 in 2012	9	15.84 in 1955
10	82.2 in 2019		79.5 in 1919	10	34.93 in 2015	10	15.90 in 1916
	82.2 in 2010			
	82.2 in 1998			96	20.86 in 2025	35	20.86 in 2025

Normal Summer Temp at BKV = 80.9°

Normal Summer Rain at BKV = 25.44 in

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 84.6 in Jul 2024	1 97.0 in Jun 1927	1 75.1 in Aug 2011
84.6 in Aug 2023	2 95.5 in Jul 1930	2 74.9 in Aug 1941
3 84.2 in Jun 1927	3 95.2 in Jul 1931	3 74.8 in Aug 1899
4 83.9 in Aug 1926	95.2 in Jul 1927	4 74.7 in Jul 2024
5 83.8 in Jul 2023	5 95.1 in May 1927	5 74.6 in Aug 1995
83.8 in Aug 2011	6 94.9 in Aug 1926	6 74.5 in Aug 2023
7 83.6 in Jul 1930	7 94.8 in Aug 2023	7 74.4 in Jul 1942
83.6 in Jul 1927	94.8 in Jun 1998	8 74.3 in Aug 2017
9 83.5 in Aug 2017	9 94.6 in Jul 2024	9 74.2 in Aug 2010
83.5 in Jul 1931	10 94.3 in Jun 1935	74.2 in Aug 1909
...
36 82.6 in Aug 2025*	77 92.0 in Aug 2025*	41 73.3 in Aug 2025*

**Last of Multiple Occurrences*

ST LEO (records began in April 1895):

Warmest August's	Coollest August's	Wettest August's	Driest August's
1 84.8 in 2007	1 77.5 in 1922	1 20.16 in 1898	1 2.16 in 1930
2 84.7 in 2005	2 79.4 in 1920	2 19.75 in 1901	2 2.72 in 1980
3 84.2 in 2023	79.4 in 1913	3 17.60 in 1945	3 2.97 in 1921
4 84.1 in 1900	4 79.5 in 1930	4 16.99 in 1979	4 3.05 in 1915
5 84.0 in 1987	79.5 in 1919	5 16.26 in 1905	5 3.78 in 1938
6 83.9 in 1941	79.5 in 1904	6 16.08 in 1965	6 3.90 in 1941
7 83.7 in 1924	7 79.7 in 1992	7 14.97 in 1967	7 4.03 in 1996
8 83.6 in 2006	8 79.8 in 1917	8 14.56 in 1917	4.03 in 1976
83.6 in 1983	9 80.1 in 1923	9 14.20 in 1942	9 4.17 in 1924
83.6 in 1951	80.1 in 1911	10 13.79 in 2024	10 4.25 in 2005
83.6 in 1899			

Average Temperature for August 2025 = Not Available Yet
Normal August Temp at STLf1 = 81.4°

Total Rainfall for August 2025 = Not Available Yet
Normal August Rain at STLf1 = 8.28 in.

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 84.6 in 1998	1 78.2 in 1922	1 53.02 in 1945	1 12.71 in 1930
2 83.4 in 2005	2 78.5 in 1919	2 43.25 in 1901	2 14.51 in 1958
3 83.2 in 1987	3 78.6 in 1920	3 40.38 in 1934	3 15.09 in 1951
83.2 in 1900	4 78.8 in 1930	4 37.52 in 2012	4 15.97 in 1987
5 83.0 in 2024	5 78.9 in 1923	5 36.13 in 1898	5 15.98 in 1915
83.0 in 2006	6 79.2 in 1904	6 35.05 in 1965	6 16.10 in 1980
7 82.9 in 1981	7 79.3 in 1921	7 35.02 in 1943	16.10 in 1902
82.9 in 1896	8 79.5 in 1918	8 34.48 in 2002	8 16.20 in 1921
9 82.8 in 2023	79.5 in 1910	9 33.33 in 2003	9 16.94 in 1997
82.8 in 2007	10 79.6 in 1935	10 32.26 in 1906	10 17.01 in 1952
82.8 in 1924	79.6 in 1917		
	79.6 in 1913		

Average Temperature for Summer 2025 = Not Available Yet
Normal Summer Temp at STLf1 = 81.0°

Total Rainfall for Summer 2025 = Not Available Yet
Normal Summer Rain at STLf1 = 24.72 in

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.4 in Jun 1998	1 96.7 in Jun 1998	1 76.1 in Jun 1998
2 84.8 in Aug 2007	2 95.4 in Jun 1898	2 75.8 in Aug 2023
3 84.7 in Aug 2005	3 95.0 in Jun 1981	3 75.2 in Aug 2024
4 84.3 in Jul 2005	95.0 in Jul 1896	4 75.1 in Jul 2023
84.3 in Jul 1998	5 94.8 in Aug 2007	75.1 in Aug 2005
6 84.2 in Aug 2023	6 94.7 in Aug 1987	6 75.0 in Jul 2025
7 84.1 in Aug 1900	94.7 in Aug 1900	7 74.9 in Aug 1995
8 84.0 in Aug 1987	94.7 in Jun 1899	8 74.7 in Aug 2007
9 83.9 in Jul 1942	94.7 in Jun 1897	74.7 in Jul 2005
83.9 in Aug 1941	10 94.5 in Jul 1942	10 74.6 in Jul 1998

Average Temperature for August 2025 = Not Available Yet
Average Max Temperature for August 2025 = Not Available Yet
Average Min Temperature for August 2025 = Not Available Yet

TARPON SPRINGS (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.2 in 2020	1	79.5 in 1905	1	23.60 in 1949	1	1.96 in 1930
2	84.9 in 1995		79.5 in 1904	2	20.99 in 1906	2	2.02 in 1899
3	84.3 in 1993	3	79.6 in 1969	3	18.97 in 2017	3	2.39 in 1963
4	84.2 in 2014		79.6 in 1900	4	18.52 in 1969	4	2.57 in 2001
	84.2 in 2007	5	80.1 in 1967	5	17.77 in 1957	5	2.84 in 1964
	84.2 in 1999		80.1 in 1892	6	17.06 in 1928	6	2.90 in 1934
	84.2 in 1997	7	80.2 in 1894	7	16.99 in 2010	7	3.70 in 2006
8	84.1 in 2019	8	80.4 in 1911	8	16.80 in 1905	8	3.72 in 1921
	84.1 in 2017		80.4 in 1910	9	16.67 in 1939	9	4.33 in 1916
10	84.0 in 2024		80.4 in 1907	10	16.05 in 1898	10	4.39 in 1936
	84.0 in 2005						
	84.0 in 2004						
	84.0 in 1941						

Average Temperature for August 1-24, 2025 = 85.0°

Normal August Temp at TRPF1 = 83.3°

Total Rainfall for August 1-24, 2025 = 6.38 inches

Normal August Rain at TRPF1 = 9.66 in

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.5 in 2020	1	79.0 in 1904	1	45.10 in 1909	1	11.64 in 1952
2	84.4 in 2004		79.0 in 1900	2	44.25 in 2012	2	12.65 in 1956
3	84.3 in 2024	3	79.1 in 1894	3	41.21 in 1906	3	12.87 in 1970
4	84.1 in 1998	4	79.4 in 1907	4	37.71 in 1957	4	13.49 in 1916
5	83.9 in 1993	5	79.5 in 1895	5	37.51 in 2015	5	13.64 in 1914
6	83.8 in 2019	6	79.6 in 1974	6	37.28 in 2019	6	14.17 in 1980
	83.8 in 2016		79.6 in 1939	7	36.54 in 1943	7	14.80 in 1976
	83.8 in 2005		79.6 in 1910	8	36.47 in 1939	8	14.90 in 1902
9	83.7 in 1997	9	79.7 in 1908	9	36.17 in 1928	9	15.07 in 1988
10	83.6 in 2014	10	79.8 in 1892	10	36.10 in 1945	10	15.17 in 1993
	83.6 in 2010						

Average Temperature for June 1 - August 24, 2025 = 84.1°

Normal Summer Temp at TRPF1 = 82.8°

Total Rainfall for June 1 - August 24, 2025 = 20.31 in.

Normal Summer Rain at TRPF1 = 25.77 in

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 85.2 in Aug 2020	1 95.0 in Jul 1993	1 78.4 in Aug 2020
85.2 in Jul 1932	2 94.9 in Jun 1998	78.4 in Jul 2020
3 85.1 in Jul 2020	3 94.6 in Jul 1932	3 78.2 in Jun 2005
4 85.0 in Jul 2024	4 94.5 in Sep 1925	4 78.1 in Aug 2004
85.0 in Jul 1993	5 94.4 in Jul 1997	5 77.9 in Jul 2004
6 84.9 in Aug 1995	6 94.3 in Aug 1997	6 77.8 in Jun 2004
7 84.8 in Jul 1942	94.3 in Jul 1942	7 77.6 in Aug 2019
8 84.7 in Jul 2016	8 94.0 in Aug 1998	8 77.5 in Jul 2007
84.7 in Jul 1997	94.0 in Jul 1992	9 77.4 in Aug 2007
10 84.6 in Jul 2025	10 93.7 in Sep 1997	77.4 in Aug 2005
84.6 in Jul 2004	93.7 in Aug 1995	
84.6 in Jun 2004		

Average Temperature for August 1-24, 2025 = 85.0°
Average Max Temperature for August 1-24, 2025 = 92.5°
Average Min Temperature for August 1-24, 2025 = 77.5°

TAMPA AREA (records began in April 1890):

Warmest August's	Coollest August's	Wettest August's	Driest August's
1 86.9 in 2023	1 80.2 in 1905	1 18.59 in 1949	1 0.78 in 1938
2 85.6 in 2022	2 80.3 in 1967	2 17.83 in 1898	2 2.35 in 1952
3 85.3 in 2025	80.3 in 1913	3 17.78 in 2024	3 2.38 in 1921
4 85.1 in 2011	4 80.4 in 1922	4 16.47 in 2015	4 2.83 in 2001
85.1 in 1941	5 80.5 in 1901	5 15.17 in 1932	5 3.27 in 1990
6 85.0 in 2021	6 80.6 in 1904	6 14.90 in 2003	6 3.47 in 1924
85.0 in 2017	80.6 in 1890	7 14.66 in 1905	7 3.52 in 2009
8 84.9 in 2007	8 80.7 in 1939	8 14.60 in 2018	8 3.63 in 1919
9 84.8 in 2020	80.7 in 1911	9 14.29 in 1939	9 3.75 in 1907
10 84.7 in 2024	10 80.8 in 1969	10 14.03 in 2004	10 3.87 in 1941
84.7 in 2005	80.8 in 1957	...	
	80.8 in 1898	23 11.20 in 2025	

Normal August Temp at TPA = 84.0°
Normal August Rain at TPA = 9.03 in

Warmest Summers			Coolest Summers			Wettest Summers			Driest Summers		
1	85.7	in 2022	1	80.1	in 1910	1	43.03	in 1945	1	11.16	in 1993
2	85.6	in 2023	2	80.2	in 1955	2	38.52	in 2024	2	13.15	in 1956
3	84.8	in 2025		80.2	in 1913	3	36.13	in 2012	3	13.25	in 1970
	84.8	in 2020		80.2	in 1904	4	34.79	in 1909	4	13.85	in 1978
5	84.6	in 2024	5	80.3	in 1967	5	34.67	in 1960	5	14.00	in 1977
	84.6	in 2021	6	80.4	in 1965	6	34.54	in 2015	6	14.25	in 1918
7	84.5	in 2010	7	80.5	in 1968	7	33.71	in 1925	7	15.05	in 1931
8	84.4	in 2011		80.5	in 1890	8	33.68	in 1896	8	15.65	in 2001
9	84.2	in 1998	9	80.6	in 1907	9	33.66	in 1995	9	15.73	in 1944
10	83.9	in 2018		80.6	in 1899	10	33.46	in 1957	10	15.88	in 1952
	83.9	in 2017		80.6	in 1894		
	83.9	in 2016				45	25.01	in 2025	92	25.01	in 2025

Normal Summer Temp at TPA = 83.6°

Normal Summer Rain at TPA = 24.15 in

Warmest Monthly Avg Temp		Warmest Monthly Avg Max Temps		Warmest Monthly Avg Min Temps	
1	86.9 in Aug 2023	1	94.3 in Aug 2023	1	79.7 in Jul 2023
2	86.5 in Jul 2023	2	93.5 in Aug 1951	2	79.5 in Aug 2023
3	86.3 in Jul 2022	3	93.4 in Jul 2022	3	79.2 in Jul 2022
4	85.8 in Sep 2018	4	93.3 in Jul 2023	4	79.0 in Jul 2025
5	85.6 in Jul 2025	5	93.0 in Sep 2018	5	78.8 in Aug 2025
	85.6 in Aug 2022		93.0 in Jun 1998		78.8 in Aug 2011
	85.6 in Jun 1998	7	92.9 in Jul 1942	7	78.6 in Aug 2022
8	85.5 in Jul 2020	8	92.8 in Jun 1952	8	78.5 in Sep 2018
9	85.3 in Aug 2025	9	92.7 in Jul 1992	9	78.3 in Aug 2021
10	85.2 in Jun 2022		92.7 in Aug 1990		78.3 in Jul 2020
		...			78.3 in Aug 2017
		42	91.8 in Aug 2025		
			91.8 in Aug 2020		

ST PETERSBURG (records began in August 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.5 in 2005	1	80.8 in 1922	1	21.85 in 1939	1	0.82 in 1938
2	86.8 in 2023	2	81.3 in 1939	2	19.57 in 1949	2	2.91 in 1984
3	86.2 in 2024	3	81.4 in 1947	3	18.62 in 1915	3	2.96 in 1941
4	85.7 in 2013	4	81.5 in 1953	4	17.93 in 1967	4	3.21 in 1998
5	85.4 in 2017	5	81.6 in 1957	5	17.75 in 1995	5	3.33 in 1951
6	85.3 in 2014	6	81.8 in 1995	6	16.65 in 1971	6	3.37 in 1919
	85.3 in 1941		81.8 in 1994	7	16.53 in 1945	7	3.40 in 1933
8	85.2 in 2007		81.8 in 1974	8	16.04 in 1922	8	3.66 in 2005
9	85.0 in 2010		81.8 in 1917	9	15.49 in 2016	9	3.67 in 1996
	85.0 in 1980	10	81.9 in 2016	10	15.33 in 1947	10	4.30 in 1914
			81.9 in 1967				
			81.9 in 1949				

Average Temperature for August 2025 = Four days missing
Normal Temp August at SPG = 84.0°

Total Rainfall for August 2025 = *11.16 inches
Normal August Rain at SPG = 8.39 in.

** Rainfall was missing on August 19th-21st due to equipment failure. Radar estimates and local rain gauges indicate that an additional 0.50 inch of rain may have fallen on these days.*

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	86.3 in 2024	1	80.9 in 1922	1	47.62 in 1945	1	10.52 in 1931
2	85.7 in 2005	2	81.1 in 1974	2	45.31 in 1939	2	11.17 in 1984
3	85.6 in 2010		81.1 in 1955	3	40.99 in 1995	3	11.48 in 1970
4	85.1 in 2023	4	81.2 in 1947	4	38.08 in 1943	4	12.32 in 1930
5	84.6 in 1987	5	81.4 in 1920	5	36.66 in 1947	5	12.39 in 1916
6	84.5 in 2020	6	81.6 in 1995	6	35.03 in 2016	6	13.10 in 1996
	84.5 in 2017		81.6 in 1923	7	35.00 in 1922	7	13.14 in 1993
	84.5 in 1998		81.6 in 1919	8	34.49 in 1974	8	14.18 in 1941
9	84.3 in 2022	9	81.7 in 1968	9	33.26 in 1959	9	14.31 in 1966
	84.3 in 2013		81.7 in 1965	10	32.62 in 1971	10	14.99 in 1951
	84.3 in 1980		81.7 in 1956				
			81.7 in 1953				
			81.7 in 1917				

Average Temperature for Summer 2025 = 83.2°
Normal Summer Temp at SPG = 83.5°

Total Rainfall for Summer 2025 = *30.90 in.
Normal Summer Rain at SPG = 22.67 in.

** Rainfall was missing on August 19th-21st due to equipment failure. Radar estimates and local rain gauges indicate that an additional 0.50 inch of rain may have fallen on these days.*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 87.5 in Aug 2005	1 93.7 in Aug 2005	1 81.4 in Aug 2023
2 87.0 in Jul 2024	2 93.5 in Jul 1932	2 81.3 in Aug 2005
3 86.8 in Aug 2023	3 93.1 in Jul 2024	3 80.9 in Jul 2024
4 86.7 in Jul 2005	4 92.9 in Jun 2010	4 80.8 in Aug 2024
5 86.5 in Jun 2010	5 92.8 in Jul 1987	5 80.7 in Jul 2005
6 86.2 in Aug 2024	92.8 in Aug 1941	6 80.2 in Jul 2023
7 85.7 in Sep 2024	92.8 in Jul 1931	7 80.1 in Aug 2010
85.7 in Aug 2013	8 92.7 in Jul 2005	80.1 in Jun 2010
85.7 in Sep 2005	9 92.5 in Aug 1980	9 80.0 in Sep 2024
85.7 in Jul 1932	92.5 in Jun 1977	80.0 in Sep 2005

Average Temperature for August 2025 = Four days missing

Average Max Temperature for August 2025 = Four days missing

Average Min Temperature for August 2025 = Four days missing

PLANT CITY (Temperature records began in September 1892 and
Rainfall records began in February 1893):

Warmest August's	Coollest August's	Wettest August's	Driest August's
1 87.8 in 2023	1 78.7 in 1930	1 17.79 in 2004	1 1.87 in 1902
2 86.6 in 2024	2 79.1 in 1907	2 17.48 in 1953	2 2.44 in 1960
86.6 in 2022	3 79.6 in 1939	3 17.17 in 1949	3 3.62 in 1912
4 85.6 in 2025	79.6 in 1906	4 16.43 in 2019	4 3.88 in 2021
85.6 in 2017	5 79.7 in 1931	5 15.69 in 1906	5 3.98 in 1996
6 85.4 in 2021	6 79.9 in 1905	6 15.06 in 1898	6 4.08 in 1954
85.4 in 2020	7 80.1 in 2000	7 14.96 in 1939	7 4.29 in 1991
8 84.6 in 2018	8 80.2 in 1933	8 14.15 in 2024	8 4.58 in 1997
9 84.3 in 2011	80.2 in 1911	9 14.04 in 1967	9 4.76 in 1914
10 84.1 in 2019	10 80.3 in 1973	10 13.95 in 1979	10 4.80 in 1934
	80.3 in 1967	11 13.92 in 1908	
	80.3 in 1904	12 13.70 in 1969	
		13 13.48 in 1905	
		14 13.46 in 2025	

Normal Temp August at PLCF1 = 83.6°

Normal Rain August at PLCF1 = 8.85 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	86.5 in 2024	1	79.7 in 1919	1	41.73 in 1943	1	14.60 in 1956
	86.5 in 2023	2	79.8 in 1923	2	40.04 in 1910	2	14.98 in 1915
3	85.6 in 2022	3	79.9 in 1921	3	39.69 in 1945	3	15.23 in 1989
4	85.1 in 2025		79.9 in 1920	4	39.40 in 2004	4	15.34 in 1993
	85.1 in 2020	5	80.2 in 1967	5	38.91 in 2019	5	15.36 in 1961
6	84.6 in 2021		80.2 in 1947	6	38.77 in 2017	6	15.52 in 1952
	84.6 in 2017		80.2 in 1930	7	37.53 in 1939	7	16.01 in 1951
8	84.5 in 2019	8	80.3 in 1966	8	36.18 in 1925	8	17.02 in 1970
9	84.1 in 2018		80.3 in 1965	9	36.08 in 1906	9	17.30 in 1988
10	84.0 in 2016	10	80.4 in 1974	10	35.94 in 1905	10	17.39 in 1987
			80.4 in 1968	
			80.4 in 1929	48	26.67 in 2025	77	26.67 in 2025

Normal Summer Temp at PLCF1 = 83.2°

Normal Summer Rain at PLCF1 = 27.21 in.

Warmest Monthly Avg Temp		Warmest Monthly Avg Max Temps		Warmest Monthly Avg Min Temps	
1	87.8 in Aug 2023	1	99.3 in Aug 2023	1	76.7 in Jul 2024
2	87.5 in Jul 2023	2	99.2 in Jul 2023	2	76.4 in Aug 2025
3	87.3 in Jul 2024	3	97.8 in Jul 2024		76.4 in Aug 2024
4	86.6 in Aug 2024	4	97.6 in Aug 2022	4	76.3 in Aug 2023
	86.6 in Aug 2022	5	96.9 in Aug 2024	5	76.1 in Jul 2025
6	86.2 in Sep 2024	6	96.7 in Jun 2024	6	75.9 in Sep 2024
7	85.9 in Jul 2022	7	96.6 in Sep 2024		75.9 in Aug 2021
8	85.7 in Jul 2025	8	96.5 in Jul 2022		75.9 in Aug 2020
	85.7 in Jun 2024		96.5 in Jun 1911		75.9 in Jul 2020
10	85.6 in Aug 2025	10	96.4 in May 2024	10	75.8 in Jul 2023
	85.6 in Aug 2017		96.4 in Jun 2023		75.8 in Aug 2011
		...			
		26	94.7 in Aug 2025		
			94.7 in Jul 2019		
			94.7 in Jul 2017		

LAKELAND (records began in January 1915):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.0 in 2023	1	80.0 in 1967	1	15.57 in 1948	1	3.40 in 1942
2	85.1 in 1987	2	80.5 in 1973	2	15.19 in 2010	2	3.58 in 1921
3	84.8 in 2022		80.5 in 1949	3	14.15 in 1935	3	3.65 in 1947
4	84.6 in 2024	4	80.6 in 1939	4	13.49 in 1915	4	3.73 in 1930
	84.6 in 1995		80.6 in 1923	5	12.63 in 2019	5	3.89 in 1950
6	84.4 in 2021		80.6 in 1920	6	12.52 in 2004	6	3.98 in 1960
	84.4 in 1989	7	80.8 in 1969	7	12.23 in 2015	7	4.22 in 2021
8	84.3 in 2020		80.8 in 1957	8	11.97 in 1928	8	4.56 in 1982
	84.3 in 2011	9	80.9 in 1959	9	11.93 in 1949	9	4.61 in 1934
	84.3 in 2010	10	81.0 in 1953	10	11.37 in 2016	10	4.68 in 1970
			81.0 in 1922				

Average Temperature for August 1-29, 2025 = 84.7°

Normal Temp August at LLDF1 = 83.3°

Total Rainfall for August 1-29, 2025 = 6.78 inches

Normal Rain August at LLDF1 = 9.08 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.8 in 2024	1	79.7 in 1919	1	43.60 in 2017	1	13.76 in 1958
2	84.6 in 2023	2	79.8 in 1923	2	36.50 in 2015	2	13.88 in 1998
	84.6 in 2010	3	79.9 in 1921	3	34.42 in 2019	3	13.96 in 1918
4	84.4 in 1987		79.9 in 1920	4	33.76 in 2013	4	14.67 in 1972
5	84.1 in 2022	5	80.2 in 1967	5	33.29 in 1994	5	15.35 in 1936
6	84.0 in 2016		80.2 in 1947	6	32.40 in 2005	6	15.51 in 1931
7	83.8 in 2020		80.2 in 1930	7	32.12 in 1968	7	16.05 in 1950
	83.8 in 1998	8	80.3 in 1966	8	31.87 in 2001	8	16.71 in 1942
	83.8 in 1989		80.3 in 1965	9	31.78 in 1948	9	16.92 in 1954
10	83.6 in 1995	10	80.4 in 1974	10	31.59 in 1995	10	16.95 in 1921
			80.4 in 1968				
			80.4 in 1929				

Average Temperature for June 1 - August 29, 2025 = 84.3°

Normal Summer Temp at LLDF1 = 82.8°

Total Rainfall for June 1 - August 29, 2025 = 20.03 in.

Normal Summer Rain at LLDF1 = 26.62 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.0 in Aug 2023	1 96.5 in Aug 1987	1 77.4 in Aug 2023
2 85.5 in Jul 2024	2 96.3 in Jul 1992	2 76.6 in Jul 2023
85.5 in Jul 2023	3 96.0 in Jun 1998	3 76.4 in Jul 2024
4 85.1 in Jul 2025	96.0 in Jul 1987	4 76.3 in Aug 2024
85.1 in Jul 2016	5 95.6 in Aug 1989	5 76.2 in Aug 2010
85.1 in Aug 1987	6 95.4 in Jul 1993	6 76.1 in Aug 2021
7 84.9 in Jul 1992	7 95.0 in Jul 1989	7 76.0 in Aug 2020
8 84.8 in Aug 2022	8 94.9 in Jun 2010	8 75.9 in Jul 2025
84.8 in Jun 2010	94.9 in Jun 1985	9 75.8 in Aug 2019
84.8 in Jul 1987	94.9 in Jul 1981	75.8 in Jul 2016
		75.8 in Aug 2011

Average Temperature for August 1-29, 2025 = 84.7°
Average Max Temperature for August 1-29, 2025 = 93.3°
Average Min Temperature for August 1-29, 2025 = 76.1°

WINTER HAVEN AREA (records began in March 1941):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 85.6 in 1989	1 80.0 in 1972	1 14.59 in 1949	1 1.78 in 1960
2 85.5 in 2023	2 80.4 in 1971	2 12.76 in 1977	2 1.88 in 1998
3 85.3 in 2005	80.4 in 1967	3 12.42 in 2022	3 2.04 in 1980
4 85.0 in 2020	4 80.6 in 1957	4 12.21 in 1952	4 2.63 in 1942
5 84.9 in 2025	5 80.8 in 1969	5 11.94 in 1992	5 2.80 in 2005
84.9 in 2024	80.8 in 1959	6 11.78 in 1995	6 3.09 in 1954
84.9 in 2022	7 80.9 in 1968	7 11.39 in 1981	7 3.65 in 1970
84.9 in 2019	8 81.0 in 1982	11.39 in 1957	8 3.73 in 1955
84.9 in 2007	81.0 in 1962	9 11.25 in 1948	9 3.88 in 2021
84.9 in 1941	10 81.1 in 2008	10 11.22 in 2011	10 3.96 in 1945
	81.1 in 1990		11 4.05 in 1999
			12 4.16 in 2025

Normal Temp August at GIF = 84.1°
Normal Rain August at GIF = 6.52 in.

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 85.1 in 2024	1 79.4 in 1968	1 34.98 in 1949	1 9.33 in 1999
2 84.8 in 1989	2 79.7 in 1972	2 34.87 in 1945	2 12.07 in 1980
3 84.7 in 2022	79.7 in 1971	3 32.95 in 1992	3 12.14 in 1998
84.7 in 2019	4 80.0 in 1974	4 32.77 in 1995	4 13.53 in 2025
84.7 in 2010	5 80.4 in 1967	5 30.66 in 1981	5 14.37 in 1963
84.7 in 1998	6 80.7 in 1963	6 30.57 in 2015	6 14.62 in 1997
7 84.6 in 2025	80.7 in 1962	7 30.08 in 1948	7 14.88 in 1972
8 84.4 in 2016	8 80.8 in 1965	8 29.77 in 1974	8 14.98 in 2009
9 84.3 in 2020	9 80.9 in 1959	9 29.75 in 2019	9 15.10 in 1979
10 84.0 in 2023	10 81.0 in 1966	10 28.69 in 1965	10 16.02 in 1964

Normal Summer Temp at GIF = 83.8°

Normal Summer Rain at GIF = 21.32 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.1 in Jul 2024	1 96.2 in Jun 1985	1 77.1 in Aug 2019
2 85.6 in Jul 2022	2 95.8 in Jun 1998	2 76.8 in Sep 2018
85.6 in Aug 1989	3 95.5 in Jul 2024	3 76.7 in Jul 2024
4 85.5 in Aug 2023	95.5 in Aug 1989	4 76.6 in Aug 2023
85.5 in Jul 2016	5 95.4 in Jul 1942	76.6 in Aug 2020
6 85.4 in Jul 2025	6 95.3 in Aug 1941	76.6 in Jul 2005
7 85.3 in Aug 2005	7 95.0 in Jul 2016	7 76.5 in Aug 2024
8 85.0 in Aug 2020	95.0 in Aug 1951	76.5 in Aug 2010
85.0 in Sep 2018	9 94.9 in Aug 1942	9 76.4 in Jul 2022
85.0 in Jul 2005	10 94.8 in Jul 2022	76.4 in Jul 2010
11 84.9 in Aug 2025	94.8 in Aug 1987	11 76.3 in Jul 2020
84.9 in Aug 2024	...	76.3 in Aug 2011
84.9 in Aug 2022	35 93.6 in Aug 2025*	76.3 in Aug 2005
84.9 in Aug 2019		14 76.2 in Aug 2025
84.9 in Jun 2010		76.2 in Sep 2024
84.9 in Aug 2007		76.2 in Aug 2021
84.9 in Aug 1941		

**Last of Multiple Occurrences*

BARTOW (records began in June 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.4 in 2014	1	79.7 in 1913	1	14.62 in 1905	1	1.60 in 2014
2	86.1 in 2013	2	79.9 in 1894	2	14.39 in 1949	2	2.45 in 1912
3	84.6 in 2023	3	80.3 in 1898	3	14.38 in 1909	3	2.60 in 1987
	84.6 in 1987	4	80.5 in 1967	4	13.38 in 2003	4	2.98 in 1936
	84.6 in 1951	5	80.6 in 1975		13.38 in 2002	5	3.02 in 1950
6	84.4 in 1998		80.6 in 1947	6	13.01 in 1981	6	3.18 in 1938
7	84.2 in 2011		80.6 in 1916	7	12.83 in 1928	7	3.57 in 1930
8	84.1 in 1941	8	80.7 in 1911	8	12.65 in 1992	8	3.74 in 1996
	84.1 in 1924		80.7 in 1892	9	12.57 in 2012	9	4.08 in 2010
10	83.9 in 2025	10	80.8 in 1901	10	12.39 in 1901	10	4.22 in 2021
	83.9 in 2010			
	83.9 in 2005			75	6.70 in 2025	58	6.70 in 2025
	83.9 in 1999						
	83.9 in 1997						

Normal Temp August at BARF1 = 82.3°

Normal Rain August at BARF1 = 7.78 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.6 in 2014	1	79.0 in 1894	1	36.81 in 2003	1	13.22 in 1964
2	84.8 in 1998	2	79.4 in 1913	2	36.13 in 1909	2	13.28 in 1950
3	84.5 in 2013	3	79.8 in 1892	3	35.84 in 2012	3	14.92 in 1931
4	83.9 in 2010	4	79.9 in 1947	4	35.15 in 1924	4	15.39 in 1996
5	83.7 in 1987	5	80.3 in 1936	5	35.01 in 1939	5	15.47 in 1979
6	83.6 in 2024		80.3 in 1916	6	34.85 in 1949	6	15.56 in 1902
7	83.5 in 2023	7	80.4 in 1976	7	34.31 in 2005	7	15.67 in 1987
8	83.3 in 2016		80.4 in 1974	8	34.14 in 1945	8	15.97 in 2007
	83.3 in 1969		80.4 in 1972	9	33.82 in 1934	9	16.40 in 2014
10	83.2 in 2025		80.4 in 1935	10	33.42 in 1928	10	16.42 in 1936
	83.2 in 1981			
	83.2 in 1958			103	19.48 in 2025	30	19.48 in 2025

Normal Summer Temp at BARF1 = 81.9°

Normal Summer Rain at BARF1 = 23.62 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 87.4 in Aug 2014	1 96.8 in Jul 1932	1 78.9 in Aug 2014
2 86.1 in Aug 2013	2 96.0 in Jun 1998	2 78.0 in Aug 2013
3 85.9 in Jun 1998	3 95.9 in Aug 2014	3 77.0 in Jun 2015
4 85.7 in Jun 2015	95.9 in Jun 1927	77.0 in Jul 2014
5 85.4 in Jul 2014	5 95.6 in Aug 1924	5 76.6 in Jul 2013
6 84.7 in Jul 1932	6 95.4 in Jun 1981	6 75.7 in Jun 1998
7 84.6 in Aug 2023	95.4 in Jun 1898	75.7 in Aug 1995
84.6 in Aug 1987	8 95.3 in Aug 1951	8 75.6 in Sep 2014
84.6 in Aug 1951	9 95.0 in Jun 1950	9 75.4 in Aug 1998
10 84.5 in Jul 1969	10 94.9 in Jul 1981	10 75.2 in Aug 2023
...	...	75.2 in Aug 2010
22 83.9 in Aug 2025*	75 93.3 in Aug 2025*	75.2 in Aug 1903
		...
		27 74.6 in Aug 2025*

**Last of Multiple Occurrences*

SARASOTA-BRADENTON (records began in January 1911):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 85.9 in 2023	1 79.6 in 1911	1 24.42 in 1981	1 2.51 in 1938
2 85.2 in 2020	2 79.9 in 1947	2 *23.55 in 2024	2 2.52 in 1930
3 85.0 in 2014	79.9 in 1922	3 20.97 in 2017	3 3.09 in 1944
4 84.7 in 2016	4 80.0 in 1939	4 19.97 in 1959	4 3.10 in 1952
5 84.5 in 2011	5 80.3 in 1967	5 19.73 in 1949	5 3.11 in 2001
6 84.2 in 2007	80.3 in 1931	6 19.35 in 1922	6 3.20 in 1996
7 83.9 in 1995	80.3 in 1927	7 18.14 in 1928	7 3.91 in 2008
8 83.8 in 2005	8 80.4 in 1930	8 17.79 in 2003	8 3.93 in 1963
9 83.7 in 2024	80.4 in 1916	9 17.63 in 1999	9 3.96 in 1984
83.7 in 1990	10 80.5 in 1934	10 17.04 in 1939	10 3.97 in 2014
83.7 in 1987	80.5 in 1929	...	
...	...	25 12.78 in 2025	
26 83.0 in 2025	84 83.0 in 2025		
83.0 in 1983	83.0 in 1983		
83.0 in 1951	83.0 in 1951		

** Rainfall was missing on August 5, 2024 due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would have made this the Wettest August on record.*

Normal Temp August at SRQ = 83.4°
Normal Rain August at SRQ = 9.11 in.

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 85.0 in 2023	1 78.9 in 1947	1 *47.32 in 2024	1 11.09 in 1930
2 84.6 in 2020	78.9 in 1913	2 45.69 in 1943	2 11.20 in 1998
3 84.5 in 2016	3 79.4 in 1911	3 41.23 in 2017	3 11.94 in 1944
4 83.9 in 1998	4 79.5 in 1930	4 41.08 in 1912	4 12.48 in 1951
5 83.7 in 2024	5 79.7 in 1976	5 39.63 in 1992	5 12.60 in 2023
6 83.6 in 2014	79.7 in 1916	6 38.29 in 1922	6 12.75 in 1952
7 83.4 in 2010	7 79.8 in 1929	7 38.23 in 1945	7 13.10 in 2014
8 83.2 in 2019	8 79.9 in 1974	8 37.73 in 1939	8 13.12 in 1948
9 83.0 in 2011	79.9 in 1931	9 35.21 in 1959	9 14.67 in 2009
10 82.9 in 2022	10 80.0 in 1922	10 35.12 in 1981	10 14.80 in 1914
82.9 in 2021		11 33.86 in 1928	
...	...	12 33.47 in 1949	
19 82.5 in 2025	87 82.5 in 2025	13 33.08 in 1960	
82.5 in 2013	82.5 in 2013	14 32.52 in 2025	
82.5 in 2005	82.5 in 2005		

Normal Summer Temp at SRQ = 82.8°

Normal Summer Rain at SRQ = 23.55 in.

** Rainfall was missing on August 5, 2024 due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would have increased the summer rainfall to over 50 inches.*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.2 in Jul 2023	1 94.5 in Jun 1998	1 78.8 in Jul 2023
2 85.9 in Aug 2023	2 94.2 in Jul 1998	78.8 in Jul 2020
3 85.8 in Jul 2020	3 94.1 in Aug 1998	3 78.0 in Aug 2023
4 85.4 in Jul 2016	4 94.0 in Aug 1938	4 77.8 in Aug 2011
5 85.2 in Aug 2020	5 93.8 in Aug 2023	5 77.5 in Aug 2020
6 85.0 in Aug 2014	93.8 in Jul 2016	6 77.2 in Jul 2024
7 84.8 in Sep 2019	7 93.7 in Aug 1990	7 77.1 in Jul 2016
8 84.7 in Aug 2016	8 93.6 in Jul 2023	8 76.9 in Aug 2019
9 84.5 in Aug 2011	93.6 in Aug 1989	76.9 in Aug 2016
10 84.3 in Jul 2024	10 93.5 in Aug 2014	10 76.8 in Aug 2024
...	...	11 76.6 in Jul 2025
50 83.0 in Aug 2025*	319 89.5 in Aug 2025*	76.6 in Sep 2019
		76.6 in Aug 2005
		14 76.5 in Aug 2025
		76.5 in Sep 2016
		76.5 in Aug 2014
		76.5 in Aug 2010

**Last of Multiple Occurrences*

VENICE (records began in May 1955):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.1 in 2023	1	80.5 in 1975	1	21.96 in 2024	1	2.96 in 2007
2	86.0 in 2010		80.5 in 1967	2	20.18 in 2017	2	3.00 in 2005
3	85.4 in 2011	3	80.6 in 1968	3	16.77 in 1981	3	3.04 in 1955
	85.4 in 2009	4	80.9 in 1976	4	16.47 in 1967	4	3.10 in 2014
5	85.1 in 2024	5	81.0 in 1959	5	15.76 in 1999	5	3.21 in 1997
6	84.8 in 2012	6	81.1 in 1969	6	13.69 in 1974	6	3.25 in 1990
7	84.7 in 1998	7	81.2 in 1974	7	13.41 in 1971	7	3.28 in 1958
8	84.5 in 1988		81.2 in 1957	8	13.11 in 1970	8	3.49 in 1984
9	84.4 in 2019	9	81.4 in 1958	9	12.94 in 2016	9	3.51 in 1956
10	84.2 in 1997	10	81.5 in 1977	10	12.56 in 1959	10	4.06 in 1963
...				
17	83.5 in 2025			42	6.97 in 2025	30	6.97 in 2025

Normal Temp August at VNCF1 = 83.1°

Normal Rain August at VNCF1 = 8.34 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	86.2 in 2010	1	80.3 in 1975	1	38.01 in 1995	1	11.65 in 2014
2	85.2 in 2023	2	80.4 in 1974	2	37.89 in 2017	2	12.14 in 1990
3	85.1 in 1998	3	80.5 in 1967	3	37.79 in 1992	3	12.88 in 1997
4	84.9 in 2024	4	80.7 in 1984	4	37.69 in 2024	4	13.54 in 1956
5	84.7 in 2011		80.7 in 1966	5	36.76 in 1974	5	13.56 in 1979
6	84.0 in 2019	6	80.8 in 1956	6	36.72 in 2003	6	13.72 in 2007
7	83.9 in 2012	7	80.9 in 1978	7	32.82 in 1999	7	13.77 in 1955
8	83.8 in 2020	8	81.0 in 2008	8	32.69 in 2012	8	14.13 in 2009
9	83.7 in 2025		81.0 in 1972	9	30.31 in 2005	9	14.26 in 1985
10	83.5 in 1997		81.0 in 1959	10	29.35 in 1987		14.26 in 1980
				
				28	22.15 in 2025	41	22.15 in 2025

Normal Summer Temp at VNCF1 = 82.5°

Normal Summer Rain at VNCF1 = 23.54 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 88.1 in Sep 1988	1 95.5 in Sep 1988	1 80.5 in Sep 1988
2 86.6 in Jul 1989	2 95.4 in Jun 2010	2 79.7 in Jul 1989
3 86.4 in Jun 2010	3 95.3 in Jun 1998	3 78.8 in Aug 2010
4 86.3 in Jul 2023	4 95.1 in Jun 2004	4 78.6 in Sep 1989
5 86.2 in Jul 2010	5 94.9 in Aug 2023	5 78.5 in Jul 2010
6 86.1 in Aug 2023	6 94.8 in Aug 1998	6 78.1 in Jul 2023
7 86.0 in Aug 2010	7 94.5 in Jul 2023	78.1 in Aug 2011
8 85.7 in Jun 1998	8 94.2 in Jul 1998	8 77.7 in Aug 2024
9 85.4 in Aug 2011	9 93.9 in Jul 1997	9 77.5 in Jul 2025
85.4 in Aug 2009	10 93.8 in Jul 2010	77.5 in Jul 2024
85.4 in Sep 1989	93.8 in Aug 2009	...
...	93.8 in Aug 1997	25 76.2 in Aug 2025
46 83.5 in Aug 2025*	93.8 in Jul 1996	76.2 in Jun 2024
	93.8 in Jul 1993	
	...	
	112 90.8 in Aug 2025*	

**Last of Multiple Occurrences*

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 86.7 in 1993	1 80.4 in 1962	1 19.85 in 1981	1 2.81 in 2005
2 85.0 in 1998	2 80.5 in 1959	2 18.61 in 1971	2 3.44 in 1991
3 84.8 in 2017	80.5 in 1957	3 18.45 in 2003	3 3.94 in 2001
4 84.3 in 2005	4 80.9 in 2002	4 17.90 in 2024	4 5.05 in 1974
84.3 in 1999	80.9 in 1972	5 17.18 in 2016	5 5.11 in 2022
6 84.1 in 2011	80.9 in 1971	6 16.85 in 2018	6 5.17 in 1976
7 84.0 in 2019	7 81.1 in 1985	7 16.60 in 1949	7 5.32 in 1996
84.0 in 2016	8 81.3 in 2001	8 15.99 in 1980	8 5.33 in 1944
84.0 in 2010	81.3 in 1969	9 15.66 in 1999	9 5.35 in 1956
10 83.9 in 1997	81.3 in 1963	10 15.62 in 1988	10 5.48 in 1948

Average Temperature for August 2025 = Not Available Yet
Normal Temp August at MKCF1 = 83.1°

Total Rainfall for August 2025 = Not Available Yet
Normal Rain August at MKCF1 = 10.12 in.

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 85.0 in 1998	1 79.8 in 1962	1 47.18 in 2003	1 13.38 in 1956
2 84.0 in 2010	2 80.1 in 1959	2 46.76 in 2017	2 16.52 in 1996
3 83.5 in 2017	3 80.3 in 1984	3 46.32 in 1995	3 17.03 in 1948
4 83.4 in 2016	80.3 in 1974	4 43.79 in 1981	4 17.41 in 1961
5 83.3 in 2019	5 80.5 in 1972	5 41.67 in 1965	5 17.42 in 2009
83.3 in 1999	80.5 in 1963	6 40.81 in 2012	6 18.65 in 1952
7 83.2 in 2018	7 80.6 in 2002	7 40.58 in 1982	7 19.68 in 1944
83.2 in 1993	80.6 in 1986	8 40.14 in 1992	8 20.18 in 1986
9 83.1 in 2005	80.6 in 1971	9 38.00 in 2024	9 20.32 in 1954
83.1 in 1997	80.6 in 1960	10 37.94 in 1968	10 20.37 in 1964

Average Temperature for Summer 2025 = Not Available Yet
Normal Summer Temp at MKCF1 = 82.3°

Total Rainfall for Summer 2025 = Not Available Yet
Normal Summer Rain at MKCF1 = 29.88 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.7 in Aug 1993	1 97.1 in Jun 1998	1 77.5 in Aug 1993
2 85.2 in Jun 1998	2 96.3 in Aug 1998	2 75.8 in Aug 2024
3 85.0 in Aug 1998	3 95.8 in Aug 1993	3 75.6 in Sep 2024
85.0 in Jul 1998	4 95.7 in Jun 2010	75.6 in Aug 2019
5 84.8 in Aug 2017	5 95.6 in Jul 1998	75.6 in Sep 1993
6 84.4 in Jun 2010	95.6 in Jul 1996	6 75.3 in Aug 2017
7 84.3 in Aug 2005	95.6 in Jun 1985	75.3 in Aug 2010
84.3 in Aug 1999	8 95.4 in Jul 1993	8 75.2 in Jul 2005
9 84.2 in Jul 2016	9 95.2 in Aug 1999	9 75.1 in Jul 2025
10 84.1 in Aug 2011	95.2 in Sep 1991	10 75.0 in Jul 2024
84.1 in Jul 2005		

Average Temperature for August 2025 = Not Available Yet
Average Max Temperature for August 2025 = Not Available Yet
Average Min Temperature for August 2025 = Not Available Yet

WAUCHULA 2 N (records began in January 1933):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.4 in 2009	1	77.7 in 1950	1	15.53 in 1949	1	2.66 in 1982
2	85.2 in 2007	2	80.1 in 1953	2	14.17 in 2010	2	2.97 in 1938
3	84.3 in 2023	3	80.3 in 2000	3	14.04 in 2015	3	3.30 in 1958
4	84.2 in 1941	4	80.4 in 1939	4	13.68 in 1939	4	3.67 in 2005
5	83.6 in 2024	5	80.5 in 1967	5	12.76 in 1992	5	3.75 in 1957
	83.6 in 1993	6	80.7 in 2003	6	12.54 in 1943	6	4.17 in 1965
7	83.5 in 1989		80.7 in 1996	7	12.46 in 1953	7	4.24 in 1970
	83.5 in 1987		80.7 in 1949	8	12.28 in 2003	8	4.48 in 2009
9	83.4 in 2005	9	80.8 in 1959	9	12.11 in 1956	9	4.52 in 1933
10	83.3 in 2016		80.8 in 1947	10	11.45 in 2016	10	4.59 in 1941
	83.3 in 1983						

Average Temperature for August 1-24, 2025 = 84.0°
Normal Temp August at WAUF1 = 82.3°

Total Rainfall for August 1-24, 2025 = 4.44 inches
Normal Rain August at WAUF1 = 8.46 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.6 in 2009	1	78.3 in 1950	1	43.85 in 1939	1	14.24 in 1999
2	83.5 in 2024	2	79.9 in 2012	2	39.39 in 1943	2	14.30 in 1964
3	83.2 in 2008		79.9 in 1955	3	38.22 in 1949	3	14.60 in 2000
	83.2 in 1993	4	80.0 in 1947	4	37.38 in 1953	4	14.65 in 1958
5	82.9 in 1998	5	80.1 in 1996	5	35.80 in 2017	5	15.13 in 1952
	82.9 in 1987		80.1 in 1956	6	34.17 in 1959	6	16.05 in 1998
7	82.7 in 2016	7	80.2 in 2013	7	34.14 in 1945	7	16.30 in 2018
	82.7 in 2007		80.2 in 2000	8	32.94 in 1974	8	16.51 in 1996
9	82.6 in 1942		80.2 in 1953	9	32.53 in 1968	9	16.97 in 1957
10	82.5 in 1969		80.3 in 1976	10	30.58 in 2013	10	17.21 in 1981
			80.3 in 1965				

Average Temperature for June 1 - August 24, 2025 = 82.9°
Normal Summer Temp at WAUF1 = 81.6°

Total Rainfall for June 1 - August 24, 2025 = 23.29 in.
Normal Summer Rain at WAUF1 = 24.61 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 85.4 in Aug 2009	1 95.0 in Aug 2007	1 76.7 in Aug 2009
2 85.2 in Aug 2007	95.0 in Aug 1989	2 76.0 in Sep 2009
3 84.5 in Sep 2009	3 94.8 in Jun 1998	3 75.6 in Jul 2009
84.5 in Jul 2009	4 94.7 in May 2024	4 75.4 in Aug 2007
5 84.3 in Jul 2024	94.7 in Aug 2023	5 75.1 in Aug 2008
84.3 in Aug 2023	6 94.6 in Jul 1981	6 75.0 in Sep 2024
7 84.2 in Aug 1941	7 94.5 in Jul 2024	7 74.9 in Sep 2008
8 83.9 in Jun 2009	94.5 in Aug 1987	8 74.5 in Jul 2008
83.9 in Jul 1992	94.5 in Jul 1942	9 74.3 in Aug 2024
10 83.8 in Jul 1942	94.5 in Aug 1941	10 74.2 in Jul 2024
		74.2 in Jun 2009

Average Temperature for August 1-24, 2025 = 84.0°
Average Max Temperature for August 1-24, 2025 = 94.0°
Average Min Temperature for August 1-24, 2025 = 74.0°

ARCHBOLD BIO STN (records began in January 1969):

Warmest August's	Coollest August's	Wettest August's	Driest August's
1 83.9 in 2023	1 79.7 in 1994	1 20.05 in 2006	1 1.94 in 2000
2 83.6 in 2016	2 79.9 in 1971	2 17.88 in 2004	2 2.71 in 1984
3 83.4 in 2020	3 80.0 in 1984	3 14.31 in 1999	3 2.75 in 2009
4 83.3 in 2010	4 80.1 in 1974	4 13.70 in 2010	4 3.14 in 2007
5 83.1 in 2024	5 80.2 in 1973	5 12.76 in 1979	5 3.50 in 1987
83.1 in 2022	6 80.3 in 1976	6 12.33 in 2008	6 4.24 in 1970
7 82.9 in 2017	80.3 in 1972	7 12.12 in 1992	7 4.28 in 1993
8 82.8 in 2014	8 80.4 in 2003	8 11.55 in 2023	8 4.40 in 1997
9 82.7 in 2015	80.4 in 2000	9 11.35 in 2015	9 4.50 in 2020
82.7 in 2011	10 80.6 in 2002	10 11.22 in 2012	10 4.55 in 2014

Average Temperature for August 1-25, 2025 = 83.3°
Normal Temp August at ACHF1 = 82.1°

Total Rainfall for August 1-25, 2025 = 10.13 inches
Normal Rain August at ACHF1 = 8.49 in.

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 83.3 in 2010	1 78.8 in 1984	1 41.24 in 1974	1 10.76 in 2000
2 82.9 in 2016	2 79.3 in 1976	2 40.51 in 2002	2 11.29 in 1987
3 82.8 in 2024	79.3 in 1974	3 39.46 in 2013	3 13.75 in 1980
4 82.6 in 2023	4 79.4 in 1971	4 34.39 in 2023	4 14.20 in 1998
5 82.5 in 2017	5 79.8 in 1973	5 34.04 in 2006	5 17.45 in 1997
6 82.2 in 2022	79.8 in 1972	6 34.02 in 2008	6 18.50 in 2009
7 82.1 in 2020	7 79.9 in 2008	7 33.94 in 2001	7 18.57 in 2007
82.1 in 1998	79.9 in 1994	8 33.72 in 2004	8 19.23 in 1985
9 82.0 in 2015	9 80.0 in 2002	9 32.56 in 1992	9 19.49 in 1983
10 81.9 in 2019	80.0 in 1970	10 31.74 in 1986	10 19.78 in 1972

Average Temperature for June 1 - August 25, 2025 = 82.3°
Normal Summer Temp at ACHF1 = 81.4°

Total Rainfall for June 1 - August 25, 2025 = 32.54 in.
Normal Summer Rain at ACHF1 = 25.68 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 83.9 in Aug 2023	1 96.4 in Jun 1998	1 73.5 in Aug 2024
2 83.6 in Aug 2016	2 96.1 in Jun 2010	73.5 in Aug 2023
3 83.5 in Jul 2024	3 95.5 in Jul 2016	3 73.4 in Sep 2024
83.5 in Jul 2016	4 95.4 in Aug 2022	4 73.1 in Aug 2010
83.5 in Jun 2010	95.4 in Jul 1981	5 73.0 in Aug 2016
6 83.4 in Jul 2023	6 95.2 in Jul 1998	6 72.7 in Jul 2024
83.4 in Aug 2020	7 95.1 in Jul 2022	7 72.4 in Jul 2025
8 83.3 in Jul 2022	8 95.0 in May 2024	8 72.3 in Jul 2023
83.3 in Aug 2010	9 94.9 in Aug 2014	9 72.2 in Aug 2019
10 83.2 in Jul 2010	94.9 in Aug 1987	10 72.2 in Sep 2004

Average Temperature for August 1-25, 2025 = 83.3°
Average Max Temperature for August 1-25, 2025 = 93.0°
Average Min Temperature for August 1-25, 2025 = 73.5°

PUNTA GORDA AREA (records began in May 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.3 in 2023	1	79.8 in 1939	1	19.56 in 1928	1	1.86 in 1927
2	86.0 in 2024	2	80.3 in 1922	2	15.60 in 1995	2	2.07 in 1938
3	85.1 in 1951	3	80.6 in 1969	3	14.01 in 1922	3	2.78 in 1936
4	84.7 in 2014	4	80.8 in 1949	4	13.75 in 2009	4	3.36 in 1976
5	84.5 in 2020	5	80.9 in 1967	5	13.47 in 2017	5	3.41 in 1997
	84.5 in 1987		80.9 in 1930	6	13.42 in 1949	6	3.50 in 1984
7	84.4 in 2011	7	81.0 in 1955	7	13.03 in 1959	7	3.55 in 1952
8	84.3 in 2005		81.0 in 1929	8	12.75 in 2024	8	3.82 in 1978
9	84.2 in 2018		81.0 in 1928	9	12.45 in 1967	9	3.93 in 1955
	84.2 in 2007		81.0 in 1926	10	12.37 in 2018	10	4.02 in 1943
11	84.1 in 2021			
				36	8.89 in 2025	74	8.89 in 2025

Normal Temp August at PGD = 83.5°

Normal Rain August at PGD = 9.11 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.7 in 2024	1	79.8 in 1929	1	47.45 in 1943	1	9.88 in 1921
2	84.7 in 2023	2	80.3 in 1939	2	43.12 in 2017	2	13.96 in 1932
3	84.2 in 2020	3	80.4 in 1955	3	41.80 in 1912	3	14.17 in 1920
4	84.0 in 2018		80.4 in 1949	4	38.16 in 1992	4	14.88 in 1927
5	83.9 in 1951	5	80.5 in 1971	5	37.93 in 1922	5	15.05 in 1955
6	83.8 in 2025		80.5 in 1938	6	37.24 in 1945	6	15.12 in 1979
7	83.7 in 2010	7	80.6 in 1930	7	34.55 in 2021	7	15.24 in 1956
8	83.6 in 2016		80.6 in 1925	8	33.90 in 1939	8	15.43 in 1952
9	83.5 in 1980		80.6 in 1922	9	33.81 in 1959	9	15.75 in 1990
10	83.4 in 2022	10	80.8 in 1974	10	33.24 in 1981	10	15.94 in 2007
	83.4 in 2014		80.8 in 1967	
	83.4 in 2011		80.8 in 1928	51	23.68 in 2025	56	23.68 in 2025

Normal Summer Temp at PGD = 82.8°

Normal Summer Rain at PGD = 26.41 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.7 in Jul 2024	1 95.8 in Jul 2024	1 78.1 in Aug 2024
2 86.3 in Aug 2023	2 95.5 in Jul 2023	2 77.6 in Sep 2024
3 86.0 in Aug 2024	3 95.3 in Aug 2023	77.6 in Jul 2024
4 85.8 in Jul 2023	4 94.9 in May 2024	4 77.2 in Aug 2023
5 85.6 in Sep 2024	94.9 in Aug 1952	5 76.5 in Aug 2011
6 85.1 in Aug 1951	6 94.5 in Aug 1951	6 76.1 in Jul 2023
7 84.7 in Jul 2020	7 94.4 in Jun 2010	7 76.0 in Aug 2010
84.7 in Sep 2014	94.4 in Jun 1981	76.0 in Aug 2008
9 84.6 in Jul 2025	94.4 in Sep 1952	9 75.9 in Aug 2020
84.6 in Sep 2018	10 94.2 in Jul 1981	75.9 in Sep 2018
...	94.2 in Jul 1963	75.9 in Jul 2005
21 84.1 in Aug 2025*	...	12 75.8 in Aug 2025
	90 92.4 in Aug 2025*	75.8 in Aug 2021
		75.8 in Aug 2019
		75.8 in Aug 2005

**Last of Multiple Occurrences*

FORT MYERS AREA (records began in January 1902):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 85.9 in 2023	1 79.6 in 1906	1 17.64 in 1932	1 3.12 in 1919
2 85.2 in 2022	79.6 in 1904	2 16.95 in 2017	2 3.14 in 1927
3 84.8 in 2025	3 79.7 in 1910	3 16.82 in 2004	3 3.55 in 1934
84.8 in 2024	4 79.8 in 1908	4 16.80 in 2003	4 3.97 in 1902
84.8 in 1987	5 80.0 in 1913	5 16.73 in 1981	5 3.98 in 1963
6 84.4 in 2014	6 80.4 in 1911	6 16.22 in 1972	6 4.07 in 1996
84.4 in 2005	80.4 in 1909	7 15.86 in 1967	7 4.12 in 1958
84.4 in 1985	8 80.5 in 1917	8 14.97 in 1990	8 4.26 in 1964
9 84.3 in 1995	9 80.6 in 1922	9 14.81 in 1926	9 4.29 in 1955
84.3 in 1981	80.6 in 1907	10 14.79 in 1979	10 4.32 in 1953
84.3 in 1979			4.32 in 1924
	
		57 9.11 in 2025	68 9.11 in 2025

Normal Temp August at FMY = 83.4°
Normal Rain August at FMY = 10.43 in.

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 85.3 in 1981	1 79.1 in 1904	1 43.87 in 2024	1 11.12 in 1964
2 85.2 in 2023	2 79.2 in 1910	2 42.27 in 1974	2 14.71 in 1944
3 84.6 in 2010	3 79.7 in 1908	3 42.24 in 2004	3 15.74 in 1963
4 84.5 in 2024	4 79.8 in 1906	4 41.55 in 1912	4 16.67 in 1956
84.5 in 2022	5 80.0 in 1913	5 40.57 in 2017	5 17.03 in 1970
6 84.3 in 2025	6 80.1 in 1917	6 40.01 in 1995	6 17.20 in 1902
7 84.2 in 1979	7 80.2 in 1903	7 38.76 in 2005	7 17.56 in 1931
8 84.0 in 1998	80.2 in 1907	8 37.58 in 2006	8 17.60 in 1950
9 83.9 in 1987	80.2 in 1909	9 36.90 in 1982	9 17.80 in 1980
83.9 in 1980	10 80.4 in 1918	10 36.89 in 1943	10 17.90 in 2014
			...
			24 21.26 in 2025

Normal Summer Temp at FMY = 83.0°
Normal Summer Rain at FMY = 29.47 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.1 in Jul 2023	1 95.9 in Jun 1981	1 78.2 in Aug 2023
2 85.9 in Aug 2023	2 94.9 in Jun 2010	78.2 in Jul 2023
85.9 in Jun 1981	94.9 in Jul 1942	3 77.5 in Jul 1981
4 85.7 in Jul 1981	4 94.6 in Jul 1979	4 77.3 in Aug 2024
85.7 in Jul 1979	5 94.4 in Aug 1942	5 77.1 in Jul 2024
6 85.3 in Jul 2022	6 94.2 in Jun 1944	77.1 in Aug 2008
85.3 in Jun 2010	7 94.1 in Jul 2023	77.1 in Aug 1995
8 85.2 in Jul 2024	94.1 in Aug 1987	8 77.0 in Aug 2025
85.2 in Aug 2022	9 94.0 in Jul 1997	77.0 in Jul 2022
10 84.8 in Aug 2025	10 93.9 in Jul 1992	77.0 in Aug 1981
84.8 in Aug 2024	93.9 in Jul 1981	
84.8 in Jul 1997	...	
84.8 in Jul 1996	49 92.7 in Aug 2025	
84.8 in Aug 1987		

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then rollover the Climate and Past
Weather drop down menu above the graphical forecast images.