



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>

February 2019 and Winter 2018-19 Climate Summary

As is typical during an El Niño winter the storm track was further south and during December and January this led to numerous cold fronts moving across the region bringing widespread rainfall. Temperatures varied greatly with these frontal passages as warm and humid air would overspread the region ahead of them followed by much cooler drier air for a few days. Then for a second February in a row a ridge of high pressure setup over the Florida peninsula for much of the month leading to numerous days with well above normal temperatures. For February most locations ended up in the Top Ten Warmest.

FEBRUARY MONTHLY TEMPERATURE (°F) :


Location	Feb 2019		Normal Feb Temp	Dep fm Normal	Record	Records Began
	Rank	Avg Temp				
Winter Haven Area	1st	72.8	63.5	+9.3	72.7/2018	Mar 1941
Fort Myers - Page Field	2nd	72.9	66.6	+6.3	74.9/2018	Jan 1902
Plant City	2nd	71.9	63.2	+8.7	73.2/2018	Sep 1892
Myakka River State Park	2nd	71.7	64.4	+7.3	72.3/2018	Mar 1956
Sarasota-Bradenton Area	2nd	71.1	63.4	+7.7	71.9/2018	Jan 1911
Tampa Area	2nd	70.9	63.4	+7.5	74.2/2018	Apr 1890
Venice	2nd	70.7	63.6	+7.1	72.5/2018	May 1955
Archbold Bio Stn	2nd	69.8	62.6	+7.6	71.3/2018	Jan 1969
Chiefland 5 ESE	2nd	65.3	57.4	+7.9	68.8/2018	Jul 1956
Lakeland Linder	3rd	71.1	63.3	+7.8	72.8/2018	Feb 1915
Tarpon Springs	3rd(tie)	69.6	62.3	+7.3	71.2/2018	Jan 1892
St Petersburg - Whitted	4th	70.1	64.1	+6.0	72.6/2018	Aug 1914
St Leo	4th	69.4	63.6	+5.8	71.2/2018	Apr 1895
Punta Gorda Area	5th	70.8	65.5	+5.3	74.4/1949	May 1914
Bartow	5th(tie)	69.6	64.5	+5.1	71.6/2018	Jun 1892
Inverness 3 SE	5th	66.1	59.1	+7.0	69.4/1949	Jul 1948
Brooksville Area	6th(tie)	68.6	59.5	+9.1	70.6/2018	Jan 1892
Arcadia	7th	69.9	62.7	+7.2	71.2/1949	Nov 1899
Wauchula 2 N	9th	69.1	63.9	+5.2	71.1/1949	Jan 1933

As for cold weather, we did see several days with below freezing temperatures across the Nature Coast, which is pretty common during the Winter, but overall temperatures averaged about 1 to 4 degrees above normal for the Winter (December/January/February).


WINTER (DEC/JAN/FEB) TEMPERATURE (°F) :

Location	Winter 2018-19		Normal Temp	Dep fm Normal	Warmest Winter	Records Began
	Rank	Avg Temp				
Plant City	6th	66.0	62.1	+3.9	68.7/1948-49	Sep 1892
Sarasota-Bradenton Area	7th	66.3	62.7	+3.6	69.1/1931-32	Jan 1911
Myakka River State Park	7th(tie)	66.1	63.2	+2.9	68.4/2016-17	Mar 1956
Winter Haven Area	8th	66.2	62.4	+3.8	69.4/1948-49	Mar 1941
Archbold Bio Stn	8th(tie)	64.8	61.7	+3.1	67.4/2016-17	Jan 1969
Venice	11th	65.3	63.0	+2.3	68.3/1988-89	May 1955
Lakeland Linder	12th	65.9	62.3	+3.6	70.9/1931-32	Feb 1915
Tampa Area	15th	65.6	62.4	+3.2	70.3/1931-32	Apr 1890
Fort Myers - Page Field	18th	68.0	65.7	+2.3	70.9/2016-17	Jan 1902
Tarpon Springs	19th(tie)	64.0	61.3	+2.7	70.5/1931-32	Jan 1892
Inverness 3 SE	21st	60.1	58.0	+2.1	67.0/1948-49	Jul 1948
St Petersburg - Whitted	22nd(tie)	65.7	63.3	+2.4	72.1/1931-31	Aug 1914
St Leo	22nd(tie)	63.6	62.4	+1.2	68.7/1931-32	Apr 1895
Arcadia	24th(tie)	64.6	61.7	+2.9	69.5/1931-32	Nov 1899
Bartow	24th	64.1	63.3	+0.8	68.9/1948-49	Jun 1892
Wauchula 2 N	26th	63.9	63.0	+0.9	68.8/1948-49	Jan 1933
Brooksville Area	33rd(tie)	62.0	58.5	+3.5	68.2/1931-32	Jan 1892
Punta Gorda Area	34th(tie)	65.8	63.9	+1.9	72.0/1948-49	May 1914


The following graphics depict the monthly/season average and departure from normal (average) temperature (based on the 1981-2010 Normals) across the area.



Temperature (F)
1/1/2019 - 1/31/2019




Departure from Normal Temperature (F)
1/1/2019 - 1/31/2019




January 2019

Temperature (F)
2/1/2019 - 2/28/2019




Departure from Normal Temperature (F)
2/1/2019 - 2/28/2019




February 2019

Temperature (F)
12/1/2018 - 2/28/2019



Departure from Normal Temperature (F)
12/1/2018 - 2/28/2019





Winter 2018-2019

As for rainfall we were above normal for the winter which is pretty typical during an El Niño winter with several locations ending up in the Top Ten Wettest as seen in the table below. However, thanks to the ridge over the region during much of February many areas were below normal for this month.

WINTER RAINFALL (inches - Top Wettest):

Location	Winter 2018-19 Rank	Winter 2018-19 Rainfall	Normal Feb Rain	Dep fm Normal	Record	Records Began
Inverness 3 SE	3rd	16.66	8.56	+8.10	22.52/1997-98	Jul 1948
Tampa Area	3rd	15.81	7.51	+8.30	31.03/1997-98	Apr 1890
Lakeland Linder	4th	15.22	8.24	+6.98	23.72/1997-98	Feb 1915
Plant City	5th	14.99	8.10	+6.89	26.68/1997-98	Sep 1892
Venice	5th	12.35	7.02	+5.33	19.42/1997-98	May 1955
Tarpon Springs	7th	16.44	8.87	+7.57	29.65/1997-98	Jan 1892
Winter Haven Area	7th	11.84	7.76	+4.08	24.22/1997-98	Mar 1941
Chiefland 5 ESE	8th	16.37	10.44	+5.93	30.55/1997-98	Jul 1956
Myakka River State Park	9th	12.60	8.01	+4.59	27.20/1997-98	Sep 1943
Wauchula 2 N	9th	11.53	6.90	+4.63	21.20/1997-98	Jan 1933
Archbold Bio Stn	9th	9.13	6.39	+2.74	21.53/1997-98	Jan 1969
Brooksville Area	11th	14.74	8.98	+5.76	22.83/1997-98	Jan 1892
Sarasota-Bradenton Area	11th	12.39	7.72	+4.67	28.11/1997-98	Jan 1911
St Leo	13th	13.88	9.08	+4.80	28.97/1997-98	Apr 1895
Bartow	15th	11.98	7.45	+4.53	24.41/1997-98	Jun 1892
Punta Gorda Area	15th	9.13	6.26	+2.87	16.32/1935-36	May 1914
St Petersburg - Whitted	16th	11.61	8.04	+3.57	32.36/1997-98	Aug 1914
Fort Myers - Page Field	16th	9.47	5.80	+3.67	18.71/2015-16	Jan 1902
Arcadia	21st	10.03	6.33	+3.70	16.85/1997-98	Nov 1899

Percent of Normal Rainfall



On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Februarys and Winters (December/January/February) at some official NWS locations, which include the average/total for this month/season, and the 1981-2010 Normal (average) temperature and rainfall.

CHIEFLAND 5 ESE (records began in July 1956):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	68.8 in 2018	1	48.4 in 1958	1	15.20 in 1998	1	0.12 in 1962
2	65.3 in 2019	2	49.3 in 2010	2	9.06 in 2004	2	0.72 in 1994
3	64.2 in 1990		49.3 in 1968	3	8.73 in 1970	3	0.77 in 1980
4	64.1 in 1959	4	50.0 in 1978	4	7.75 in 1964	4	0.78 in 1989
5	64.0 in 2017	5	52.3 in 1963	5	7.42 in 1966	5	0.82 in 1997
	64.0 in 1982	6	52.4 in 1964	6	7.05 in 1965	6	0.98 in 1996
7	63.3 in 1975	7	53.0 in 1969	7	6.55 in 1993	7	1.01 in 1991
	63.3 in 1957	8	53.1 in 1980	8	6.26 in 1967	8	1.06 in 2000
9	63.1 in 2001	9	53.3 in 1977	9	6.10 in 1963	9	1.21 in 2017
10	62.6 in 1997	10	53.5 in 2009	10	6.01 in 1978	10	1.37 in 2019

Normal Temperature for February at CHIF1 = 57.4°

Normal Rainfall for February at CHIF1 = 3.83 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	62.0 in 1956-57	1	50.8 in 1957-58	1	30.55 in 1997-98	1	2.18 in 1956-57
2	61.7 in 1971-72	2	51.7 in 1977-78	2	26.40 in 1963-64	2	3.86 in 2000-01
3	61.5 in 1998-99		51.7 in 1963-64	3	20.46 in 1969-70	3	4.21 in 1961-62
4	61.1 in 1990-91	4	52.0 in 1976-77	4	19.65 in 1964-65	4	5.19 in 2016-17
5	60.8 in 2012-13	5	52.1 in 2009-10	5	17.59 in 1977-78		5.19 in 1980-81
	60.8 in 1973-74	6	52.7 in 2010-11	6	17.58 in 1978-79	6	5.26 in 2011-12
7	60.2 in 2017-18		52.7 in 1980-81	7	16.42 in 1965-66	7	5.42 in 2004-05
	60.2 in 1974-75	8	52.9 in 1969-70	8	16.37 in 2018-19	8	5.49 in 1984-85
9	59.6 in 1988-89	9	53.2 in 1968-69	9	16.27 in 2005-06	9	6.00 in 1994-95
	59.6 in 1964-65	10	53.7 in 2002-03	10	15.89 in 2013-14	10	6.17 in 1999-00
			53.7 in 1962-63				

Average Temperature for Winter 2018-19 (Dec/Jan/Feb) = Not available because numerous days were missing during January 2019.

Normal Temperature for Winter (Dec/Jan/Feb) at CHIF1 = 56.0°

Normal Rainfall for Winter (Dec/Jan/Feb) at CHIF1 = 10.44 in.

INVERNESS 3 SE (records began in July 1948):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	69.4 in 1949	1	49.7 in 2010	1	10.21 in 1952	1	0.46 in 1999
2	68.9 in 2018	2	50.6 in 1978	2	6.62 in 1998	2	0.52 in 1985
3	68.1 in 1959	3	51.1 in 1958	3	6.45 in 1960	3	0.58 in 1976
4	66.9 in 1957	4	54.0 in 1977	4	6.25 in 1983	4	0.73 in 1950
5	66.1 in 2019	5	54.3 in 1980	5	6.16 in 1978	5	0.75 in 1989
6	65.9 in 1956	6	54.7 in 1968	6	5.64 in 2006	6	0.82 in 2009
7	65.8 in 1982	7	54.8 in 1988	7	5.56 in 1971	7	0.95 in 1949
8	65.7 in 1975	8	54.9 in 2015	8	5.43 in 1964	8	0.99 in 2005
9	64.9 in 1990	9	55.1 in 2009	9	5.35 in 2003		0.99 in 1995
10	64.2 in 2017	10	55.3 in 2006	10	5.34 in 1970		0.99 in 1956
	64.2 in 2012		55.3 in 1979			11	1.27 in 1994
	64.2 in 2001		55.3 in 1973				1.27 in 1980
	64.2 in 1950					13	1.33 in 2013
						14	1.34 in 2019

Normal Temperature for February at INVF1 = 59.1°

Normal Rainfall for February at INVF1 = 2.86 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	67.0 in 1948-49	1	52.5 in 2002-03	1	22.52 in 1997-98	1	1.98 in 1949-50
2	66.0 in 1949-50	2	53.1 in 1977-78	2	17.06 in 1977-78	2	2.49 in 2004-05
3	65.3 in 1956-57		53.1 in 1976-77	3	16.66 in 2018-19	3	2.59 in 1984-85
4	64.1 in 2016-17	4	53.2 in 2009-10	4	14.69 in 1969-70	4	2.98 in 2012-13
5	63.0 in 1971-72	5	53.5 in 1957-58	5	14.46 in 1963-64	5	3.20 in 1956-57
6	62.5 in 1951-52	6	54.1 in 2010-11	6	14.06 in 2002-03	6	3.52 in 1948-49
7	62.3 in 1974-75	7	55.6 in 1987-88	7	13.93 in 1951-52	7	3.81 in 1975-76
	62.3 in 1964-65	8	55.9 in 1995-96	8	12.79 in 1978-79	8	3.90 in 2011-12
9	62.2 in 1973-74	9	56.1 in 1963-64	9	12.70 in 1993-94	9	4.02 in 1955-56
	62.2 in 1953-54	10	56.3 in 2005-06	10	12.25 in 1983-84	10	4.26 in 1998-99
...							
21	60.1 in 2018-19	32	60.1 in 2018-19				

Normal Temperature for Winter (Dec/Jan/Feb) at INVF1 = 58.0°

Normal Rainfall for Winter (Dec/Jan/Feb) at INVF1 = 8.56 in.

BROOKSVILLE AREA (records began in January 1892):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 70.6 in 2018	1 50.4 in 2010	1 10.15 in 1998	1 0.10 in 1911
2 69.9 in 1927	2 52.1 in 1895	2 9.59 in 1952	2 0.11 in 2017
3 69.1 in 1932	3 52.8 in 1902	3 8.84 in 1899	3 0.14 in 2000
4 69.0 in 1949	4 52.9 in 1978	4 8.72 in 2004	4 0.50 in 1945
5 68.8 in 1944	5 54.8 in 1947	5 7.37 in 1936	5 0.54 in 1938
6 68.6 in 2019	54.8 in 1920	6 7.19 in 1983	6 0.53 in 2009
68.6 in 1939	7 55.2 in 1901	7 7.04 in 1903	0.53 in 1939
8 68.4 in 1918	8 55.9 in 2009	8 6.83 in 1971	8 0.54 in 1999
9 68.1 in 1959	9 56.0 in 1963	9 6.78 in 1981	9 0.57 in 2001
10 66.9 in 1975	56.0 in 1942	10 6.52 in 1946	0.57 in 1943
66.9 in 1945	
		84 1.74 in 2019	43 1.74 in 2019

Normal Temperature for February at BKV = 59.5°
 Normal Rainfall for February at BKV = 3.37 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.2 in 1931-32	1 53.8 in 1901-02	1 22.83 in 1997-98	1 1.09 in 1910-11
2 67.5 in 1948-49	2 54.0 in 2009-10	2 17.83 in 1898-99	2 1.57 in 1906-07
3 66.9 in 1949-50	3 54.5 in 2010-11	3 17.22 in 1935-36	3 1.89 in 2011-12
4 66.1 in 1926-27	4 55.0 in 2002-03	4 16.98 in 1911-12	4 2.44 in 1949-50
5 65.8 in 1912-13	5 55.7 in 1976-77	5 16.44 in 1969-70	5 2.63 in 1938-39
6 65.4 in 1936-37	6 56.2 in 1969-70	6 16.21 in 1902-03	6 2.81 in 1999-00
65.4 in 1932-33	7 56.4 in 2003-04	7 15.51 in 1963-64	7 2.87 in 2008-09
8 65.2 in 1971-72	8 56.7 in 1963-64	8 14.93 in 1913-14	8 3.02 in 1908-09
9 64.3 in 1973-74	9 56.8 in 1939-40	9 14.80 in 2003-04	9 3.26 in 1942-43
10 64.1 in 1974-75	56.8 in 1894-95	10 14.79 in 1977-78	10 3.43 in 1984-85
...	...	11 14.74 in 2018-19	
33 62.0 in 2018-19	66 62.0 in 2018-19		
in 1991-92	in 1991-92		
in 1981-82	in 1981-82		

Normal Temperature for Winter (Dec/Jan/Feb) at BKV = 58.5°
 Normal Rainfall for Winter (Dec/Jan/Feb) at BKV = 8.98 in.

ST LEO (records began in April 1895):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 71.2 in 2018	1 52.7 in 1958	1 11.04 in 1998	1 0.01 in 1911
2 70.2 in 1932	2 53.3 in 2010	2 9.71 in 1899	2 0.14 in 1999
3 69.5 in 1949	3 53.9 in 1978	3 9.48 in 1983	3 0.25 in 1950
4 69.4 in 2019	4 54.4 in 1947	4 8.69 in 1937	4 0.32 in 1945
5 69.1 in 1982	5 54.9 in 1968	5 8.09 in 1936	5 0.40 in 1989
6 69.0 in 1990	6 55.9 in 1912	6 7.22 in 1915	6 0.42 in 1948
7 68.9 in 1959	7 56.0 in 1942	7 6.92 in 1897	7 0.44 in 1916
8 68.7 in 1939	8 56.5 in 1902	8 6.35 in 1971	8 0.48 in 1938
9 68.2 in 1944	9 56.7 in 1964	6.35 in 1952	9 0.51 in 1922
10 68.1 in 1962	10 57.1 in 1970	10 6.31 in 1963	10 0.54 in 2000
	57.1 in 1941
	57.1 in 1920	103 1.05 in 2019	21 1.05 in 2019
		in 1932	in 1932

Normal Temperature for February at STLF1 = 63.6°

Normal Rainfall for February at STLF1 = 3.04 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.7 in 1931-32	1 54.7 in 1930-31	1 28.97 in 1997-98	1 1.56 in 1906-07
2 68.0 in 1948-49	2 55.5 in 1957-58	2 23.03 in 1898-99	2 1.72 in 1910-11
3 66.6 in 1949-50	3 56.3 in 1977-78	3 18.02 in 1981-82	3 2.07 in 1949-50
4 66.4 in 1936-37	4 56.4 in 1939-40	4 17.89 in 2002-03	4 2.23 in 1938-39
5 66.1 in 1956-57	5 56.5 in 2009-10	5 16.87 in 1969-70	5 2.62 in 2011-12
6 65.8 in 1971-72	56.5 in 1976-77	6 16.34 in 1935-36	6 2.71 in 1975-76
7 65.7 in 1912-13	7 56.9 in 1969-70	7 15.61 in 1913-14	7 2.81 in 1937-38
8 65.5 in 1998-99	8 57.1 in 2010-11	8 14.90 in 1940-41	8 3.48 in 1915-16
9 65.2 in 2007-08	9 57.3 in 1927-28	9 14.55 in 1902-03	9 3.54 in 2016-17
10 65.1 in 2016-17	10 57.5 in 1935-36	10 14.40 in 1977-78	10 3.65 in 1931-32
65.1 in 1990-91		11 14.22 in 1914-15	
...	...	12 14.04 in 1983-84	
22 63.6 in 2018-19	63.6 in 2018-19	13 13.88 in 2018-19	
in 2017-18	in 2017-18		
in 1981-82	in 1981-82		
in 1951-52	in 1951-52		

Normal Temperature for Winter (Dec/Jan/Feb) at STLF1 = 62.4°

Normal Rainfall for Winter (Dec/Jan/Feb) at STLF1 = 9.08 in.

TARPON SPRINGS (records began in January 1892):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 71.2 in 2018	1 51.8 in 1958	1 10.91 in 1998	1 0.06 in 1911
2 70.7 in 1932	2 52.0 in 1895	2 9.79 in 1899	2 0.17 in 2009
3 69.6 in 2019	3 53.0 in 1978	3 8.90 in 1936	3 0.26 in 1918
69.6 in 1949	4 54.6 in 2010	4 8.56 in 1937	4 0.32 in 1999
5 69.3 in 1990	5 55.0 in 1968	5 8.45 in 1983	5 0.38 in 1997
6 68.9 in 1944	6 55.2 in 1902	6 7.36 in 1971	6 0.40 in 1950
68.9 in 1939	7 55.4 in 1964	7 6.52 in 1903	7 0.41 in 1989
8 68.7 in 1927	55.4 in 1947	8 6.49 in 1963	8 0.44 in 1945
9 68.6 in 1997	9 55.5 in 1980	9 6.31 in 2004	9 0.52 in 1938
10 68.1 in 1982	10 55.7 in 1963	10 6.24 in 1970	10 0.59 in 1944
	
		59 2.30 in 2019	67 2.30 in 2019
		in 1988	in 1988
		in 1961	in 1961

Normal Temperature for February at TRPF1 = 62.3°

Normal Rainfall for February at TRPF1 = 2.93 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.5 in 1931-32	1 54.2 in 1957-58	1 29.65 in 1997-98	1 0.97 in 1949-50
2 67.3 in 1949-50	2 55.1 in 1963-64	2 20.41 in 1935-36	2 2.06 in 1910-11
3 66.0 in 1932-33	3 55.8 in 1977-78	3 19.40 in 1898-99	3 2.08 in 1938-39
4 65.9 in 2016-17	4 56.3 in 1980-81	4 18.08 in 1969-70	4 2.14 in 1906-07
5 65.6 in 1990-91	5 56.5 in 1962-63	5 17.47 in 1983-84	5 2.37 in 2000-01
6 65.5 in 1936-37	56.5 in 1939-40	6 17.41 in 2002-03	6 2.67 in 2008-09
7 65.3 in 1996-97	7 56.6 in 2010-11	7 16.44 in 2018-19	7 3.02 in 1975-76
65.3 in 1926-27	56.6 in 1901-02	8 15.17 in 1902-03	8 3.11 in 1934-35
65.3 in 1912-13	9 56.8 in 2009-10	9 14.89 in 1963-64	9 3.54 in 1968-69
10 65.2 in 1998-99	56.8 in 1976-77	10 14.33 in 1985-86	10 3.56 in 1999-00
65.2 in 1971-72	56.8 in 1969-70		
...	...		
19 64.0 in 2018-19	95 64.0 in 2018-19		

Normal Temperature for Winter (Dec/Jan/Feb) at TRPF1 = 61.3°

Normal Rainfall for Winter (Dec/Jan/Feb) at TRPF1 = 8.87 in.

TAMPA AREA (records began in April 1890):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 74.2 in 2018	1 52.9 in 1958	1 10.92 in 1937	1 0.05 in 1911
2 70.9 in 2019	2 53.2 in 1978	2 10.82 in 1998	2 0.08 in 1918
3 70.8 in 1932	3 54.3 in 1968	3 9.09 in 2006	3 0.21 in 1950
4 70.1 in 1949	4 54.8 in 1947	4 7.95 in 1963	4 0.25 in 1932
5 69.1 in 1990	54.8 in 1895	5 7.43 in 1936	5 0.29 in 1999
69.1 in 1891	6 55.0 in 2010	6 7.35 in 1983	6 0.30 in 2000
7 68.9 in 1959	7 55.8 in 1969	7 6.55 in 2015	7 0.34 in 1949
68.9 in 1927	8 56.2 in 1912	8 6.27 in 1899	8 0.41 in 1991
9 68.8 in 2017	56.2 in 1902	9 6.06 in 1903	0.41 in 1989
10 68.6 in 1997	10 56.6 in 1980	10 5.98 in 1919	10 0.43 in 1994
	
		52 2.91 in 2019	78 2.91 in 2019

Normal Temperature for February at TPA = 63.4°

Normal Rainfall for February at TPA = 2.81 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.3 in 1931-32	1 55.2 in 1957-58	1 31.03 in 1997-98	1 0.51 in 1949-50
2 68.4 in 2016-17	2 55.7 in 1977-78	2 17.11 in 2002-03	2 1.41 in 1906-07
68.4 in 1948-49	3 56.0 in 1976-77	3 15.81 in 2018-19	3 1.71 in 1931-32
4 67.0 in 1949-50	4 56.2 in 1980-81	4 15.59 in 1898-99	4 1.76 in 1975-76
5 66.8 in 2017-18	5 56.5 in 1969-70	5 14.86 in 1936-37	5 1.86 in 1910-11
6 66.7 in 1936-37	6 56.8 in 1963-64	6 14.53 in 1914-15	6 2.15 in 1948-49
7 66.1 in 2011-12	7 57.2 in 1939-40	7 13.78 in 1902-03	7 2.54 in 1938-39
66.1 in 1912-13	8 57.3 in 1968-69	8 13.77 in 1941-42	8 2.76 in 1943-44
9 66.0 in 1990-91	9 57.4 in 1901-02	9 13.74 in 1935-36	9 2.85 in 1934-35
10 65.9 in 1932-33	10 57.7 in 2009-10	10 12.76 in 1963-64	10 2.87 in 1904-05
		...	
15 65.6 in 2019			

Normal Temperature for Winter (Dec/Jan/Feb) at TPA = 62.4°

Normal Rainfall for Winter (Dec/Jan/Feb) at TPA = 7.51 in.

ST PETERSBURG - ALBERT WHITTED (records began in August 1914):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	72.6 in 2018	1	55.7 in 1978	1	12.71 in 1998	1	0.12 in 1918
2	72.3 in 1932	2	55.9 in 2010	2	10.93 in 1937	2	0.18 in 2001
3	71.1 in 1949	3	57.3 in 1964	3	9.06 in 1983	3	0.24 in 1976
4	70.1 in 2019		57.3 in 1947	4	8.26 in 1963	4	0.25 in 1999
5	70.0 in 1959	5	58.3 in 1940	5	7.96 in 1936	5	0.29 in 2012
6	69.9 in 1927	6	58.8 in 1963	6	6.69 in 1946	6	0.34 in 1949
7	69.6 in 1957	7	58.9 in 1980	7	6.37 in 1972	7	0.43 in 1989
8	69.4 in 1944	8	59.0 in 1968	8	5.97 in 1964	8	0.44 in 1944
9	69.3 in 1982	9	59.3 in 1941	9	5.67 in 1958	9	0.45 in 1950
	69.3 in 1939	10	59.5 in 1977	10	5.57 in 1919	10	0.49 in 1922
			59.5 in 1942	
				56	1.93 in 2019	49	1.93 in 2019

Normal Temperature for February at SPG = 64.1°
 Normal Rainfall for February at SPG = 2.72 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	72.1 in 1931-32	1	58.1 in 1939-40	1	32.36 in 1997-98	1	0.59 in 1949-50
2	69.4 in 1948-49	2	58.2 in 1963-64	2	20.23 in 2002-03	2	1.49 in 2016-17
3	68.3 in 1971-72	3	58.5 in 2009-10	3	17.14 in 1963-64	3	1.51 in 2000-01
4	68.1 in 1936-37		58.5 in 1976-77	4	16.95 in 1914-15	4	1.54 in 1975-76
5	67.8 in 1949-50	5	58.7 in 1977-78	5	15.15 in 1935-36	5	1.92 in 2011-12
6	67.7 in 2016-17	6	59.2 in 1980-81	6	13.63 in 1947-48	6	2.06 in 1938-39
	67.7 in 2012-13	7	59.3 in 1962-63	7	13.50 in 1969-70	7	2.11 in 1955-56
8	67.6 in 1956-57	8	59.8 in 1969-70	8	13.37 in 1936-37	8	2.21 in 1934-35
9	67.5 in 1932-33	9	60.1 in 1930-31	9	13.14 in 1957-58	9	2.35 in 1948-49
10	67.1 in 1926-27	10	60.5 in 2002-03	10	12.64 in 1945-46	10	2.43 in 1943-44
...		
22	65.7 in 2018-19	71	65.7 in 2018-19	16	11.61 in 2018-19		
	in 1921-22		in 1921-22				

Normal Temperature for Winter (Dec/Jan/Feb) at SPG = 63.3°
 Normal Rainfall for Winter (Dec/Jan/Feb) at SPG = 8.04 in.

PLANT CITY (records began in September 1892):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	73.2 in 2018	1	54.6 in 1958	1	9.04 in 1936	1	0.00 in 1911
2	71.9 in 2019	2	54.9 in 2010	2	8.87 in 1899	2	Trace in 1918
3	70.6 in 1949	3	55.9 in 1978	3	8.57 in 1983	3	0.05 in 1989
4	70.1 in 1959	4	56.0 in 1902	4	8.49 in 1998	4	0.09 in 1976
5	69.6 in 1918	5	56.2 in 1947	5	7.97 in 1937	5	0.25 in 1950
6	69.0 in 2017	6	56.7 in 1968	6	7.56 in 1963	6	0.28 in 1932
7	68.9 in 1982		56.7 in 1942	7	6.77 in 1919	7	0.31 in 2000
8	68.8 in 1939		56.7 in 1941	8	6.13 in 1972	8	0.36 in 1945
9	68.6 in 1990	9	56.9 in 1931	9	5.98 in 2015	9	0.37 in 1949
10	68.2 in 2001	10	57.1 in 1912	10	5.73 in 1992		0.37 in 1944
				
				68	2.21 in 2019	55	2.21 in 2019

Normal Temperature for February at PLCF1 = 63.2°

Normal Rainfall for February at PLCF1 = 2.72 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	68.7 in 1948-49	1	55.2 in 1930-31	1	26.68 in 1997-98	1	1.03 in 1906-07
2	67.2 in 1971-72	2	56.5 in 1935-36	2	17.28 in 1898-99	2	1.06 in 1975-76
3	66.8 in 1956-57	3	56.6 in 1939-40	3	17.16 in 1935-36	3	2.04 in 1910-11
4	66.2 in 1949-50		56.6 in 1901-02	4	16.72 in 2002-03	4	2.15 in 1938-39
5	66.1 in 1912-13	5	56.7 in 1957-58	5	14.99 in 2018-19	5	2.19 in 1908-09
6	66.0 in 2018-19	6	57.2 in 1980-81	6	14.70 in 1914-15	6	2.39 in 2011-12
7	65.8 in 2015-16	7	57.5 in 1976-77	7	14.27 in 1905-06	7	2.68 in 1917-18
8	65.6 in 2012-13	8	57.9 in 2009-10	8	14.09 in 1978-79	8	2.75 in 1942-43
9	65.5 in 2007-08	9	58.2 in 1963-64	9	13.94 in 1963-64	9	2.89 in 1904-05
	65.5 in 1936-37	10	58.3 in 1969-70	10	13.57 in 1925-26	10	3.19 in 1948-49
			58.3 in 1895-96				

Normal Temperature for Winter (Dec/Jan/Feb) at PLCF1 = 62.1°

Normal Rainfall for Winter (Dec/Jan/Feb) at PLCF1 = 8.10 in.

LAKELAND AREA (records began in February 1915):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 72.8 in 2018	1 52.8 in 1958	1 9.60 in 1983	1 Trace in 1918
2 71.6 in 1932	2 54.7 in 1947	2 8.40 in 1936	2 0.14 in 1989
3 71.1 in 2019	3 55.0 in 1978	3 8.25 in 1998	3 0.17 in 1945
4 70.4 in 1918	4 55.8 in 1968	4 7.21 in 1937	4 0.20 in 1916
5 70.1 in 1990	5 55.9 in 2010	5 6.59 in 1963	5 0.25 in 1932
70.1 in 1949	6 56.7 in 1941	6 5.89 in 1915	6 0.26 in 1949
7 69.8 in 1982	7 56.8 in 1942	7 5.65 in 2015	0.26 in 1935
8 69.6 in 1927	8 57.3 in 1964	8 5.55 in 1919	8 0.27 in 1976
9 69.3 in 1939	57.3 in 1963	9 5.36 in 1972	9 0.48 in 1999
10 68.8 in 2001	10 57.9 in 1973	10 5.11 in 1992	0.48 in 1944
	57.9 in 1970
		44 2.65 in 2019	62 2.65 in 2019

Normal Temperature for February at LLDF1 = 63.3°

Normal Rainfall for February at LLDF1 = 3.00 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.9 in 1931-32	1 55.2 in 1957-58	1 23.72 in 1997-98	1 1.49 in 1934-35
2 68.1 in 1948-49	2 56.6 in 1976-77	2 19.49 in 2002-03	2 1.64 in 1975-76
3 68.0 in 2016-17	3 56.8 in 1977-78	3 16.60 in 1935-36	3 1.82 in 1938-39
4 66.9 in 1949-50	4 57.1 in 1969-70	4 15.22 in 2018-19	4 2.04 in 1927-28
5 66.7 in 1936-37	5 57.4 in 1963-64	5 12.94 in 1978-79	5 2.10 in 1943-44
66.7 in 1932-33	57.4 in 1939-40	6 12.66 in 1982-83	6 2.21 in 1931-32
7 66.4 in 1956-57	7 58.2 in 1982-83	7 11.97 in 1925-26	7 2.47 in 1948-49
8 66.3 in 1971-72	58.2 in 1980-81	8 11.96 in 1963-64	8 2.56 in 2011-12
9 66.2 in 2012-13	9 58.6 in 1962-63	9 11.81 in 1965-66	9 2.71 in 2000-01
10 66.1 in 1990-91	10 58.8 in 2009-10	10 11.58 in 1992-93	10 2.77 in 1917-18
11 66.0 in 2007-08			
12 65.9 in 2018-19			

Normal Temperature for Winter (Dec/Jan/Feb) at LLDF1 = 62.3°

Normal Rainfall for Winter (Dec/Jan/Feb) at LLDF1 = 8.24 in.

BARTOW (records began in June 1892):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	71.6 in 2018	1	54.1 in 1895	1	9.15 in 1998	1	0.00 in 1911
2	71.0 in 1949	2	54.8 in 1958	2	9.12 in 1936	2	0.03 in 1932
3	70.1 in 1959	3	54.9 in 1912	3	8.33 in 1983	3	0.07 in 2001
4	69.7 in 2014	4	56.2 in 1968	4	8.11 in 1963	4	0.14 in 1916
5	69.6 in 2019	5	56.3 in 2010	5	7.30 in 1899	5	0.21 in 2000
	69.6 in 1990	6	56.4 in 1947	6	6.41 in 1937	6	0.24 in 1989
	69.6 in 1982	7	57.8 in 1901	7	6.33 in 1913	7	0.26 in 1945
8	69.5 in 2001	8	57.9 in 1980	8	6.23 in 1960	8	0.33 in 1950
	69.5 in 1903	9	58.0 in 1977	9	6.16 in 1972	9	0.37 in 2009
10	68.9 in 1975	10	58.1 in 1964	10	5.76 in 1924	10	0.40 in 1999
				
				51	2.77 in 2019	78	2.77 in 2019

Normal Temperature for February at BARF1 = 64.5°
 Normal Rainfall for February at BARF1 = 2.36 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	68.9 in 1948-49	1	56.7 in 1957-58	1	24.41 in 1997-98	1	1.57 in 1938-39
2	67.5 in 2013-14	2	57.8 in 1909-10	2	19.39 in 2002-03	2	1.65 in 1943-44
3	66.8 in 1949-50	3	58.0 in 1980-81	3	18.87 in 1935-36	3	1.72 in 1934-35
4	66.7 in 2016-17	4	58.5 in 1969-70	4	16.42 in 1983-84	4	1.77 in 2011-12
5	66.3 in 1998-99	5	58.7 in 1963-64	5	16.18 in 1914-15	5	1.83 in 1984-85
	66.3 in 1956-57	6	59.4 in 2010-11	6	16.06 in 1905-06	6	1.89 in 1910-11
7	66.2 in 1971-72	7	59.5 in 1962-63	7	15.37 in 1898-99	7	2.03 in 2000-01
8	65.8 in 1988-89	8	59.7 in 1903-04	8	15.02 in 1925-26	8	2.15 in 1915-16
	65.8 in 1974-75	9	59.8 in 1911-12	9	13.59 in 1957-58	9	2.16 in 1949-50
	65.8 in 1912-13	10	59.9 in 1968-69	10	13.23 in 1965-66	10	2.22 in 1904-05
			59.9 in 1954-55	11	13.03 in 1902-03		
...		...		12	12.88 in 1963-64		
24	64.1 in 2018-19	45	64.1 in 2018-19	13	12.22 in 1911-12		
				14	12.08 in 1977-78		
				15	11.98 in 2018-19		

Normal Temperature for Winter (Dec/Jan/Feb) at BARF1 = 63.3°
 Normal Rainfall for Winter (Dec/Jan/Feb) at BARF1 = 7.45 in.

WINTER HAVEN AREA (records began in March 1941):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 72.8 in 2019	1 54.0 in 1958	1 10.61 in 1998	1 0.20 in 1945
2 72.7 in 2018	2 55.0 in 2010	2 7.82 in 1983	2 0.32 in 1989
3 71.5 in 1949	3 55.5 in 1978	3 6.57 in 1960	3 0.33 in 1944
4 70.1 in 1990	4 56.4 in 1968	4 6.03 in 1963	4 0.41 in 2011
5 70.0 in 1975	5 56.8 in 1969	5 5.86 in 2015	5 0.44 in 1950
6 69.4 in 1982	6 57.0 in 1947	6 5.49 in 1957	6 0.54 in 2009
69.4 in 1959	7 57.9 in 1964	7 5.08 in 2002	7 0.56 in 2000
8 69.0 in 1997	8 58.5 in 1980	8 5.05 in 1972	8 0.58 in 1949
9 68.9 in 1962	9 58.9 in 1977	9 4.73 in 1971	9 0.60 in 1954
10 68.4 in 2001	10 59.0 in 1963	10 4.66 in 1967	10 0.64 in 1976
	
		50 1.56 in 2019	29 1.56 in 2019

Normal Temperature for February at GIF = 63.5°
 Normal Rainfall for February at GIF = 2.63 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 69.4 in 1948-49	1 56.6 in 1957-58	1 24.22 in 1997-98	1 1.75 in 1984-85
2 67.8 in 1949-50	2 56.9 in 1976-77	2 16.55 in 2002-03	2 1.83 in 1943-44
3 67.5 in 1971-72	3 57.7 in 1963-64	3 12.78 in 1965-66	3 2.00 in 2011-12
4 67.4 in 2016-17	4 58.0 in 2009-10	4 12.35 in 1963-64	4 2.28 in 1975-76
67.4 in 1990-91	5 58.1 in 1977-78	5 12.17 in 1957-58	5 2.79 in 1948-49
67.4 in 1988-89	6 58.6 in 1968-69	6 12.10 in 1947-48	6 3.00 in 2012-13
7 66.4 in 1956-57	7 58.7 in 2010-11	7 11.84 in 2018-19	7 3.09 in 2000-01
8 66.2 in 2018-19	8 59.1 in 1969-70	8 11.75 in 1983-84	8 3.53 in 2017-18
9 66.1 in 1974-75	9 59.6 in 1962-63	9 11.72 in 1978-79	9 3.54 in 1949-50
10 65.7 in 2012-13	10 60.6 in 1975-76	10 10.68 in 1977-78	10 3.57 in 2008-09

Normal Temperature for Winter (Dec/Jan/Feb) at GIF = 62.4°
 Normal Rainfall for Winter (Dec/Jan/Feb) at GIF = 7.76 in.

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 71.9 in 2018	1 54.4 in 1958	1 10.16 in 1983	1 Trace in 1911
2 71.1 in 2019	2 54.8 in 1978	2 9.29 in 1963	2 0.05 in 2001
3 70.5 in 1959	3 55.7 in 2010	3 7.34 in 1915	3 0.11 in 1950
4 69.7 in 1949	4 56.3 in 1977	4 7.13 in 1992	4 0.13 in 1989
5 69.4 in 1990	5 57.3 in 1980	5 6.65 in 1936	5 0.15 in 1932
6 69.1 in 1932	57.3 in 1912	6 6.04 in 1937	6 0.20 in 1918
7 68.4 in 1982	7 57.7 in 1968	7 5.92 in 1942	7 0.21 in 1949
8 68.3 in 1939	8 58.2 in 1942	8 5.91 in 1998	8 0.25 in 1945
9 68.2 in 2012	9 58.4 in 1969	9 5.80 in 1964	9 0.27 in 1944
68.2 in 2001	10 58.5 in 1941	10 5.73 in 1947	10 0.35 in 1976
	
		65 1.54 in 2019	45 1.54 in 2019

Normal Temperature for February at SRQ = 63.4°
 Normal Rainfall for February at SRQ = 2.70 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 69.1 in 1931-32	1 55.8 in 1976-77	1 28.11 in 1997-98	1 0.14 in 1949-50
2 67.9 in 1949-50	2 56.9 in 1977-78	2 19.08 in 1914-15	2 1.26 in 2000-01
67.9 in 1948-49	3 57.1 in 1980-81	3 14.94 in 1935-36	3 1.35 in 1975-76
4 67.0 in 2016-17	4 57.3 in 1957-58	4 14.44 in 2002-03	4 1.69 in 1948-49
5 66.9 in 1936-37	5 57.6 in 1939-40	5 14.38 in 1977-78	5 1.88 in 1931-32
6 66.4 in 1956-57	6 58.0 in 1930-31	6 13.92 in 1913-14	6 1.90 in 2011-12
7 66.3 in 2018-19	7 58.2 in 2010-11	7 13.71 in 1992-93	7 2.00 in 1934-35
8 66.1 in 2007-08	8 58.6 in 2009-10	8 13.61 in 1963-64	8 2.14 in 1938-39
9 66.0 in 2011-12	9 59.0 in 1963-64	9 13.36 in 1982-83	9 2.86 in 1961-62
66.0 in 1990-91	10 59.5 in 1969-70	10 12.99 in 1957-58	10 2.88 in 1943-44
	59.5 in 1935-36	11 12.39 in 2018-19	

Normal Temperature for Winter (Dec/Jan/Feb) at SRQ = 62.7°
 Normal Rainfall for Winter (Dec/Jan/Feb) at SRQ = 7.72 in.

VENICE (records began in May 1955):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 72.5 in 2018	1 54.2 in 1958	1 6.36 in 1957	1 0.00 in 2001
2 70.7 in 2019	2 55.0 in 1978	2 5.63 in 1998	2 0.10 in 1999
3 70.1 in 1959	3 57.2 in 1980	3 5.62 in 1978	3 0.15 in 1989
4 69.8 in 2012	4 58.1 in 1977	4 5.51 in 1963	4 0.29 in 1988
69.8 in 2001	5 58.3 in 1973	5 5.47 in 1972	5 0.30 in 1997
6 69.5 in 1997	6 58.8 in 1968	6 4.92 in 2002	6 0.36 in 1962
7 68.2 in 1994	7 58.9 in 2010	4.92 in 1964	7 0.39 in 2011
8 68.0 in 1989	8 59.0 in 1964	8 4.57 in 2015	8 0.41 in 1994
9 67.6 in 1956	9 59.7 in 1969	9 4.37 in 1992	9 0.60 in 2000
10 67.5 in 2017	10 60.3 in 2015	10 4.26 in 1960	10 0.71 in 1976
67.5 in 1982	60.3 in 1963
		44 1.22 in 2019	20 1.22 in 2019

Normal Temperature for February at VNCF1 = 63.6°

Normal Rainfall for February at VNCF1 = 2.24 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.3 in 1988-89	1 57.0 in 1976-77	1 19.42 in 1997-98	1 1.94 in 2011-12
2 68.1 in 1971-72	2 57.2 in 1957-58	2 14.71 in 1957-58	2 1.99 in 2000-01
3 67.9 in 2016-17	3 57.5 in 1977-78	3 12.68 in 2015-16	3 2.18 in 2016-17
67.9 in 2012-13	4 59.2 in 1975-76	4 12.65 in 1977-78	4 2.21 in 1975-76
5 67.5 in 2011-12	5 59.6 in 1963-64	5 12.35 in 2018-19	5 2.61 in 1961-62
6 67.0 in 1998-99	6 59.7 in 1969-70	6 12.01 in 1972-73	6 2.70 in 1984-85
7 66.2 in 1996-97	7 60.5 in 1962-63	7 11.45 in 1963-64	7 3.19 in 2012-13
8 65.9 in 2017-18	8 60.6 in 2010-11	8 11.34 in 1965-66	8 3.25 in 1996-97
9 65.8 in 1956-57	9 60.7 in 1979-80	9 11.20 in 2009-10	3.25 in 1973-74
10 65.5 in 2015-16	10 60.9 in 2002-03	10 10.94 in 1983-84	10 3.27 in 2008-09
11 65.3 in 2018-19	60.9 in 1968-69		

Normal Temperature for Winter (Dec/Jan/Feb) at VNCF1 = 63.0°

Normal Rainfall for Winter (Dec/Jan/Feb) at VNCF1 = 7.02 in.

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 72.3 in 2018	1 52.7 in 1958	1 11.28 in 1998	1 Trace in 2001
2 71.7 in 2019	2 54.9 in 1968	2 9.55 in 1983	2 0.01 in 1950
3 70.3 in 1982	3 56.7 in 1963	3 6.01 in 1963	3 0.02 in 1999
4 70.0 in 1997	4 56.9 in 2010	4 5.88 in 1981	4 0.23 in 1989
5 69.7 in 1992	5 57.0 in 1978	5 5.49 in 1978	5 0.28 in 1944
6 69.4 in 1959	6 57.9 in 1973	6 5.41 in 1957	6 0.32 in 2011
7 69.1 in 2001	7 58.6 in 1980	7 5.33 in 2015	7 0.34 in 1949
8 68.9 in 2012	8 58.9 in 1977	8 5.21 in 2002	8 0.41 in 1945
68.9 in 1994	9 60.5 in 2009	9 4.97 in 1961	9 0.44 in 1948
10 68.7 in 1990	10 60.9 in 2015	10 4.62 in 1972	10 0.49 in 1976
	
		52 1.48 in 2019	24 1.48 in 2019

Normal Temperature for February at MKCF1 = 64.4°
Normal Rainfall for February at MKCF1 = 2.82 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.4 in 2016-17	1 57.2 in 1962-63	1 27.20 in 1997-98	1 0.04 in 1949-50
2 66.7 in 1971-72	2 58.2 in 1976-77	2 16.36 in 1977-78	2 1.64 in 1943-44
3 66.6 in 1998-99	3 58.5 in 1980-81	3 14.36 in 2015-16	3 1.68 in 2000-01
4 66.5 in 1992-93	4 58.9 in 1977-78	4 14.27 in 1978-79	4 1.77 in 1948-49
5 66.4 in 1991-92	5 59.4 in 2002-03	5 13.83 in 1992-93	5 2.08 in 2011-12
6 66.3 in 2012-13	6 59.6 in 2009-10	6 13.60 in 1972-73	6 2.14 in 1984-85
7 66.1 in 2018-19	7 59.7 in 2010-11	7 13.28 in 1982-83	7 2.26 in 1944-45
66.1 in 2013-14	59.7 in 1960-61	8 12.66 in 1957-58	8 2.51 in 1975-76
66.1 in 1990-91	9 61.3 in 1975-76	9 12.60 in 2018-19	9 3.51 in 1970-71
10 66.0 in 2011-12	10 61.6 in 2000-01	10 12.09 in 2003-04	10 3.71 in 2005-06
66.0 in 1974-75			

Normal Temperature for Winter (Dec/Jan/Feb) at MKCF1 = 63.2°
Normal Rainfall for Winter (Dec/Jan/Feb) at MKCF1 = 8.01 in.

WAUCHULA 2 N (records began in January 1933):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 71.1 in 1949	1 46.7 in 2010	1 8.92 in 1936	1 0.00 in 2001
2 70.8 in 2018	2 54.4 in 1958	2 8.82 in 1998	0.00 in 2000
3 70.7 in 1939	3 56.3 in 1978	3 7.99 in 1983	3 0.19 in 1945
4 70.1 in 1959	4 57.1 in 1947	4 7.37 in 1963	4 0.22 in 1989
5 69.8 in 1933	5 57.3 in 1968	5 6.29 in 1992	5 0.30 in 1997
6 69.5 in 1982	6 58.3 in 2015	6 6.03 in 2002	6 0.33 in 1950
7 69.4 in 1990	7 58.5 in 2007	7 5.46 in 1960	7 0.45 in 2009
8 69.3 in 1975	58.5 in 1942	8 5.34 in 1942	0.45 in 1949
9 69.1 in 2019	9 58.7 in 1980	9 5.26 in 1937	9 0.52 in 2018
10 68.9 in 1962	10 58.9 in 1964	10 5.24 in 1952	10 0.58 in 1962
	
		48 2.03 in 2019	38 2.03 in 2019

Normal Temperature for February at WAUF1 = 63.9°
 Normal Rainfall for February at WAUF1 = 2.71 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.8 in 1948-49	1 49.6 in 2009-10	1 21.20 in 1997-98	1 0.72 in 1949-50
2 68.5 in 1936-37	2 56.5 in 2010-11	2 16.61 in 1935-36	2 1.45 in 2000-01
3 67.4 in 1971-72	3 58.0 in 1977-78	3 14.21 in 1965-66	3 1.90 in 2011-12
4 67.3 in 2007-08	4 58.1 in 1980-81	4 14.16 in 1957-58	4 2.00 in 1948-49
5 66.4 in 1974-75	5 58.4 in 2002-03	5 13.26 in 1982-83	5 2.11 in 1938-39
6 66.2 in 1990-91	6 58.6 in 1969-70	6 12.58 in 1972-73	6 2.13 in 1934-35
7 66.0 in 2016-17	7 58.7 in 1976-77	7 12.15 in 1978-79	7 2.33 in 1975-76
8 65.9 in 1988-89	58.7 in 1939-40	8 11.65 in 2009-10	8 2.34 in 1984-85
9 65.8 in 1956-57	9 58.8 in 2003-04	9 11.53 in 2018-19	9 2.40 in 1999-00
10 65.7 in 1961-62	10 59.0 in 1963-64	10 11.48 in 2015-16	10 2.42 in 1943-44
	
26 63.9 in 2018-19	47 63.9 in 2018-19		

Normal Temperature for Winter (Dec/Jan/Feb) at WAUF1 = 63.0°
 Normal Rainfall for Winter (Dec/Jan/Feb) at WAUF1 = 6.90 in.

ARCADIA (records began in November 1899):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 71.2 in 1949	1 54.5 in 2010	1 10.13 in 1983	1 0.00 in 2001
2 71.0 in 2018	2 55.3 in 1958	2 9.71 in 1936	0.00 in 1916
3 70.4 in 1939	3 56.0 in 1978	3 7.08 in 1937	3 0.01 in 1999
4 70.3 in 1959	4 57.1 in 1968	4 6.86 in 1924	4 0.05 in 1918
5 70.1 in 1982	5 57.8 in 1947	5 5.92 in 1982	5 0.10 in 2011
70.1 in 1932	6 58.0 in 1980	6 5.80 in 1963	0.10 in 1911
7 69.9 in 2019	7 58.8 in 1942	7 5.73 in 1998	7 0.15 in 1950
8 69.2 in 1933	58.8 in 1902	8 5.66 in 1902	8 0.24 in 1949
9 69.1 in 1975	9 59.1 in 2015	9 5.54 in 1903	9 0.26 in 1956
10 68.7 in 1997	59.1 in 2007	10 4.92 in 1960	10 0.43 in 1945
68.7 in 1929	59.1 in 1973
	59.1 in 1970	54 2.07 in 2019	60 2.07 in 2019
	59.1 in 1912	in 1927	in 1927

Normal Temperature for February at ARCF1 = 62.7°
 Normal Rainfall for February at ARCF1 = 2.56 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 69.5 in 1931-32	1 57.1 in 1980-81	1 16.85 in 1997-98	1 0.27 in 1949-50
2 68.9 in 1948-49	2 57.2 in 2010-11	2 15.63 in 1935-36	2 0.97 in 1948-49
3 68.6 in 1912-13	3 57.5 in 2009-10	3 14.10 in 1982-83	0.97 in 1910-11
4 67.8 in 1936-37	4 57.7 in 1957-58	4 13.42 in 1977-78	4 1.17 in 2000-01
5 66.8 in 1971-72	5 57.8 in 1977-78	5 13.03 in 1905-06	5 1.62 in 2011-12
66.8 in 1932-33	6 58.5 in 1976-77	6 12.98 in 1978-79	6 2.06 in 1984-85
7 66.7 in 1949-50	58.5 in 1969-70	7 12.78 in 2015-16	2.06 in 1932-33
8 66.6 in 1956-57	8 58.6 in 1939-40	8 12.45 in 1902-03	8 2.15 in 1926-27
9 66.3 in 2016-17	9 59.3 in 1930-31	9 12.14 in 1914-15	9 2.19 in 1975-76
10 66.1 in 1974-75	10 59.5 in 2002-03	10 12.11 in 1941-42	10 2.20 in 2008-09
...	59.5 in 1901-02	...	
24 64.6 in 2018-19	70 64.6 in 2018-19	21 10.03 in 2018-19	
in 2011-12	in 2011-12		
in 1981-82	in 1981-82		
in 1964-65	in 1964-65		

Normal Temperature for Winter (Dec/Jan/Feb) at ARCF1 = 61.7°
 Normal Rainfall for Winter (Dec/Jan/Feb) at ARCF1 = 6.33 in.

ARCHBOLD BIO STATION (records began in January 1969):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 71.3 in 2018	1 55.2 in 1978	1 10.85 in 1983	1 0.00 in 2001
2 69.8 in 2019	2 55.4 in 2010	2 8.28 in 1998	2 0.22 in 2011
3 69.3 in 2001	3 56.8 in 1980	3 5.00 in 2004	3 0.27 in 1999
4 68.9 in 1990	4 57.8 in 1969	4 4.73 in 1992	4 0.33 in 1989
68.9 in 1982	5 58.1 in 1973	5 3.86 in 2002	5 0.37 in 2000
6 68.6 in 1975	6 58.2 in 1970	6 3.57 in 1970	6 0.38 in 2009
7 68.1 in 1997	7 59.2 in 1988	7 3.51 in 2016	7 0.49 in 1975
8 67.3 in 2012	8 59.3 in 2009	8 3.46 in 1981	8 0.53 in 1977
9 67.2 in 2017	9 59.8 in 2006	9 3.31 in 2006	9 0.54 in 2018
67.2 in 1994	59.8 in 1977	10 3.27 in 1990	10 0.73 in 2003
	
		20 2.30 in 2019	32 2.30 in 2019

Normal Temperature for February at ACHF1 = 62.6°
 Normal Rainfall for February at ACHF1 = 2.55 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 67.4 in 2016-17	1 57.0 in 1980-81	1 21.53 in 1997-98	1 0.64 in 2000-01
2 66.2 in 1971-72	2 57.4 in 1969-70	2 16.19 in 2015-16	2 1.44 in 1975-76
3 65.7 in 1974-75	3 58.1 in 1976-77	3 15.77 in 1982-83	3 1.77 in 1984-85
4 65.4 in 1990-91	4 58.2 in 1977-78	4 13.16 in 1978-79	4 2.04 in 2016-17
5 65.1 in 2015-16	5 58.5 in 2010-11	5 11.18 in 1969-70	5 2.43 in 2011-12
6 65.0 in 2017-18	6 58.6 in 2009-10	6 10.16 in 2003-04	6 2.64 in 2008-09
65.0 in 2007-08	7 60.0 in 2002-03	7 9.94 in 1972-73	7 2.68 in 1970-71
8 64.8 in 2018-19	60.0 in 1995-96	8 9.71 in 1994-95	8 3.44 in 1981-82
64.8 in 2012-13	9 60.2 in 1979-80	9 9.12 in 2018-19	9 3.48 in 2017-18
10 64.7 in 2013-14	10 60.4 in 2003-04	10 9.09 in 1977-78	10 3.50 in 1998-99
	60.4 in 1987-88		

Normal Temperature for Winter (Dec/Jan/Feb) at ACHF1 = 61.7°
 Normal Rainfall for Winter (Dec/Jan/Feb) at ACHF1 = 6.39 in.

PUNTA GORDA AREA (records began in July 1914):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 74.4 in 1949	1 57.3 in 1958	1 12.11 in 1936	1 0.00 in 1950
2 73.2 in 2018	2 57.5 in 2010	2 11.05 in 1983	2 0.01 in 2001
3 71.2 in 1959	57.5 in 1978	3 5.68 in 1963	3 0.04 in 1938
71.2 in 1932	4 58.6 in 1968	4 5.61 in 1982	0.04 in 1932
5 70.8 in 2019	5 58.9 in 1980	5 5.59 in 1937	5 0.09 in 1929
6 70.7 in 1918	6 59.3 in 1942	6 5.26 in 1998	6 0.13 in 1999
7 70.6 in 1982	7 59.5 in 1969	7 4.88 in 1924	7 0.18 in 1974
70.6 in 1962	8 59.8 in 1973	8 4.62 in 1964	8 0.25 in 1918
9 70.3 in 1957	9 60.1 in 1920	9 4.50 in 1952	9 0.26 in 1945
10 70.2 in 1939	10 60.2 in 1970	10 4.41 in 1940	10 0.27 in 1949
70.2 in 1933	60.2 in 1947	...	0.27 in 1926
		29 2.89 in 2019	73 2.89 in 2019

Normal Temperature for February at PGD = 64.7°
 Normal Rainfall for February at PGD = 2.48 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 72.0 in 1948-49	1 59.1 in 1977-78	1 16.32 in 1935-36	1 0.58 in 1949-50
2 70.7 in 1931-32	2 59.3 in 1976-77	2 15.66 in 2015-16	2 0.62 in 2000-01
3 70.2 in 1949-50	59.3 in 1969-70	3 15.45 in 1997-98	3 1.24 in 1938-39
4 69.2 in 1932-33	4 59.7 in 2010-11	4 15.16 in 1982-83	4 1.55 in 1948-49
5 68.5 in 1956-57	5 59.9 in 1957-58	5 12.66 in 1925-26	5 1.67 in 2011-12
6 68.3 in 1961-62	6 60.0 in 1980-81	6 12.65 in 1940-41	6 1.87 in 1927-28
7 68.0 in 1971-72	60.0 in 1963-64	7 11.76 in 1977-78	7 2.08 in 1973-74
8 67.9 in 1936-37	8 60.5 in 1939-40	8 11.71 in 1930-31	8 2.13 in 1932-33
9 67.4 in 2016-17	9 60.6 in 1975-76	9 11.51 in 1978-79	9 2.20 in 1961-62
67.4 in 1946-47	60.6 in 1968-69	10 11.42 in 1958-59	10 2.26 in 2016-17
...	...	11 10.89 in 1972-73	
34 65.8 in 2018-19	55 65.8 in 2018-19	12 10.58 in 1969-70	
in 1993-94	in 1993-94	13 10.27 in 1957-58	
in 1986-87	in 1986-87	14 9.55 in 1923-24	
in 1953-54	in 1953-54	15 9.13 in 2018-19	

Normal Temperature for Winter (Dec/Jan/Feb) at PGD = 63.9°
 Normal Rainfall for Winter (Dec/Jan/Feb) at PGD = 6.26 in.

FORT MYERS AREA (records began in January 1902):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 74.9 in 2018	1 55.5 in 1958	1 10.82 in 1983	1 Trace in 2001
2 72.9 in 2019	2 57.2 in 1978	2 7.12 in 1998	Trace in 1944
3 72.3 in 1997	3 58.8 in 1947	3 6.79 in 1902	Trace in 1911
4 72.2 in 1982	4 59.2 in 1902	4 5.93 in 1934	4 0.06 in 1948
5 71.8 in 1949	5 59.4 in 2010	5 5.50 in 1936	5 0.07 in 1949
6 71.4 in 2017	59.4 in 1942	6 5.13 in 1913	6 0.08 in 1950
71.4 in 2001	7 59.9 in 1968	7 4.65 in 1963	0.08 in 1929
8 71.3 in 1990	8 60.0 in 1912	8 4.34 in 1952	8 0.10 in 1905
9 71.2 in 2012	9 60.1 in 1970	9 4.00 in 1940	9 0.11 in 2000
10 71.1 in 1959	10 60.4 in 1941	10 3.89 in 1992	0.11 in 1943
	
		40 2.46 in 2019	79 2.46 in 2019

Normal Temperature for February at FMY = 66.6°
 Normal Rainfall for February at FMY = 2.15 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.9 in 2016-17	1 58.2 in 1957-58	1 18.71 in 2015-16	1 0.45 in 2000-01
2 70.7 in 1931-32	2 59.7 in 1969-70	2 15.59 in 1982-83	2 0.71 in 1948-49
3 70.1 in 1948-49	3 59.8 in 1976-77	3 15.19 in 1997-98	3 0.80 in 1910-11
4 69.8 in 1971-72	4 60.0 in 1977-78	4 13.74 in 1978-79	4 1.14 in 1984-85
5 69.4 in 1990-91	5 61.3 in 1980-81	5 12.26 in 1940-41	5 1.21 in 1926-27
6 69.1 in 1936-37	61.3 in 1939-40	6 12.02 in 1925-26	6 1.42 in 1974-75
7 69.0 in 2007-08	7 61.5 in 1963-64	7 11.51 in 2003-04	7 1.43 in 1904-05
8 68.8 in 1996-97	61.5 in 1950-51	8 11.06 in 1902-03	8 1.47 in 1928-29
9 68.7 in 2017-18	61.5 in 1903-04	9 10.85 in 1957-58	9 1.50 in 1961-62
68.7 in 2012-13	10 61.6 in 1930-31	10 10.51 in 1969-70	10 1.53 in 1938-39
68.7 in 2011-12		11 10.41 in 1935-36	
...		10.41 in 1905-06	
18 68.0 in 2018-19		13 10.37 in 1986-87	
		14 9.74 in 1930-31	
		15 9.58 in 1992-93	
		16 9.47 in 2018-19	

Normal Temperature for Winter (Dec/Jan/Feb) at FMY = 65.7°
 Normal Rainfall for Winter (Dec/Jan/Feb) at FMY = 5.80 in.

For more local climate information, please visit our web page at <https://www.weather.gov/tampabay> and look within the "Climate and Past Weather" drop down menu above the map of the area.