



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


January 2020 Climate Summary for West Central and Southwest Florida

January 2020 saw a wide range of temperatures from week to week as a few cold fronts moved through during the month with warm days and temperatures several degrees above normal ahead of them followed by much cooler drier air and temperatures several degrees below normal. Overall the average temperatures for the month were about 2.0°F to 6.0°F above normal with several sites in the Top 20 Warmest, but only one location ended up in the Top Ten Warmest for January.


JANUARY TEMPERATURE (°F - Top Ten Warmest):

Location	Jan 2020		Normal Dec Temp	Dep fm Normal	Record Warmest	Records Began
	Rank	Avg Temp				
Venice	7th	65.2°	61.4°	+3.8°	69.9/1989	Apr 1955

Temperature (F)
1/1/2020 - 1/31/2020



Departure from Normal Temperature (F)
1/1/2020 - 1/31/2020




Graphics Source: NOAA Regional Climate Centers


Rainfall on the other hand was below normal across most of the region, but thanks to a decent rainfall during the last few days of the month parts of southwest Florida ended up close to normal. Most areas from about Sarasota to Sebring northward saw less than 50 percent of normal rainfall, but this is not that huge a difference as average rainfall during January is generally only between 2 and 4 inches. Below are the sites so far that ended up in the Top Ten Driest for January. A couple of others may end up be in the Top Ten Driest, but their data is currently incomplete and not available yet.

JANUARY RAINFALL (inches - Top Ten Driest):

Location	Jan 2020 Rank	Jan 2020 Rainfall	Normal Dec Rain	Dep fm Normal	Record Wettest	Records Began
Inverness 3 SE	4th	0.29	3.09	-2.80	0.00/1950	Jul 1948
Winter Haven Area	9th	0.58	2.48	-1.90	0.02/1950	Jan 1941



Rainfall January 2020



Percent of Normal

Following are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Januarys at some official NWS locations, which include the average/total for this January where available, and the 1981-2010 Normal (average) temperature and rainfall for the month of January.

CHIEFLAND 5 SE (Records began in June 1956):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	67.8 in 1974	1	47.3 in 1981	1	14.50 in 1964	1	0.25 in 1974
2	62.9 in 1993	2	47.4 in 1977	2	10.59 in 1979	2	0.36 in 2013
3	62.8 in 1972	3	48.7 in 1958	3	9.53 in 1994	3	0.47 in 1957
4	62.3 in 2013	4	49.0 in 2003	4	9.39 in 1991	4	0.61 in 1968
5	61.5 in 1957	5	49.5 in 2010	5	7.65 in 1987	5	1.10 in 2001
6	61.4 in 1990	6	49.6 in 2001	6	6.97 in 1988	6	1.11 in 1981
7	61.3 in 2017	7	50.0 in 1978	7	6.54 in 2014	7	1.15 in 1960
	61.3 in 1989	8	50.5 in 1970	8	6.22 in 1986	8	1.51 in 1989
9	61.0 in 1975	9	51.0 in 1988	9	6.20 in 1978	9	1.59 in 1962
10	60.6 in 1991	10	51.2 in 1961	10	5.84 in 1980	10	1.60 in 2004

Average Temperature for Jan 1-29, 2020 = 60.5°
 Normal Temperature for January at CHIF1 = 54.3°

Total Rainfall for Jan 1-29, 2020 = 0.20 inches
 Normal Rainfall for January at CHIF1 = 3.89 inches

INVERNESS 3 SE (Records began in July 1948):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	70.3 in 1974	1	48.4 in 2003	1	9.56 in 1994	1	0.00 in 1950
2	68.1 in 1950	2	48.5 in 1981	2	6.47 in 1963	2	0.10 in 2005
3	64.8 in 1949	3	49.6 in 1977	3	6.38 in 1958	3	0.26 in 1974
4	64.6 in 1957	4	50.0 in 2010	4	6.26 in 1988	4	0.29 in 2020
5	63.4 in 1993	5	50.7 in 2001	5	6.06 in 1979	5	0.30 in 2013
6	63.3 in 1967	6	51.6 in 1958	6	5.96 in 1964	6	0.35 in 1951
7	63.1 in 1989	7	51.9 in 1978	7	5.78 in 1980	7	0.64 in 1952
8	62.6 in 1975	8	52.4 in 2014	8	5.60 in 1978	8	0.67 in 1957
9	62.4 in 1952	9	52.8 in 2018	9	5.53 in 1986	9	0.72 in 1949
10	62.0 in 2017	10	53.1 in 1988	10	5.44 in 1998	10	0.75 in 2012
...		...					
19	59.6 in 2020	41	59.6 in 2020				
	in 1999		in 1999				

Normal Temperature for January at INVF1 = 56.4°
 Normal Rainfall for January at INVF1 = 3.09 inches

BROOKSVILLE AREA (Records began in January 1892):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.2 in 1974	1	49.8 in 2003	1	9.15 in 1912	1	Trace in 1950
2	71.0 in 1937	2	50.0 in 2010	2	7.85 in 1994	2	0.13 in 1927
3	69.4 in 1950	3	51.4 in 1940	3	7.68 in 1964	3	0.16 in 2003
4	68.9 in 1947	4	51.5 in 2001	4	7.14 in 1959	4	0.31 in 1907
5	68.0 in 1913	5	51.7 in 1981	5	7.04 in 1906	5	0.35 in 1902
6	66.7 in 1972	6	51.9 in 1977	6	6.66 in 1988	6	0.39 in 1943
7	66.6 in 1989	7	52.0 in 1893	7	6.19 in 1914	7	0.44 in 2013
8	66.5 in 1949	8	52.5 in 1958	8	6.03 in 1899	8	0.48 in 1951
9	66.0 in 1917	9	52.9 in 1902	9	5.74 in 1936	9	0.53 in 1928
10	65.6 in 1932	10	53.7 in 2014	10	5.67 in 1958	10	0.59 in 1937
	65.6 in 1907						
...		
29	61.6 in 2020	85	61.6 in 2020	102	1.04 in 2020	27	1.04 in 2020
	in 2007		in 2007				

Normal Temperature for January at BKV = 56.7°
 Normal Rainfall for January at BKV = 3.22 inches

ST LEO (Records began in April 1895):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.9 in 1937	1	51.1 in 1940	1	8.71 in 1899	1	0.00 in 1950
2	69.2 in 1947	2	51.7 in 1977	2	7.61 in 1914	2	0.18 in 1937
3	68.7 in 1950	3	52.7 in 1981	3	7.55 in 1912	3	0.25 in 1927
4	67.8 in 1913	4	53.4 in 1958	4	7.37 in 1903	4	0.34 in 1907
5	67.5 in 1972	5	53.6 in 1928	5	7.15 in 1941	5	0.48 in 1898
6	66.9 in 1949	6	54.0 in 2010	6	6.32 in 1948	6	0.51 in 1943
7	66.6 in 1989		54.0 in 1931	7	6.15 in 1904		0.51 in 1905
8	66.5 in 1990	8	54.6 in 1970	8	6.13 in 1982	8	0.52 in 2006
	66.5 in 1916		54.6 in 1905	9	6.10 in 1906		0.52 in 1951
10	66.4 in 1932	10	54.9 in 1918	10	6.07 in 2016	10	0.59 in 1947

Average Temperature for Jan 2020 = Not Available Yet
 Normal Temperature for January at STLF1 = 60.9°

Total Rainfall for Jan 2020 = Not Available Yet
 Normal Rainfall for January at STLF1 = 3.29 inches

TARPON SPRINGS (Records began in January 1892):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 71.4 in 1937	1 49.9 in 1981	1 8.23 in 2011	1 0.00 in 1950
2 70.0 in 1950	2 51.2 in 1940	2 8.16 in 1948	2 0.07 in 1974
3 69.5 in 1947	3 52.5 in 1893	3 7.96 in 1986	3 0.18 in 1898
4 67.9 in 1932	4 52.8 in 1977	4 6.43 in 1936	4 0.22 in 1927
5 67.6 in 1993	5 53.0 in 2010	5 6.17 in 1958	5 0.30 in 1907
6 67.5 in 1913	53.0 in 1958	6 6.15 in 1964	6 0.32 in 1943
7 66.7 in 1989	7 53.3 in 1956	7 5.91 in 1912	7 0.34 in 1905
8 66.6 in 1991	8 53.6 in 1905	8 5.88 in 1994	8 0.36 in 1917
9 66.4 in 1972	9 54.6 in 1896	9 5.87 in 1979	9 0.48 in 1932
66.4 in 1916	10 54.8 in 2001	10 5.82 in 1941	10 0.51 in 1916
...
22 63.9 in 2020 in 1930	98 63.9 in 2020 in 1930	105 0.91 in 2020	24 0.91 in 2020

Normal Temperature for January at TRPF1 = 59.7°
Normal Rainfall for January at TRPF1 = 2.99 inches

TAMPA AREA (Records began in April 1890):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 72.4 in 1937	1 50.3 in 1981	1 8.02 in 1948	1 Trace in 1950
2 71.1 in 1974	2 51.2 in 1977	2 6.73 in 1904	2 0.08 in 1927
3 69.5 in 1950	3 51.9 in 1940	3 6.45 in 1899	3 0.11 in 2003
4 69.1 in 1947	4 53.3 in 1958	4 6.33 in 1903	4 0.17 in 1974
5 68.1 in 1913	5 54.0 in 1970	5 6.28 in 2011	5 0.18 in 1949
6 67.6 in 1932	6 54.7 in 2010	6 6.18 in 2016	6 0.26 in 1932
7 67.2 in 1949	7 54.8 in 2003	7 6.17 in 1912	7 0.28 in 1902
8 67.1 in 2013	8 55.0 in 1978	8 5.72 in 1979	8 0.29 in 1916
67.1 in 1989	9 55.1 in 1893	9 5.42 in 1996	9 0.35 in 1943
67.1 in 1916	10 55.2 in 2001	10 5.41 in 1958	10 0.39 in 1935
...
19 65.3 in 2020		93 1.08 in 2020 in 2012	37 1.08 in 2020 in 2012

Normal Temperature for January at TPA = 60.8°
Normal Rainfall for January at TPA = 2.23 inches

ST PETERSBURG AREA (Records began in August 1914):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 73.3 in 1937	1 53.3 in 1940	1 10.39 in 1948	1 Trace in 1950
2 71.8 in 1974	2 53.9 in 1981	2 7.45 in 1964	2 0.08 in 1956
3 70.8 in 1947	3 54.7 in 1977	3 7.13 in 2016	3 0.12 in 2003
4 70.4 in 1950	4 55.3 in 2010	4 6.71 in 1915	4 0.13 in 1927
5 69.8 in 1932	5 56.2 in 2003	5 6.37 in 1996	5 0.16 in 1976
6 69.5 in 1972	6 56.9 in 2001	6 6.30 in 1925	6 0.27 in 1916
7 68.4 in 2013	7 57.2 in 1970	7 6.20 in 1991	7 0.42 in 1952
68.4 in 1916	57.2 in 1918	8 5.91 in 1973	8 0.43 in 1968
9 68.2 in 1989	9 57.6 in 1956	9 5.45 in 1979	9 0.44 in 1974
10 67.7 in 1993	10 58.0 in 1978	10 5.26 in 1958	10 0.47 in 1990
...			11 0.50 in 1971
21 65.5 in 2020			0.50 in 1943
			13 0.53 in 1949
			14 0.57 in 2020
			in 1933

Normal Temperature for January at SPG = 61.6°

Normal Rainfall for January at SPG = 2.57 inches

PLANT CITY (Records began in September 1892):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 71.2 in 1974	1 50.8 in 1981	1 9.03 in 1948	1 0.00 in 1950
71.2 in 1937	2 52.1 in 1940	2 6.88 in 2016	2 Trace in 1905
3 69.9 in 1947	3 53.1 in 1977	3 6.70 in 1912	3 0.07 in 1927
4 68.8 in 1972	4 54.5 in 1905	4 6.39 in 1964	4 0.21 in 1949
5 68.4 in 1950	54.5 in 1893	5 6.33 in 1973	5 0.25 in 1937
6 68.2 in 1913	6 54.7 in 1958	6 6.12 in 1993	6 0.27 in 1923
7 66.9 in 2013	7 54.9 in 2003	7 5.98 in 1959	7 0.28 in 1907
66.9 in 1993	54.9 in 1931	8 5.97 in 1979	8 0.29 in 1902
66.9 in 1975	9 55.2 in 2010	9 5.94 in 1996	9 0.32 in 1976
10 66.7 in 1991	10 55.7 in 2001	10 5.86 in 1926	10 0.36 in 1968
66.7 in 1989			...
66.7 in 1949			20 0.65 in 2020
...			
18 65.6 in 2020			

Normal Temperature for January at PLCF1 = 60.5°

Normal Rainfall for January at PLCF1 = 2.72 inches

LAKELAND AREA (Records began in January 1915):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 71.6 in 1937	1 51.9 in 1977	1 8.74 in 1948	1 0.04 in 1927
2 71.0 in 1974	2 52.8 in 1940	2 8.66 in 1993	2 0.12 in 1950
3 69.2 in 1947	3 53.1 in 1981	3 7.21 in 1979	3 0.20 in 1949
4 68.9 in 1950	4 53.4 in 1958	4 6.77 in 2016	4 0.26 in 1971
5 68.4 in 1932	5 54.3 in 1970	5 5.98 in 1915	5 0.27 in 1951
6 67.7 in 1989	6 55.3 in 1978	6 5.91 in 1925	6 0.29 in 1968
7 67.6 in 1916	7 55.6 in 2010	7 5.78 in 2011	7 0.40 in 1990
8 67.5 in 1993	8 56.3 in 2003	8 5.71 in 1964	8 0.41 in 2013
67.5 in 1917	9 56.4 in 1956	9 5.60 in 1966	9 0.46 in 1922
10 67.3 in 2013	10 56.6 in 2001	10 5.56 in 1996	10 0.48 in 1943
67.3 in 1972
...			20 0.80 in 2020
20 65.0 in 2020			
in 1930			
in 1921			

Normal Temperature for January at LLDF1 = 60.7°
Normal Rainfall for January at LLDF1 = 2.64 inches

WINTER HAVEN AREA (Records began in January 1941):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 71.7 in 1974	1 51.9 in 1981	1 7.46 in 1948	1 0.02 in 1950
2 71.4 in 1989	2 53.2 in 1977	2 6.57 in 1979	2 0.14 in 1949
3 71.3 in 1947	3 54.9 in 1958	3 5.91 in 1966	3 0.19 in 2013
4 69.6 in 1950	4 55.0 in 2003	4 5.88 in 2016	4 0.20 in 1951
5 68.9 in 1991	5 55.6 in 2010	5 5.78 in 1996	5 0.24 in 1971
6 68.3 in 1972	6 56.9 in 2001	6 5.62 in 1993	6 0.40 in 1968
7 67.6 in 1993	7 57.1 in 1970	5.62 in 1964	7 0.42 in 1981
8 67.5 in 1949	8 57.2 in 1976	8 5.39 in 1973	8 0.48 in 1952
9 67.2 in 1990	9 57.5 in 1985	9 5.30 in 1958	9 0.58 in 2020
10 66.7 in 2013	10 57.7 in 1978	10 5.22 in 2004	10 0.61 in 1974
66.7 in 1975			0.61 in 1947
12 65.9 in 1957			
13 65.3 in 2020			

Normal Temperature for January at GIF = 60.8°
Normal Rainfall for January at GIF = 2.48 inches

BARTOW (Records began in June 1892):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 71.2 in 1974	1 52.6 in 1981	1 7.79 in 1948	1 0.03 in 1950
2 70.7 in 1937	2 54.0 in 1977	2 7.18 in 1926	2 0.10 in 1927
3 68.3 in 1950	3 54.9 in 1958	3 6.99 in 2016	3 0.16 in 1949
4 68.0 in 1991	54.9 in 1956	4 6.98 in 1915	4 0.19 in 1990
5 67.9 in 1989	5 55.5 in 2010	5 6.65 in 1958	5 0.23 in 1902
6 67.7 in 1972	6 55.8 in 2003	6 6.64 in 1903	6 0.25 in 1974
7 67.6 in 1947	7 56.0 in 1905	7 6.60 in 1936	7 0.31 in 1968
8 67.2 in 1913	56.0 in 1896	8 6.17 in 1912	8 0.33 in 1951
9 67.0 in 1993	9 56.4 in 1910	9 6.13 in 1973	9 0.34 in 1971
67.0 in 1975	10 56.6 in 1970	10 6.02 in 1966	10 0.35 in 1905
...			...
22 63.8 in 2020			22 0.69 in 2020 in 1985 in 1952

Normal Temperature for January at BARF1 = 61.8°
Normal Rainfall for January at BARF1 = 2.37 inches

SARASOTA-BRADENTON AREA (Records began in January 1911):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 72.0 in 1937	1 50.7 in 1981	1 10.26 in 1998	1 0.00 in 1950
2 71.1 in 1974	2 52.3 in 1977	2 9.03 in 1993	2 0.02 in 1927
3 70.5 in 1950	3 53.5 in 1940	3 7.84 in 1948	3 0.03 in 1974
4 67.9 in 1993	4 54.8 in 2003	4 7.52 in 1958	4 0.15 in 1947
5 67.7 in 1990	5 55.2 in 1978	5 6.24 in 2006	5 0.20 in 2013
6 67.6 in 1989	6 55.4 in 2010	6 5.92 in 1979	0.20 in 1937
7 67.5 in 1916	7 55.8 in 1958	7 5.38 in 1912	7 0.22 in 1956
8 67.1 in 1991	8 56.4 in 2001	8 5.24 in 1936	8 0.28 in 2003
67.1 in 1932	9 56.6 in 1928	9 5.15 in 1966	9 0.29 in 1990
10 67.0 in 2013	10 56.7 in 1985	10 4.88 in 1915	10 0.34 in 2001
11 66.4 in 1925			0.34 in 1933
12 66.3 in 1975	
13 65.9 in 2020		83 0.97 in 2020	27 0.97 in 2020

Normal Temperature for January at SRQ = 61.4°
Normal Rainfall for January at SRQ = 2.49 inches

VENICE (Records began in April 1955):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 69.9 in 1989	1 50.8 in 1981	1 9.32 in 1958	1 0.10 in 1968
2 69.8 in 1974	2 53.5 in 1977	2 7.34 in 2016	2 0.15 in 2003
3 69.2 in 1972	3 56.0 in 1958	3 7.00 in 1973	3 0.24 in 1974
4 69.1 in 2013	4 56.3 in 2003	4 6.62 in 1966	4 0.27 in 1990
5 65.7 in 1999	5 56.4 in 1985	5 6.39 in 1993	5 0.36 in 2012
6 65.3 in 2017	6 56.6 in 1978	6 6.28 in 1979	6 0.37 in 2001
7 65.2 in 2020	56.6 in 1976	7 5.89 in 1999	7 0.43 in 1975
8 65.1 in 1975	8 57.1 in 2001	8 4.78 in 1991	8 0.46 in 1971
65.1 in 1967	9 57.7 in 1970	9 4.54 in 1994	9 0.49 in 2013
10 64.9 in 1998	57.7 in 1956	10 4.41 in 1996	10 0.54 in 1982
			11 0.56 in 2006
			12 0.65 in 1976
			13 0.66 in 1981
			14 0.84 in 2020
			0.84 in 1967

Normal Temperature for January at VNCF1 = 61.4°
Normal Rainfall for January at VNCF1 = 2.44 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 69.5 in 1974	1 52.1 in 1981	1 9.30 in 1993	1 0.00 in 1974
2 69.2 in 1993	2 53.5 in 1970	2 8.25 in 1973	0.00 in 1950
3 67.7 in 1972	3 54.5 in 1977	3 7.38 in 1979	3 0.08 in 2003
4 67.4 in 2013	4 54.9 in 2003	4 6.84 in 2016	4 0.09 in 1968
67.4 in 1991	5 55.0 in 1958	5 6.82 in 1958	5 0.17 in 1990
6 67.3 in 1989	6 56.1 in 2001	6 5.64 in 1999	6 0.21 in 2001
67.3 in 1975	7 57.3 in 1961	7 5.53 in 1987	7 0.31 in 2006
8 67.0 in 1990	8 57.4 in 1963	8 5.42 in 1991	8 0.32 in 1951
9 66.6 in 2017	9 57.8 in 1985	9 5.13 in 1966	9 0.54 in 1975
10 66.3 in 2007	57.8 in 1978	10 5.03 in 1998	10 0.58 in 2013

Average Temperature for Jan 2020 = Not Available Yet
Normal Temperature for January at MKCF1 = 61.5°

Total Rainfall for Jan 2020 = Not Available Yet
Normal Rainfall for January at MKCF1 = 2.73 inches

WAUCHULA 2 N (Records began in January 1933):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	73.1 in 1937	1	47.4 in 2010	1	7.84 in 1979	1	0.00 in 2001
2	71.4 in 1974	2	52.5 in 1981	2	7.26 in 1973		0.00 in 2000
3	69.9 in 1947	3	53.1 in 2001	3	7.20 in 1958	3	0.03 in 1974
4	69.0 in 1972	4	54.3 in 1940	4	6.89 in 2016	4	0.08 in 1950
5	68.1 in 1991	5	54.7 in 1977	5	6.49 in 1966	5	0.14 in 1990
6	67.9 in 1989	6	56.1 in 1956	6	6.09 in 1998	6	0.26 in 1949
7	67.8 in 1990	7	56.7 in 2014	7	5.93 in 1993	7	0.27 in 1935
8	67.7 in 1950	8	57.0 in 1970	8	4.53 in 1936	8	0.29 in 2013
9	67.5 in 1975	9	57.1 in 2011	9	4.29 in 1983	9	0.30 in 1992
10	67.0 in 1993		57.1 in 1978	10	4.19 in 1948	10	0.33 in 2006

Average Temperature for Jan 1-25, 2020 = 63.0°
 Normal Temperature for January at WAUF1 = 61.6°

Total Rainfall for Jan 1-25, 2020 = 0.65 inches
 Normal Rainfall for January at WAUF1 = 2.04 inches

ARCADIA (Records began in January 1899):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	72.2 in 1937	1	51.2 in 1981	1	8.52 in 2016	1	0.00 in 1990
2	71.1 in 1974	2	53.5 in 2003	2	7.93 in 1958		0.00 in 1974
3	70.4 in 1947	3	54.1 in 2010	3	6.80 in 1988		0.00 in 1950
4	69.6 in 1913	4	54.5 in 1977	4	6.25 in 1973		0.00 in 1916
5	68.2 in 1950	5	54.9 in 1940	5	6.08 in 1979	5	0.02 in 2003
6	68.1 in 1972	6	56.2 in 1956	6	5.96 in 1915		0.02 in 1949
	68.1 in 1916	7	56.3 in 1978	7	5.39 in 1998		0.02 in 1927
8	67.5 in 1932		56.3 in 1958	8	5.17 in 1926	8	0.14 in 1971
9	67.2 in 1949	9	56.7 in 1985	9	5.13 in 1961	9	0.22 in 1905
10	67.1 in 1993	10	57.1 in 1970	10	4.96 in 1904		0.22 in 1902
	67.1 in 1925			
...				71	1.21 in 2020	45	1.21 in 2020
36	63.5 in 2020	71	63.5 in 2020				
	in 2017		in 2017				

Normal Temperature for January at ARCF1 = 60.2°
 Normal Rainfall for January at ARCF1 = 1.82 inches

ARCHBOLD BIO STN (Records began in January 1969):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	69.7 in 1974	1	50.8 in 1981	1	9.64 in 2016	1	0.08 in 1976
2	67.5 in 1993	2	53.7 in 1977	2	7.91 in 1979	2	0.13 in 1975
3	67.4 in 1975	3	53.8 in 2001	3	5.65 in 1998	3	0.22 in 2007
	67.4 in 1972	4	54.5 in 2010	4	5.17 in 1991	4	0.25 in 1972
5	66.9 in 1991	5	54.8 in 2003	5	5.12 in 1993	5	0.26 in 2001
6	66.6 in 1990	6	56.3 in 1970	6	5.11 in 1973	6	0.29 in 2012
7	65.9 in 2013	7	57.1 in 1978	7	4.78 in 1970	7	0.31 in 2006
8	65.7 in 1989	8	58.0 in 1995	8	4.41 in 1983	8	0.33 in 1974
9	64.5 in 2017		58.0 in 1987	9	3.90 in 2019	9	0.36 in 1992
10	64.4 in 2007	10	58.5 in 2009	10	3.82 in 1994		0.36 in 1981
			58.5 in 1983				
			58.5 in 1979				

Average Temperature for Jan 2020 = Not Available Yet

Normal Temperature for January at ACHF1 = 60.0°

Total Rainfall for Jan 2020 = Not Available Yet

Normal Rainfall for January at ACHF1 = 1.92 inches

PUNTA GORDA AREA (Records began in May 1914):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.7 in 1950	1	54.4 in 1981	1	9.93 in 2016	1	0.00 in 1950
2	71.3 in 1937	2	55.3 in 1977	2	7.07 in 1979		0.00 in 1949
3	71.1 in 1974	3	55.8 in 2003	3	6.95 in 1958	3	0.08 in 1990
4	70.8 in 1947	4	56.4 in 2001	4	6.29 in 1973	4	0.10 in 1974
5	70.4 in 1949		56.4 in 1940	5	5.89 in 1926		0.10 in 1951
6	69.8 in 1993	6	56.6 in 2010	6	5.84 in 1991	6	0.11 in 1968
7	69.1 in 1972	7	57.3 in 1978	7	5.51 in 1948	7	0.21 in 1927
8	68.6 in 1991	8	57.5 in 1976	8	5.18 in 1966	8	0.27 in 2001
9	68.5 in 1989	9	57.6 in 1970	9	4.95 in 1931		0.27 in 1928
	68.5 in 1932	10	58.4 in 1958	10	4.86 in 1970	10	0.30 in 1976
	68.5 in 1916			
...		...		57	1.23 in 2020	45	1.23 in 2020
26	65.3 in 2020	72	65.3 in 2020				
	in 1954		in 1954				

Normal Temperature for January at PGD = 62.3°

Normal Rainfall for January at PGD = 1.82 inches

FORT MYERS AREA (Records began in January 1902):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 73.5 in 1937	1 55.7 in 1981	1 12.98 in 2016	1 0.00 in 1950
2 73.0 in 1974	2 55.9 in 1977	2 7.95 in 1991	2 Trace in 2001
3 70.9 in 1972	3 57.1 in 1958	3 7.45 in 1979	3 0.01 in 1949
4 70.8 in 1947	4 57.3 in 1940	4 6.04 in 1958	0.01 in 1917
5 70.3 in 1991	5 57.6 in 2003	5 5.36 in 1993	5 0.05 in 1916
6 70.0 in 1993	6 57.8 in 1902	6 5.10 in 2019	6 0.15 in 2012
70.0 in 1950	7 58.0 in 1970	7 4.76 in 1903	0.15 in 1984
70.0 in 1913	8 58.4 in 1905	8 4.50 in 1983	8 0.21 in 1976
9 69.9 in 2013	9 58.7 in 2001	9 4.36 in 1970	9 0.22 in 1920
69.9 in 1989	58.7 in 1956	10 4.25 in 1924	10 0.23 in 1928
...	
17 68.2 in 2020		70 1.07 in 2020	50 1.07 in 2020

Normal Temperature for January at FMY = 64.2°
Normal Rainfall for January at FMY = 1.94 inches

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past
Weather drop down menu above the graphical forecast images.