



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


January 2025 Climate Summary for West Central and Southwest Florida

This January we saw a wide range of temperatures with many days well below normal, some 10 to 20 degrees below normal, while a few others were slightly above normal. On seven of the coldest days freezing temperatures occurred across parts of the Nature Coast while further south some central inland areas saw some frost with isolated spots near freezing. Overall, the average temperatures for January ranged from about 2°F to nearly 7°F below normal, with some of the official climate sites ending up in the Top Ten Coldest for January.


JANUARY TEMPERATURE RANKINGS (°F)

Location	January 2025 Rank	Avg Temp	Normal Jan Temp	Dep fm Normal	Records Began
Fort Myers Area	20th Coolest	61.5°	64.7°	-3.2°	Jan 1902
Punta Gorda Area	20th Coolest (tie)	60.8°	62.9°	-2.1°	May 1914
Sarasota-Bradenton Area	21st Coolest	59.1°	62.4°	-3.3°	Jan 1911
Venice	11st Coolest	58.5°	62.0°	-3.5°	May 1955
Lakeland Area	14th Coolest (tie)	57.7°	62.2°	-4.5°	Jan 1915
St Petersburg Area	9th Coolest (tie)	57.6°	62.2°	-4.6°	Aug 1914
Tampa Area	20th Coolest (tie)	57.3°	62.0°	-4.7°	Apr 1890
Archbold Bio Stn	7th Coolest	57.0°	61.4°	-4.4°	Jan 1969
Winter Haven Area	7th Coolest	57.0°	62.2°	-5.2°	Mar 1941
Wauchula 2 N	7th Coolest	56.4°	60.2°	-3.8°	Jan 1933
Plant City	12th Coolest	56.2°	62.4°	-6.2°	Sep 1892
Myakka River State Park	6th Coolest (tie)	56.1°	62.2°	-6.1°	Mar 1956
Bartow	7th Coolest (tie)	56.0°	61.2°	-5.2°	Jun 1892
St. Leo	8th Coolest	54.2°	59.7°	-5.5°	Apr 1895
Brooksville Area	9th Coolest	52.8°	57.5°	-4.7°	Jan 1892
Inverness 3 SE	7th Coolest (tie)	51.9°	56.0°	-4.1°	Jul 1948
Chiefland 5 ESE	3rd Coolest	48.6°	55.3°	-6.7°	Jul 1956

Temperature (F)
1/1/2025 – 1/31/2025



Departure from Normal Temperature (F)
1/1/2025 – 1/31/2025




Graphics Source: NOAA Regional Climate Centers


As for rainfall, it was below normal across most of the region, but there were some small bands around Interstate 4 and the northern Nature Coast that saw above normal rainfall.

JANUARY RAINFALL (inches):

Location	Rank	January 2025 Rain Total	Normal Jan Rain	Dep fm Normal	Records Began
Chiefland 5 ESE	30th Wettest	3.80	3.61	+0.19	Jul 1956
Tampa Area	40th Wettest	3.17	2.65	+0.52	Apr 1890
Plant City	81st Driest	2.77	3.00	-0.23	Sep 1892
Winter Haven Area	31st Wettest	2.59	2.49	+0.10	Mar 1941
Lakeland Area	66th Driest	2.32	2.99	-0.67	Jan 1915
Inverness 3 SE	22nd Driest	1.93	2.97	-1.04	Jul 1948
Venice	35th Driest	1.92	2.68	-0.76	May 1955
Archbold Bio Stn	33rd Driest	1.76	2.18	-0.42	Jan 1969
Myakka River State Park	32nd Driest	1.62	2.85	-1.23	Sep 1943
Wauchula 2 N	44th Driest	1.54	2.29	-0.75	Jan 1933
St. Leo	43rd Driest	1.49	3.06	-1.57	Apr 1895
Bartow	53rd Driest	1.43	2.66	-1.23	Jun 1892
Punta Gorda Area	48th Driest	1.21	2.32	-1.11	May 1914
Brooksville Area	31st Driest	1.12	3.01	-1.89	Jan 1892
Sarasota-Bradenton Area	34th Driest	1.08	2.79	-1.71	Jan 1911
St Petersburg Area	32nd Driest	1.05	2.52	-1.47	Aug 1914
Fort Myers Area	33rd Driest	0.54	2.43	-1.89	Jan 1902



Rainfall January 2025



Percent of Normal

Following are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Januarys at some official NWS locations, which include the average/total for this January where available, and the 1991-2020 Normal (average) temperature and rainfall for the month of January.

CHIEFLAND 5 SE (Records began in July 1956):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 67.8 in 1974	1 47.3 in 1981	1 14.50 in 1964	1 0.25 in 1974
2 62.9 in 1993	2 47.4 in 1977	2 10.59 in 1979	2 0.36 in 2013
3 62.8 in 1972	3 48.6 in 2025	3 9.53 in 1994	3 0.47 in 1957
4 62.3 in 2013	4 48.7 in 1958	4 9.39 in 1991	4 0.61 in 1968
5 61.5 in 1957	5 49.0 in 2003	5 7.65 in 1987	5 0.70 in 2020
6 61.4 in 1990	6 49.5 in 2010	6 6.97 in 1988	6 1.10 in 2001
7 61.3 in 2017	7 49.6 in 2001	7 6.54 in 2014	7 1.11 in 1981
61.3 in 1989	8 50.0 in 1978	8 6.22 in 1986	8 1.15 in 1960
9 61.0 in 1975	9 50.5 in 1970	9 6.20 in 1978	9 1.38 in 2023
10 60.6 in 1991	10 51.0 in 1988	10 5.84 in 1980	10 1.51 in 1989
	
		30 3.80 in 2025	40 3.80 in 2025

Normal Temperature for January at CHIF1 = 55.3°
Normal Rainfall for January at CHIF1 = 3.61 inches

INVERNESS 3 SE (Records began in July 1948):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 70.3 in 1974	1 48.4 in 2003	1 9.56 in 1994	1 0.00 in 1950
2 68.1 in 1950	2 48.5 in 1981	2 6.47 in 1963	2 0.10 in 2005
3 64.8 in 1949	3 49.6 in 1977	3 6.38 in 1958	3 0.26 in 1974
4 64.6 in 1957	4 50.0 in 2010	4 6.26 in 1988	4 0.29 in 2020
5 63.4 in 1993	5 50.7 in 2001	5 6.06 in 1979	5 0.30 in 2013
6 63.3 in 1967	6 51.6 in 1958	6 5.96 in 1964	6 0.35 in 1951
7 63.1 in 1989	7 51.9 in 2025	7 5.78 in 1980	7 0.64 in 1952
8 62.6 in 1975	51.9 in 1978	8 5.60 in 1978	8 0.67 in 1957
9 62.4 in 1952	9 52.4 in 2014	9 5.53 in 1986	9 0.72 in 1949
10 62.0 in 2017	10 52.8 in 2018	10 5.44 in 1998	10 0.75 in 2012
			...
			22 1.93 in 2025

Normal Temperature for January at INVF1 = 56.0°
Normal Rainfall for January at INVF1 = 2.97 inches

BROOKSVILLE AREA (Records began in January 1892):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.2 in 1974	1	49.8 in 2003	1	9.15 in 1912	1	Trace in 1950
2	71.0 in 1937	2	50.0 in 2010	2	7.85 in 1994	2	0.13 in 1927
3	69.4 in 1950	3	51.4 in 1940	3	7.68 in 1964	3	0.16 in 2003
4	68.9 in 1947	4	51.5 in 2001	4	7.14 in 1959	4	0.31 in 1907
5	68.0 in 1913	5	51.7 in 1981	5	7.04 in 1906	5	0.35 in 1902
6	66.7 in 1972	6	51.9 in 1977	6	6.66 in 1988	6	0.39 in 1943
7	66.6 in 1989	7	52.0 in 1893	7	6.19 in 1914	7	0.44 in 2013
8	66.5 in 1949	8	52.5 in 1958	8	6.03 in 1899	8	0.48 in 1951
9	66.0 in 1917	9	52.8 in 2025	9	5.74 in 1936	9	0.53 in 1928
10	65.6 in 1932	10	52.9 in 1902	10	5.67 in 1958	10	0.59 in 1937
	65.6 in 1907			
				101	1.12 in 2025	31	1.12 in 2025

Normal Temperature for January at BKV = 57.5°

Normal Rainfall for January at BKV = 3.01 inches

ST LEO (Records began in April 1895):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.9 in 1937	1	51.1 in 1940	1	8.71 in 1899	1	0.00 in 1950
2	69.2 in 1947	2	51.7 in 1977	2	7.61 in 1914	2	0.18 in 1937
3	68.7 in 1950	3	52.7 in 1981	3	7.55 in 1912	3	0.19 in 2021
4	67.8 in 1913	4	53.4 in 1958	4	7.37 in 1903	4	0.25 in 1927
5	67.5 in 1972	5	53.6 in 1928	5	7.15 in 1941	5	0.34 in 1907
6	66.9 in 1949	6	54.0 in 2010	6	6.32 in 1948	6	0.48 in 1898
7	66.6 in 1989		54.0 in 1931	7	6.15 in 1904	7	0.51 in 1943
8	66.5 in 1990	8	54.2 in 2025	8	6.13 in 1982		0.51 in 1905
	66.5 in 1916	9	54.6 in 1970	9	6.10 in 1906	9	0.52 in 2006
10	66.4 in 1932		54.6 in 1905	10	6.07 in 2016		0.52 in 1951
				
				86	1.49 in 2025	43	1.49 in 2025

Normal Temperature for January at STLF1 = 59.7°

Normal Rainfall for January at STLF1 = 3.06 inches

TARPON SPRINGS (Records began in January 1892):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 71.4 in 1937	1 49.9 in 1981	1 8.23 in 2011	1 0.00 in 1950
2 70.0 in 1950	2 51.2 in 1940	2 8.16 in 1948	2 0.07 in 1974
3 69.5 in 1947	3 52.5 in 1893	3 7.96 in 1986	3 0.18 in 1898
4 67.9 in 1932	4 52.8 in 1977	4 6.43 in 1936	4 0.22 in 1927
5 67.6 in 1993	5 53.0 in 2010	5 6.17 in 1958	5 0.30 in 1907
6 67.5 in 1913	53.0 in 1958	6 6.15 in 1964	6 0.32 in 1943
7 66.7 in 1989	7 53.3 in 1956	7 5.91 in 1912	7 0.34 in 1905
8 66.6 in 1991	8 53.6 in 1905	8 5.88 in 1994	8 0.36 in 1917
9 66.4 in 1972	9 54.6 in 1896	9 5.87 in 1979	9 0.48 in 1932
66.4 in 1916	10 54.8 in 2001	10 5.82 in 1941	10 0.51 in 1916
	11 54.9 in 1970
	12 55.0 in 1959	68 2.36 in 2025	64 2.36 in 2025
	13 55.3 in 1978	2.36 in 2015	2.36 in 2015
	14 55.4 in 2025		
	55.4 in 1918		

Normal Temperature for January at TRPF1 = 60.0°

Normal Rainfall for January at TRPF1 = 3.03 inches

TAMPA AREA (Records began in April 1890):

Warmest Januarys	Coollest Januarys	Wettest Januarys	Driest Januarys
1 72.4 in 1937	1 50.3 in 1981	1 8.02 in 1948	1 Trace in 1950
2 71.1 in 1974	2 51.2 in 1977	2 6.73 in 1904	2 0.08 in 1927
3 69.5 in 1950	3 51.9 in 1940	3 6.45 in 1899	3 0.11 in 2003
4 69.1 in 1947	4 53.3 in 1958	4 6.33 in 1903	4 0.17 in 1974
5 68.1 in 1913	5 54.0 in 1970	5 6.28 in 2011	5 0.18 in 1949
6 67.6 in 1932	6 54.7 in 2010	6 6.18 in 2016	6 0.26 in 1932
7 67.2 in 1949	7 54.8 in 2003	7 6.17 in 1912	7 0.28 in 1902
8 67.1 in 2013	8 55.0 in 1978	8 5.72 in 1979	8 0.29 in 1916
67.1 in 1989	9 55.1 in 1893	9 5.42 in 1996	9 0.35 in 1943
67.1 in 1916	10 55.2 in 2001	10 5.41 in 1958	10 0.39 in 1935

	20 57.3 in 2025	40 3.17 in 2025	96 3.17 in 2025
	57.3 in 1928		

Normal Temperature for January at TPA = 62.0°

Normal Rainfall for January at TPA = 2.65 inches

ST PETERSBURG AREA (Records began in August 1914):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	73.3 in 1937	1	53.3 in 1940	1	10.39 in 1948	1	Trace in 1950
2	71.8 in 1974	2	53.9 in 1981	2	7.45 in 1964	2	0.08 in 1956
3	70.8 in 1947	3	54.7 in 1977	3	7.13 in 2016	3	0.12 in 2003
4	70.4 in 1950	4	55.3 in 2010	4	6.71 in 1915	4	0.13 in 1927
5	69.8 in 1932	5	56.2 in 2003	5	6.37 in 1996	5	0.16 in 1976
6	69.5 in 1972	6	56.9 in 2001	6	6.30 in 1925	6	0.27 in 1916
7	68.4 in 2013	7	57.2 in 1970	7	6.20 in 1991	7	0.42 in 2021
	68.4 in 1916		57.2 in 1918	8	5.91 in 1973		0.42 in 1952
9	68.2 in 1989	9	57.6 in 2025	9	5.45 in 1979	9	0.43 in 1968
10	67.7 in 1993		57.6 in 1956	10	5.26 in 1958	10	0.44 in 1974
				
				80	1.05 in 2025	32	1.05 in 2025

Normal Temperature for January at SPG = 62.2°

Normal Rainfall for January at SPG = 2.52 inches

PLANT CITY (Records began in September 1892):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.2 in 1974	1	50.8 in 1981	1	9.03 in 1948	1	0.00 in 1950
	71.2 in 1937	2	52.1 in 1940	2	6.88 in 2016	2	Trace in 1905
3	69.9 in 1947	3	53.1 in 1977	3	6.70 in 1912	3	0.07 in 1927
4	68.8 in 1972	4	54.5 in 1905	4	6.39 in 1964	4	0.21 in 1949
5	68.4 in 1950		54.5 in 1893	5	6.33 in 1973	5	0.25 in 1937
6	68.2 in 1913	6	54.7 in 1958	6	6.12 in 1993	6	0.27 in 1923
7	66.9 in 2013	7	54.9 in 2003	7	5.98 in 1959	7	0.28 in 1907
	66.9 in 1993		54.9 in 1931	8	5.97 in 1979	8	0.29 in 1902
	66.9 in 1975	9	55.2 in 2010	9	5.94 in 1996	9	0.32 in 1976
10	66.7 in 1991	10	55.7 in 2001	10	5.86 in 1926	10	0.36 in 1968
	66.7 in 1989	11	55.9 in 1956	
	66.7 in 1949	12	56.2 in 2025	47	2.77 in 2025	81	2.77 in 2025

Normal Temperature for January at PLCF1 = 62.4°

Normal Rainfall for January at PLCF1 = 3.00 inches

LAKELAND AREA (Records began in January 1915):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.6 in 1937	1	51.9 in 1977	1	8.74 in 1948	1	0.04 in 1927
2	71.0 in 1974	2	52.8 in 1940	2	8.66 in 1993	2	0.12 in 1950
3	69.2 in 1947	3	53.1 in 1981	3	7.21 in 1979	3	0.20 in 1949
4	68.9 in 1950	4	53.4 in 1958	4	6.77 in 2016	4	0.26 in 1971
5	68.4 in 1932	5	54.3 in 1970	5	5.98 in 1915	5	0.27 in 1951
6	67.7 in 1989	6	55.3 in 1978	6	5.91 in 1925	6	0.29 in 1968
7	67.6 in 1916	7	55.6 in 2010	7	5.78 in 2011	7	0.40 in 1990
8	67.5 in 1993	8	56.3 in 2003	8	5.71 in 1964	8	0.41 in 2013
	67.5 in 1917	9	56.4 in 1956	9	5.60 in 1966	9	0.44 in 2021
10	67.3 in 2013	10	56.6 in 2001	10	5.56 in 1996	10	0.46 in 1922
	67.3 in 1972	11	56.8 in 1961	
		12	57.4 in 1976	46	2.32 in 2025	66	2.32 in 2025
		13	57.5 in 1985				
		14	57.7 in 2025				
			57.7 in 1928				

Normal Temperature for January at LLDF1 = 62.2°

Normal Rainfall for January at LLDF1 = 2.99 inches

WINTER HAVEN AREA (Records began in March 1941):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.7 in 1974	1	51.9 in 1981	1	7.46 in 1948	1	0.02 in 1950
2	71.4 in 1989	2	53.2 in 1977	2	6.57 in 1979	2	0.14 in 1949
3	71.3 in 1947	3	54.9 in 1958	3	5.91 in 1966	3	0.19 in 2013
4	69.6 in 1950	4	55.0 in 2003	4	5.88 in 2016	4	0.20 in 1951
5	68.9 in 1991	5	55.6 in 2010	5	5.78 in 1996	5	0.24 in 1971
6	68.3 in 1972	6	56.9 in 2001	6	5.62 in 1993	6	0.29 in 2021
7	67.6 in 1993	7	57.0 in 2025		5.62 in 1964	7	0.40 in 1968
8	67.5 in 1949	8	57.1 in 1970	8	5.39 in 1973	8	0.42 in 1981
9	67.2 in 1990	9	57.2 in 1976	9	5.30 in 1958	9	0.48 in 1952
10	66.7 in 2013	10	57.5 in 1985	10	5.22 in 2004	10	0.58 in 2020
	66.7 in 1975			
				31	2.59 in 2025	54	2.59 in 2025

Normal Temperature for January at GIF = 62.2°

Normal Rainfall for January at GIF = 2.49 inches

BARTOW (Records began in June 1892):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.2 in 1974	1	52.6 in 1981	1	7.79 in 1948	1	0.03 in 1950
2	70.7 in 1937	2	54.0 in 1977	2	7.18 in 1926	2	0.10 in 1927
3	68.3 in 1950	3	54.9 in 1958	3	6.99 in 2016	3	0.16 in 1949
4	68.0 in 1991		54.9 in 1956	4	6.98 in 1915	4	0.19 in 1990
5	67.9 in 1989	5	55.5 in 2010	5	6.65 in 1958	5	0.23 in 1902
6	67.7 in 1972	6	55.8 in 2003	6	6.64 in 1903	6	0.25 in 1974
7	67.6 in 1947	7	56.0 in 2025	7	6.60 in 1936	7	0.31 in 1968
8	67.2 in 1913		56.0 in 1905	8	6.17 in 1912	8	0.33 in 1951
9	67.0 in 1993		56.0 in 1896	9	6.13 in 1973	9	0.34 in 1971
	67.0 in 1975	10	56.4 in 1910	10	6.02 in 1966	10	0.35 in 2021
				
				79	1.43 in 2025	53	1.43 in 2025

Normal Temperature for January at BARF1 = 61.2°

Normal Rainfall for January at BARF1 = 2.66 inches

SARASOTA-BRADENTON AREA (Records began in January 1911):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	72.0 in 1937	1	50.7 in 1981	1	10.26 in 1998	1	0.00 in 1950
2	71.1 in 1974	2	52.3 in 1977	2	9.03 in 1993	2	0.02 in 1927
3	70.5 in 1950	3	53.5 in 1940	3	7.84 in 1948	3	0.03 in 1974
4	67.9 in 1993	4	54.8 in 2003	4	7.52 in 1958	4	0.15 in 1947
5	67.7 in 1990	5	55.2 in 1978	5	6.24 in 2006	5	0.20 in 2013
6	67.6 in 1989	6	55.4 in 2010	6	5.92 in 1979		0.20 in 1937
7	67.5 in 1916	7	55.8 in 1958	7	5.38 in 1912	7	0.22 in 1956
8	67.1 in 1991	8	56.4 in 2001	8	5.24 in 1936	8	0.28 in 2003
	67.1 in 1932	9	56.6 in 1928	9	5.15 in 1966	9	0.29 in 1990
10	67.0 in 2013	10	56.7 in 1985	10	4.88 in 1915	10	0.34 in 2001
							0.34 in 1933
		
		21	59.1 in 2025	81	1.08 in 2025	34	1.08 in 2025

Normal Temperature for January at SRQ = 62.4°

Normal Rainfall for January at SRQ = 2.79 inches

VENICE (Records began in April 1955):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	69.9 in 1989	1	50.8 in 1981	1	9.32 in 1958	1	0.10 in 1968
2	69.8 in 1974	2	53.5 in 1977	2	7.34 in 2016	2	0.15 in 2003
3	69.2 in 1972	3	56.0 in 1958	3	7.00 in 1973	3	0.24 in 1974
4	69.1 in 2013	4	56.3 in 2003	4	6.62 in 1966	4	0.27 in 1990
5	65.7 in 1999	5	56.4 in 1985	5	6.39 in 1993	5	0.36 in 2012
6	65.3 in 2017	6	56.6 in 1978	6	6.28 in 1979	6	0.37 in 2001
7	65.2 in 2020		56.6 in 1976	7	5.89 in 1999	7	0.41 in 2021
8	65.1 in 1975	8	57.1 in 2001	8	5.00 in 2024	8	0.43 in 1975
	65.1 in 1967	9	57.7 in 1970	9	4.78 in 1991	9	0.46 in 1971
10	64.9 in 2023		57.7 in 1956	10	4.54 in 1994	10	0.49 in 2013
	64.9 in 1998	11	58.5 in 2025	
				35	1.92 in 2025	35	1.92 in 2025

Normal Temperature for January at VNCF1 = 62.0°

Normal Rainfall for January at VNCF1 = 2.68 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	69.5 in 1974	1	52.1 in 1981	1	9.30 in 1993	1	0.00 in 1974
2	69.2 in 1993	2	53.5 in 1970	2	8.25 in 1973		0.00 in 1950
3	67.7 in 1972	3	54.5 in 1977	3	7.38 in 1979	3	0.08 in 2003
4	67.4 in 2013	4	54.9 in 2003	4	6.84 in 2016	4	0.09 in 1968
	67.4 in 1991	5	55.0 in 1958	5	6.82 in 1958	5	0.17 in 1990
6	67.3 in 1989	6	56.1 in 2025	6	5.64 in 1999	6	0.21 in 2001
	67.3 in 1975		56.1 in 2001	7	5.53 in 1987	7	0.27 in 2021
8	67.0 in 1990	8	57.3 in 1961	8	5.42 in 1991	8	0.31 in 2006
9	66.6 in 2017	9	57.4 in 1963	9	5.13 in 1966	9	0.32 in 1951
10	66.3 in 2007	10	57.8 in 1985	10	5.03 in 1998	10	0.54 in 1975
			57.8 in 1978	
				49	1.62 in 2025	32	1.62 in 2025

Normal Temperature for January at MKCF1 = 62.2°

Normal Rainfall for January at MKCF1 = 2.85 inches

WAUCHULA (Records began in January 1933):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	73.1 in 1937	1	47.4 in 2010	1	7.84 in 1979	1	0.00 in 2001
2	71.4 in 1974	2	52.5 in 1981	2	7.26 in 1973		0.00 in 2000
3	69.9 in 1947	3	53.1 in 2001	3	7.20 in 1958	3	0.03 in 1974
4	69.0 in 1972	4	54.3 in 1940	4	6.89 in 2016	4	0.08 in 1950
5	68.1 in 1991	5	54.7 in 1977	5	6.49 in 1966	5	0.14 in 1990
6	67.9 in 1989	6	56.1 in 1956	6	6.09 in 1998	6	0.26 in 1949
7	67.8 in 1990	7	56.4 in 2025	7	5.93 in 1993	7	0.27 in 1935
8	67.7 in 1950	8	56.7 in 2014	8	4.53 in 1936	8	0.29 in 2013
9	67.5 in 1975	9	57.0 in 1970	9	4.29 in 1983	9	0.30 in 1992
10	67.0 in 1993	10	57.1 in 2011	10	4.19 in 1948	10	0.33 in 2006
			57.1 in 1978	
				48	1.54 in 2025	44	1.54 in 2025

Normal Temperature for January at WAUF1 = 60.2°

Normal Rainfall for January at WAUF1 = 2.29 inches

ARCHBOLD BIO STN (Records began in January 1969):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	69.7 in 1974	1	50.8 in 1981	1	9.64 in 2016	1	0.08 in 1976
2	67.5 in 1993	2	53.7 in 1977	2	7.91 in 1979	2	0.13 in 1975
3	67.4 in 1975	3	53.8 in 2001	3	5.65 in 1998	3	0.14 in 2021
	67.4 in 1972	4	54.5 in 2010	4	5.17 in 1991	4	0.22 in 2007
5	66.9 in 1991	5	54.8 in 2003	5	5.12 in 1993	5	0.25 in 1972
6	66.6 in 1990	6	56.3 in 1970	6	5.11 in 1973	6	0.26 in 2001
7	65.9 in 2013	7	57.0 in 2025	7	4.78 in 1970	7	0.29 in 2012
8	65.7 in 1989	8	57.1 in 1978	8	4.41 in 1983	8	0.31 in 2006
9	64.5 in 2017	9	58.0 in 1995	9	3.90 in 2019	9	0.33 in 1974
10	64.4 in 2007		58.0 in 1987	10	3.82 in 1994	10	0.36 in 1992
				0.36 in 1981
				25	1.76 in 2025	33	1.76 in 2025

Normal Temperature for January at ACHF1 = 61.4°

Normal Rainfall for January at ACHF1 = 2.18 inches

PUNTA GORDA AREA (Records began in May 1914):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.7 in 1950	1	54.4 in 1981	1	9.93 in 2016	1	0.00 in 1950
2	71.3 in 1937	2	55.3 in 1977	2	7.07 in 1979		0.00 in 1949
3	71.1 in 1974	3	55.8 in 2003	3	6.95 in 1958	3	0.08 in 1990
4	70.8 in 1947	4	56.4 in 2001	4	6.29 in 1973	4	0.10 in 1974
5	70.4 in 1949		56.4 in 1940	5	5.89 in 1926		0.10 in 1951
6	69.8 in 1993	6	56.6 in 2010	6	5.84 in 1991	6	0.11 in 1968
7	69.1 in 1972	7	57.3 in 1978	7	5.51 in 1948	7	0.21 in 1927
8	68.6 in 1991	8	57.5 in 1976	8	5.18 in 1966	8	0.27 in 2001
9	68.5 in 1989	9	57.6 in 1970	9	4.95 in 1931		0.27 in 1928
	68.5 in 1932	10	58.4 in 1958	10	4.86 in 1970	10	0.29 in 2021
	68.5 in 1916	
		20	60.8 in 2025	60	1.21 in 2025	48	1.21 in 2025
			60.8 in 1988				

Normal Temperature for January at PGD = 62.9°

Normal Rainfall for January at PGD = 2.32 inches

FORT MYERS AREA (Records began in January 1902):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	73.4 in 1937	1	55.7 in 1981	1	12.98 in 2016	1	0.00 in 1950
2	73.0 in 1974	2	55.9 in 1977	2	7.95 in 1991	2	Trace in 2001
3	70.9 in 1972	3	57.1 in 1958	3	7.45 in 1979	3	0.01 in 1949
4	70.8 in 1947	4	57.3 in 1940	4	6.04 in 1958		0.01 in 1917
5	70.3 in 1991	5	57.6 in 2003	5	5.36 in 1993	5	0.05 in 1916
6	70.0 in 1993	6	57.8 in 1902	6	5.10 in 2019	6	0.15 in 2012
	70.0 in 1950	7	58.0 in 1970	7	4.86 in 2024		0.15 in 1984
	70.0 in 1913	8	58.4 in 1905	8	4.76 in 1903	8	0.21 in 1976
9	69.9 in 2013	9	58.7 in 2001	9	4.50 in 1983	9	0.22 in 1920
	69.9 in 1989		58.7 in 1956	10	4.36 in 1970	10	0.23 in 1928
		
		20	61.5 in 2025	92	0.54 in 2025	33	0.54 in 2025

Normal Temperature for January at FMY = 64.7°

Normal Rainfall for January at FMY = 2.43 inches

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past
Weather drop down menu above the graphical forecast images.