



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


January 2026 Climate Summary for West Central and Southwest Florida

This January we saw a wide range of temperatures with many days 10 to 15 degrees below normal, while several others were 10 to 15 degrees above normal. The average temperatures for January ended up mostly ranging from near normal to about 3°F below normal, with the exception being St. Petersburg where the influence from the water kept minimum temperatures higher and therefore ended the month about 2.5°F above normal. None of the official climate sites ended up in the Top Ten Warmest/Coldest for January.


JANUARY TEMPERATURE RANKINGS (°F)

Location	January 2026		Normal	Dep fm	Records
	Rank	Avg Temp	Jan Temp	Normal	Began
St Petersburg Area	32nd Warmest	64.7°	62.2°	+2.5°	Aug 1914
Fort Myers Area	63rd Coolest(tie)	64.6°	64.7°	-0.1°	Jan 1902
Sarasota-Bradenton Area	56th Coolest	62.2°	62.4°	-0.2°	Jan 1911
Plant City	78th Coolest(tie)	62.2°	62.4°	-0.2°	Sep 1892
Lakeland Area	66th Coolest	62.1°	62.2°	-0.1°	Jan 1915
Punta Gorda Area	29th Coolest	61.5°	62.9°	-1.4°	May 1914
Tampa Area	77th Coolest(tie)	61.4°	62.0°	-0.6°	Apr 1890
Venice	31st Coolest(tie)	61.2°	62.0°	-0.8°	May 1955
Winter Haven Area	32nd Coolest(tie)	61.0°	62.2°	-1.2°	Mar 1941
Archbold Bio Stn	33rd Coolest	60.8°	61.4°	-0.6°	Jan 1969
Bartow	30th Coolest	59.9°	61.2°	-1.3°	Jun 1892
Tarpon Springs	51st Coolest(tie)	59.2°	60.0°	-0.8°	Jan 1892
Wauchula 2 N	21st Coolest	59.1°	60.2°	-1.1°	Jan 1933
St. Leo	48th Coolest(tie)	59.0°	59.7°	-0.7°	Apr 1895
Brooksville Area	30th Coolest(tie)	57.2°	57.5°	-0.3°	Jan 1892
Inverness 3 SE	23rd Coolest	55.8°	56.0°	-0.2°	Jul 1948
Chiefland 5 ESE	15th Coolest	52.3°	55.3°	-3.0°	Jul 1956

Temperature (F)
1/1/2026 – 1/31/2026



Departure from Normal Temperature (F)
1/1/2026 – 1/31/2026





Graphics Source: High Plains Regional Climate Center (HPRCC)

As for rainfall, it was below normal across the region, with most of the area less than 50 percent of normal (orange areas on right image below), and some areas less than 25 percent of normal (red areas on right image below).

JANUARY RAINFALL (inches):

Location	January 2026		Normal Jan Rain	Dep fm Normal	Records Began
	Rank	Rain Total			
Chiefland 5 ESE	23rd Driest	2.16	3.61	-1.45	Jul 1956
Sarasota-Bradenton Area	47th Driest	1.54	2.79	-1.25	Jan 1911
Tarpon Springs	41st Driest	1.47	3.03	-1.56	Jan 1892
Lakeland Area	35th Driest	1.23	2.99	-1.76	Jan 1915
Winter Haven Area	26st Driest	1.23	2.49	-1.26	Mar 1941
Venice	22nd Driest	1.19	2.68	-1.39	May 1955
Tampa Area	35th Driest	0.99	2.65	-1.66	Apr 1890
St. Leo	23rd Driest	0.88	3.06	-2.18	Apr 1895
Brooksville Area	19st Driest (tie)	0.86	3.01	-2.15	Jan 1892
Bartow	28th Driest	0.81	2.66	-1.85	Jun 1892
Inverness 3 SE	9th Driest (tie)	0.72	2.97	-2.25	Jul 1948
Punta Gorda Area	30th Driest	0.67	2.32	-1.65	May 1914
Plant City	21st Driest (tie)	0.65	3.00	-2.35	Sep 1892
Wauchula 2 N	18th Driest (tie)	0.54	2.29	-1.75	Jan 1933
Fort Myers Area	31st Driest	0.51	2.43	-1.92	Jan 1902
St Petersburg Area	9th Driest (tie)	0.43	2.52	-2.09	Aug 1914
Archbold Bio Stn	8th Driest	0.30	2.18	-1.88	Jan 1969



Following are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Januarys at some official NWS locations, which include the average/total for this January where available, and the 1991–2020 Normal (average) temperature and rainfall for the month of January.

CHIEFLAND 5 SE (Records began in July 1956):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 67.8 in 1974	1 47.3 in 1981	1 14.50 in 1964	1 0.25 in 1974
2 62.9 in 1993	2 47.4 in 1977	2 10.59 in 1979	2 0.36 in 2013
3 62.8 in 1972	3 48.6 in 2025	3 9.53 in 1994	3 0.47 in 1957
4 62.3 in 2013	4 48.7 in 1958	4 9.39 in 1991	4 0.61 in 1968
5 61.5 in 1957	5 49.0 in 2003	5 7.65 in 1987	5 0.70 in 2020
6 61.4 in 1990	6 49.5 in 2010	6 6.97 in 1988	6 1.10 in 2001
7 61.3 in 2017	7 49.6 in 2001	7 6.54 in 2014	7 1.11 in 1981
61.3 in 1989	8 50.0 in 1978	8 6.22 in 1986	8 1.15 in 1960
9 61.0 in 1975	9 50.5 in 1970	9 6.20 in 1978	9 1.38 in 2023
10 60.6 in 1991	10 51.0 in 1988	10 5.84 in 1980	10 1.51 in 1989
	11 51.2 in 1961		...
	12 51.3 in 2011		23 2.16 in 2026
	13 51.7 in 1976		
	14 51.9 in 2014		
	15 52.3 in 2026		

Normal Temperature for January at CHIF1 = 55.3°

Normal Rainfall for January at CHIF1 = 3.61 inches

INVERNESS 3 SE (Records began in July 1948):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 70.3 in 1974	1 48.4 in 2003	1 9.56 in 1994	1 0.00 in 1950
2 68.1 in 1950	2 48.5 in 1981	2 6.47 in 1963	2 0.10 in 2005
3 64.8 in 1949	3 49.6 in 1977	3 6.38 in 1958	3 0.26 in 1974
4 64.6 in 1957	4 50.0 in 2010	4 6.26 in 1988	4 0.29 in 2020
5 63.4 in 1993	5 50.7 in 2001	5 6.06 in 1979	5 0.30 in 2013
6 63.3 in 1967	6 51.6 in 1958	6 5.96 in 1964	6 0.35 in 1951
7 63.1 in 1989	7 51.9 in 2025	7 5.78 in 1980	7 0.64 in 1952
8 62.6 in 1975	51.9 in 1978	8 5.60 in 1978	8 0.67 in 1957
9 62.4 in 1952	9 52.4 in 2014	9 5.53 in 1986	9 0.72 in 2026
10 62.0 in 2017	10 52.8 in 2018	10 5.44 in 1998	0.72 in 1949
	...		
	23 55.8 in 2026		

Normal Temperature for January at INVF1 = 56.0°

Normal Rainfall for January at INVF1 = 2.97 inches

BROOKSVILLE AREA (Records began in January 1892):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.2 in 1974	1	49.8 in 2003	1	9.15 in 1912	1	Trace in 1950
2	71.0 in 1937	2	50.0 in 2010	2	7.85 in 1994	2	0.13 in 1927
3	69.4 in 1950	3	51.4 in 1940	3	7.68 in 1964	3	0.16 in 2003
4	68.9 in 1947	4	51.5 in 2001	4	7.14 in 1959	4	0.31 in 1907
5	68.0 in 1913	5	51.7 in 1981	5	7.04 in 1906	5	0.35 in 1902
6	66.7 in 1972	6	51.9 in 1977	6	6.66 in 1988	6	0.39 in 1943
7	66.6 in 1989	7	52.0 in 1893	7	6.19 in 1914	7	0.44 in 2013
8	66.5 in 1949	8	52.5 in 1958	8	6.03 in 1899	8	0.48 in 1951
9	66.0 in 1917	9	52.8 in 2025	9	5.74 in 1936	9	0.53 in 1928
10	65.6 in 1932	10	52.9 in 1902	10	5.67 in 1958	10	0.59 in 1937
	65.6 in 1907					...	
...	...					19	0.86 in 2026
89	57.2 in 2026	30	57.2 in 2026				0.86 in 1981
	57.2 in 2026		57.2 in 1904				

Normal Temperature for January at BKV = 57.5°

Normal Rainfall for January at BKV = 3.01 inches

ST LEO (Records began in April 1895):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	71.9 in 1937	1	51.1 in 1940	1	8.71 in 1899	1	0.00 in 1950
2	69.2 in 1947	2	51.7 in 1977	2	7.61 in 1914	2	0.18 in 1937
3	68.7 in 1950	3	52.7 in 1981	3	7.55 in 1912	3	0.19 in 2021
4	67.8 in 1913	4	53.4 in 1958	4	7.37 in 1903	4	0.25 in 1927
5	67.5 in 1972	5	53.6 in 1928	5	7.15 in 1941	5	0.34 in 1907
6	66.9 in 1949	6	54.0 in 2010	6	6.32 in 1948	6	0.48 in 1898
7	66.6 in 1989	54.0	in 1931	7	6.15 in 1904	7	0.51 in 1943
8	66.5 in 1990	8	54.2 in 2025	8	6.13 in 1982		0.51 in 1905
	66.5 in 1916	9	54.6 in 1970	9	6.10 in 1906	9	0.52 in 2006
10	66.4 in 1932	54.6	in 1905	10	6.07 in 2016		0.52 in 1951
...	
80	59.0 in 2026	48	59.0 in 2026			23	0.88 in 2026
	59.0 in 1901		59.0 in 1901				

Normal Temperature for January at STLF1 = 59.7°

Normal Rainfall for January at STLF1 = 3.06 inches

TARPON SPRINGS (Records began in January 1892):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 71.4 in 1937	1 49.9 in 1981	1 8.23 in 2011	1 0.00 in 1950
2 70.0 in 1950	2 51.2 in 1940	2 8.16 in 1948	2 0.07 in 1974
3 69.5 in 1947	3 52.5 in 1893	3 7.96 in 1986	3 0.18 in 1898
4 67.9 in 1932	4 52.8 in 1977	4 6.43 in 1936	4 0.22 in 1927
5 67.6 in 1993	5 53.0 in 2010	5 6.17 in 1958	5 0.30 in 1907
6 67.5 in 1913	53.0 in 1958	6 6.15 in 1964	6 0.32 in 1943
7 66.7 in 1989	7 53.3 in 1956	7 5.91 in 1912	7 0.34 in 1905
8 66.6 in 1991	8 53.6 in 1905	8 5.88 in 1994	8 0.36 in 1917
9 66.4 in 1972	9 54.6 in 1896	9 5.87 in 1979	9 0.48 in 1932
66.4 in 1916	10 54.8 in 2001	10 5.82 in 1941	10 0.51 in 1916
...
75 59.2 in 2026	51 59.2 in 2026	93 1.47 in 2026	41 1.47 in 2026
59.2 in 1948	59.2 in 1948		

Normal Temperature for January at TRPF1 = 60.0°

Normal Rainfall for January at TRPF1 = 3.03 inches

TAMPA AREA (Records began in April 1890):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 72.4 in 1937	1 50.3 in 1981	1 8.02 in 1948	1 Trace in 1950
2 71.1 in 1974	2 51.2 in 1977	2 6.73 in 1904	2 0.08 in 1927
3 69.5 in 1950	3 51.9 in 1940	3 6.45 in 1899	3 0.11 in 2003
4 69.1 in 1947	4 53.3 in 1958	4 6.33 in 1903	4 0.17 in 1974
5 68.1 in 1913	5 54.0 in 1970	5 6.28 in 2011	5 0.18 in 1949
6 67.6 in 1932	6 54.7 in 2010	6 6.18 in 2016	6 0.26 in 1932
7 67.2 in 1949	7 54.8 in 2003	7 6.17 in 1912	7 0.28 in 1902
8 67.1 in 2013	8 55.0 in 1978	8 5.72 in 1979	8 0.29 in 1916
67.1 in 1989	9 55.1 in 1893	9 5.42 in 1996	9 0.35 in 1943
67.1 in 1916	10 55.2 in 2001	10 5.41 in 1958	10 0.39 in 1935
...
59 61.4 in 2026	77 61.4 in 2026	101 0.99 in 2026	35 0.99 in 2026
61.4 in 1922	61.4 in 1922	0.99 in 1954	0.99 in 1954

Normal Temperature for January at TPA = 62.0°

Normal Rainfall for January at TPA = 2.65 inches

ST PETERSBURG AREA (Records began in August 1914):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 73.3 in 1937	1 53.3 in 1940	1 10.39 in 1948	1 Trace in 1950
2 71.8 in 1974	2 53.9 in 1981	2 7.45 in 1964	2 0.08 in 1956
3 70.8 in 1947	3 54.7 in 1977	3 7.13 in 2016	3 0.12 in 2003
4 70.4 in 1950	4 55.3 in 2010	4 6.71 in 1915	4 0.13 in 1927
5 69.8 in 1932	5 56.2 in 2003	5 6.37 in 1996	5 0.16 in 1976
6 69.5 in 1972	6 56.9 in 2001	6 6.30 in 1925	6 0.27 in 1916
7 68.4 in 2013	7 57.2 in 1970	7 6.20 in 1991	7 0.42 in 2021
68.4 in 1916	57.2 in 1918	8 5.91 in 1973	0.42 in 1952
9 68.2 in 1989	9 57.6 in 2025	9 5.45 in 1979	9 0.43 in 2026
10 67.7 in 1993	57.6 in 1956	10 5.26 in 1958	0.43 in 1968
...			
32 64.7 in 2026			

Normal Temperature for January at SPG = 62.2°

Normal Rainfall for January at SPG = 2.52 inches

PLANT CITY (Records began in September 1892):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 71.2 in 1974	1 50.8 in 1981	1 9.03 in 1948	1 0.00 in 1950
71.2 in 1937	2 52.1 in 1940	2 6.88 in 2016	2 Trace in 1905
3 69.9 in 1947	3 53.1 in 1977	3 6.70 in 1912	3 0.07 in 1927
4 68.8 in 1972	4 54.5 in 1905	4 6.39 in 1964	4 0.21 in 1949
5 68.4 in 1950	54.5 in 1893	5 6.33 in 1973	5 0.25 in 1937
6 68.2 in 1913	6 54.7 in 1958	6 6.12 in 1993	6 0.27 in 1923
7 66.9 in 2013	7 54.9 in 2003	7 5.98 in 1959	7 0.28 in 1907
66.9 in 1993	54.9 in 1931	8 5.97 in 1979	8 0.29 in 1902
66.9 in 1975	9 55.2 in 2010	9 5.94 in 1996	9 0.32 in 1976
10 66.7 in 1991	10 55.7 in 2001	10 5.86 in 1926	10 0.36 in 1968
66.7 in 1989			...
66.7 in 1949			21 0.65 in 2026
...	...		0.65 in 2020
41 62.2 in 2026	78 62.2 in 2026		
62.2 in 2008	62.2 in 2008		
62.2 in 2005	62.2 in 2005		

Normal Temperature for January at PLCF1 = 62.4°

Normal Rainfall for January at PLCF1 = 3.00 inches

LAKELAND AREA (Records began in January 1915):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 71.6 in 1937	1 51.9 in 1977	1 8.74 in 1948	1 0.04 in 1927
2 71.0 in 1974	2 52.8 in 1940	2 8.66 in 1993	2 0.12 in 1950
3 69.2 in 1947	3 53.1 in 1981	3 7.21 in 1979	3 0.20 in 1949
4 68.9 in 1950	4 53.4 in 1958	4 6.77 in 2016	4 0.26 in 1971
5 68.4 in 1932	5 54.3 in 1970	5 5.98 in 1915	5 0.27 in 1951
6 67.7 in 1989	6 55.3 in 1978	6 5.91 in 1925	6 0.29 in 1968
7 67.6 in 1916	7 55.6 in 2010	7 5.78 in 2011	7 0.40 in 1990
8 67.5 in 1993	8 56.3 in 2003	8 5.71 in 1964	8 0.41 in 2013
67.5 in 1917	9 56.4 in 1956	9 5.60 in 1966	9 0.44 in 2021
10 67.3 in 2013	10 56.6 in 2001	10 5.56 in 1996	10 0.46 in 1922
67.3 in 1972	
...	...	78 1.23 in 2026	35 1.23 in 2026
46 62.1 in 2026	66 62.1 in 2026		

Normal Temperature for January at LLDF1 = 62.2°

Normal Rainfall for January at LLDF1 = 2.99 inches

WINTER HAVEN AREA (Records began in March 1941):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 71.7 in 1974	1 51.9 in 1981	1 7.46 in 1948	1 0.02 in 1950
2 71.4 in 1989	2 53.2 in 1977	2 6.57 in 1979	2 0.14 in 1949
3 71.3 in 1947	3 54.9 in 1958	3 5.91 in 1966	3 0.19 in 2013
4 69.6 in 1950	4 55.0 in 2003	4 5.88 in 2016	4 0.20 in 1951
5 68.9 in 1991	5 55.6 in 2010	5 5.78 in 1996	5 0.24 in 1971
6 68.3 in 1972	6 56.9 in 2001	6 5.62 in 1993	6 0.29 in 2021
7 67.6 in 1993	7 57.0 in 2025	5.62 in 1964	7 0.40 in 1968
8 67.5 in 1949	8 57.1 in 1970	8 5.39 in 1973	8 0.42 in 1981
9 67.2 in 1990	9 57.2 in 1976	9 5.30 in 1958	9 0.48 in 1952
10 66.7 in 2013	10 57.5 in 1985	10 5.22 in 2004	10 0.58 in 2020
66.7 in 1975			...
...	...		26 1.23 in 2026
45 61.0 in 2026	32 61.0 in 2026		
61.0 in 2026	61.0 in 2026		

Normal Temperature for January at GIF = 62.2°

Normal Rainfall for January at GIF = 2.49 inches

BARTOW (Records began in June 1892):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 71.2 in 1974	1 52.6 in 1981	1 7.79 in 1948	1 0.03 in 1950
2 70.7 in 1937	2 54.0 in 1977	2 7.18 in 1926	2 0.10 in 1927
3 68.3 in 1950	3 54.9 in 1958	3 6.99 in 2016	3 0.16 in 1949
4 68.0 in 1991	54.9 in 1956	4 6.98 in 1915	4 0.19 in 1990
5 67.9 in 1989	5 55.5 in 2010	5 6.65 in 1958	5 0.23 in 1902
6 67.7 in 1972	6 55.8 in 2003	6 6.64 in 1903	6 0.25 in 1974
7 67.6 in 1947	7 56.0 in 2025	7 6.60 in 1936	7 0.31 in 1968
8 67.2 in 1913	56.0 in 1905	8 6.17 in 1912	8 0.33 in 1951
9 67.0 in 1993	56.0 in 1896	9 6.13 in 1973	9 0.34 in 1971
67.0 in 1975	10 56.4 in 1910	10 6.02 in 1966	10 0.35 in 2021
...	...		0.35 in 1905
66 59.9 in 2026	30 59.9 in 2026		28 0.81 in 2026

Normal Temperature for January at BARF1 = 61.2°

Normal Rainfall for January at BARF1 = 2.66 inches

SARASOTA-BRADENTON AREA (Records began in January 1911):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 72.0 in 1937	1 50.7 in 1981	1 10.26 in 1998	1 0.00 in 1950
2 71.1 in 1974	2 52.3 in 1977	2 9.03 in 1993	2 0.02 in 1927
3 70.5 in 1950	3 53.5 in 1940	3 7.84 in 1948	3 0.03 in 1974
4 67.9 in 1993	4 54.8 in 2003	4 7.52 in 1958	4 0.15 in 1947
5 67.7 in 1990	5 55.2 in 1978	5 6.24 in 2006	5 0.20 in 2013
6 67.6 in 1989	6 55.4 in 2010	6 5.92 in 1979	0.20 in 1937
7 67.5 in 1916	7 55.8 in 1958	7 5.38 in 1912	7 0.22 in 1956
8 67.1 in 1991	8 56.4 in 2001	8 5.24 in 1936	8 0.28 in 2003
67.1 in 1932	9 56.6 in 1928	9 5.15 in 1966	9 0.29 in 1990
10 67.0 in 2013	10 56.7 in 1985	10 4.88 in 1915	10 0.34 in 2001
...	...		0.34 in 1933
53 62.2 in 2026	56 62.2 in 2026	...	47 1.54 in 2026

Normal Temperature for January at SRQ = 62.4°

Normal Rainfall for January at SRQ = 2.79 inches

VENICE (Records began in April 1955):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	69.9 in 1989	1	50.8 in 1981	1	9.32 in 1958	1	0.10 in 1968
2	69.8 in 1974	2	53.5 in 1977	2	7.34 in 2016	2	0.15 in 2003
3	69.2 in 1972	3	56.0 in 1958	3	7.00 in 1973	3	0.24 in 1974
4	69.1 in 2013	4	56.3 in 2003	4	6.62 in 1966	4	0.27 in 1990
5	65.7 in 1999	5	56.4 in 1985	5	6.39 in 1993	5	0.36 in 2012
6	65.3 in 2017	6	56.6 in 1978	6	6.28 in 1979	6	0.37 in 2001
7	65.2 in 2020		56.6 in 1976	7	5.89 in 1999	7	0.41 in 2021
8	65.1 in 1975	8	57.1 in 2001	8	5.00 in 2024	8	0.43 in 1975
	65.1 in 1967	9	57.7 in 1970	9	4.78 in 1991	9	0.46 in 1971
10	64.9 in 2023		57.7 in 1956	10	4.54 in 1994	10	0.49 in 2013
	64.9 in 1998					...	
...		...					22 1.19 in 2026
33	61.2 in 2026	31	61.2 in 2026				
	61.2 in 1996		61.2 in 1996				
	61.2 in 1966		61.2 in 1966				

Normal Temperature for January at VNCF1 = 62.0°

Normal Rainfall for January at VNCF1 = 2.68 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Januarys		Coolest Januarys		Wettest Januarys		Driest Januarys	
1	69.5 in 1974	1	52.1 in 1981	1	9.30 in 1993	1	0.00 in 1974
2	69.2 in 1993	2	53.5 in 1970	2	8.25 in 1973		0.00 in 1950
3	67.7 in 1972	3	54.5 in 1977	3	7.38 in 1979	3	0.08 in 2003
4	67.4 in 2013	4	54.9 in 2003	4	6.84 in 2016	4	0.09 in 1968
	67.4 in 1991	5	55.0 in 1958	5	6.82 in 1958	5	0.17 in 1990
6	67.3 in 1989	6	56.1 in 2025	6	5.64 in 1999	6	0.21 in 2001
	67.3 in 1975		56.1 in 2001	7	5.53 in 1987	7	0.27 in 2021
8	67.0 in 1990	8	57.3 in 1961	8	5.42 in 1991	8	0.31 in 2006
9	66.6 in 2017	9	57.4 in 1963	9	5.13 in 1966	9	0.32 in 1951
10	66.3 in 2007	10	57.8 in 1985	10	5.03 in 1998	10	0.54 in 1975
			57.8 in 1978				

Average Temperature for Jan 2026 = Not Available Yet

Normal Temperature for January at MKCF1 = 62.2°

Total Rainfall for Jan 2026 = Not Available Yet

Normal Rainfall for January at MKCF1 = 2.85 inches

WAUCHULA (Records began in January 1933):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 73.1 in 1937	1 47.4 in 2010	1 7.84 in 1979	1 0.00 in 2001
2 71.4 in 1974	2 52.5 in 1981	2 7.26 in 1973	0.00 in 2000
3 69.9 in 1947	3 53.1 in 2001	3 7.20 in 1958	3 0.03 in 1974
4 69.0 in 1972	4 54.3 in 1940	4 6.89 in 2016	4 0.08 in 1950
5 68.1 in 1991	5 54.7 in 1977	5 6.49 in 1966	5 0.14 in 1990
6 67.9 in 1989	6 56.1 in 1956	6 6.09 in 1998	6 0.26 in 1949
7 67.8 in 1990	7 56.4 in 2025	7 5.93 in 1993	7 0.27 in 1935
8 67.7 in 1950	8 56.7 in 2014	8 4.53 in 1936	8 0.29 in 2013
9 67.5 in 1975	9 57.0 in 1970	9 4.29 in 1983	9 0.30 in 1992
10 67.0 in 1993	10 57.1 in 2011	10 4.19 in 1948	10 0.33 in 2006
	57.1 in 1978		...
	...		18 0.54 in 2026
	21 59.1 in 2026		0.54 in 1956

Normal Temperature for January at WAUF1 = 60.2°

Normal Rainfall for January at WAUF1 = 2.29 inches

ARCHBOLD BIO STN (Records began in January 1969):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 69.7 in 1974	1 50.8 in 1981	1 9.64 in 2016	1 0.08 in 1976
2 67.5 in 1993	2 53.7 in 1977	2 7.91 in 1979	2 0.13 in 1975
3 67.4 in 1975	3 53.8 in 2001	3 5.65 in 1998	3 0.14 in 2021
67.4 in 1972	4 54.5 in 2010	4 5.17 in 1991	4 0.22 in 2007
5 66.9 in 1991	5 54.8 in 2003	5 5.12 in 1993	5 0.25 in 1972
6 66.6 in 1990	6 56.3 in 1970	6 5.11 in 1973	6 0.26 in 2001
7 65.9 in 2013	7 57.0 in 2025	7 4.78 in 1970	7 0.29 in 2012
8 65.7 in 1989	8 57.1 in 1978	8 4.41 in 1983	8 0.30 in 2026
9 64.5 in 2017	9 58.0 in 1995	9 3.90 in 2019	9 0.31 in 2006
10 64.4 in 2007	58.0 in 1987	10 3.82 in 1994	10 0.33 in 1974
...	...		
25 60.8 in 2026	33 60.8 in 2026		

Normal Temperature for January at ACHF1 = 61.4°

Normal Rainfall for January at ACHF1 = 2.18 inches

PUNTA GORDA AREA (Records began in May 1914):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 71.7 in 1950	1 54.4 in 1981	1 9.93 in 2016	1 0.00 in 1950
2 71.3 in 1937	2 55.3 in 1977	2 7.07 in 1979	0.00 in 1949
3 71.1 in 1974	3 55.8 in 2003	3 6.95 in 1958	0.08 in 1990
4 70.8 in 1947	4 56.4 in 2001	4 6.29 in 1973	0.10 in 1974
5 70.4 in 1949	56.4 in 1940	5 5.89 in 1926	0.10 in 1951
6 69.8 in 1993	6 56.6 in 2010	6 5.84 in 1991	0.11 in 1968
7 69.1 in 1972	7 57.3 in 1978	7 5.51 in 1948	0.21 in 1927
8 68.6 in 1991	8 57.5 in 1976	8 5.18 in 1966	0.27 in 2001
9 68.5 in 1989	9 57.6 in 1970	9 4.95 in 1931	0.27 in 1928
68.5 in 1932	10 58.4 in 1958	10 4.86 in 1970	0.29 in 2021
68.5 in 1916
	29 61.5 in 2026		30 0.67 in 2026

Normal Temperature for January at PGD = 62.9°

Normal Rainfall for January at PGD = 2.32 inches

FORT MYERS AREA (Records began in January 1902):

Warmest Januarys	Coolest Januarys	Wettest Januarys	Driest Januarys
1 73.4 in 1937	1 55.7 in 1981	1 12.98 in 2016	1 0.00 in 1950
2 73.0 in 1974	2 55.9 in 1977	2 7.95 in 1991	2 Trace in 2001
3 70.9 in 1972	3 57.1 in 1958	3 7.45 in 1979	0.01 in 1949
4 70.8 in 1947	4 57.3 in 1940	4 6.04 in 1958	0.01 in 1917
5 70.3 in 1991	5 57.6 in 2003	5 5.36 in 1993	0.05 in 1916
6 70.0 in 1993	6 57.8 in 1902	6 5.10 in 2019	0.15 in 2012
70.0 in 1950	7 58.0 in 1970	7 4.86 in 2024	0.15 in 1984
70.0 in 1913	8 58.4 in 1905	8 4.76 in 1903	0.21 in 1976
9 69.9 in 2013	9 58.7 in 2001	9 4.50 in 1983	0.22 in 1920
69.9 in 1989	58.7 in 1956	10 4.36 in 1970	0.23 in 1928
...
61 64.6 in 2026	63 64.6 in 2026		31 0.51 in 2026
64.6 in 1968	64.6 in 1968		
64.6 in 1912	64.6 in 1912		

Normal Temperature for January at FMY = 64.7°

Normal Rainfall for January at FMY = 2.43 inches

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past Weather drop down menu above the graphical forecast images.