



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>

July 2020 Climate Summary for West Central and Southwest Florida

Temperatures across West Central and Southwest Florida averaged from near normal to over 3 degrees above average for July 2020 with several locations in the Top Ten Warmest for July and a few in the Top Ten Warmest month ever.

JULY TEMPERATURE (deg F - Top Ten Warmest):


Location	July 2020		Normal Jun Temp	Dep fm Normal	Record/ Prev Rec Warmest	Records Began
	Rank	Avg Temp				
Sarasota-Bradenton Area	1st	85.8°	82.4°	+3.4°	85.4/2016	Jan 1911
Plant City	1st	85.5°	81.7°	+3.8°	85.2/2016	Sep 1892
Tampa Area	1st	85.5°	83.0°	+2.5°	84.9/2016	Apr 1890
Punta Gorda Area	1st	84.7°	83.0°	+1.7°	84.3/2018*	May 1914
Tarpon Springs	2nd	85.1°	82.0°	+3.1°	85.2/1932	Jan 1892
Bushnell 1 E	2nd	83.2°	81.4°	+1.8°	83.4/1992	Jul 1948
Inverness 3 SE	4th(tie)	83.5°	81.5°	+2.0°	84.6/2016	Jul 1948
Venice	5th	84.8°	82.3°	+2.5°	86.6/1989	May 1955
Winter Haven Area	6th	84.5°	82.9°	+1.6°	85.5/2016	Mar 1941
Arcadia	7th	82.9°	81.6°	+1.3°	83.4/1942	Nov 1899
Archbold Bio Stn	7th(tie)	82.2°	80.6°	+1.6°	83.5/2016	Jan 1969
Lakeland Area	8th(tie)	84.0°	82.0°	+2.0°	85.1/2016	Jan 1915
St. Petersburg Area	9th(tie)	84.7°	83.9°	+0.8°	86.7/2005	Aug 1914
Fort Myers Area	12th(tie)	84.1°	83.2°	+0.9°	85.7/1981*	Jan 1902
Chiefland 5 SE	13th	81.9°	80.3°	+1.6°	83.8/2016	Jul 1956
Bartow	14th(tie)	83.4°	82.8°	+0.6°	85.4/2014	Jun 1892
Brooksville Area	17th(tie)	82.2°	80.7°	+1.5°	83.6/1930*	Jan 1892
Wauchula 2 N	19th(tie)	82.3°	83.3°	-1.0°	84.5/2009	Jan 1933
St. Leo	25th(tie)	82.6°	82.6°	0.0°	84.3/2005*	Apr 1895

* Last of multiple occurrences


LOCATIONS IN THE TOP TEN WARMEST MONTHS (deg F):

Location	July 2020		Record/Prev Record Warmest Month	Records Began
	Rank	Avg Temp		
Sarasota-Bradenton Area	1st	85.8°	85.4° in July 2016	Jan 1911
Plant City	2nd	85.5°	85.6° in August 2017	Sep 1892
Tampa Area	3rd	85.5°	85.8° in September 2018	Apr 1890
Punta Gorda Area	2nd(tie)	84.7°	85.1° in August 1951	May 1914
Tarpon Springs	2nd	85.1°	85.2° in July 1932	Jan 1892
Bushnell 1 E	3rd	83.2°	84.0° in June 1998	Jul 1948
Inverness 3 SE	8th(tie)	83.5°	84.6° in July 2016	Jul 1948

Temperature (F)
7/1/2020 - 7/31/2020



Departure from Normal Temperature (F)
7/1/2020 - 7/31/2020




Graphics Source: NOAA Regional Climate Centers


As for rainfall, it was highly variable across the region with some areas from inland parts of the Nature Coast south southeast down the interior seeing well above normal rainfall (blue/green areas on right image below). Meanwhile, other locations near the coast from Tampa Bay south and southeastward were well below normal (yellow/orange areas on right image below). These extremes placed Inverness in the Top Ten Wettest while Fort Myers was in the Top Ten Driest.

JULY 2020 RAINFALL (inches):

Location	July 2020 Rain Total	Normal Jul Rain	Dep fm Normal	Ranking	Records Began
Inverness 3 SE	15.46	7.39	+8.07	2nd Wettest	Jul 1948
Bushnell 1 E	12.18	6.43	+5.75	7th Wettest	Jul 1948
Chiefland 5 SE	11.13	8.24	+2.89	15th Wettest	Jul 1956
Bartow	10.33	9.15	+1.18	31st Wettest	Jun 1892
Lakeland Area	9.48	7.49	+1.99	27th Wettest	Jan 1915
Archbold Bio Stn	8.44	8.20	+0.24	23rd Wettest	Jan 1969
Punta Gorda Area	8.33	7.89	+0.44	40th Wettest	May 1914
St. Leo	8.15	7.88	+0.27	62nd Wettest	Apr 1895
Tarpon Springs	7.86	8.09	-0.23	62nd Driest	Jan 1892
Brooksville Area	7.72	8.04	-0.32	57th Driest	Jan 1892
Plant City	7.69	7.60	+0.09	65th Wettest	Sep 1892
Venice	7.08	7.32	-0.24	40th Driest	May 1955
Winter Haven Area	6.88	7.50	-0.62	34th Driest	Mar 1941
Myakka River State Park	6.67	9.66	-2.99	22nd Driest	Sep 1943
Wauchula 2 N	6.62	7.94	-1.32	26th Driest	Jan 1933
St. Petersburg Area	6.24	7.34	-1.10	35th Driest	Aug 1914
Sarasota-Bradenton Area	6.08	7.98	-1.90	35th Driest	Jan 1911
Arcadia	5.35	7.71	-2.36	27th Driest	Nov 1899
Tampa Area	4.43	7.07	-2.64	22nd Driest	Apr 1890
Fort Myers Area	2.41	9.04	-6.63	2nd Driest	Jan 1902



July 2020 Rainfall



July 2020 Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Julys at some official NWS locations, which include the average/total for this July where available, and the 1981-2010 Normal (average) temperature and rainfall for the month of July.

Chiefland 5 ESE (Records Began July 1956):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.8 in 2016	1 76.5 in 1967	1 20.80 in 2001	1 2.89 in 2007
2 83.1 in 1983	2 79.0 in 1964	2 19.40 in 1964	2 3.38 in 1972
3 83.0 in 1998	3 79.2 in 1975	3 16.78 in 2018	3 3.75 in 2006
83.0 in 1987	4 79.3 in 1974	4 16.72 in 2013	4 4.06 in 1977
5 82.8 in 2015	5 79.4 in 1994	5 16.11 in 1978	5 4.23 in 2014
6 82.6 in 2017	6 79.5 in 2009	6 13.43 in 1975	6 4.31 in 1956
82.6 in 1999	79.5 in 1965	7 13.49 in 1980	7 4.33 in 2008
8 82.2 in 1993	8 79.6 in 1984	8 13.00 in 2017	8 4.55 in 1995
82.2 in 1981	79.6 in 1969	9 12.53 in 1974	9 5.38 in 1983
10 82.1 in 2005	79.6 in 1956	10 12.44 in 2019	10 5.43 in 2016
11 82.0 in 2018		11 12.16 in 1965	
82.0 in 1992		12 11.95 in 1984	
13 81.9 in 2020		13 11.23 in 2004	
		14 11.20 in 1963	
		15 11.13 in 2020	

Normal Temperature for July at CHIF1 = 80.3°
Normal Rainfall for July at CHIF1 = 8.24 in.

Inverness 3 SE (Records Began July 1948):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.6 in 2016	1 78.2 in 1994	1 16.28 in 1948	1 2.61 in 1952
2 84.0 in 2010	2 79.9 in 2018	2 15.46 in 2020	2 3.15 in 2016
3 83.8 in 1969	3 80.0 in 2004	3 14.74 in 1964	3 3.71 in 1972
4 83.5 in 2020	80.0 in 1984	4 14.45 in 2013	4 3.91 in 1992
83.5 in 1979	5 80.1 in 1995	5 14.40 in 1960	5 4.22 in 2011
6 83.2 in 1998	6 80.2 in 2003	6 13.17 in 2018	6 4.24 in 2006
83.2 in 1981	7 80.3 in 1986	7 13.06 in 2002	7 4.27 in 1983
8 83.1 in 1953	8 80.5 in 2000	8 12.82 in 1965	8 4.49 in 1994
9 82.9 in 1952	80.5 in 1988	9 12.79 in 2007	9 4.56 in 1970
10 82.8 in 2019	10 80.6 in 2017	10 11.45 in 1953	10 4.72 in 1996
82.8 in 2011	80.6 in 2001		
	80.6 in 1948		

Normal Temperature for July at INVF1 = 81.5°
Normal Rainfall for July at INVF1 = 7.39 in.

Bushnell 1 E (Records Began July 1948):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.4 in 1992	1 79.4 in 1974	1 15.07 in 1948	1 1.65 in 2008
2 83.2 in 2020	2 79.5 in 1965	2 13.95 in 1960	2 2.21 in 1992
3 83.1 in 1998	3 79.6 in 2013	3 13.87 in 1959	3 3.29 in 1976
4 82.8 in 2016	79.6 in 1967	4 13.13 in 2001	4 3.30 in 1989
5 82.4 in 1995	5 79.7 in 1984	5 12.85 in 1967	5 3.60 in 1979
82.4 in 1993	6 79.8 in 2008	6 12.49 in 1965	6 3.71 in 1996
82.4 in 1979	7 80.0 in 1964	7 12.18 in 2020	7 3.81 in 1970
8 82.3 in 1960	8 80.1 in 1983	8 11.92 in 1991	8 3.88 in 1973
9 82.0 in 1981	9 80.2 in 2014	9 11.77 in 2019	9 3.89 in 1972
82.0 in 1969	80.2 in 1988	10 11.63 in 2015	10 4.12 in 2004
82.0 in 1962	80.2 in 1955		

Normal Temperature for July at BSHF1 = 81.4°

Normal Rainfall for July at BSHF1 = 6.43 in.

Brooksville Area (Records Began January 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.6 in 1930	1 78.5 in 1921	1 20.60 in 1906	1 1.96 in 1930
83.6 in 1927	2 78.7 in 1947	2 19.89 in 1909	2 2.04 in 1970
3 83.5 in 1931	3 79.0 in 1894	3 17.22 in 2015	3 2.06 in 1996
4 83.3 in 1942	4 79.1 in 1950	4 17.03 in 1943	4 2.83 in 1892
5 83.2 in 1979	5 79.2 in 1898	5 16.90 in 1924	5 3.53 in 1902
6 83.1 in 1928	6 79.3 in 1974	6 16.33 in 1964	6 4.13 in 1989
7 83.0 in 2016	79.3 in 1904	7 15.72 in 1960	7 4.35 in 1968
8 82.9 in 1981	8 79.5 in 1922	8 15.37 in 2008	8 4.46 in 2010
82.9 in 1926	9 79.6 in 1984	9 15.36 in 1945	9 4.65 in 1931
10 82.7 in 2011	79.6 in 1920	10 14.81 in 1935	10 4.66 in 1955
82.7 in 1993	
...		70 7.72 in 2020	57 7.72 in 2020
17 82.2 in 2020			
82.2 in 2019			
82.2 in 2010			

Normal Temperature for July at BKV = 80.7°

Normal Rainfall for July at BKV = 8.04 in.

St. Leo (Records Began April 1895):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.3 in 2005	1 78.1 in 1921	1 18.52 in 1945	1 2.09 in 1979
84.3 in 1998	2 78.3 in 1935	2 16.10 in 1948	2 2.30 in 1899
3 83.9 in 1942	3 78.7 in 1918	3 15.74 in 1935	3 2.58 in 1930
4 83.8 in 1896	4 78.8 in 1922	4 15.05 in 1933	4 2.98 in 2010
5 83.7 in 1900	78.8 in 1919	5 14.34 in 1960	5 3.08 in 1989
6 83.5 in 1983	6 78.9 in 1923	6 14.17 in 1909	6 3.34 in 1902
83.5 in 1932	7 79.3 in 1920	7 14.11 in 2004	7 3.91 in 1952
8 83.4 in 2006	79.3 in 1904	8 13.66 in 1906	8 4.28 in 1999
83.4 in 1999	9 79.5 in 1947	9 13.35 in 1901	9 4.31 in 1942
83.4 in 1987	79.5 in 1929	10 12.53 in 2018	10 4.42 in 2016
83.4 in 1981	
...		62 8.15 in 2020	65 8.15 in 2020
25 82.6 in 2020			
82.6 in 2010			
82.6 in 2007			
82.6 in 1902			

Normal Temperature for July at STLF1 = 82.6°
Normal Rainfall for July at STLF1 = 7.88 in.

Tarpon Springs (Records Began January 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.2 in 1932	1 79.1 in 1904	1 22.55 in 2015	1 0.95 in 2003
2 85.1 in 2020	2 79.5 in 1900	2 20.76 in 1960	2 0.98 in 2007
3 85.0 in 1993	79.5 in 1895	3 17.03 in 1909	3 2.23 in 1970
4 84.8 in 1942	4 79.6 in 1899	4 15.48 in 1947	4 2.43 in 1932
5 84.7 in 2016	5 79.7 in 1908	5 15.46 in 1899	5 2.45 in 1976
84.7 in 1997	6 79.8 in 1974	6 15.45 in 2009	6 2.47 in 1993
7 84.6 in 2004	79.8 in 1910	7 15.31 in 2012	7 2.76 in 1914
8 84.3 in 1996	79.8 in 1896	8 15.12 in 2008	8 3.41 in 1940
84.3 in 1931	79.8 in 1894	9 15.02 in 1919	9 3.48 in 1952
10 84.2 in 2014	10 79.9 in 1939	10 14.66 in 1921	10 3.67 in 1972
	
		65 7.86 in 2020	62 7.86 in 2020
		7.86 in 1969	7.86 in 1969

Normal Temperature for July at TRPF1 = 82.0°
Normal Rainfall for July at TRPF1 = 8.09 in.

* *The Warmest Month Ever at Tarpon Springs had an average temperature of 85.2° set in July 1932.*

Tampa Area (Records Began April 1890):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.5 in 2020	1 79.7 in 1899	1 20.59 in 1960	1 1.65 in 1981
2 84.9 in 2016	2 80.2 in 1968	2 15.53 in 1899	2 2.03 in 1932
84.9 in 1932	80.2 in 1890	3 13.92 in 1906	3 2.11 in 1893
4 84.6 in 1942	4 80.3 in 1965	4 13.77 in 1950	4 2.31 in 1962
5 84.4 in 2011	80.3 in 1955	5 13.68 in 1946	5 2.72 in 1996
6 84.3 in 2010	80.3 in 1947	6 13.32 in 1925	6 2.75 in 1908
7 84.2 in 2017	80.3 in 1910	7 12.95 in 1998	7 2.77 in 1970
84.2 in 2005	8 80.4 in 1906	8 12.68 in 2014	8 2.80 in 1992
9 84.1 in 2018	9 80.5 in 1909	9 12.32 in 1933	9 2.92 in 1993
10 84.0 in 1980	80.5 in 1904	10 12.30 in 1896	10 3.38 in 2005
84.0 in 1931	
		110 4.43 in 2020	22 4.43 in 2020

Normal Temperature for July at TPA = 83.0°

Normal Rainfall for July at TPA = 7.07 in.

* *The Warmest Month Ever at Tampa had an average temperature of 85.8° set in September 2018.*

St Petersburg (Records Began August 1914):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 86.7 in 2005	1 80.7 in 1947	1 18.97 in 1945	1 2.09 in 1996
2 85.7 in 1932	2 80.8 in 1921	2 18.30 in 1921	2 2.40 in 1982
3 85.5 in 2017	3 81.0 in 1974	3 16.77 in 1947	3 2.44 in 1918
85.5 in 2016	81.0 in 1968	4 16.46 in 1960	4 2.65 in 1970
5 85.3 in 1931	5 81.2 in 1919	5 14.97 in 1919	5 2.72 in 1930
6 85.2 in 2010	6 81.3 in 1954	6 14.70 in 2000	6 2.78 in 1972
7 84.9 in 1979	7 81.4 in 1938	7 14.66 in 1922	7 2.92 in 2012
8 84.8 in 1987	8 81.5 in 1965	8 14.32 in 2015	8 3.05 in 1942
9 84.7 in 2020	9 81.6 in 1956	9 13.64 in 1954	9 3.06 in 2003
84.7 in 1992	81.6 in 1922	10 13.48 in 2019	10 3.13 in 1966
84.7 in 1973	
		72 6.24 in 2020	35 6.24 in 2020

Normal Temperature for July at SPG = 83.9°

Normal Rainfall for July at SPG = 7.34 in.

Plant City (Records Began February 1893):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.5 in 2020	1 78.3 in 1907	1 21.74 in 1960	1 2.75 in 1970
2 85.2 in 2016	2 79.0 in 1929	2 15.67 in 1943	2 2.96 in 1996
3 85.0 in 2019	3 79.2 in 1925	3 15.62 in 1910	3 3.04 in 1932
4 84.8 in 2017	4 79.4 in 1935	4 15.22 in 1925	4 3.45 in 1915
5 84.6 in 2018	5 79.5 in 1947	5 15.20 in 1933	5 3.48 in 1956
6 83.6 in 1969	6 79.8 in 1933	6 14.24 in 2017	6 3.54 in 1902
7 83.5 in 2010	7 79.9 in 1926	7 14.19 in 1929	7 3.82 in 1988
8 83.3 in 1916	8 80.0 in 1938	8 14.08 in 1945	8 3.92 in 1913
9 83.2 in 2005	80.0 in 1906	14.08 in 1905	9 3.97 in 1912
83.2 in 1981	10 80.2 in 1930	10 13.25 in 1965	10 4.32 in 1958
83.2 in 1913	80.2 in 1910
		65 7.69 in 2020	56 7.69 in 2020
		7.69 in 1973	7.69 in 1973

Normal Temperature for July at PLCF1 = 81.7°

Normal Rainfall for July at PLCF1 = 7.60 in.

* *The Warmest Month Ever at Plant City had an average temperature of 85.6° set in August 2017.*

Lakeland (Records Began January 1915):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.1 in 2016	1 79.4 in 1921	1 20.07 in 2017	1 2.49 in 1992
2 84.9 in 1992	79.4 in 1919	2 15.67 in 1960	2 3.09 in 1961
3 84.8 in 1987	3 79.6 in 1947	3 14.74 in 1994	3 3.17 in 1942
4 84.5 in 2010	79.6 in 1923	4 14.34 in 1948	4 3.50 in 1996
5 84.4 in 1993	5 80.0 in 1974	5 13.79 in 1946	5 3.51 in 1972
84.4 in 1932	6 80.3 in 1975	6 13.77 in 1988	6 4.06 in 1983
7 84.2 in 1942	80.3 in 1950	7 13.56 in 2001	7 4.14 in 1936
8 84.0 in 2020	8 80.5 in 2007	8 13.37 in 2015	8 4.30 in 1930
84.0 in 1995	9 80.6 in 1965	9 13.31 in 2018	9 4.37 in 1932
10 83.9 in 1989	10 80.8 in 1955	10 13.23 in 1991	10 4.49 in 1958
	80.8 in 1954
	80.8 in 1945	27 9.48 in 2020	80 9.48 in 2020
	80.8 in 1920		
	80.8 in 1918		

Normal Temperature for July at LLDF1 = 82.0°

Normal Rainfall for July at LLDF1 = 7.49 in.

Winter Haven Area (Records Began March 1941) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.5 in 2016	1 79.7 in 1968	1 16.45 in 1945	1 1.43 in 1999
2 85.0 in 2005	2 79.9 in 1947	2 13.73 in 1948	2 1.95 in 1972
3 84.8 in 2019	3 80.0 in 1974	3 13.69 in 1946	3 2.72 in 1986
84.8 in 2010	4 80.1 in 1972	4 13.14 in 2018	4 2.95 in 2011
84.8 in 1989	80.1 in 1971	5 12.73 in 1991	5 3.36 in 1996
6 84.5 in 2020	6 80.6 in 1975	6 12.07 in 1973	6 3.40 in 2009
7 84.2 in 1998	7 80.7 in 1976	7 12.05 in 1981	7 3.44 in 1961
8 84.1 in 1992	8 80.8 in 1965	8 11.91 in 2019	8 3.69 in 1988
9 84.0 in 2017	80.8 in 1963	9 11.82 in 1995	9 3.76 in 2012
10 83.9 in 1999	10 81.0 in 1950	10 11.68 in 1941	10 4.06 in 1975
	
		46 6.88 in 2020	34 6.88 in 2020

Normal Temperature for July at GIF = 82.9°

Normal Rainfall for July at GIF = 7.50 in.

Bartow (Records Began June 1892) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.4 in 2014	1 79.3 in 2006	1 17.58 in 1960	1 2.35 in 1892
2 84.7 in 1932	2 79.4 in 1947	2 16.91 in 1924	2 2.91 in 1961
3 84.5 in 1969	3 79.7 in 1935	3 14.55 in 1897	3 3.16 in 1910
4 84.2 in 2016	79.7 in 1894	4 14.00 in 1991	4 3.19 in 1972
5 84.1 in 2013	5 79.8 in 1938	5 13.84 in 1998	5 3.55 in 1932
84.1 in 1998	6 80.0 in 1974	6 13.82 in 1989	6 3.80 in 1999
7 84.0 in 2012	7 80.2 in 1918	7 13.36 in 1945	7 3.97 in 1902
8 83.9 in 1992	80.2 in 1896	8 13.32 in 1995	8 4.08 in 1958
83.9 in 1987	9 80.4 in 1975	9 13.31 in 1909	9 4.11 in 1936
10 83.8 in 2010	10 80.5 in 1936	10 13.01 in 1933	10 4.15 in 1985
11 83.7 in 1942	
12 83.6 in 1981		31 10.33 in 2020	97 10.33 in 2020
83.6 in 1958			
14 83.4 in 2020			
83.4 in 2017			
83.4 in 1999			

Normal Temperature for July at BARF1 = 82.8°

Normal Rainfall for July at BARF1 = 9.15 in.

Sarasota-Bradenton Area (Records Began January 1911):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.8 in 2020	1 78.4 in 1947	1 20.60 in 1921	1 0.93 in 1970
2 85.4 in 2016	2 79.4 in 1911	2 20.15 in 1960	2 1.80 in 1917
3 84.2 in 1998	3 79.5 in 1929	3 17.20 in 1965	3 2.15 in 2014
4 84.0 in 1962	4 79.7 in 1976	4 16.28 in 1984	4 2.30 in 1930
5 83.8 in 2014	5 79.9 in 1974	5 14.25 in 1987	5 2.88 in 1953
6 83.4 in 2006	6 80.0 in 1937	6 14.02 in 1919	6 3.51 in 1981
7 83.3 in 2010	7 80.1 in 1921	7 13.92 in 2019	7 3.58 in 1976
83.3 in 2005	8 80.2 in 1913	8 13.87 in 1978	8 3.66 in 1973
9 83.2 in 1992	9 80.3 in 1971	9 13.57 in 1935	9 3.70 in 1996
10 83.1 in 1993	80.3 in 1955	10 12.95 in 2001	10 3.75 in 1967
83.1 in 1989	
		75 6.08 in 2020	35 6.08 in 2020

Normal Temperature for July at SRQ = 82.4°
 Normal Rainfall for July at SRQ = 7.98 in.

** This month is the Warmest Month Ever on Record at Sarasota-Bradenton. The Previous Warmest Month had an average temperature of 85.4° set in July 2016.*

**Myakka River State Park (Temperature Records Began March 1956/
 Rainfall Records Began September 1943):**

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.0 in 1998	1 80.2 in 1985	1 19.34 in 1973	1 1.81 in 1972
2 84.2 in 2016	80.2 in 1965	2 18.17 in 2015	2 3.35 in 1963
3 84.1 in 2005	3 80.3 in 1974	3 17.73 in 1975	3 3.47 in 1992
4 84.0 in 2017	4 80.4 in 1959	4 17.08 in 1995	4 3.55 in 1962
5 83.9 in 1999	5 80.5 in 1984	5 15.47 in 1984	5 3.84 in 1952
6 83.8 in 1996	6 80.6 in 1962	6 14.86 in 1960	6 3.88 in 1993
7 83.6 in 1997	7 80.7 in 1975	7 14.44 in 1945	7 4.48 in 1956
8 83.5 in 2010	80.7 in 1963	8 14.33 in 1965	8 4.53 in 1996
9 83.2 in 2018	9 80.8 in 2001	9 14.23 in 2018	9 4.87 in 1957
10 83.0 in 2012	10 80.9 in 1986	10 14.21 in 2004	10 5.17 in 2009
83.0 in 1969	80.9 in 1973
		55 6.67 in 2020	22 6.67 in 2020

Average Temperature for July 2020 = Not Available Yet
 Normal Temperature for July at MKCF1 = 82.0°
 Normal Rainfall for July at MKCF1 = 9.66 in.

Venice (Records Began May 1955):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 86.6 in 1989	1 80.5 in 1975	1 15.61 in 1995	1 2.02 in 1962
2 86.2 in 2010	80.5 in 1974	2 14.22 in 2006	2 2.12 in 1981
3 85.0 in 1998	3 80.7 in 1978	3 12.91 in 1984	3 2.33 in 1967
4 84.9 in 2011	80.7 in 1977	4 12.72 in 2015	4 2.61 in 1972
5 84.8 in 2020	80.7 in 1961	5 12.67 in 2001	5 2.98 in 1992
6 84.5 in 2012	6 80.8 in 2008	6 12.00 in 1991	6 3.04 in 1970
7 84.2 in 1996	80.8 in 1984	7 11.89 in 2008	7 3.06 in 2016
8 84.1 in 2016	8 80.9 in 1972	8 11.23 in 1971	8 3.14 in 2018
9 84.0 in 2018	80.9 in 1956	9 11.14 in 1987	9 3.31 in 2002
84.0 in 2003	10 81.0 in 1985	11.14 in 1974	10 3.34 in 2009
84.0 in 1997	81.0 in 1976
		24 7.08 in 2020	40 7.08 in 2020

Normal Temperature for July at VNCF1 = 82.3°

Normal Rainfall for July at VNCF1 = 7.32 in.

Wauchula 2 N (Records Began January 1933):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.5 in 2009	1 77.9 in 1950	1 15.54 in 1946	1 1.99 in 2016
2 83.9 in 1992	2 79.6 in 2013	2 14.60 in 1960	2 2.21 in 1981
3 83.8 in 1942	79.6 in 1947	3 13.76 in 1965	3 2.80 in 1962
4 83.6 in 2007	4 80.0 in 2001	4 13.72 in 2008	4 2.90 in 1999
5 83.5 in 2016	80.0 in 1955	5 13.62 in 1945	5 2.91 in 1992
83.5 in 2008	6 80.1 in 1974	6 13.43 in 2009	6 3.63 in 1985
7 83.4 in 1993	7 80.3 in 1965	7 13.31 in 2001	7 3.71 in 1996
83.4 in 1969	80.3 in 1956	8 13.27 in 1948	8 4.00 in 1934
9 83.2 in 2005	80.3 in 1954	9 12.46 in 1977	9 4.06 in 1950
10 83.1 in 1979	10 80.5 in 2012	10 12.45 in 1988	10 4.17 in 1980
...	80.5 in 1951
19 82.3 in 2020	80.5 in 1938	62 6.62 in 2020	26 6.62 in 2020
82.3 in 1963			
82.3 in 1958			

Normal Temperature for July at WAUF1 = 83.3°

Normal Rainfall for July at WAUF1 = 7.94 in.

Arcadia (Records Began November 1899) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.4 in 1942	1 79.7 in 1938	1 17.52 in 1965	1 1.93 in 1932
2 83.1 in 1981	2 79.9 in 1974	2 16.39 in 1905	2 2.32 in 1972
3 83.0 in 2016	79.9 in 1910	3 16.06 in 1951	3 2.46 in 1962
83.0 in 2005	4 80.0 in 1970	4 15.21 in 1945	4 3.11 in 1961
83.0 in 1932	80.0 in 1956	5 14.99 in 1974	5 3.31 in 1912
83.0 in 1902	6 80.1 in 1984	6 14.61 in 1948	6 3.50 in 1955
7 82.9 in 2020	80.1 in 1947	7 14.04 in 1973	7 3.91 in 1990
8 82.5 in 2010	80.1 in 1923	8 13.82 in 2001	3.91 in 1980
82.5 in 1940	9 80.2 in 1971	9 13.48 in 2013	9 3.99 in 1970
82.5 in 1912	10 80.3 in 1929	10 12.99 in 2009	10 4.11 in 1981
82.5 in 1901	
		88 5.35 in 2020	27 5.35 in 2020

Normal Temperature for July at ARCF1 = 81.6°

Normal Rainfall for July at ARCF1 = 7.71 in.

Archbold Bio Stn (Records Began January 1969) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.5 in 2016	1 79.0 in 1974	1 17.27 in 2001	1 3.64 in 1994
2 83.2 in 2010	2 79.3 in 1984	2 16.89 in 1974	2 3.90 in 1972
3 82.6 in 2017	3 79.6 in 2008	3 14.85 in 2013	3 4.02 in 2003
82.6 in 1969	4 79.9 in 1985	4 13.09 in 1984	4 4.15 in 2011
5 82.3 in 2018	79.9 in 1982	5 12.79 in 2014	5 4.52 in 1987
82.3 in 2005	79.9 in 1975	6 12.06 in 2008	6 4.67 in 1992
7 82.2 in 2020	79.9 in 1972	7 11.05 in 2002	7 4.68 in 1977
82.2 in 1998	8 80.0 in 2006	8 11.03 in 1993	8 5.06 in 2000
9 82.1 in 2019	80.0 in 1994	9 10.93 in 2010	9 5.34 in 1999
10 82.0 in 2015	10 80.1 in 1976	10 10.89 in 1990	10 5.57 in 1996
82.0 in 2011	80.1 in 1971
		23 8.44 in 2020	30 8.44 in 2020

Normal Temperature for July at ACHF1 = 80.6°

Normal Rainfall for July at ACHF1 = 8.20 in.

Punta Gorda Area (Records Began June 1914) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.7 in 2020	1 79.4 in 1929	1 18.25 in 1947	1 1.75 in 1932
2 84.3 in 2018	2 80.3 in 1938	2 15.10 in 1924	2 2.23 in 1963
84.3 in 2005	3 80.5 in 1925	3 14.66 in 1933	3 2.41 in 1930
4 84.1 in 1980	80.5 in 1917	4 14.22 in 1995	4 3.09 in 1966
84.1 in 1963	5 80.6 in 1974	5 13.66 in 2019	5 3.24 in 1962
6 84.0 in 2016	80.6 in 1919	6 13.23 in 2006	6 3.52 in 1990
84.0 in 1962	7 80.7 in 1949	7 13.15 in 1982	3.52 in 1979
84.0 in 1932	8 80.8 in 1971	8 12.91 in 1948	3.52 in 1934
9 83.8 in 2014	80.8 in 1922	9 12.40 in 2008	9 3.58 in 1917
10 83.6 in 2011	10 80.9 in 1955	10 12.14 in 1985	10 3.86 in 1970
83.6 in 1996	
83.6 in 1993		40 8.33 in 2020	65 8.33 in 2020
83.6 in 1992			
83.6 in 1951			

Normal Temperature for July at PGD = 83.0°

Normal Rainfall for July at PGD = 7.89 in.

* *The Warmest Month Ever at Punta Gorda had an average temperature of 85.1° set in August 1951 followed by 84.7° in August 2014.*

Fort Myers Area (Records Began January 1902) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.7 in 1981	1 79.0 in 1904	1 15.28 in 1941	1 2.28 in 1964
85.7 in 1979	2 79.1 in 1910	2 15.22 in 1920	2 2.41 in 2020
3 84.8 in 1997	3 80.2 in 1909	3 14.51 in 1991	3 2.92 in 2003
84.8 in 1996	80.2 in 1906	4 14.47 in 1974	4 3.50 in 1940
5 84.5 in 2016	80.2 in 1903	5 14.43 in 2006	5 3.53 in 1914
84.5 in 1992	6 80.5 in 1929	6 14.38 in 1987	6 3.93 in 1918
84.5 in 1942	80.5 in 1917	7 13.94 in 2001	7 4.05 in 1911
8 84.3 in 1982	80.5 in 1907	8 13.90 in 1905	8 4.06 in 1963
84.3 in 1980	80.5 in 1902	9 13.76 in 1960	9 4.29 in 2009
10 84.2 in 2010	10 80.6 in 1955	10 13.32 in 1949	10 4.60 in 1902
84.2 in 1962	80.6 in 1913		
12 84.1 in 2020			
84.1 in 1987			

Normal Temperature for July at FMY = 83.2°

Normal Rainfall for July at FMY = 9.04 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past Weather drop down menu above the graphical forecast images.