



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


July 2022 Climate Summary for West Central and Southwest Florida

Temperatures across West Central and Southwest Florida averaged near to a few degrees above normal in July 2022 with several locations ending up in the Top Ten Warmest for July, including Tampa which set a New Record for the Warmest Month since records began in 1890!


JULY TEMPERATURE RANKINGS (°F) :

Location	Rank	July 2022 Avg Temp	Normal July Temp	Dep fm Normal	Records Began
Tampa Area	1st Warmest	86.3°	83.8°	+2.5°	Apr 1890
Plant City	1st Warmest	85.9°	83.6°	+2.3°	Sep 1892
Winter Haven Area	1st Warmest	85.6°	84.1°	+1.5°	Mar 1941
Fort Myers Area	3rd Warmest	85.3°	83.2°	+2.1°	Jan 1902
St Petersburg Area	7th Warmest (tie)	84.9°	83.8°	+1.1°	Aug 1914
Lakeland Area	4th Warmest	84.7°	83.2°	+1.5°	Jan 1915
Venice	7th Warmest (tie)	84.2°	82.9°	+1.3°	May 1955
Punta Gorda Area	4th Warmest (tie)	84.1°	83.3°	+0.8°	May 1914
Bartow	12th Warmest (tie)	83.6°	82.3°	+1.3°	Jun 1892
Sarasota-Bradenton Area	6th Warmest	83.5°	83.1°	+0.4°	Jan 1911
Archbold Bio Stn	2nd Warmest	83.3°	81.7°	+1.6°	Jan 1969
Inverness 3 SE	6th Warmest	83.3°	80.7°	+2.6°	Jul 1948
Brooksville Area	8th Warmest (tie)	82.9°	81.3°	+1.6°	Jan 1892
St. Leo	19th Warmest (tie)	82.9°	81.3°	+1.6°	Apr 1895
Myakka River St. Pk	20th Warmest (tie)	82.5°	82.5°	0.0°	Mar 1956
Chiefland 5 ESE	8th Warmest (tie)	82.2°	80.7°	+1.5°	Jul 1956

Temperature (F)
7/1/2022 - 7/31/2022



Departure from Normal Temperature (F)
7/1/2022 - 7/31/2022




Graphics Source: NOAA Regional Climate Centers


As for rainfall, it was highly variable across the region which is not too unusual due to the random nature of our summer thunderstorms. For the month some areas saw well above normal rainfall (blue/green areas on right image below) while other locations were well below normal (yellow/orange areas on right image below).

JULY RAINFALL RANKINGS (inches):

Location	Rank	July 2022 Rain Total	Normal July Rain	Dep fm Normal	Records Began
Tampa Area	13th Wettest	11.99	7.75	+4.24	Apr 1890
St. Leo	24th Wettest	11.31	8.10	+3.21	Apr 1895
Plant City	26th Wettest	10.90	8.65	+2.25	Feb 1893
Chiefland 5 ESE	17th Wettest	10.44	8.32	+2.12	Jul 1956
Inverness 3 SE	17th Wettest	10.34	7.80	+2.54	Jul 1948
Fort Myers Area	47th Wettest	9.52	9.38	+0.14	Jan 1902
Venice	21st Wettest	7.93	7.39	+0.54	May 1955
Archbold Bio Stn	19th Driest	6.78	8.34	-1.56	Jan 1969
Tarpon Springs	44th Driest	6.75	9.05	-2.30	Jan 1892
Brooksville Area	33rd Driest	6.48	9.41	-2.93	Jan 1892
St. Petersburg Area	37th Driest	6.37	7.49	-1.12	Aug 1914
Punta Gorda Area	38th Driest	6.15	8.06	-1.91	May 1914
Myakka River St. Pk.	14th Driest	5.93	9.81	-3.88	Sep 1943
Sarasota-Bradenton Area	31st Driest	5.80	7.39	-1.59	Jan 1911
Bartow	24th Driest	5.46	7.56	-2.10	Jun 1892
Lakeland Area	16th Driest	4.95	8.85	-3.90	Jan 1915
Winter Haven Area	5th Driest	3.14	7.44	-4.30	Mar 1941



July 2022 Rainfall



Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Julys at some official NWS locations, which include the average/total for this July where available, and the 1991-2020 Normal (average) temperature and rainfall for the month of July.

Chiefland 5 ESE (records began July 1956):

Warmest Julys	Coolest Julys	Wettest Julys	Driest Julys
1 83.8 in 2016	1 76.5 in 1967	1 20.80 in 2001	1 2.89 in 2007
2 83.1 in 1983	2 79.0 in 1964	2 19.40 in 1964	2 3.38 in 1972
3 83.0 in 1998	3 79.2 in 1975	3 16.78 in 2018	3 3.75 in 2006
83.0 in 1987	4 79.3 in 1974	4 16.72 in 2013	4 4.06 in 1977
5 82.8 in 2015	5 79.4 in 1994	5 16.11 in 1978	5 4.23 in 2014
6 82.6 in 2017	6 79.5 in 2009	6 13.43 in 1975	6 4.31 in 1956
82.6 in 1999	79.5 in 1965	7 13.49 in 1980	7 4.33 in 2008
8 82.2 in 2022	8 79.6 in 1984	8 13.00 in 2017	8 4.55 in 1995
82.2 in 1993	79.6 in 1969	9 12.53 in 1974	9 5.38 in 1983
82.2 in 1981	79.6 in 1956	10 12.44 in 2019	10 5.43 in 2016
		...	
		17 10.44 in 2022	

Normal Temperature for July at CHIF1 = 80.7°

Normal Rainfall for July at CHIF1 = 8.32 in.

Inverness 3 SE (records began July 1948):

Warmest Julys	Coolest Julys	Wettest Julys	Driest Julys
1 84.6 in 2016	1 78.2 in 1994	1 18.14 in 2021	1 2.61 in 1952
2 84.0 in 2010	2 79.9 in 2018	2 16.28 in 1948	2 3.15 in 2016
3 83.8 in 1969	3 80.0 in 2004	3 15.46 in 2020	3 3.71 in 1972
4 83.5 in 2020	80.0 in 1984	4 14.74 in 1964	4 3.91 in 1992
83.5 in 1979	5 80.1 in 1995	5 14.42 in 2013	5 4.22 in 2011
6 83.3 in 2022	6 80.2 in 2003	6 14.40 in 1960	6 4.24 in 2006
7 83.2 in 1998	7 80.3 in 1986	7 13.17 in 2018	7 4.27 in 1983
83.2 in 1981	8 80.5 in 2000	8 13.06 in 2002	8 4.49 in 1994
9 83.1 in 1953	80.5 in 1988	9 12.82 in 1965	9 4.56 in 1970
10 82.9 in 1952	10 80.6 in 2017	10 12.79 in 2007	10 4.72 in 1996
	80.6 in 2001	...	
	80.6 in 1948	17 10.34 in 2022	

Normal Temperature for July at INV1 = 80.7°

Normal Rain for July at INV1 = 7.80 in.

Brooksville Area (records began January 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.6 in 1930	1 78.5 in 1921	1 20.60 in 1906	1 1.96 in 1930
83.6 in 1927	2 78.7 in 1947	2 19.89 in 1909	2 2.04 in 1970
3 83.5 in 1931	3 79.0 in 1894	3 17.22 in 2015	3 2.06 in 1996
4 83.3 in 1942	4 79.1 in 1950	4 17.03 in 1943	4 2.83 in 1892
5 83.2 in 1979	5 79.2 in 1898	5 16.90 in 1924	5 3.53 in 1902
6 83.1 in 1928	6 79.3 in 1974	6 16.33 in 1964	6 4.13 in 1989
7 83.0 in 2016	79.3 in 1904	7 15.72 in 1960	7 4.35 in 1968
8 82.9 in 2022	8 79.5 in 1922	8 15.37 in 2008	8 4.46 in 2010
82.9 in 1981	9 79.6 in 1984	9 15.36 in 1945	9 4.65 in 1931
82.9 in 1926	79.6 in 1920	10 14.81 in 1935	10 4.66 in 1955
	
		96 6.48 in 2022	33 6.48 in 2022

Normal Temperature for July at BKV = 81.3°

Normal Rainfall for July at BKV = 9.41 in.

St. Leo (records began April 1895):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.3 in 2005	1 78.1 in 1921	1 18.52 in 1945	1 2.09 in 1979
84.3 in 1998	2 78.3 in 1935	2 16.10 in 1948	2 2.30 in 1899
3 83.9 in 1942	3 78.7 in 1918	3 15.74 in 1935	3 2.58 in 1930
4 83.8 in 1896	4 78.8 in 1922	4 15.05 in 1933	4 2.98 in 2010
5 83.7 in 1900	78.8 in 1919	5 14.34 in 1960	5 3.08 in 1989
6 83.5 in 1983	6 78.9 in 1923	6 14.17 in 1909	6 3.34 in 1902
83.5 in 1932	7 79.3 in 1920	7 14.11 in 2004	7 3.91 in 1952
8 83.4 in 2006	79.3 in 1904	8 13.66 in 1906	8 4.28 in 1999
83.4 in 1999	9 79.5 in 1947	9 13.35 in 1901	9 4.31 in 1942
83.4 in 1987	79.5 in 1929	10 12.66 in 2021	10 4.42 in 2016
83.4 in 1981		...	
...		24 11.31 in 2022	
19 82.9 in 2022			
82.9 in 1958			
82.9 in 1897			

Normal Temperature for July at STLF1 = 81.3°

Normal Rainfall for July at STLF1 = 8.10 in.

Tarpon Springs (records began January 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.2 in 1932	1 79.1 in 1904	1 22.55 in 2015	1 0.95 in 2003
2 85.1 in 2020	2 79.5 in 1900	2 20.76 in 1960	2 0.98 in 2007
3 85.0 in 1993	79.5 in 1895	3 17.03 in 1909	3 2.23 in 1970
4 84.8 in 1942	4 79.6 in 1899	4 15.48 in 1947	4 2.43 in 1932
5 84.7 in 2016	5 79.7 in 1908	5 15.46 in 1899	5 2.45 in 1976
84.7 in 1997	6 79.8 in 1974	6 15.45 in 2009	6 2.47 in 1993
7 84.6 in 2004	79.8 in 1910	7 15.31 in 2012	7 2.76 in 1914
8 84.3 in 1996	79.8 in 1896	8 15.12 in 2008	8 3.41 in 1940
84.3 in 1931	79.8 in 1894	9 15.02 in 1919	9 3.48 in 1952
10 84.2 in 2014	10 79.9 in 1939	10 14.66 in 1921	10 3.67 in 1972
	
		86 6.75 in 2022	44 6.75 in 2022

Average Temperature for July 2022 = Several days missing/unrepresentative
Normal Temperature for July at TRPF1 = 83.1°
Normal Rainfall for July at TRPF1 = 9.05 in.

Tampa Area (records began April 1890):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 86.3 in 2022	1 79.7 in 1899	1 20.59 in 1960	1 1.65 in 1981
2 85.5 in 2020	2 80.2 in 1968	2 15.53 in 1899	2 2.03 in 1932
3 85.0 in 2021	80.2 in 1890	3 13.92 in 1906	3 2.11 in 1893
4 84.9 in 2016	4 80.3 in 1965	4 13.77 in 1950	4 2.31 in 1962
84.9 in 1932	80.3 in 1955	5 13.68 in 1946	5 2.72 in 1996
6 84.6 in 1942	80.3 in 1947	6 13.32 in 1925	6 2.75 in 1908
7 84.4 in 2011	80.3 in 1910	7 12.95 in 1998	7 2.77 in 1970
8 84.3 in 2010	8 80.4 in 1906	8 12.68 in 2014	8 2.80 in 1992
9 84.2 in 2017	9 80.5 in 1909	9 12.32 in 1933	9 2.92 in 1993
84.2 in 2005	80.5 in 1904	10 12.30 in 1896	10 3.38 in 2005
		11 12.23 in 1945	
		12 12.20 in 1920	
		13 11.99 in 2022	

Normal Temperature for July at TPA = 83.8°
Normal Rainfall for July at TPA = 7.75 in.

St Petersburg (records began August 1914):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 86.7 in 2005	1 80.7 in 1947	1 18.97 in 1945	1 2.09 in 1996
2 85.7 in 1932	2 80.8 in 1921	2 18.30 in 1921	2 2.40 in 1982
3 85.5 in 2017	3 81.0 in 1974	3 16.77 in 1947	3 2.44 in 1918
85.5 in 2016	81.0 in 1968	4 16.46 in 1960	4 2.65 in 1970
5 85.3 in 1931	5 81.2 in 1919	5 14.97 in 1919	5 2.72 in 1930
6 85.2 in 2010	6 81.3 in 1954	6 14.70 in 2000	6 2.78 in 1972
7 84.9 in 2022	7 81.4 in 1938	7 14.66 in 1922	7 2.92 in 2012
84.9 in 1979	8 81.5 in 1965	8 14.32 in 2015	8 3.05 in 1942
9 84.8 in 1987	9 81.6 in 1956	9 13.64 in 1954	9 3.06 in 2003
10 84.7 in 2020	81.6 in 1922	10 13.48 in 2019	10 3.13 in 1966
84.7 in 1992	
84.7 in 1973		72 6.37 in 2022	37 6.37 in 2022

Normal Temperature for July at SPG = 83.8°

Normal Rainfall for July at SPG = 7.49 in.

Plant City (records began September 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.9 in 2022	1 78.3 in 1907	1 21.74 in 1960	1 2.75 in 1970
2 85.5 in 2020	2 79.0 in 1929	2 15.67 in 1943	2 2.96 in 1996
3 85.2 in 2016	3 79.2 in 1925	3 15.62 in 1910	3 3.04 in 1932
4 85.0 in 2019	4 79.4 in 1935	4 15.22 in 1925	4 3.45 in 1915
5 84.8 in 2021	5 79.5 in 1947	5 15.20 in 1933	5 3.48 in 1956
84.8 in 2017	6 79.8 in 1933	6 14.24 in 2017	6 3.54 in 1902
7 84.6 in 2018	7 79.9 in 1926	7 14.19 in 1929	7 3.82 in 1988
8 83.6 in 1969	8 80.0 in 1938	8 14.08 in 1945	8 3.92 in 1913
9 83.5 in 2010	80.0 in 1906	14.08 in 1905	9 3.97 in 1912
10 83.3 in 1916	10 80.2 in 1930	10 13.25 in 1965	10 4.32 in 1958
	80.2 in 1910
		26 10.90 in 2022	98 10.90 in 2022

Normal Temperature for July at PLCF1 = 83.6°

Normal Rainfall for July at PLCF1 = 8.65 in.

Lakeland (records began January 1915):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.1 in 2016	1 79.4 in 1921	1 20.07 in 2017	1 2.49 in 1992
2 84.9 in 1992	79.4 in 1919	2 15.67 in 1960	2 3.09 in 1961
3 84.8 in 1987	3 79.6 in 1947	3 14.74 in 1994	3 3.17 in 1942
4 84.7 in 2022	79.6 in 1923	4 14.34 in 1948	4 3.50 in 1996
5 84.5 in 2010	5 80.0 in 1974	5 13.79 in 1946	5 3.51 in 1972
6 84.4 in 1993	6 80.3 in 1975	6 13.77 in 1988	6 4.06 in 1983
84.4 in 1932	80.3 in 1950	7 13.56 in 2001	7 4.14 in 1936
8 84.2 in 1942	8 80.5 in 2007	8 13.37 in 2015	8 4.30 in 1930
9 84.0 in 2020	9 80.6 in 1965	9 13.31 in 2018	9 4.37 in 1932
84.0 in 1995	10 80.8 in 1955	10 13.23 in 1991	10 4.49 in 1958
	80.8 in 1954		11 4.50 in 1962
	80.8 in 1945		12 4.74 in 1918
	80.8 in 1920		13 4.78 in 1987
	80.8 in 1918		14 4.80 in 1999
			15 4.82 in 1959
			16 4.95 in 2022

Normal Temperature for July at LLDF1 = 83.2°

Rainfall for July at LLDF1 = 8.85 in.

Winter Haven Area (records began March 1941):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.6 in 2022	1 79.7 in 1968	1 16.45 in 1945	1 1.43 in 1999
2 85.5 in 2016	2 79.9 in 1947	2 13.73 in 1948	2 1.95 in 1972
3 85.0 in 2005	3 80.0 in 1974	3 13.69 in 1946	3 2.72 in 1986
4 84.8 in 2019	4 80.1 in 1972	4 13.14 in 2018	4 2.95 in 2011
84.8 in 2010	80.1 in 1971	5 12.73 in 1991	5 3.14 in 2022
84.8 in 1989	6 80.6 in 1975	6 12.07 in 1973	6 3.36 in 1996
7 84.5 in 2020	7 80.7 in 1976	7 12.05 in 1981	7 3.40 in 2009
8 84.2 in 1998	8 80.8 in 1965	8 11.91 in 2019	8 3.44 in 1961
9 84.1 in 1992	80.8 in 1963	9 11.82 in 1995	9 3.69 in 1988
10 84.0 in 2017	10 81.0 in 1950	10 11.68 in 1941	10 3.76 in 2012

Normal Temperature for July at GIF = 84.1°

Normal Rainfall for July at GIF = 7.44 in.

Bartow (records began June 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.4 in 2014	1 79.3 in 2006	1 17.58 in 1960	1 2.35 in 1892
2 84.7 in 1932	2 79.4 in 1947	2 16.91 in 1924	2 2.91 in 1961
3 84.5 in 1969	3 79.7 in 1935	3 14.55 in 1897	3 3.16 in 1910
4 84.2 in 2016	79.7 in 1894	4 14.00 in 1991	4 3.19 in 1972
5 84.1 in 2013	5 79.8 in 1938	5 13.84 in 1998	5 3.55 in 1932
84.1 in 1998	6 80.0 in 1974	6 13.82 in 1989	6 3.80 in 1999
7 84.0 in 2012	7 80.2 in 1918	7 13.36 in 1945	7 3.97 in 1902
8 83.9 in 1992	80.2 in 1896	8 13.32 in 1995	8 4.08 in 1958
83.9 in 1987	9 80.4 in 1975	9 13.31 in 1909	9 4.11 in 1936
10 83.8 in 2010	10 80.5 in 1936	10 13.01 in 1933	10 4.15 in 1985
11 83.7 in 1942			...
12 83.6 in 2022			24 5.46 in 2022
83.6 in 1981			
83.6 in 1958			

Normal Temperature for July at BARF1 = 82.3°

Normal Rainfall for July at BARF1 = 7.56 in.

Sarasota-Bradenton Area (records began January 1911):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.8 in 2020	1 78.4 in 1947	1 20.60 in 1921	1 0.93 in 1970
2 85.4 in 2016	2 79.4 in 1911	2 20.15 in 1960	2 1.80 in 1917
3 84.2 in 1998	3 79.5 in 1929	3 17.20 in 1965	3 2.15 in 2014
4 84.0 in 1962	4 79.7 in 1976	4 16.28 in 1984	4 2.30 in 1930
5 83.8 in 2014	5 79.9 in 1974	5 14.25 in 1987	5 2.88 in 1953
6 83.5 in 2022	6 80.0 in 1937	6 14.02 in 1919	6 3.51 in 1981
7 83.4 in 2006	7 80.1 in 1921	7 13.92 in 2019	7 3.58 in 1976
8 83.3 in 2010	8 80.2 in 1913	8 13.87 in 1978	8 3.66 in 1973
83.3 in 2005	9 80.3 in 1971	9 13.57 in 1935	9 3.70 in 1996
10 83.2 in 1992	80.3 in 1955	10 12.95 in 2001	10 3.75 in 1967
	
		81 5.80 in 2022	31 5.80 in 2022

Normal Temperature for July at SRQ = 83.1°

Normal Rainfall for July at SRQ = 7.39 in.

Myakka River State Park (Temperature records began March 1956/
Rainfall records began September 1943):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.0 in 1998	1 80.2 in 1985	1 19.34 in 1973	1 1.81 in 1972
2 84.2 in 2016	80.2 in 1965	2 18.17 in 2015	2 3.35 in 1963
3 84.1 in 2005	3 80.3 in 1974	3 17.73 in 1975	3 3.47 in 1992
4 84.0 in 2017	4 80.4 in 1959	4 17.08 in 1995	4 3.55 in 1962
5 83.9 in 1999	5 80.5 in 1984	5 15.47 in 1984	5 3.84 in 1952
6 83.8 in 1996	6 80.6 in 1962	6 14.86 in 1960	6 3.88 in 1993
7 83.6 in 1997	7 80.7 in 1975	7 14.44 in 1945	7 4.48 in 1956
8 83.5 in 2010	80.7 in 1963	8 14.33 in 1965	8 4.53 in 1996
9 83.2 in 2018	9 80.8 in 2001	9 14.23 in 2018	9 4.87 in 1957
10 83.0 in 2012	10 80.9 in 1986	10 14.21 in 2004	10 5.17 in 2009
83.0 in 1969	80.9 in 1973		11 5.21 in 1969
...			12 5.58 in 1986
20 82.5 in 2022			13 5.89 in 1953
82.5 in 1983			14 5.93 in 2022
82.5 in 1980			

Normal Temperature for July at MKCF1 = 82.5°
Normal Rainfall for July at MKCF1 = 9.81 in.

Venice (records began May 1955):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 86.6 in 1989	1 80.5 in 1975	1 15.61 in 1995	1 2.02 in 1962
2 86.2 in 2010	80.5 in 1974	2 14.22 in 2006	2 2.12 in 1981
3 85.0 in 1998	3 80.7 in 1978	3 12.91 in 1984	3 2.33 in 1967
4 84.9 in 2011	80.7 in 1977	4 12.72 in 2015	4 2.61 in 1972
5 84.8 in 2020	80.7 in 1961	5 12.67 in 2001	5 2.98 in 1992
6 84.5 in 2012	6 80.8 in 2008	6 12.00 in 1991	6 3.04 in 1970
7 84.2 in 2022	80.8 in 1984	7 11.89 in 2008	7 3.06 in 2016
84.2 in 1996	8 80.9 in 1972	8 11.23 in 1971	8 3.14 in 2018
9 84.1 in 2016	80.9 in 1956	9 11.14 in 1987	9 3.31 in 2002
10 84.0 in 2018	10 81.0 in 1985	11.14 in 1974	10 3.34 in 2009
84.0 in 2003	81.0 in 1976
84.0 in 1997		21 7.93 in 2022	45 7.93 in 2022

Normal Temperature for July at VNCF1 = 82.9°
Normal Rainfall for July at VNCF1 = 7.39 in.

Wauchula 2 N (records began January 1933):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.5 in 2009	1 77.9 in 1950	1 15.54 in 1946	1 1.99 in 2016
2 83.9 in 1992	2 79.6 in 2013	2 14.60 in 1960	2 2.21 in 1981
3 83.8 in 1942	79.6 in 1947	3 13.76 in 1965	3 2.80 in 1962
4 83.6 in 2007	4 80.0 in 2001	4 13.72 in 2008	4 2.90 in 1999
5 83.5 in 2016	80.0 in 1955	5 13.62 in 1945	5 2.91 in 1992
83.5 in 2008	6 80.1 in 1974	6 13.43 in 2009	6 3.63 in 1985
7 83.4 in 1993	7 80.3 in 1965	7 13.31 in 2001	7 3.71 in 1996
83.4 in 1969	80.3 in 1956	8 13.27 in 1948	8 4.00 in 1934
9 83.2 in 2005	80.3 in 1954	9 12.46 in 1977	9 4.06 in 1950
10 83.1 in 1979	10 80.5 in 2012	10 12.45 in 1988	10 4.17 in 1980
	80.5 in 1951		
	80.5 in 1938		

Average Temperature for July 1-28, 2022 = 83.0°

Normal Temperature for July at WAUF1 = 81.9°

Total Rainfall for July 1-28, 2022 = 8.01 in.

Normal Rainfall for July at WAUF1 = 7.69 in.

Archbold Bio Stn (records began January 1969):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.5 in 2016	1 79.0 in 1974	1 17.27 in 2001	1 3.64 in 1994
2 83.3 in 2022	2 79.3 in 1984	2 16.89 in 1974	2 3.90 in 1972
3 83.2 in 2010	3 79.6 in 2008	3 14.85 in 2013	3 4.02 in 2003
4 82.6 in 2017	4 79.9 in 1985	4 13.09 in 1984	4 4.15 in 2011
82.6 in 1969	79.9 in 1982	5 12.79 in 2014	5 4.52 in 1987
6 82.3 in 2018	79.9 in 1975	6 12.06 in 2008	6 4.67 in 1992
82.3 in 2005	79.9 in 1972	7 11.05 in 2002	7 4.68 in 1977
8 82.2 in 2020	8 80.0 in 2006	8 11.03 in 1993	8 5.06 in 2000
82.2 in 1998	80.0 in 1994	9 10.93 in 2010	9 5.34 in 1999
10 82.1 in 2019	10 80.1 in 1976	10 10.89 in 1990	10 5.57 in 1996
	80.1 in 1971		...
			19 6.78 in 2022

Normal Temperature for July at ACHF1 = 81.7°

Normal Rainfall for July at ACHF1 = 8.34 in.

Punta Gorda Area (records began May 1914):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.7 in 2020	1 79.4 in 1929	1 18.25 in 1947	1 1.75 in 1932
2 84.3 in 2018	2 80.3 in 1938	2 15.10 in 1924	2 2.23 in 1963
84.3 in 2005	3 80.5 in 1925	3 14.94 in 2021	3 2.41 in 1930
4 84.1 in 2022	80.5 in 1917	4 14.66 in 1933	4 3.09 in 1966
84.1 in 1980	5 80.6 in 1974	5 14.22 in 1995	5 3.24 in 1962
84.1 in 1963	80.6 in 1919	6 13.66 in 2019	6 3.52 in 1990
7 84.0 in 2016	7 80.7 in 1949	7 13.23 in 2006	3.52 in 1979
84.0 in 1962	8 80.8 in 1971	8 13.15 in 1982	3.52 in 1934
84.0 in 1932	80.8 in 1922	9 12.91 in 1948	9 3.58 in 1917
10 83.8 in 2014	10 80.9 in 1955	10 12.40 in 2008	10 3.86 in 1970
	
		70 6.15 in 2022	38 6.15 in 2022

Normal Temperature for July at PGD = 83.3°

Normal Rainfall for July at PGD = 8.06 in.

Fort Myers Area (records began January 1902):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.7 in 1981	1 79.0 in 1904	1 15.28 in 1941	1 2.28 in 1964
85.7 in 1979	2 79.1 in 1910	2 15.22 in 1920	2 2.41 in 2020
3 85.3 in 2022	3 80.2 in 1909	3 14.51 in 1991	3 2.92 in 2003
4 84.8 in 1997	80.2 in 1906	4 14.47 in 1974	4 3.50 in 1940
84.8 in 1996	80.2 in 1903	5 14.43 in 2006	5 3.53 in 1914
6 84.5 in 2016	6 80.5 in 1929	6 14.38 in 1987	6 3.93 in 1918
84.5 in 1992	80.5 in 1917	7 13.94 in 2001	7 4.05 in 1911
84.5 in 1942	80.5 in 1907	8 13.90 in 1905	8 4.06 in 1963
9 84.3 in 1982	80.5 in 1902	9 13.76 in 1960	9 4.29 in 2009
84.3 in 1980	10 80.6 in 1955	10 13.32 in 1949	10 4.60 in 1902
	80.6 in 1913
		47 9.52 in 2022	75 9.52 in 2022

Normal Temperature for July at FMY = 83.2°

Normal Rainfall for July at FMY = 9.38 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past Weather
drop down menu above the graphical forecast images.