



NOAA - National Weather Service


Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


Preliminary July 2022 Climate Summary for West Central and Southwest Florida

Temperatures across West Central and Southwest Florida have averaged near to a couple of degrees above normal so far for July 2022 with a few locations potentially ending up in the Top Ten Warmest for July, including Tampa which is on track to set a New Record for the Warmest Month since records began in 1890!




Graphics Source: NOAA Regional Climate Centers

As for rainfall, it has been highly variable across the region which is not too unusual due to the random nature of our summer thunderstorms. So far for the month some areas are well above normal rainfall (blue/green areas on right image below) while other locations are well below normal (yellow/orange areas on right image below).



July 1-30, 2022 Rainfall



Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Julys at some official NWS locations, which include the average/total so far for this July where available, and the 1991-2020 Normal (average) temperature and rainfall for the month of July.

Chiefland 5 ESE (records began July 1956):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.8 in 2016	1 76.5 in 1967	1 20.80 in 2001	1 2.89 in 2007
2 83.1 in 1983	2 79.0 in 1964	2 19.40 in 1964	2 3.38 in 1972
3 83.0 in 1998	3 79.2 in 1975	3 16.78 in 2018	3 3.75 in 2006
83.0 in 1987	4 79.3 in 1974	4 16.72 in 2013	4 4.06 in 1977
5 82.8 in 2015	5 79.4 in 1994	5 16.11 in 1978	5 4.23 in 2014
6 82.6 in 2017	6 79.5 in 2009	6 13.43 in 1975	6 4.31 in 1956
82.6 in 1999	79.5 in 1965	7 13.49 in 1980	7 4.33 in 2008
8 82.2 in 1993	8 79.6 in 1984	8 13.00 in 2017	8 4.55 in 1995
82.2 in 1981	79.6 in 1969	9 12.53 in 1974	9 5.38 in 1983
10 82.1 in 2005	79.6 in 1956	10 12.44 in 2019	10 5.43 in 2016

Average Temperature for July 1-28, 2022 = 82.0°

Normal Temperature for July at CHIF1 = 80.7°

Total Rainfall for July 1-28, 2022 = 10.44 in.

Normal Rainfall for July at CHIF1 = 8.32 in.

Inverness 3 SE (records began July 1948):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.6 in 2016	1 78.2 in 1994	1 18.14 in 2021	1 2.61 in 1952
2 84.0 in 2010	2 79.9 in 2018	2 16.28 in 1948	2 3.15 in 2016
3 83.8 in 1969	3 80.0 in 2004	3 15.46 in 2020	3 3.71 in 1972
4 83.5 in 2020	80.0 in 1984	4 14.74 in 1964	4 3.91 in 1992
83.5 in 1979	5 80.1 in 1995	5 14.42 in 2013	5 4.22 in 2011
6 83.2 in 1998	6 80.2 in 2003	6 14.40 in 1960	6 4.24 in 2006
83.2 in 1981	7 80.3 in 1986	7 13.17 in 2018	7 4.27 in 1983
8 83.1 in 1953	8 80.5 in 2000	8 13.06 in 2002	8 4.49 in 1994
9 82.9 in 1952	80.5 in 1988	9 12.82 in 1965	9 4.56 in 1970
10 82.8 in 2019	10 80.6 in 2017	10 12.79 in 2007	10 4.72 in 1996
82.8 in 2011	80.6 in 2001		
	80.6 in 1948		

Average Temperature for July 2022 = Not Available Yet

Normal Temp for July at INVF1 = 80.7°

Total Rainfall for July 2022 = Not Available Yet

Normal Rain for July at INVF1 = 7.80 in.

Brooksville Area (records began January 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.6 in 1930 83.6 in 1927	1 78.5 in 1921 2 78.7 in 1947	1 20.60 in 1906 2 19.89 in 1909	1 1.96 in 1930 2 2.04 in 1970
3 83.5 in 1931	3 79.0 in 1894	3 17.22 in 2015	3 2.06 in 1996
4 83.3 in 1942	4 79.1 in 1950	4 17.03 in 1943	4 2.83 in 1892
5 83.2 in 1979	5 79.2 in 1898	5 16.90 in 1924	5 3.53 in 1902
6 83.1 in 1928	6 79.3 in 1974	6 16.33 in 1964	6 4.13 in 1989
7 83.0 in 2016	79.3 in 1904	7 15.72 in 1960	7 4.35 in 1968
8 82.9 in 1981 82.9 in 1926	8 79.5 in 1922 9 79.6 in 1984	8 15.37 in 2008 9 15.36 in 1945	8 4.46 in 2010 9 4.65 in 1931
10 82.7 in 2011 82.7 in 1993	79.6 in 1920	10 14.81 in 1935	10 4.66 in 1955

Average Temperature for July 1-30, 2022 = 82.9°

Normal Temperature for July at BKV = 81.3°

Total Rainfall for July 1-30, 2022 = 6.48 in.

Normal Rainfall for July at BKV = 9.41 in.

St. Leo (records began April 1895):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.3 in 2005 84.3 in 1998	1 78.1 in 1921 2 78.3 in 1935	1 18.52 in 1945 2 16.10 in 1948	1 2.09 in 1979 2 2.30 in 1899
3 83.9 in 1942	3 78.7 in 1918	3 15.74 in 1935	3 2.58 in 1930
4 83.8 in 1896	4 78.8 in 1922	4 15.05 in 1933	4 2.98 in 2010
5 83.7 in 1900	78.8 in 1919	5 14.34 in 1960	5 3.08 in 1989
6 83.5 in 1983 83.5 in 1932	6 78.9 in 1923 7 79.3 in 1920	6 14.17 in 1909 7 14.11 in 2004	6 3.34 in 1902 7 3.91 in 1952
8 83.4 in 2006 83.4 in 1999 83.4 in 1987 83.4 in 1981	79.3 in 1904 9 79.5 in 1947 79.5 in 1929	8 13.66 in 1906 9 13.35 in 1901 10 12.66 in 2021	8 4.28 in 1999 9 4.31 in 1942 10 4.42 in 2016

Average Temperature for July 2022 = Not Available Yet

Normal Temperature for July at STLF1 = 81.3°

Total Rainfall for July 2022 = Not Available Yet

Normal Rainfall for July at STLF1 = 8.10 in.

Tarpon Springs (records began January 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.2 in 1932	1 79.1 in 1904	1 22.55 in 2015	1 0.95 in 2003
2 85.1 in 2020	2 79.5 in 1900	2 20.76 in 1960	2 0.98 in 2007
3 85.0 in 1993	79.5 in 1895	3 17.03 in 1909	3 2.23 in 1970
4 84.8 in 1942	4 79.6 in 1899	4 15.48 in 1947	4 2.43 in 1932
5 84.7 in 2016	5 79.7 in 1908	5 15.46 in 1899	5 2.45 in 1976
84.7 in 1997	6 79.8 in 1974	6 15.45 in 2009	6 2.47 in 1993
7 84.6 in 2004	79.8 in 1910	7 15.31 in 2012	7 2.76 in 1914
8 84.3 in 1996	79.8 in 1896	8 15.12 in 2008	8 3.41 in 1940
84.3 in 1931	79.8 in 1894	9 15.02 in 1919	9 3.48 in 1952
10 84.2 in 2014	10 79.9 in 1939	10 14.66 in 1921	10 3.67 in 1972

Average Temperature for July 2022 = Several days missing/unrepresentative
Normal Temperature for July at TRPF1 = 83.1°

Total Rainfall for July 1-30, 2022 = 6.75 in.
Normal Rainfall for July at TRPF1 = 9.05 in.

Tampa Area (records began April 1890):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.5 in 2020	1 79.7 in 1899	1 20.59 in 1960	1 1.65 in 1981
2 85.0 in 2021	2 80.2 in 1968	2 15.53 in 1899	2 2.03 in 1932
3 84.9 in 2016	80.2 in 1890	3 13.92 in 1906	3 2.11 in 1893
84.9 in 1932	4 80.3 in 1965	4 13.77 in 1950	4 2.31 in 1962
5 84.6 in 1942	80.3 in 1955	5 13.68 in 1946	5 2.72 in 1996
6 84.4 in 2011	80.3 in 1947	6 13.32 in 1925	6 2.75 in 1908
7 84.3 in 2010	80.3 in 1910	7 12.95 in 1998	7 2.77 in 1970
8 84.2 in 2017	8 80.4 in 1906	8 12.68 in 2014	8 2.80 in 1992
84.2 in 2005	9 80.5 in 1909	9 12.32 in 1933	9 2.92 in 1993
10 84.1 in 2018	80.5 in 1904	10 12.30 in 1896	10 3.38 in 2005

Average Temperature for July 1-30, 2022 = 86.2°
Normal Temperature for July at TPA = 83.8°

Total Rainfall for July 1-30, 2022 = 11.99 in.
Normal Rainfall for July at TPA = 7.75 in.

St Petersburg (records began August 1914):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 86.7 in 2005	1 80.7 in 1947	1 18.97 in 1945	1 2.09 in 1996
2 85.7 in 1932	2 80.8 in 1921	2 18.30 in 1921	2 2.40 in 1982
3 85.5 in 2017	3 81.0 in 1974	3 16.77 in 1947	3 2.44 in 1918
85.5 in 2016	81.0 in 1968	4 16.46 in 1960	4 2.65 in 1970
5 85.3 in 1931	5 81.2 in 1919	5 14.97 in 1919	5 2.72 in 1930
6 85.2 in 2010	6 81.3 in 1954	6 14.70 in 2000	6 2.78 in 1972
7 84.9 in 1979	7 81.4 in 1938	7 14.66 in 1922	7 2.92 in 2012
8 84.8 in 1987	8 81.5 in 1965	8 14.32 in 2015	8 3.05 in 1942
9 84.7 in 2020	9 81.6 in 1956	9 13.64 in 1954	9 3.06 in 2003
84.7 in 1992	81.6 in 1922	10 13.48 in 2019	10 3.13 in 1966
84.7 in 1973			

Average Temperature for July 1-30, 2022 = 84.8°

Normal Temperature for July at SPG = 83.8°

Total Rainfall for July 1-30, 2022 = 6.33 in.

Normal Rainfall for July at SPG = 7.49 in.

Plant City (records began September 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.5 in 2020	1 78.3 in 1907	1 21.74 in 1960	1 2.75 in 1970
2 85.2 in 2016	2 79.0 in 1929	2 15.67 in 1943	2 2.96 in 1996
3 85.0 in 2019	3 79.2 in 1925	3 15.62 in 1910	3 3.04 in 1932
4 84.8 in 2021	4 79.4 in 1935	4 15.22 in 1925	4 3.45 in 1915
84.8 in 2017	5 79.5 in 1947	5 15.20 in 1933	5 3.48 in 1956
6 84.6 in 2018	6 79.8 in 1933	6 14.24 in 2017	6 3.54 in 1902
7 83.6 in 1969	7 79.9 in 1926	7 14.19 in 1929	7 3.82 in 1988
8 83.5 in 2010	8 80.0 in 1938	8 14.08 in 1945	8 3.92 in 1913
9 83.3 in 1916	80.0 in 1906	14.08 in 1905	9 3.97 in 1912
10 83.2 in 2005	10 80.2 in 1930	10 13.25 in 1965	10 4.32 in 1958
83.2 in 1981	80.2 in 1910		
83.2 in 1913			

Average Temperature for July 1-28, 2022 = 85.8°

Normal Temperature for July at PLCF1 = 83.6°

Total Rainfall for July 1-28, 2022 = 10.90 in.

Normal Rainfall for July at PLCF1 = 8.65 in.

Lakeland (records began January 1915):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.1 in 2016	1 79.4 in 1921	1 20.07 in 2017	1 2.49 in 1992
2 84.9 in 1992	79.4 in 1919	2 15.67 in 1960	2 3.09 in 1961
3 84.8 in 1987	3 79.6 in 1947	3 14.74 in 1994	3 3.17 in 1942
4 84.5 in 2010	79.6 in 1923	4 14.34 in 1948	4 3.50 in 1996
5 84.4 in 1993	5 80.0 in 1974	5 13.79 in 1946	5 3.51 in 1972
84.4 in 1932	6 80.3 in 1975	6 13.77 in 1988	6 4.06 in 1983
7 84.2 in 1942	80.3 in 1950	7 13.56 in 2001	7 4.14 in 1936
8 84.0 in 2020	8 80.5 in 2007	8 13.37 in 2015	8 4.30 in 1930
84.0 in 1995	9 80.6 in 1965	9 13.31 in 2018	9 4.37 in 1932
10 83.9 in 1989	10 80.8 in 1955	10 13.23 in 1991	10 4.49 in 1958
	80.8 in 1954		
	80.8 in 1945		
	80.8 in 1920		
	80.8 in 1918		

Average Temperature for July 1-27, 2022 = 84.5°
Normal Temperature for July at LLDF1 = 83.2°

Total Rainfall for July 1-27, 2022 = 4.95 in.
Rainfall for July at LLDF1 = 8.85 in.

Winter Haven Area (records began March 1941):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.5 in 2016	1 79.7 in 1968	1 16.45 in 1945	1 1.43 in 1999
2 85.0 in 2005	2 79.9 in 1947	2 13.73 in 1948	2 1.95 in 1972
3 84.8 in 2019	3 80.0 in 1974	3 13.69 in 1946	3 2.72 in 1986
84.8 in 2010	4 80.1 in 1972	4 13.14 in 2018	4 2.95 in 2011
84.8 in 1989	80.1 in 1971	5 12.73 in 1991	5 3.36 in 1996
6 84.5 in 2020	6 80.6 in 1975	6 12.07 in 1973	6 3.40 in 2009
7 84.2 in 1998	7 80.7 in 1976	7 12.05 in 1981	7 3.44 in 1961
8 84.1 in 1992	8 80.8 in 1965	8 11.91 in 2019	8 3.69 in 1988
9 84.0 in 2017	80.8 in 1963	9 11.82 in 1995	9 3.76 in 2012
10 83.9 in 1999	10 81.0 in 1950	10 11.68 in 1941	10 4.06 in 1975

Average Temperature for July 1-30, 2022 = 85.6°
Normal Temperature for July at GIF = 84.1°

Total Rainfall for July 1-30, 2022 = 3.14 in.
Normal Rainfall for July at GIF = 7.44 in.

Bartow (records began June 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.4 in 2014	1 79.3 in 2006	1 17.58 in 1960	1 2.35 in 1892
2 84.7 in 1932	2 79.4 in 1947	2 16.91 in 1924	2 2.91 in 1961
3 84.5 in 1969	3 79.7 in 1935	3 14.55 in 1897	3 3.16 in 1910
4 84.2 in 2016	79.7 in 1894	4 14.00 in 1991	4 3.19 in 1972
5 84.1 in 2013	5 79.8 in 1938	5 13.84 in 1998	5 3.55 in 1932
84.1 in 1998	6 80.0 in 1974	6 13.82 in 1989	6 3.80 in 1999
7 84.0 in 2012	7 80.2 in 1918	7 13.36 in 1945	7 3.97 in 1902
8 83.9 in 1992	80.2 in 1896	8 13.32 in 1995	8 4.08 in 1958
83.9 in 1987	9 80.4 in 1975	9 13.31 in 1909	9 4.11 in 1936
10 83.8 in 2010	10 80.5 in 1936	10 13.01 in 1933	10 4.15 in 1985

Average Temperature for July 2022 = Not Available Yet

Normal Temperature for July at BARF1 = 82.3°

Total Rainfall for July 2022 = Not Available Yet

Normal Rainfall for July at BARF1 = 7.56 in.

Sarasota-Bradenton Area (records began January 1911):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.8 in 2020	1 78.4 in 1947	1 20.60 in 1921	1 0.93 in 1970
2 85.4 in 2016	2 79.4 in 1911	2 20.15 in 1960	2 1.80 in 1917
3 84.2 in 1998	3 79.5 in 1929	3 17.20 in 1965	3 2.15 in 2014
4 84.0 in 1962	4 79.7 in 1976	4 16.28 in 1984	4 2.30 in 1930
5 83.8 in 2014	5 79.9 in 1974	5 14.25 in 1987	5 2.88 in 1953
6 83.4 in 2006	6 80.0 in 1937	6 14.02 in 1919	6 3.51 in 1981
7 83.3 in 2010	7 80.1 in 1921	7 13.92 in 2019	7 3.58 in 1976
83.3 in 2005	8 80.2 in 1913	8 13.87 in 1978	8 3.66 in 1973
9 83.2 in 1992	9 80.3 in 1971	9 13.57 in 1935	9 3.70 in 1996
10 83.1 in 1993	80.3 in 1955	10 12.95 in 2001	10 3.75 in 1967
83.1 in 1989			

Average Temperature for July 1-30, 2022 = 83.5°

Normal Temperature for July at SRQ = 83.1°

Total Rainfall for July 1-30, 2022 = 5.80 in.

Normal Rainfall for July at SRQ = 7.39 in.

Myakka River State Park (Temperature records began March 1956/
Rainfall records began September 1943):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.0 in 1998	1 80.2 in 1985	1 19.34 in 1973	1 1.81 in 1972
2 84.2 in 2016	80.2 in 1965	2 18.17 in 2015	2 3.35 in 1963
3 84.1 in 2005	3 80.3 in 1974	3 17.73 in 1975	3 3.47 in 1992
4 84.0 in 2017	4 80.4 in 1959	4 17.08 in 1995	4 3.55 in 1962
5 83.9 in 1999	5 80.5 in 1984	5 15.47 in 1984	5 3.84 in 1952
6 83.8 in 1996	6 80.6 in 1962	6 14.86 in 1960	6 3.88 in 1993
7 83.6 in 1997	7 80.7 in 1975	7 14.44 in 1945	7 4.48 in 1956
8 83.5 in 2010	80.7 in 1963	8 14.33 in 1965	8 4.53 in 1996
9 83.2 in 2018	9 80.8 in 2001	9 14.23 in 2018	9 4.87 in 1957
10 83.0 in 2012	10 80.9 in 1986	10 14.21 in 2004	10 5.17 in 2009
83.0 in 1969	80.9 in 1973		

Average Temperature for July 2022 = Not Available Yet
Normal Temperature for July at MKCF1 = 82.5°

Total Rainfall for July 2022 = Not Available Yet
Normal Rainfall for July at MKCF1 = 9.81 in.

Venice (records began May 1955):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 86.6 in 1989	1 80.5 in 1975	1 15.61 in 1995	1 2.02 in 1962
2 86.2 in 2010	80.5 in 1974	2 14.22 in 2006	2 2.12 in 1981
3 85.0 in 1998	3 80.7 in 1978	3 12.91 in 1984	3 2.33 in 1967
4 84.9 in 2011	80.7 in 1977	4 12.72 in 2015	4 2.61 in 1972
5 84.8 in 2020	80.7 in 1961	5 12.67 in 2001	5 2.98 in 1992
6 84.5 in 2012	6 80.8 in 2008	6 12.00 in 1991	6 3.04 in 1970
7 84.2 in 1996	80.8 in 1984	7 11.89 in 2008	7 3.06 in 2016
8 84.1 in 2016	8 80.9 in 1972	8 11.23 in 1971	8 3.14 in 2018
9 84.0 in 2018	80.9 in 1956	9 11.14 in 1987	9 3.31 in 2002
84.0 in 2003	10 81.0 in 1985	11.14 in 1974	10 3.34 in 2009
84.0 in 1997	81.0 in 1976		

Average Temperature for July 1-30, 2022 = 84.2°
Normal Temperature for July at VNCF1 = 82.9°

Total Rainfall for July 1-30, 2022 = 7.43 in.
Normal Rainfall for July at VNCF1 = 7.39 in.

Wauchula 2 N (records began January 1933):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.5 in 2009	1 77.9 in 1950	1 15.54 in 1946	1 1.99 in 2016
2 83.9 in 1992	2 79.6 in 2013	2 14.60 in 1960	2 2.21 in 1981
3 83.8 in 1942	79.6 in 1947	3 13.76 in 1965	3 2.80 in 1962
4 83.6 in 2007	4 80.0 in 2001	4 13.72 in 2008	4 2.90 in 1999
5 83.5 in 2016	80.0 in 1955	5 13.62 in 1945	5 2.91 in 1992
83.5 in 2008	6 80.1 in 1974	6 13.43 in 2009	6 3.63 in 1985
7 83.4 in 1993	7 80.3 in 1965	7 13.31 in 2001	7 3.71 in 1996
83.4 in 1969	80.3 in 1956	8 13.27 in 1948	8 4.00 in 1934
9 83.2 in 2005	80.3 in 1954	9 12.46 in 1977	9 4.06 in 1950
10 83.1 in 1979	10 80.5 in 2012	10 12.45 in 1988	10 4.17 in 1980
	80.5 in 1951		
	80.5 in 1938		

Average Temperature for July 1-28, 2022 = 83.0°

Normal Temperature for July at WAUF1 = 81.9°

Total Rainfall for July 1-28, 2022 = 8.01 in.

Normal Rainfall for July at WAUF1 = 7.69 in.

Archbold Bio Stn (records began January 1969):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.5 in 2016	1 79.0 in 1974	1 17.27 in 2001	1 3.64 in 1994
2 83.2 in 2010	2 79.3 in 1984	2 16.89 in 1974	2 3.90 in 1972
3 82.6 in 2017	3 79.6 in 2008	3 14.85 in 2013	3 4.02 in 2003
82.6 in 1969	4 79.9 in 1985	4 13.09 in 1984	4 4.15 in 2011
5 82.3 in 2018	79.9 in 1982	5 12.79 in 2014	5 4.52 in 1987
82.3 in 2005	79.9 in 1975	6 12.06 in 2008	6 4.67 in 1992
7 82.2 in 2020	79.9 in 1972	7 11.05 in 2002	7 4.68 in 1977
82.2 in 1998	8 80.0 in 2006	8 11.03 in 1993	8 5.06 in 2000
9 82.1 in 2019	80.0 in 1994	9 10.93 in 2010	9 5.34 in 1999
10 82.0 in 2015	10 80.1 in 1976	10 10.89 in 1990	10 5.57 in 1996
82.0 in 2011	80.1 in 1971		

Average Temperature for July 2022 = Not Available Yet

Normal Temperature for July at ACHF1 = 81.7°

Total Rainfall for July 2022 = Not Available Yet

Normal Rainfall for July at ACHF1 = 8.34 in.

Punta Gorda Area (records began May 1914):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.7 in 2020	1 79.4 in 1929	1 18.25 in 1947	1 1.75 in 1932
2 84.3 in 2018	2 80.3 in 1938	2 15.10 in 1924	2 2.23 in 1963
84.3 in 2005	3 80.5 in 1925	3 14.94 in 2021	3 2.41 in 1930
4 84.1 in 1980	80.5 in 1917	4 14.66 in 1933	4 3.09 in 1966
84.1 in 1963	5 80.6 in 1974	5 14.22 in 1995	5 3.24 in 1962
6 84.0 in 2016	80.6 in 1919	6 13.66 in 2019	6 3.52 in 1990
84.0 in 1962	7 80.7 in 1949	7 13.23 in 2006	3.52 in 1979
84.0 in 1932	8 80.8 in 1971	8 13.15 in 1982	3.52 in 1934
9 83.8 in 2014	80.8 in 1922	9 12.91 in 1948	9 3.58 in 1917
10 83.6 in 2011	10 80.9 in 1955	10 12.40 in 2008	10 3.86 in 1970
83.6 in 1996			
83.6 in 1993			
83.6 in 1992			
83.6 in 1951			

Average Temperature for July 1-30, 2022 = 84.1°

Normal Temperature for July at PGD = 83.3°

Total Rainfall for July 1-30, 2022 = 6.15 in.

Normal Rainfall for July at PGD = 8.06 in.

Fort Myers Area (records began January 1902):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.7 in 1981	1 79.0 in 1904	1 15.28 in 1941	1 2.28 in 1964
85.7 in 1979	2 79.1 in 1910	2 15.22 in 1920	2 2.41 in 2020
3 84.8 in 1997	3 80.2 in 1909	3 14.51 in 1991	3 2.92 in 2003
84.8 in 1996	80.2 in 1906	4 14.47 in 1974	4 3.50 in 1940
5 84.5 in 2016	80.2 in 1903	5 14.43 in 2006	5 3.53 in 1914
84.5 in 1992	6 80.5 in 1929	6 14.38 in 1987	6 3.93 in 1918
84.5 in 1942	80.5 in 1917	7 13.94 in 2001	7 4.05 in 1911
8 84.3 in 1982	80.5 in 1907	8 13.90 in 1905	8 4.06 in 1963
84.3 in 1980	80.5 in 1902	9 13.76 in 1960	9 4.29 in 2009
10 84.2 in 2010	10 80.6 in 1955	10 13.32 in 1949	10 4.60 in 1902
84.2 in 1962	80.6 in 1913		

Average Temperature for July 1-30, 2022 = 85.3°

Normal Temperature for July at FMY = 83.2°

Total Rainfall for July 1-30, 2022 = 9.50 in.

Normal Rainfall for July at FMY = 9.38 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past Weather
drop down menu above the graphical forecast images.

Contact: Paul Close, Paul.Close@noaa.gov

Date: 07/31/2022