



NOAA - National Weather Service

Tampa Bay Area


2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


March 2019 Climate Summary for West Central and Southwest Florida

March 2019 saw a wide range of temperatures as a few cold fronts moved through with warm days and temperatures several degrees above normal ahead of them followed by much cooler drier air and temperatures a few degrees below normal for a couple of days. Overall the average temperatures for the month ranged from near normal to 3°F above normal.


Temperature (F)
3/1/2019 - 3/31/2019




Departure from Normal Temperature (F)
3/1/2019 - 3/31/2019



Rainfall was below normal across the region as there was rather limited moisture with the fronts. The driest area was across the Nature Coast where many locations saw less than a half inch of rain, which is less than 25 percent of normal, and in the Top Ten Driest for March.



Rainfall March 2019



Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Marches at some official NWS locations, which include the average/total for this March, and the 1981-2010 Normal (average) temperature and rainfall for the month of March.

CHIEFLAND 5 SE (Records began in June 1956):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	69.6 in 1997	1	55.5 in 1969	1	14.88 in 1959	1	0.06 in 2006
2	69.2 in 2015	2	56.1 in 2010	2	12.96 in 1996	2	0.63 in 2017
3	68.7 in 2012	3	57.3 in 2013	3	9.06 in 2014	3	0.69 in 2013
4	67.6 in 1973	4	57.8 in 1996	4	8.90 in 1960	4	0.71 in 1976
5	67.5 in 2003	5	59.7 in 1971	5	8.86 in 1978	5	0.74 in 2019
6	67.2 in 1977	6	59.8 in 2005	6	8.80 in 1973	6	0.95 in 2007
7	66.3 in 1976	7	60.0 in 1962	7	8.53 in 1991	7	0.99 in 1967
8	66.0 in 1982	8	60.7 in 1981	8	8.33 in 1983	8	1.26 in 2004
	66.0 in 1974	9	60.8 in 1966	9	8.07 in 1992	9	1.27 in 1979
10	65.9 in 1961	10	60.9 in 2014	10	7.90 in 1957	10	1.55 in 2002

Average Temperature for March 2019 = Several Days Missing

Normal Temperature for March at CHIF1 = 62.1°

Normal Rainfall for March at CHIF1 = 4.58 inches

INVERNESS 3 SE (Records began in July 1948):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	70.9 in 1997	1	57.9 in 1996	1	16.00 in 1960	1	0.00 in 1956
2	70.0 in 1953	2	58.8 in 1969	2	11.13 in 1987	2	0.01 in 2006
3	69.7 in 2012	3	59.5 in 2005	3	9.21 in 1959	3	0.17 in 2019
	69.7 in 1976	4	60.1 in 1999	4	9.00 in 2010	4	0.56 in 2012
5	69.2 in 1974	5	60.4 in 1960	5	8.83 in 1982	5	0.65 in 2013
	69.2 in 1961	6	60.6 in 2018	6	8.63 in 2001	6	0.66 in 1967
7	69.0 in 2015	7	61.2 in 1993	7	8.18 in 1964	7	0.77 in 1961
8	68.8 in 1963	8	61.8 in 1981	8	8.05 in 1958	8	0.80 in 1949
9	68.4 in 1973	9	61.9 in 1988	9	8.00 in 1996	9	0.83 in 1966
10	68.3 in 1977		61.9 in 1978	10	7.96 in 1983	10	0.85 in 1976
	68.3 in 1967						
...		...					
34	64.8 in 2019	27	64.8 in 2019				

Normal Temperature for March at INV1 = 63.6

Normal Rainfall for March at INV1 = 4.32 inches

BROOKSVILLE AREA (Records began in January 1892):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	73.0 in 1945	1	56.9 in 2010	1	17.70 in 1960	1	Trace in 1956
2	71.7 in 1935	2	57.4 in 1915	2	13.40 in 1987	2	0.04 in 2006
3	71.6 in 1938	3	57.7 in 2013	3	10.69 in 1959	3	0.07 in 2017
4	71.3 in 1974	4	59.3 in 1969	4	10.58 in 1924	4	0.10 in 1908
5	71.0 in 1929	5	59.6 in 1931	5	9.10 in 1930	5	0.15 in 1898
6	70.9 in 1948	6	60.1 in 1901	6	9.00 in 1983	6	0.16 in 1916
	70.9 in 1908	7	60.2 in 1999	7	8.29 in 2011	7	0.17 in 2019
	70.9 in 1897	8	60.3 in 1924	8	8.00 in 1991		0.17 in 1945
9	70.6 in 1939	9	60.7 in 2018	9	7.97 in 1958	9	0.20 in 1904
10	70.2 in 1961		60.7 in 1926	10	7.77 in 1982	10	0.41 in 1921
...		...					
72	65.2 in 2019	41	65.2 in 2019				
	in 1942		in 1942				
	in 1940		in 1940				

Normal Temperature for March at BKV = 63.8°
 Normal Rainfall for March at BKV = 3.70 inches

ST LEO (Records began in April 1895):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	72.9 in 1907	1	57.5 in 1931	1	17.91 in 1960	1	Trace in 1907
2	72.8 in 1945		57.5 in 1915	2	16.50 in 1987	2	0.01 in 1895
	72.8 in 1897	3	59.2 in 1969	3	12.47 in 2011	3	0.02 in 2006
4	72.7 in 1997	4	60.0 in 2013	4	12.05 in 1959	4	0.10 in 1908
5	72.4 in 1948	5	60.2 in 2010	5	10.91 in 1924	5	0.19 in 1904
6	71.8 in 2003	6	60.6 in 1930	6	10.05 in 1900	6	0.30 in 1949
7	71.6 in 1938	7	61.1 in 1960	7	9.53 in 1930	7	0.33 in 1956
8	71.0 in 1974	8	61.5 in 1914	8	9.31 in 1958	8	0.38 in 1917
9	70.9 in 2012	9	61.6 in 1924	9	8.74 in 1983	9	0.47 in 1898
10	70.8 in 1953	10	61.9 in 1941	10	8.70 in 1988	10	0.50 in 1967
...		
67	66.7 in 2019	58	66.7 in 2019	107	0.95 in 2019	19	0.95 in 2019

Normal Temperature for March at STLF1 = 67.4°
 Normal Rainfall for March at STLF1 = 4.15 inches

TARPON SPRINGS (Records began in January 1892):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	74.6 in 1997	1	57.5 in 1915	1	14.21 in 1987	1	0.00 in 1907
2	73.2 in 1948	2	58.3 in 1969	2	13.72 in 1960	2	0.02 in 2006
3	73.0 in 1945	3	59.1 in 1960	3	12.56 in 1959	3	0.04 in 1908
4	71.8 in 2012	4	59.4 in 2013	4	11.29 in 2011	4	0.11 in 1949
	71.8 in 1903	5	59.7 in 1931	5	9.68 in 1983	5	0.26 in 1898
	71.8 in 1897	6	60.0 in 2010	6	8.41 in 1930	6	0.34 in 1956
7	71.6 in 1921	7	61.3 in 1941	7	8.18 in 1900	7	0.47 in 1945
8	71.3 in 1938	8	61.5 in 1968	8	8.12 in 1996	8	0.53 in 1935
	71.3 in 1929	9	61.6 in 1914	9	7.31 in 1947	9	0.59 in 2017
10	71.1 in 2015	10	61.7 in 1892	10	7.22 in 2014	10	0.60 in 1990
...		
44	67.8 in 2019	78	67.8 in 2019	87	1.53 in 2019	41	1.53 in 2019
	in 2005		in 2005				
	in 1952		in 1952				

Normal Temperature for March at TRPF1 = 66.2°
 Normal Rainfall for March at TRPF1 = 3.81 inches

TAMPA AREA (Records began in April 1890):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	74.4 in 2012	1	57.7 in 1915	1	12.64 in 1959	1	Trace in 2006
2	73.9 in 1997	2	58.1 in 1969	2	12.01 in 1987		Trace in 1907
3	73.2 in 1945	3	60.7 in 1931	3	11.00 in 1960	3	0.06 in 1956
4	73.0 in 2015	4	60.9 in 1968	4	9.87 in 1930	4	0.08 in 1908
5	72.6 in 1921	5	61.6 in 2013	5	9.79 in 2011		0.08 in 1898
6	72.2 in 1907		61.6 in 2010	6	7.59 in 1983	6	0.20 in 1945
7	71.9 in 1897	7	61.7 in 1941	7	7.36 in 1900	7	0.22 in 1949
8	71.8 in 1948	8	61.9 in 1947	8	7.24 in 1924	8	0.35 in 2018
	71.8 in 1938	9	62.0 in 1960	9	7.07 in 1931	9	0.41 in 2000
	71.8 in 1918		62.0 in 1924	10	6.98 in 1957	10	0.47 in 1917
			62.0 in 1892		6.98 in 1947		
...		
38	69.1 in 2019	91	69.1 in 2019	76	1.87 in 2019	54	1.87 in 2019
	in 1944		in 1944				

Normal Temperature for March at TPA = 67.3°
 Normal Rainfall for March at TPA = 3.03 inches

ST PETERSBURG AREA (Records began in August 1914):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	74.6 in 2012	1	59.0 in 1915	1	11.79 in 1987	1	0.03 in 1956
2	74.5 in 1945	2	61.7 in 2010	2	11.33 in 1959	2	0.09 in 2006
3	73.9 in 1948	3	61.9 in 1969	3	8.38 in 1931		0.09 in 1939
4	73.3 in 1997	4	62.4 in 1996	4	8.20 in 1983	4	0.19 in 1917
5	73.2 in 1921	5	62.5 in 1931	5	8.14 in 2010	5	0.24 in 1916
6	73.0 in 2015	6	63.1 in 1960	6	7.86 in 1970	6	0.31 in 2002
7	72.8 in 1976	7	63.3 in 2013	7	7.75 in 1960		0.31 in 1949
8	72.7 in 1918	8	63.4 in 1947	8	7.65 in 1952	8	0.37 in 1945
9	72.6 in 2003		63.4 in 1924	9	7.30 in 2011	9	0.40 in 2012
10	72.4 in 1938	10	63.5 in 1941	10	7.21 in 2001	10	0.50 in 1918
...		
34	69.7 in 2019 in 1989	68	69.7 in 2019 in 1989	87	0.78 in 2019	19	0.78 in 2019

Normal Temperature for March at SPG = 68.0°
 Normal Rainfall for March at SPG = 3.75 inches

PLANT CITY (Records began in September 1892):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	73.2 in 1907	1	56.9 in 1931	1	15.68 in 1960	1	0.00 in 1908
2	73.1 in 1997	2	59.1 in 1915	2	13.70 in 1959		0.00 in 1907
3	72.6 in 2015	3	60.3 in 1932	3	12.78 in 1987	3	0.01 in 2006
4	72.4 in 2016	4	60.5 in 1969	4	10.59 in 1983	4	0.08 in 1999
5	72.2 in 1948	5	60.6 in 2010	5	8.81 in 1930	5	0.21 in 1945
	72.2 in 1945	6	61.0 in 1930	6	7.93 in 2010	6	0.32 in 1916
7	71.8 in 2012		61.0 in 1901	7	7.81 in 1924	7	0.39 in 1975
	71.8 in 1903	8	61.3 in 2013	8	7.51 in 1998	8	0.40 in 2017
9	71.7 in 2003	9	61.4 in 1924	9	7.49 in 2011	9	0.46 in 2002
10	71.2 in 1977	10	61.5 in 1941		7.49 in 2001	10	0.50 in 1935
	71.2 in 1913						
...		
26	69.7 in 2019 in 1939	92	69.7 in 2019 in 1939	70	2.22 in 2019	53	2.22 in 2019

Normal Temperature for March at PLCF1 = 66.7°
 Normal Rainfall for March at PLCF1 = 3.57 inches

LAKELAND AREA (Records began in January 1915):

Warmest Marches	Coollest Marches	Wettest Marches	Driest Marches
1 73.5 in 1921	1 60.0 in 1969	1 12.94 in 1960	1 0.22 in 2006
2 73.4 in 1918	2 60.1 in 1915	2 12.16 in 1959	0.22 in 1916
3 72.8 in 1997	3 61.5 in 2010	3 10.75 in 1987	3 0.53 in 1925
72.8 in 1945	61.5 in 1960	4 9.22 in 1983	4 0.57 in 2009
5 72.7 in 1935	61.5 in 1931	5 8.57 in 1930	5 0.63 in 2000
6 72.6 in 1938	6 61.6 in 2013	6 8.53 in 2010	6 0.67 in 2007
7 72.1 in 2012	61.6 in 1941	7 8.15 in 1942	7 0.68 in 2002
72.1 in 2003	8 61.9 in 1924	8 7.44 in 2001	8 0.69 in 2017
9 72.0 in 2016	9 62.2 in 1947	9 7.20 in 1998	9 0.74 in 2012
72.0 in 2015	10 62.5 in 1968	10 6.90 in 1982	10 0.78 in 1949
...
37 69.0 in 2019	68 69.0 in 2019	65 2.14 in 2019	41 2.14 in 2019
in 1919	in 1919		

Normal Temperature for March at LLDF1 = 66.8°
 Normal Rainfall for March at LLDF1 = 3.89 inches

WINTER HAVEN AREA (Records began in January 1941):

Warmest Marches	Coollest Marches	Wettest Marches	Driest Marches
1 73.5 in 2015	1 58.4 in 1969	1 12.18 in 1960	1 0.30 in 1956
73.5 in 1945	2 61.5 in 2013	2 10.97 in 1959	2 0.38 in 2006
3 73.4 in 1997	3 61.6 in 2010	3 9.61 in 1987	3 0.48 in 2002
73.4 in 1948	4 62.2 in 1960	4 8.31 in 2011	4 0.57 in 1945
5 72.8 in 2012	5 62.5 in 1968	5 7.56 in 2010	5 0.58 in 2018
6 72.5 in 2003	6 62.9 in 1981	6 7.19 in 1998	0.58 in 2017
7 72.0 in 1977	62.9 in 1941	7 7.16 in 1970	7 0.60 in 2000
8 71.9 in 1989	8 63.5 in 1996	8 6.93 in 1983	8 0.61 in 2007
9 71.5 in 1974	9 63.6 in 1983	9 6.60 in 1942	9 0.64 in 1999
10 71.4 in 1990	10 64.0 in 1947	10 6.55 in 1969	10 0.72 in 2009
71.4 in 1976			
...
26 69.2 in 2019	48 69.2 in 2019	57 1.43 in 2019	21 1.43 in 2019

Normal Temperature for March at GIF = 67.9°
 Normal Rainfall for March at GIF = 3.57 inches

BARTOW (Records began in June 1892):

Warmest Marches	Coollest Marches	Wettest Marches	Driest Marches
1 76.1 in 2015	1 60.8 in 1914	1 11.53 in 1959	1 0.02 in 1908
2 74.6 in 1903	2 61.5 in 1969	2 10.25 in 1987	2 0.05 in 1945
3 74.0 in 1997	3 62.3 in 2010	3 8.99 in 1960	3 0.10 in 2006
4 73.3 in 2003	4 62.5 in 1901	4 8.57 in 1944	4 0.36 in 2002
5 73.2 in 1948	5 62.7 in 1947	5 8.12 in 2001	5 0.41 in 1999
6 72.6 in 2012	6 62.9 in 1960	6 8.10 in 1947	6 0.45 in 2007
7 72.5 in 1945	7 63.5 in 1996	7 7.72 in 1930	7 0.46 in 1897
72.5 in 1907	63.5 in 1968	8 7.28 in 2010	8 0.47 in 1967
72.5 in 1897	9 63.9 in 2018	9 7.11 in 1970	9 0.52 in 1921
10 71.3 in 1929	10 64.0 in 1983	10 7.00 in 1983	10 0.54 in 1920
...
58 67.7 in 2019	38 67.7 in 2019	86 1.48 in 2019	43 1.48 in 2019

Normal Temperature for March at BARF1 = 68.1°
Normal Rainfall for March at BARF1 = 3.48 inches

SARASOTA-BRADENTON AREA (Records began in January 1911):

Warmest Marches	Coollest Marches	Wettest Marches	Driest Marches
1 73.0 in 2012	1 57.0 in 1915	1 11.10 in 1987	1 Trace in 1939
2 72.6 in 1997	2 59.3 in 1931	2 10.77 in 2001	2 0.10 in 1945
3 71.9 in 2003	3 60.4 in 2010	3 10.60 in 1958	3 0.21 in 1949
71.9 in 1948	4 60.7 in 1969	4 8.81 in 1959	4 0.26 in 1956
5 71.5 in 2015	5 60.8 in 2013	5 8.63 in 1983	5 0.28 in 2007
6 71.1 in 1921	6 61.7 in 1924	6 8.49 in 2011	6 0.34 in 1935
7 70.9 in 2016	61.7 in 1914	7 8.16 in 1998	7 0.37 in 1976
8 70.8 in 1945	8 62.0 in 1941	8 7.42 in 1982	8 0.44 in 1917
9 70.6 in 1974	62.0 in 1916	9 7.37 in 1969	9 0.47 in 2004
10 70.4 in 1953	10 62.6 in 1968	10 7.10 in 1970	10 0.48 in 2017
...
32 68.7 in 2019	72 68.7 in 2019	74 1.27 in 2019	35 1.27 in 2019
in 1994	68.7 in 1994		
in 1975	68.7 in 1975		
in 1967	68.7 in 1967		

Normal Temperature for March at SRQ = 66.6°
Normal Rainfall for March at SRQ = 3.86 inches

VENICE (Records began in April 1955):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	74.4 in 1997	1	61.6 in 1969	1	11.21 in 1987	1	0.10 in 1956
2	74.0 in 2012	2	62.8 in 2013	2	9.57 in 1983	2	0.14 in 2009
3	73.8 in 2003	3	62.9 in 1960	3	9.38 in 1998	3	0.19 in 1981
4	72.2 in 2015	4	63.2 in 1968	4	8.83 in 2010	4	0.33 in 1977
5	70.8 in 2016	5	63.3 in 1962	5	8.05 in 1970	5	0.36 in 2006
	70.8 in 2000	6	63.4 in 2010	6	7.74 in 1959	6	0.39 in 1967
7	70.4 in 1989		63.4 in 1981	7	7.45 in 2011	7	0.40 in 1974
8	70.1 in 2011	8	63.9 in 1978	8	7.41 in 2001	8	0.53 in 2004
	70.1 in 2002	9	64.3 in 1996	9	7.10 in 1969	9	0.54 in 2002
10	69.8 in 1995		64.3 in 1988	10	6.60 in 1958	10	0.56 in 1975
	69.8 in 1973		64.3 in 1958	
	69.8 in 1961			46	1.20 in 2019	19	1.20 in 2019
...		...					
23	68.5 in 2019	35	68.5 in 2019				
	in 2004		in 2004				
	in 1985		in 1985				

Normal Temperature for March at VNCF1 = 67.2°
 Normal Rainfall for March at VNCF1 = 3.81 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
 and Rainfall records began in Sep 1943):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	74.5 in 2003	1	60.5 in 2013	1	12.88 in 1987	1	0.08 in 1956
2	74.2 in 1997	2	61.4 in 2010	2	12.24 in 1998	2	0.13 in 2006
3	72.6 in 2015	3	62.4 in 1960	3	9.74 in 1969	3	0.16 in 1945
4	71.9 in 2012	4	63.7 in 1971	4	8.80 in 1959	4	0.23 in 1966
5	71.6 in 1977	5	64.4 in 1996	5	8.21 in 1958	5	0.29 in 2002
6	71.3 in 2016		64.4 in 1959	6	7.81 in 1983		0.29 in 1977
	71.3 in 1976	7	64.8 in 1958	7	7.54 in 2010	7	0.41 in 1953
8	71.2 in 1992	8	65.2 in 1981	8	7.51 in 2011	8	0.42 in 1949
9	71.0 in 1982	9	65.4 in 2018	9	7.35 in 2001	9	0.47 in 1974
10	70.5 in 1995	10	65.7 in 1962	10	7.04 in 1947	10	0.48 in 2007
			65.7 in 1957				
...		
18	68.5 in 2019	32	68.5 in 2019	56	1.13 in 2019	20	1.13 in 2019

Normal Temperature for March at MKCF1 = 67.6°
 Normal Rainfall for March at MKCF1 = 3.86 inches

WAUCHULA 2 N (Records began in January 1933):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	72.9 in 1948	1	57.7 in 2013	1	12.14 in 1998	1	0.00 in 2002
2	72.6 in 2003	2	61.3 in 1969	2	9.22 in 1959	2	0.08 in 1967
3	72.0 in 1974	3	62.3 in 2018	3	7.72 in 1958	3	0.18 in 1945
	72.0 in 1945	4	62.5 in 1996	4	7.03 in 1987	4	0.20 in 1935
5	71.7 in 1938	5	62.7 in 1960	5	6.98 in 2001	5	0.22 in 2012
6	71.6 in 1939	6	63.4 in 1947	6	6.85 in 1965	6	0.30 in 2006
7	71.5 in 1935	7	63.5 in 1999	7	6.76 in 1947		0.30 in 1974
8	71.2 in 1977		63.5 in 1968	8	6.55 in 1983	8	0.35 in 1976
9	70.9 in 1997	9	63.6 in 1941	9	6.53 in 1969	9	0.57 in 2004
	70.9 in 1973	10	63.7 in 1983	10	5.80 in 1970		0.57 in 1939

Average Temperature for March 1-29, 2019 = 66.4°
 Normal Temperature for March at WAUF1 = 67.4°

Total Rainfall for March 1-29, 2019 = 1.60 inches
 Normal Rainfall for March at WAUF1 = 3.79 inches

ARCADIA (Records began in January 1899):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	73.6 in 1948	1	58.9 in 2010	1	9.96 in 1987	1	0.02 in 1956
2	73.5 in 2003	2	59.8 in 1915	2	8.90 in 1982	2	0.06 in 1935
3	73.2 in 1913	3	59.9 in 2013	3	8.09 in 1947	3	0.10 in 1990
4	73.1 in 1921	4	60.6 in 1931	4	8.05 in 1900	4	0.18 in 1939
5	72.5 in 1997	5	60.9 in 1969	5	7.94 in 1998	5	0.23 in 1945
6	72.4 in 1945	6	61.6 in 1968	6	7.51 in 2010	6	0.30 in 1974
7	72.1 in 1912	7	62.3 in 1924	7	7.10 in 1969	7	0.31 in 1977
8	71.8 in 1974	8	62.8 in 1926		7.10 in 1958	8	0.41 in 1976
	71.8 in 1929	9	63.2 in 1914	9	6.76 in 1931	9	0.43 in 1981
10	71.7 in 1903	10	63.3 in 1960	10	6.64 in 1970	10	0.53 in 2002
...		
58	67.2 in 2019	52	67.2 in 2019	55	2.16 in 2019	62	2.16 in 2019

Normal Temperature for March at ARCF1 = 66.2°
 Normal Rainfall for March at ARCF1 = 3.26 inches

ARCHBOLD BIO STN (Records began in January 1969):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	73.1 in 2003	1	58.6 in 2010	1	10.20 in 2010	1	0.05 in 1974
2	72.6 in 1997	2	58.8 in 2013	2	8.85 in 1970	2	0.06 in 2002
3	72.3 in 2015	3	61.1 in 1969	3	7.52 in 2003	3	0.22 in 2004
4	70.6 in 2016	4	62.2 in 1996	4	7.43 in 1969	4	0.66 in 2007
	70.6 in 1977		62.2 in 1983	5	6.61 in 1987	5	0.76 in 1999
	70.6 in 1974	6	62.9 in 2018	6	6.52 in 1982	6	0.78 in 1972
7	70.2 in 2012	7	63.2 in 1999	7	6.42 in 1984	7	0.87 in 2006
8	70.0 in 1976	8	63.3 in 1981	8	6.21 in 1988	8	0.91 in 2009
9	69.8 in 1982	9	63.8 in 1998	9	6.03 in 1986	9	1.01 in 2012
10	69.4 in 1973	10	63.9 in 1971	10	5.74 in 1993	10	1.02 in 1977

Average Temperature for March 2019 = Not Available Yet
 Normal Temperature for March at ACHF1 = 66.1°

Total Rainfall for March 2019 = Not Available Yet
 Normal Rainfall for March at ACHF1 = 3.77 inches

PUNTA GORDA AREA (Records began in May 1914):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	74.9 in 1948	1	57.9 in 1915	1	9.91 in 1947	1	0.00 in 1956
2	74.8 in 1945	2	62.0 in 2010	2	9.26 in 1970		0.00 in 1921
3	73.7 in 1997	3	62.1 in 1916	3	8.71 in 2010	3	Trace in 1920
4	73.0 in 1953	4	62.3 in 1969	4	8.18 in 1987	4	0.09 in 2007
5	72.9 in 2003		62.3 in 1931	5	7.64 in 1930	5	0.10 in 1945
6	72.4 in 2015	6	62.4 in 2013	6	7.23 in 1960		0.10 in 1935
7	72.3 in 1944	7	63.5 in 1941	7	6.43 in 1958	7	0.15 in 1967
	72.3 in 1968	8	64.2 in 1968	8	6.34 in 1969	8	0.16 in 1938
9	72.2 in 1961	9	64.3 in 1924	9	6.14 in 1983	9	0.21 in 1923
	72.2 in 1929	10	64.7 in 1971	10	5.84 in 1959	10	0.28 in 2006
							0.28 in 1922
...		
49	68.5 in 2019 in 2011	50	68.5 in 2019 in 2011	68	1.01 in 2019 in 1999 in 1951	32	1.01 in 2019 in 1999 in 1951

Normal Temperature for March at PNTF1 = 68.4°
 Normal Rainfall for March at PNTF1 = 3.31 inches

FORT MYERS AREA (Records began in January 1902):

Warmest Marches		Coolest Marches		Wettest Marches		Driest Marches	
1	75.9 in 1997	1	61.1 in 1915	1	18.58 in 1970	1	0.00 in 1935
2	74.8 in 2003	2	62.4 in 1931	2	10.31 in 1958	2	0.03 in 1974
3	74.6 in 2015	3	63.0 in 2010	3	8.94 in 1947	3	0.04 in 1939
4	74.4 in 1948	4	63.4 in 1969	4	7.78 in 1903	4	0.05 in 1956
5	74.3 in 2012	5	63.7 in 1941	5	7.41 in 1983	5	0.08 in 1907
6	73.2 in 1921	6	64.3 in 2013	6	7.21 in 2010	6	0.09 in 1977
7	73.1 in 1929	7	64.4 in 1914	7	6.88 in 1941	7	0.10 in 1945
8	73.0 in 1982	8	64.5 in 1960	8	6.64 in 1931	8	0.13 in 2007
9	72.6 in 1913	9	64.6 in 1968	9	6.59 in 2005		0.13 in 1949
10	72.5 in 2002	10	65.0 in 1926	10	6.38 in 1984	10	0.16 in 2017
...		
46	70.8 in 2019 in 1972	72	70.8 in 2019 in 1972	75	0.89 in 2019	44	0.89 in 2019

Normal Temperature for March at FMY = 69.9°
 Normal Rainfall for March at FMY = 2.88 inches

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past
 Weather drop down menu above the graphical forecast images.