



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


May and Spring 2019 Climate Summary for West Central and Southwest Florida

The first half of May 2019 was warm and rather wet across the region with many areas seeing above normal rainfall. However, the second half of the month was hot and mostly dry with some locations not seeing any rainfall for over two weeks. These hot temperatures pushed several sites into the Top Ten Warmest for May with some of these in the Top Ten Warmest for Spring (March/April/May).


MAY TEMPERATURE (deg F - Top Ten Warmest):

Location	May 2019 Rank	May 2019 Avg Temp	Normal May Temp	Dep fm Normal	Record Warmest	Records Began
Plant City	1st	82.0	76.8	+5.2	82.0/2019	Sep 1892
Winter Haven Area	1st	81.8	77.7	+4.1	81.8/2019	Mar 1941
Sarasota-Bradenton Area	1st(tie)	80.7	76.4	+4.3	80.7/2019	Jan 1911
Tampa Area	2nd	81.6	78.4	+3.2	81.7/1995	Apr 1890
Tarpon Springs	2nd(tie)	80.6	76.6	+4.0	82.1/1995	Jan 1892
Chiefland 5 ESE	2nd	78.1	73.8	+4.3	78.5/1991	Jul 1956
Lakeland Area	3rd	80.8	77.1	+3.7	82.9/1995	Jan 1915
Myakka River State Park	3rd	79.9	77.1	+2.8	81.3/1995	Mar 1956
Venice	5th	80.2	76.8	+3.4	82.7/2010	May 1955
Inverness 3 SE	5th	78.4	75.5	+2.9	80.0/1953	Jul 1948
Archbold Bio Stn	5th	78.1	75.3	+2.8	79.1/1991	Jan 1969
Fort Myers Area	7th(tie)	80.5	79.0	+1.5	82.0/1995	Jan 1902
Arcadia	9th(tie)	78.9	76.4	+2.5	80.6/1912	Nov 1899
St. Leo	10th(tie)	79.2	77.9	+1.3	81.3/1995	Apr 1895
Brooksville Area	10th(tie)	78.7	74.7	+4.0	80.7/1905	Jan 1892

Temperature (F)
5/1/2019 - 5/31/2019




Departure from Normal Temperature (F)
5/1/2019 - 5/31/2019




SPRING (MARCH/APRIL/MAY) TEMPERATURE (deg F - Top Ten Warmest):

Location	Spring 2019		Normal	Dep fm	Record	Records
	Rank	Avg Temp	Spr Temp	Normal	Warmest	Began
Plant City	2nd	75.6	71.4	+4.2	76.2/2015	Sep 1892
Sarasota-Bradenton Area	3rd	74.5	71.4	+3.1	75.2/2015	Jan 1911
Chiefland 5 ESE	5th(tie)	70.8	67.7	+3.1	73.4/2015	Jul 1956
Winter Haven Area	7th	75.4	72.6	+2.8	77.7/2015	Mar 1941
Tampa Area	7th	75.1	72.6	+2.5	77.1/2015	Apr 1890
Myakka River State Park	7th(tie)	74.0	72.1	+1.9	75.5/2003	Mar 1956
Venice	9th	74.4	71.7	+2.7	76.4/2012	May 1955
Tarpon Springs	9th	74.1	71.2	+2.9	75.5/1948	Jan 1892

Temperature (F)
3/1/2019 - 5/31/2019




Departure from Normal Temperature (F)
3/1/2019 - 5/31/2019




As for rainfall we saw a wide range of amounts in May with some locations well above normal while others were well below normal. For the Spring though the majority of the region was below normal which placed a couple of locations in the Top Ten Driest for Spring (March/April/May) with a few others in the Top Twenty Driest.

SPRING (MARCH/APRIL/MAY) RAINFALL (inches - Top Ten Driest):


Location	Spring 2019		Normal	Dep fm	Record	Records
	Rank	Total Rain	Spring Rain	Normal	Driest	Began
Inverness 3 SE	7th	4.24	9.28	-5.04	1.96/1967	Jul 1948
Chiefland 5 ESE	9th	5.72	10.00	-4.28	2.69/2007	Jul 1956




May 2019 Rainfall



May 2019 Percent of Normal Rain



Spring (Mar/Apr/May) Rainfall



Spring (Mar/Apr/May) Percent of Normal Rain

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Mays and Springs at some official NWS locations, which includes the average/total for this May and Spring 2019 (March/April/May) where available, and the 1981-2010 Normal (average) temperature and rainfall.

Chiefland 5 ESE (Records began July 1956):

Warmest Mays	Coolest Mays	Wettest Mays	Driest Mays
1 78.5 in 1991	1 72.3 in 1992	1 13.14 in 1976	1 0.00 in 2001
2 78.1 in 2019	72.5 in 2013	2 7.50 in 2010	2 0.05 in 2000
3 77.2 in 2017	72.5 in 2005	3 6.99 in 1959	3 0.23 in 2008
77.2 in 1959	72.5 in 1988	4 6.93 in 1966	4 0.26 in 1965
5 77.0 in 1995	5 72.6 in 1967	5 6.87 in 2014	5 0.62 in 1985
6 76.9 in 2015	72.6 in 1960	6 6.82 in 1969	6 0.68 in 1994
76.9 in 1975	7 72.8 in 2007	7 6.72 in 2018	7 0.76 in 2007
8 76.7 in 2012	72.8 in 2006	8 6.65 in 2005	8 0.82 in 1998
9 76.6 in 2018	9 72.9 in 1971	9 5.99 in 1991	0.82 in 1988
76.6 in 1990	10 73.0 in 2001	10 5.72 in 1980	10 0.95 in 1960
			...
			17 1.31 in 2019

Normal Temperature for May at CHIF1 = 73.8°
 Normal Rainfall for May at CHIF1 = 2.29 in.

Warmest Springs	Coolest Springs	Wettest Springs	Driest Springs
1 73.4 in 2015	1 65.8 in 2005	1 24.94 in 1959	1 2.69 in 2007
2 72.0 in 1991	2 66.0 in 1969	2 23.30 in 1982	2 2.92 in 2000
3 71.7 in 2012	3 66.4 in 1960	3 21.65 in 1991	3 3.71 in 2006
4 71.3 in 2017	4 66.5 in 2013	4 19.46 in 2014	4 4.66 in 2002
5 70.8 in 2019	5 66.8 in 1993	5 19.45 in 1957	5 4.71 in 1989
70.8 in 2002	66.8 in 1971	6 19.41 in 2005	6 4.77 in 2004
7 70.5 in 2003	7 66.9 in 1966	7 18.33 in 1996	7 5.29 in 2017
8 70.4 in 1995	8 67.0 in 1996	8 16.64 in 2018	8 5.46 in 1994
9 70.3 in 1997	9 67.2 in 2001	9 16.28 in 1983	9 5.72 in 2019
10 70.2 in 1989	67.2 in 1962	10 16.23 in 1976	10 5.75 in 1998
70.2 in 1982			5.75 in 1967

Normal Temperature for Spring at CHIF1 = 67.7°
 Normal Rainfall for Spring at CHIF1 = 10.00 in

Inverness 3 SE (Records began July 1948):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 80.0 in 1953	1 71.6 in 1992	1 11.97 in 1976	1 0.04 in 2008
2 79.7 in 2010	2 72.3 in 1988	2 11.48 in 2009	2 0.20 in 2000
3 79.1 in 1975	3 72.6 in 1993	3 10.61 in 2018	3 0.40 in 1965
4 78.7 in 1962	4 73.4 in 2005	4 10.59 in 1959	4 0.42 in 1994
5 78.4 in 2019	5 73.6 in 2006	5 8.79 in 1979	5 0.49 in 1998
6 78.2 in 1991	6 73.7 in 1997	6 8.11 in 2012	6 0.54 in 2007
7 78.1 in 2015	7 73.9 in 2001	7 7.71 in 2014	7 0.74 in 1997
78.1 in 1959	8 74.0 in 2007	8 7.33 in 1984	0.74 in 1977
9 78.0 in 1955	74.0 in 1999	9 7.27 in 1952	9 0.78 in 2001
10 77.9 in 2012	10 74.2 in 1982	10 6.92 in 1982	10 1.09 in 2011
77.9 in 1967	74.2 in 1976		11 1.30 in 1967
			12 1.34 in 1955
			13 1.37 in 1992
			14 1.40 in 2019

Normal Temperature for May at INVF1 = 75.5°
 Normal Rainfall for May at INVF1 = 2.67 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 74.0 in 2015	1 66.3 in 1993	1 24.95 in 1959	1 1.96 in 1967
2 73.7 in 1953	2 66.9 in 1992	2 21.14 in 1960	2 2.76 in 1977
3 73.5 in 1967	3 67.1 in 1996	3 20.75 in 1982	3 3.22 in 2000
4 73.1 in 1963	4 67.2 in 1988	4 17.63 in 2018	4 3.60 in 1994
5 72.9 in 2012	5 67.8 in 2018	5 17.36 in 2014	5 4.03 in 2013
6 72.5 in 1965	6 68.1 in 2001	6 17.22 in 1991	6 4.05 in 2007
7 72.2 in 1974	7 68.3 in 2007	7 15.78 in 1987	7 4.24 in 2019
8 72.1 in 2002	8 68.7 in 2004	15.78 in 1976	8 4.47 in 2004
72.1 in 1991	68.7 in 1999	9 15.34 in 1958	9 4.63 in 1955
72.1 in 1954	10 69.1 in 2006	10 14.19 in 1952	10 4.67 in 1999
...	...		
33 70.4 in 2019	26 70.4 in 2019		
in 1990	in 1990		
in 1972	in 1972		

Normal Temperature for Spring at INVF1 = 69.2°
 Normal Rainfall for Spring at INVF1 = 9.28 in.

Bushnell 1 E (Records began July 1948):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 80.1 in 1995	1 68.3 in 1983	1 11.49 in 1976	1 0.21 in 1953
2 78.8 in 1953	2 72.4 in 1988	2 11.27 in 2009	2 0.24 in 2008
3 77.9 in 1996	3 72.8 in 2013	3 9.75 in 1957	3 0.35 in 1990
77.9 in 1975	4 73.6 in 2007	4 8.09 in 1968	4 0.38 in 2000
5 77.8 in 1959	5 73.7 in 1954	5 7.57 in 1966	5 0.54 in 1965
6 77.7 in 2000	6 74.0 in 1971	6 7.54 in 1950	6 0.65 in 1983
77.7 in 1990	7 74.1 in 1981	7 6.81 in 1979	7 0.71 in 1951
77.7 in 1962	8 74.2 in 1976	8 6.65 in 1991	8 0.76 in 2007
9 77.2 in 1956	74.2 in 1951	9 6.59 in 1962	9 0.96 in 1985
77.2 in 1955	10 74.3 in 2014	10 6.33 in 2014	10 0.99 in 2001
...	74.3 in 1960	...	
16 76.5 in 2019		19 5.28 in 2019	

Normal Temperature for May at BSHF1 = 75.6°

Normal Rainfall for May at BSHF1 = 3.79 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 73.5 in 2015	1 67.2 in 2013	1 23.70 in 1959	1 2.36 in 2000
2 72.5 in 1975	2 68.3 in 1971	2 21.10 in 1960	2 3.23 in 1990
3 72.0 in 2012	3 68.5 in 2018	3 20.90 in 1982	3 3.44 in 1967
72.0 in 1955	4 68.6 in 1987	4 20.05 in 1957	4 3.76 in 1965
5 71.9 in 1974	68.6 in 1986	5 19.77 in 1991	5 3.94 in 1999
6 71.6 in 1982	68.6 in 1966	6 16.67 in 1983	6 4.22 in 1961
71.6 in 1967	7 68.7 in 2014	7 16.27 in 2014	7 4.43 in 1977
8 71.4 in 1963	8 68.9 in 1969	8 16.06 in 1976	8 4.44 in 1981
9 71.2 in 1964	9 69.0 in 1960	9 15.03 in 1987	9 4.65 in 1985
10 71.1 in 1970	10 69.1 in 1981	10 14.92 in 1958	10 5.04 in 2004
	69.1 in 1951
...	...	37 9.06 in 2019	32 9.06 in 2019
28 69.7 in 2019	19 69.7 in 2019		

Normal Temperature for Spring at BSHF1 = 69.6°

Normal Rainfall for Spring at BSHF1 = 10.06 in.

Brooksville Area (Records began January 1892):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 80.7 in 1905	1 72.5 in 2005	1 16.27 in 1976	1 Trace in 1977
2 80.6 in 1927	2 72.8 in 1917	2 15.57 in 2009	2 0.19 in 1926
3 80.3 in 1933	3 73.1 in 2001	3 12.25 in 2018	3 0.23 in 1949
4 79.6 in 1995	4 73.2 in 1924	4 12.20 in 1923	4 0.29 in 2000
5 79.4 in 1899	73.2 in 1920	5 9.54 in 2014	5 0.45 in 1951
6 79.2 in 1929	6 73.4 in 1923	6 9.25 in 1906	6 0.47 in 1948
7 79.1 in 1962	7 73.6 in 1999	7 9.15 in 1912	7 0.57 in 1908
8 79.0 in 1975	8 73.7 in 1925	8 8.71 in 1921	8 0.60 in 1899
79.0 in 1902	9 73.8 in 2006	9 8.18 in 1957	9 0.68 in 1910
10 78.7 in 2019	73.8 in 1954	10 7.92 in 1919	10 0.70 in 1927
78.7 in 1953	
78.7 in 1935		55 3.71 in 2019	73 3.71 in 2019

Normal Temperature for May at BKV = 74.7°
 Normal Rainfall for May at BKV = 2.95 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.2 in 1929	1 66.1 in 2005	1 22.97 in 1959	1 1.57 in 2000
2 75.0 in 1945	2 67.6 in 2004	2 21.84 in 1960	2 2.20 in 1977
3 74.4 in 1927	67.6 in 1926	3 21.28 in 1991	2.20 in 1945
4 74.3 in 2015	67.6 in 1892	4 20.07 in 1928	4 2.35 in 2006
74.3 in 1935	5 67.8 in 1924	5 19.69 in 1976	5 2.58 in 1910
6 74.0 in 1948	6 68.0 in 2010	6 19.67 in 1900	6 3.25 in 1908
7 73.6 in 1938	7 68.1 in 1998	7 18.83 in 2018	7 3.56 in 1967
8 73.3 in 1994	8 68.2 in 2013	8 18.78 in 1982	8 3.65 in 2017
9 73.2 in 1905	9 68.3 in 2001	9 18.54 in 1987	9 3.77 in 1999
10 73.1 in 1967	68.3 in 1999	10 18.26 in 1957	10 3.82 in 1981
...
33 71.7 in 2019	66 71.7 in 2019	87 7.22 in 2019	39 7.22 in 2019
in 1899	in 1899		
in 1895	in 1895		

Normal Temperature for Spring at BKV = 68.7°
 Normal Rainfall for Spring at BKV = 9.21 in.

St. Leo (Records began April 1895):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 81.3 in 1995	1 71.7 in 1928	1 16.81 in 1979	1 0.03 in 2000
2 80.6 in 1899	2 72.3 in 1921	2 14.37 in 1923	2 0.15 in 2008
3 80.2 in 1953	3 73.0 in 1923	3 11.64 in 2009	3 0.17 in 1953
4 80.1 in 2003	4 73.1 in 1931	4 10.33 in 1976	4 0.28 in 1965
5 79.7 in 2000	5 73.6 in 1917	5 10.06 in 2018	5 0.40 in 1985
6 79.6 in 1896	6 73.7 in 1940	6 9.43 in 1919	6 0.51 in 1914
7 79.4 in 1962	7 73.8 in 1920	7 9.23 in 1963	7 0.78 in 2001
8 79.3 in 1985	8 73.9 in 1992	8 8.64 in 1905	8 0.84 in 1998
79.3 in 1902	9 74.1 in 1918	9 8.63 in 1957	9 0.86 in 1927
10 79.2 in 2019	10 74.2 in 1903	10 8.28 in 1921	10 0.92 in 1996
79.2 in 1975	
		96 1.77 in 2019	30 1.77 in 2019

Normal Temperature for May at STLF1 = 77.9°
 Normal Rainfall for May at STLF1 = 2.78 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.2 in 1948	1 65.6 in 1931	1 24.63 in 1987	1 1.12 in 2000
2 74.9 in 2002	2 67.9 in 1915	2 21.67 in 1979	2 1.83 in 1967
3 74.8 in 1945	3 68.0 in 1928	3 21.01 in 1960	3 2.87 in 1898
4 74.7 in 2003	4 68.5 in 1930	4 20.57 in 1900	4 3.20 in 1904
5 74.6 in 2015	5 69.0 in 1940	5 20.48 in 1959	5 3.32 in 1977
6 74.5 in 1908	6 69.2 in 1916	6 20.01 in 1953	6 3.96 in 1999
7 74.4 in 1995	7 69.3 in 2013	7 19.13 in 1991	7 4.03 in 1908
8 74.2 in 1953	69.3 in 1971	8 18.77 in 1928	8 4.10 in 1914
9 74.1 in 1994	69.3 in 1969	9 18.34 in 1957	9 4.19 in 1910
10 73.9 in 2000	10 69.4 in 1992	10 17.99 in 2018	10 4.46 in 2006
73.9 in 1991	69.4 in 1926
73.9 in 1975	69.4 in 1920	103 5.90 in 2019	22 5.90 in 2019
...	...		
36 72.8 in 2019	85 72.8 in 2019		
in 1974	in 1974		
in 1965	in 1965		
in 1939	in 1939		

Normal Temperature for Spring at STLF1 = 72.4°

Total Rainfall for Spring 2019 Not Available Yet
 Normal Rainfall for Spring at STLF1 = 9.55 in.

Tarpon Springs (Records began January 1892):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.1 in 1995	1 71.7 in 1939	1 15.17 in 1979	1 0.00 in 2001
2 80.6 in 2019	2 72.6 in 1897	2 10.14 in 1991	0.00 in 2000
80.6 in 1991	3 72.8 in 1917	3 10.13 in 1976	3 Trace in 1927
4 80.3 in 1933	4 73.6 in 1894	4 9.38 in 1946	4 0.01 in 2007
5 80.0 in 1996	5 74.0 in 1928	5 8.18 in 1921	5 0.03 in 1965
6 79.8 in 2010	6 74.1 in 1992	6 7.70 in 1969	6 0.11 in 1949
7 79.6 in 2003	74.1 in 1941	7 7.17 in 1957	7 0.13 in 1899
8 79.3 in 1953	74.1 in 1921	8 6.84 in 1915	8 0.14 in 1994
79.3 in 1943	74.1 in 1903	9 6.79 in 2018	9 0.15 in 1953
10 79.2 in 1994	74.1 in 1892	10 6.53 in 2012	10 0.23 in 1951
79.2 in 1990	
		65 2.02 in 2019	62 2.02 in 2019

Normal Temperature for May at TRPF1 = 76.6°

Normal Rainfall for May at TRPF1 = 2.02 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.5 in 1948	1 66.9 in 1940	1 22.38 in 1959	1 0.97 in 1898
2 75.4 in 2015	2 67.5 in 1915	2 20.20 in 1979	2 1.40 in 2000
3 75.0 in 1995	3 68.0 in 1960	3 19.83 in 1991	3 1.43 in 2006
75.0 in 1991	68.0 in 1931	4 18.91 in 1987	4 1.47 in 1967
5 74.9 in 1929	5 68.3 in 1971	5 18.30 in 1957	5 1.86 in 1908
6 74.8 in 1997	6 68.7 in 1916	6 18.26 in 1942	6 2.81 in 1990
7 74.4 in 1994	7 68.8 in 1969	7 17.99 in 1960	7 2.82 in 1977
74.4 in 1945	68.8 in 1941	8 16.73 in 1900	8 2.83 in 1945
9 74.1 in 2019	9 68.9 in 1900	9 15.71 in 1983	9 3.21 in 1927
10 74.0 in 2012	10 69.0 in 1906	10 15.58 in 1931	10 3.22 in 2017
74.0 in 1938	
74.0 in 1922		64 7.55 in 2019	64 7.55 in 2019

Normal Temperature for Spring at TRPF1 = 71.2°

Normal Rainfall for Spring at TRPF1 = 8.20 in.

Tampa Area (Records began April 1890):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 81.7 in 1995	1 73.8 in 1891	1 17.64 in 1979	1 Trace in 2001
2 81.6 in 2019	2 74.2 in 1992	2 9.41 in 1921	2 0.02 in 2000
3 81.5 in 1975	3 74.3 in 1928	3 9.11 in 2009	3 0.07 in 1994
4 81.2 in 1991	4 74.4 in 1982	4 8.54 in 2014	4 0.10 in 1992
5 81.0 in 2017	5 74.5 in 1897	5 8.13 in 1976	5 0.16 in 1941
6 80.9 in 2010	6 74.7 in 1940	6 7.73 in 2018	6 0.17 in 1973
7 80.7 in 2012	74.7 in 1917	7 7.55 in 1959	7 0.22 in 1985
8 80.5 in 2015	8 74.8 in 1921	8 7.21 in 1957	8 0.24 in 1989
80.5 in 1990	74.8 in 1903	9 6.92 in 1894	9 0.31 in 1940
10 80.3 in 2000	10 74.9 in 1923	10 6.88 in 1991	10 0.33 in 1897
	
		25 4.78 in 2019	106 4.78 in 2019

Normal Temperature for May at TPA = 78.4°
 Normal Rainfall for May at TPA = 2.10 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.1 in 2015	1 68.3 in 1915	1 25.67 in 1959	1 0.61 in 1898
2 76.6 in 2012	2 68.5 in 1931	2 20.78 in 1957	2 0.86 in 2000
3 76.0 in 2017	68.5 in 1901	3 20.62 in 1979	3 1.29 in 1967
4 75.4 in 1991	4 68.8 in 1969	4 19.91 in 1930	4 2.17 in 1945
75.4 in 1945	5 69.1 in 1971	5 17.54 in 1931	5 2.32 in 1977
6 75.3 in 2002	6 69.2 in 1993	6 15.26 in 1987	6 2.46 in 2006
7 75.1 in 2019	7 69.4 in 1992	7 14.45 in 1983	7 2.64 in 1999
8 74.9 in 2011	69.4 in 1926	8 14.38 in 2014	8 2.74 in 1989
8 74.8 in 2016	9 69.6 in 1983	9 14.31 in 1924	9 2.98 in 1985
10 74.7 in 1995	69.6 in 1940	10 13.73 in 1960	10 3.06 in 2017
74.7 in 1948	69.6 in 1916
	69.6 in 1891	45 9.33 in 2019	86 9.33 in 2019

Normal Temperature for Spring at TPA = 72.6°
 Normal Rainfall for Spring at TPA = 7.16 in.

St Petersburg Area (Records began August 1914):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.0 in 2010	1 75.3 in 1928	1 10.64 in 1959	1 0.00 in 1953
2 81.5 in 2015	75.3 in 1921	2 9.68 in 2018	2 Trace in 2007
3 81.3 in 1995	3 75.4 in 1992	3 9.21 in 1979	3 0.02 in 2000
4 81.2 in 1933	75.4 in 1917	4 8.17 in 1976	4 0.04 in 2001
5 80.9 in 2003	5 75.7 in 1940	5 7.85 in 1925	5 0.05 in 1941
80.9 in 1991	6 75.8 in 1954	6 7.16 in 1991	6 0.18 in 1945
7 80.8 in 1975	7 76.2 in 1920	7 7.11 in 1915	7 0.19 in 1973
80.8 in 1935	8 76.4 in 1993	8 7.05 in 1921	8 0.22 in 1992
9 80.4 in 2012	9 76.5 in 1988	9 6.99 in 2009	9 0.24 in 1994
10 80.3 in 2000	10 76.6 in 1960	10 6.08 in 1957	10 0.26 in 1965
	76.6 in 1951		

Average Temperature for May 2019 Not Available Because Several Days Missing
 Normal Temperature for May at SPG = 79.0°

Total Rainfall for May 2019 = Not Available Because Several Days Missing
 Normal Rainfall for May at SPG = 2.21 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.7 in 2015	1 69.5 in 1915	1 26.45 in 1959	1 0.88 in 1945
2 76.7 in 2012	2 70.1 in 1931	2 17.88 in 1957	2 1.42 in 2000
3 75.9 in 1948	3 70.2 in 1993	3 17.20 in 1930	3 1.53 in 2006
75.9 in 1935	70.2 in 1983	4 17.18 in 1931	4 1.73 in 1977
75.9 in 1929	5 70.7 in 1996	5 16.31 in 1987	5 2.48 in 1967
6 75.8 in 2002	70.7 in 1940	6 15.65 in 1982	6 2.73 in 2007
7 75.6 in 2011	70.7 in 1926	7 15.17 in 1960	7 2.84 in 1938
8 75.5 in 2003	8 70.8 in 1916	8 14.50 in 2003	8 2.85 in 1949
9 75.3 in 2016	9 71.0 in 1992	9 14.03 in 1991	9 2.88 in 1999
75.3 in 1975	10 71.1 in 1924	10 13.98 in 1958	10 2.96 in 2002

Average Temperature for Spring 2019 Not Available Because Several Days Missing
 Normal Temperature for Spring at SPG = 73.3°

Total Rainfall for Spring 2019 Not Available Because Several Days Missing
 Normal Rainfall for Spring at SPG = 8.23 in.

Plant City (Records began February 1893):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.0 in 2019	1 71.3 in 1928	1 16.44 in 2009	1 0.01 in 2001
2 80.8 in 2017	2 71.9 in 1931	2 14.27 in 2018	2 0.14 in 2000
3 80.1 in 1915	3 72.0 in 1940	3 11.77 in 1991	3 0.29 in 1953
4 80.0 in 1995	4 72.4 in 1941	4 11.68 in 1979	4 0.50 in 1992
5 79.8 in 1975	5 73.0 in 1925	5 10.64 in 1923	5 0.58 in 1981
6 79.6 in 2010	6 73.6 in 1992	6 10.14 in 1957	6 0.62 in 2007
7 79.5 in 1991	7 73.9 in 1932	7 9.10 in 1905	7 0.67 in 1985
79.5 in 1953	8 74.0 in 1979	8 9.04 in 1976	0.67 in 1948
9 79.3 in 2012	74.0 in 1960	9 8.72 in 1907	9 0.72 in 1898
10 79.2 in 1990	10 74.1 in 1901	10 7.56 in 1900	10 0.75 in 1945
	
		81 2.40 in 2019	42 2.40 in 2019

Normal Temperature for May at PLCF1 = 76.8°

Normal Rainfall for May at PLCF1 = 3.38 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 76.2 in 2015	1 64.9 in 1931	1 26.28 in 1959	1 1.56 in 1898
2 75.6 in 2019	2 66.8 in 1901	2 23.68 in 1957	2 1.91 in 1977
3 75.1 in 1912	3 67.0 in 1932	3 20.67 in 1991	3 2.30 in 1981
4 75.0 in 2017	4 67.9 in 1940	4 19.68 in 1960	4 2.40 in 1908
5 74.8 in 2016	5 68.0 in 1941	5 19.42 in 1987	5 2.61 in 1945
6 74.7 in 2012	6 68.1 in 1930	6 19.38 in 1900	6 2.62 in 2017
7 74.3 in 1991	7 68.9 in 1925	7 19.25 in 1933	7 3.13 in 1902
74.3 in 1948	8 69.0 in 1942	8 18.59 in 2009	8 3.29 in 1949
74.3 in 1945	69.0 in 1928	9 18.56 in 1930	9 3.47 in 1985
10 74.1 in 2011	10 69.1 in 1924	10 18.30 in 1931	10 3.61 in 1967
74.1 in 1975	
74.1 in 1911		85 6.84 in 2019	38 6.84 in 2019

Normal Temperature for Spring at PLCF1 = 71.4°

Normal Rainfall for Spring at PLCF1 = 9.64 in.

Lakeland (Records began January 1915):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.9 in 1995	1 73.4 in 1928	1 19.19 in 2018	1 0.13 in 1953
2 81.0 in 1996	2 74.0 in 2007	2 16.03 in 1979	2 0.37 in 2008
3 80.8 in 2019	3 74.4 in 1941	3 14.95 in 2009	3 0.44 in 2001
4 80.7 in 1991	74.4 in 1921	4 10.83 in 1923	4 0.50 in 1985
5 80.6 in 2010	5 74.8 in 1923	5 10.68 in 1991	5 0.55 in 2000
6 80.5 in 1990	6 75.1 in 1982	6 9.68 in 1957	0.55 in 1965
7 80.4 in 1994	75.1 in 1970	7 9.10 in 1968	7 0.63 in 1986
8 80.1 in 1933	8 75.2 in 1940	8 8.45 in 1922	8 0.89 in 1960
9 80.0 in 2017	9 75.2 in 1917	9 8.21 in 1921	9 0.92 in 1945
10 79.9 in 2015	10 75.4 in 1972	10 8.15 in 1924	10 0.96 in 1997
79.9 in 1935	75.4 in 1960
	75.4 in 1931	48 3.75 in 2019	58 3.75 in 2019

Normal Temperature for May at LLDF1 = 77.1°

Normal Rainfall for May at LLDF1 = 3.36 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 76.3 in 2015	1 69.1 in 1941	1 24.87 in 1959	1 2.28 in 1945
2 76.0 in 1995	2 69.3 in 1915	2 23.85 in 2018	2 3.02 in 1981
3 75.8 in 1994	3 69.5 in 1960	3 21.98 in 1981	3 3.16 in 2000
4 75.7 in 1991	4 69.6 in 1969	4 21.14 in 1957	4 3.32 in 1967
75.7 in 1935	5 69.8 in 1983	5 21.03 in 1979	5 3.40 in 2017
6 75.0 in 2012	69.8 in 1925	6 20.64 in 1934	6 3.75 in 1977
75.0 in 1989	7 69.9 in 1971	7 18.56 in 1982	7 3.89 in 2006
8 74.8 in 1945	8 70.0 in 2007	8 18.46 in 1987	8 4.03 in 1985
74.8 in 1929	9 70.2 in 1926	9 17.86 in 1931	9 4.45 in 1949
10 74.7 in 1938	70.2 in 1924	17.86 in 1930	10 4.75 in 2012
11 74.6 in 2019	
74.6 in 2016		63 8.30 in 2019	42 8.30 in 2019
74.6 in 2011			
74.6 in 1948			
74.6 in 1922			

Normal Temperature for Spring at LLDF1 = 71.7°

Normal Rainfall for Spring at LLDF1 = 9.92 in.

Winter Haven Area (Records began March 1941) :

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 81.8 in 2019	1 74.3 in 1972	1 12.72 in 1957	1 0.03 in 2000
2 81.6 in 1995	2 74.5 in 1960	2 10.36 in 1982	2 0.49 in 1945
3 80.9 in 2015	3 74.6 in 1982	3 8.54 in 1943	3 0.57 in 1941
80.9 in 2010	4 74.9 in 1954	4 8.26 in 2009	4 0.58 in 1965
80.9 in 2003	5 75.1 in 1941	5 8.11 in 1976	5 0.71 in 2004
6 80.2 in 1990	6 75.3 in 1983	6 7.63 in 1946	6 0.80 in 1951
80.2 in 1989	7 75.4 in 1971	7 7.58 in 2018	7 0.81 in 1985
80.2 in 1953	8 75.5 in 1988	8 6.81 in 1947	8 0.84 in 1949
9 80.0 in 2017	75.5 in 1968	9 6.75 in 1975	9 0.88 in 1969
80.0 in 2012	10 75.7 in 2007	10 6.54 in 2016	10 0.97 in 2015
	75.7 in 1977
	75.7 in 1973	57 1.49 in 2019	20 1.49 in 2019

Normal Temperature for May at GIF = 77.7°
 Normal Rainfall for May at GIF = 2.90 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.7 in 2015	1 69.1 in 1983	1 23.21 in 1957	1 1.61 in 2000
2 76.1 in 1948	2 69.5 in 1960	2 21.81 in 1959	2 2.25 in 1945
3 75.9 in 1991	3 69.8 in 1971	3 20.49 in 1982	3 2.61 in 2017
75.9 in 1945	69.8 in 1969	4 20.32 in 1960	4 2.94 in 1981
5 75.7 in 1989	5 70.1 in 1941	5 18.23 in 1947	5 3.77 in 2007
6 75.5 in 2012	6 70.4 in 1987	6 15.16 in 1991	6 3.78 in 1967
7 75.4 in 2019	70.4 in 1968	7 14.42 in 2010	7 4.08 in 2015
8 75.3 in 2003	8 70.6 in 1993	8 13.59 in 1970	8 4.17 in 2006
9 75.0 in 1995	70.6 in 1981	13.59 in 1973	9 4.39 in 1965
75.0 in 1990	10 70.8 in 2013	10 13.44 in 1958	10 4.50 in 1999
	70.8 in 2005		11 4.51 in 2004
	70.8 in 1988		12 5.00 in 2019

Normal Temperature for Spring at GIF = 72.6°
 Normal Rainfall for Spring at GIF = 8.95 in.

Bartow (Records began January 1892):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.9 in 2015	1 73.3 in 1928	1 17.74 in 1923	1 0.02 in 1965
2 81.4 in 1995	2 73.5 in 1913	2 13.05 in 1979	2 0.25 in 1941
3 81.1 in 2014	3 73.8 in 1941	3 12.96 in 1957	3 0.36 in 1908
81.1 in 2003	4 74.3 in 1894	4 11.42 in 2009	4 0.40 in 1992
5 81.0 in 2012	5 74.5 in 1917	5 11.16 in 1905	5 0.45 in 1951
6 80.5 in 1905	6 74.6 in 1921	6 11.15 in 1930	6 0.72 in 1955
7 80.0 in 1990	7 74.7 in 1940	7 11.04 in 1976	7 0.75 in 1949
80.0 in 1975	74.7 in 1897	8 10.35 in 1921	8 0.87 in 1953
80.0 in 1953	9 74.8 in 1992	9 9.46 in 2018	9 0.91 in 2004
10 79.8 in 1991	10 74.9 in 1982	10 9.42 in 1932	10 0.95 in 1986
79.8 in 1933	
79.8 in 1899		103 1.52 in 2019	25 1.52 in 2019
13 79.7 in 2019			

Normal Temperature for May at BARF1 = 78.1°
 Normal Rainfall for May at BARF1 = 2.78 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 80.1 in 2015	1 67.8 in 1915	1 25.91 in 1959	1 2.34 in 1908
2 76.0 in 2003	2 68.2 in 1901	2 22.99 in 1930	2 2.48 in 1967
3 75.9 in 2012	3 69.3 in 1914	3 22.88 in 1957	3 2.55 in 2000
4 75.6 in 2014	4 69.6 in 1983	4 19.55 in 1934	4 3.27 in 1977
5 75.4 in 1908	5 70.1 in 1993	5 19.44 in 1923	5 3.53 in 1949
6 75.3 in 1945	6 70.5 in 1894	6 19.34 in 1905	3.53 in 1894
7 75.1 in 1991	70.5 in 1893	7 19.05 in 1947	7 3.55 in 2017
8 74.8 in 1995	8 70.6 in 1971	8 18.67 in 1991	8 3.57 in 1892
74.8 in 1948	70.6 in 1960	9 17.84 in 1979	9 3.77 in 1911
10 74.6 in 1975	70.6 in 1925	10 16.39 in 1937	10 3.82 in 1981
	70.6 in 1913		...
	70.6 in 1896		21 5.34 in 2019
...	...		
26 73.6 in 2019	59 73.6 in 2019		
73.6 in 2016	73.6 in 2016		
73.6 in 2012	73.6 in 2012		

Normal Temperature for Spring at BARF1 = 72.9°
 Normal Rainfall for Spring at BARF1 = 8.99 in.

Sarasota-Bradenton Area (Records began January 1911):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 80.7 in 2019	1 71.8 in 1917	1 9.52 in 1996	1 0.00 in 1941
80.7 in 1995	2 72.9 in 1928	2 9.39 in 1991	2 Trace in 2007
3 79.6 in 2010	3 73.1 in 1940	3 9.34 in 1978	3 0.02 in 1953
4 79.5 in 1991	4 73.4 in 1911	4 9.26 in 1957	4 0.10 in 1951
79.5 in 1990	5 73.5 in 1931	5 9.05 in 1921	0.10 in 1945
6 79.4 in 2012	73.5 in 1921	6 8.56 in 1954	6 0.13 in 1973
7 78.9 in 2017	7 73.7 in 1960	7 8.18 in 1959	7 0.15 in 1992
8 78.7 in 2003	8 74.0 in 1924	8 7.52 in 1934	0.15 in 1952
9 78.3 in 2016	9 74.1 in 1926	9 7.05 in 2014	9 0.16 in 1967
78.3 in 1950	10 74.2 in 1992	10 6.97 in 2018	10 0.18 in 1994
78.3 in 1946	74.2 in 1923
		64 1.78 in 2019	46 1.78 in 2019

Normal Temperature for May at SRQ = 76.4°
 Normal Rainfall for May at SRQ = 2.21 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.2 in 2015	1 66.8 in 1931	1 25.80 in 1957	1 1.39 in 1967
2 75.1 in 2012	2 67.2 in 1915	2 17.97 in 1959	2 2.01 in 2006
3 74.5 in 2019	3 68.3 in 1916	3 17.92 in 1991	3 2.07 in 1977
4 74.4 in 2016	4 68.5 in 1940	4 16.60 in 1996	4 2.50 in 1945
5 74.3 in 1995	5 68.8 in 1941	5 16.55 in 1997	5 2.61 in 1981
6 74.0 in 1994	68.8 in 1926	6 15.97 in 1958	6 2.83 in 1974
7 73.9 in 2003	68.8 in 1924	7 15.17 in 1930	7 2.97 in 1956
73.9 in 2002	8 69.0 in 1983	8 14.97 in 1969	8 3.02 in 2007
9 73.8 in 1991	9 69.1 in 1971	9 14.76 in 2014	3.02 in 1949
10 73.7 in 1990	10 69.5 in 1914	10 14.20 in 1987	10 3.10 in 2000
73.7 in 1945	
		88 4.67 in 2019	20 4.67 in 2019

Normal Temperature for Spring at SRQ = 71.4°
 Normal Rainfall for Spring at SRQ = 8.51 in.

**Myakka River State Park (Temperature Records began March 1956/
Rainfall Records began September 1943):**

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 81.3 in 1995	1 73.5 in 1960	1 15.06 in 2018	1 0.02 in 2007
2 80.1 in 2010	2 74.2 in 1992	2 12.81 in 1959	0.02 in 2000
3 79.9 in 2019	3 74.9 in 1988	3 9.17 in 2014	3 0.23 in 1985
4 79.8 in 2003	4 75.0 in 2001	4 8.85 in 1970	4 0.35 in 1953
5 79.4 in 1990	75.0 in 1993	5 7.95 in 1975	5 0.42 in 1945
6 79.3 in 1998	6 75.1 in 2013	6 7.92 in 2009	6 0.50 in 1955
7 79.2 in 1978	75.1 in 1963	7 7.73 in 2016	7 0.55 in 1994
8 79.0 in 1996	8 75.2 in 1972	8 7.55 in 1976	8 0.56 in 1973
9 78.9 in 2012	9 75.4 in 1970	9 6.02 in 1968	9 0.61 in 1951
10 78.9 in 1975	10 75.7 in 1977	10 5.59 in 1963	10 0.62 in 1949
	75.7 in 1961
		49 2.22 in 2019	26 2.22 in 2019

Normal Temperature for May at MKCF1 = 77.1°
Normal Rainfall for May at MKCF1 = 2.82 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.5 in 2003	1 69.1 in 1960	1 23.31 in 1959	1 1.43 in 2006
2 75.4 in 1995	2 69.8 in 1971	2 18.47 in 1987	2 1.83 in 1945
3 74.9 in 1997	69.8 in 1962	3 18.06 in 1957	3 3.01 in 1989
4 74.1 in 2012	4 70.0 in 2013	4 18.02 in 2018	4 3.44 in 1981
74.1 in 1982	5 70.4 in 1986	5 17.63 in 1993	5 3.56 in 1955
74.1 in 1975	6 70.5 in 1983	6 16.55 in 1998	6 3.80 in 2004
7 74.0 in 2019	70.5 in 1958	7 16.43 in 2014	7 4.05 in 1978
74.0 in 1990	8 70.7 in 2005	8 15.59 in 1969	8 4.12 in 1950
9 73.8 in 1994	70.7 in 1988	9 15.18 in 1970	9 4.16 in 1971
10 73.6 in 2016	10 70.8 in 1959	10 14.48 in 1982	10 4.37 in 1953
	
		53 5.57 in 2019	21 5.57 in 2019

Normal Temperature for Spring at MKCF1 = 72.1°
Normal Rainfall for Spring at MKCF1 = 9.27 in.

Venice (Records began May 1955):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.7 in 2010	1 72.9 in 1988	1 13.39 in 2018	1 0.06 in 1994
2 81.8 in 1995	2 74.3 in 1960	2 8.57 in 1969	0.06 in 1989
3 81.3 in 2003	3 74.5 in 1981	3 7.73 in 2009	3 0.12 in 1995
4 80.8 in 2012	4 74.6 in 1980	4 7.70 in 1959	4 0.40 in 1972
5 80.2 in 2019	5 74.7 in 1977	5 6.41 in 1996	0.40 in 1967
6 79.8 in 2011	6 75.2 in 1973	6 5.86 in 1976	6 0.41 in 2007
7 78.9 in 1996	7 75.3 in 1963	7 5.61 in 1975	0.41 in 2001
8 78.8 in 1998	8 75.4 in 1983	8 5.13 in 1991	8 0.46 in 2008
9 78.7 in 2002	9 75.5 in 1970	9 5.12 in 2003	9 0.54 in 1999
10 78.6 in 2000	10 75.6 in 2005	10 4.98 in 1962	10 0.56 in 1973
	
		45 1.38 in 2019	21 1.38 in 2019

Normal Temperature for May at VNCF1 = 76.8°
 Normal Rainfall for May at VNCF1 = 2.27 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 76.4 in 2012	1 68.8 in 1988	1 21.37 in 1957	1 0.79 in 1967
2 75.9 in 2003	2 69.3 in 1962	2 16.90 in 1959	2 1.87 in 1981
3 75.8 in 2015	3 69.5 in 1993	3 16.33 in 1969	3 1.94 in 1974
4 75.4 in 2011	4 69.7 in 1960	4 16.16 in 2018	4 2.58 in 1963
5 75.1 in 1995	5 69.8 in 1987	5 16.05 in 1984	5 2.83 in 1971
6 74.9 in 1997	69.8 in 1983	6 15.10 in 1983	6 2.92 in 1977
7 74.7 in 2002	7 69.9 in 1986	7 14.79 in 1987	7 3.30 in 2006
8 74.5 in 1994	8 70.0 in 2005	8 13.99 in 1962	3.30 in 1989
9 74.4 in 2019	9 70.1 in 1981	9 13.92 in 1996	9 3.36 in 1979
10 73.6 in 2016	10 70.4 in 1971	10 13.86 in 1991	10 3.62 in 1999
73.6 in 2000	70.4 in 1958		11 3.63 in 1968
			12 4.02 in 2019

Normal Temperature for Spring at VNCF1 = 71.7°
 Normal Rainfall for Spring at VNCF1 = 8.56 in.

Wauchula 2 N (Records began January 1933):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 80.1 in 2009	1 73.0 in 1992	1 13.94 in 2018	1 0.00 in 2000
2 79.8 in 1975	2 73.1 in 2013	2 11.32 in 1954	2 0.01 in 1965
3 79.7 in 1995	3 74.1 in 2001	3 11.31 in 1957	3 0.29 in 1945
4 79.4 in 1990	4 74.3 in 1960	4 10.61 in 1963	4 0.30 in 2015
79.4 in 1933	74.3 in 1940	5 9.37 in 2009	5 0.43 in 1953
6 79.2 in 1935	6 74.4 in 2007	6 8.39 in 1976	6 0.48 in 2008
7 78.9 in 2008	74.4 in 1999	7 7.82 in 1968	7 0.55 in 1941
78.9 in 1991	8 74.5 in 1982	8 7.53 in 1934	8 0.56 in 1949
9 78.5 in 1946	9 74.6 in 1954	9 7.42 in 1972	9 0.65 in 1995
10 78.4 in 1978	10 74.7 in 2011	10 7.17 in 1939	10 0.70 in 2004
78.4 in 1967	74.7 in 1941
12 78.3 in 2019		59 2.40 in 2019	29 2.40 in 2019
78.3 in 1962			

Normal Temperature for May at WAUF1 = 77.8°

Normal Rainfall for May at WAUF1 = 3.09 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.0 in 1945	1 67.6 in 2013	1 21.37 in 1947	1 0.69 in 1945
2 74.8 in 1935	2 68.8 in 2005	2 20.73 in 1957	2 0.85 in 1967
3 74.6 in 1975	69.0 in 2004	3 18.24 in 1998	3 1.90 in 2006
74.6 in 1948	4 69.0 in 1993	4 17.01 in 2018	4 2.25 in 2000
5 74.4 in 1991	5 69.1 in 1996	5 16.98 in 1962	5 2.40 in 2004
6 74.1 in 2009	69.1 in 1983	6 16.65 in 1954	6 2.42 in 2015
74.1 in 1938	7 69.4 in 1960	7 15.78 in 1958	7 4.34 in 1981
8 74.0 in 2015	8 69.8 in 2018	8 15.60 in 1934	8 4.60 in 1974
74.0 in 1939	69.8 in 2007	9 15.14 in 1959	9 4.72 in 1949
10 73.8 in 1974	10 69.9 in 2014	10 14.19 in 1982	10 4.82 in 1946
	69.9 in 1950		11 5.15 in 2019

Average Temperature for Spring 2019 Not Available Several Days Missing in April

Normal Temperature for Spring at WAUF1 = 72.3°

Normal Rainfall for Spring at WAUF1 = 9.62 in.

Arcadia (Records began November 1899) :

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 80.6 in 1912	1 73.5 in 1988	1 15.72 in 1987	1 0.01 in 1965
2 80.2 in 1991	2 73.9 in 1970	2 12.63 in 2018	2 0.30 in 1941
80.2 in 1938	73.9 in 1940	3 11.71 in 1923	3 0.40 in 2000
4 79.6 in 1905	4 74.0 in 1931	4 9.57 in 1958	0.40 in 1989
5 79.2 in 1935	74.0 in 1928	5 9.47 in 1925	5 0.57 in 1902
79.2 in 1933	6 74.2 in 1960	6 9.08 in 1954	6 0.78 in 1953
79.2 in 1902	7 74.3 in 1941	7 8.19 in 1963	7 0.82 in 1940
8 79.0 in 1995	8 74.5 in 1982	8 7.99 in 1959	8 0.92 in 1983
9 78.9 in 2019	74.5 in 1977	9 7.88 in 1910	9 0.94 in 1927
78.9 in 2012	10 74.7 in 1989	10 7.84 in 1912	10 0.99 in 1917
78.9 in 2003	74.7 in 1926
78.9 in 1953	74.7 in 1921	36 4.63 in 2019	76 4.63 in 2019

Normal Temperature for May at ARCF1 = 76.4°

Normal Rainfall for May at ARCF1 = 3.57 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 76.8 in 1912	1 67.8 in 1931	1 25.68 in 1987	1 2.32 in 1902
2 75.5 in 1908	2 69.1 in 2010	2 19.95 in 1982	2 2.66 in 2006
3 75.1 in 1945	3 69.2 in 1988	3 19.46 in 1958	3 2.70 in 1965
4 75.0 in 2015	69.2 in 1926	4 19.41 in 1947	4 3.31 in 2001
75.0 in 1929	5 69.4 in 1996	5 17.07 in 1957	5 3.36 in 1989
6 74.9 in 1948	69.4 in 1986	6 16.99 in 1930	6 3.38 in 1945
7 74.5 in 2003	7 69.6 in 1901	7 16.96 in 2018	7 3.40 in 1949
74.5 in 1935	8 69.7 in 2013	8 16.25 in 1954	8 3.51 in 1917
9 74.3 in 1938	69.7 in 1987	9 16.17 in 1959	9 3.75 in 1938
10 74.1 in 1913	69.7 in 1971	10 15.44 in 1923	10 3.81 in 1977
	69.7 in 1960		
...
26 73.0 in 2019	73 73.0 in 2019	51 8.76 in 2019	61 8.76 in 2019
in 1982	in 1982		
in 1967	in 1967		
in 1957	in 1957		

Normal Temperature for Spring at ARCF1 = 71.0°

Normal Rainfall for Spring at ARCF1 = 9.30 in.

Archbold Bio Stn (Records began January 1969):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 79.1 in 1991	1 71.2 in 1992	1 14.46 in 2018	1 1.01 in 1983
2 79.0 in 1995	2 73.3 in 2013	2 7.61 in 1996	2 1.07 in 2015
3 78.5 in 2017	3 73.6 in 1988	3 7.23 in 2016	1.07 in 1993
4 78.2 in 2010	4 73.7 in 1993	4 7.00 in 1978	4 1.09 in 2005
5 78.1 in 2019	5 73.8 in 1982	5 6.97 in 1975	5 1.17 in 2000
6 78.0 in 1990	6 73.9 in 1983	6 6.96 in 1982	6 1.24 in 2007
78.0 in 1975	7 74.1 in 2005	7 6.75 in 2014	7 1.46 in 2006
8 77.3 in 2003	8 74.2 in 2006	8 6.53 in 1977	8 1.56 in 1986
9 77.2 in 2012	9 74.4 in 1977	9 6.52 in 1999	9 1.72 in 1990
77.2 in 2002	10 74.5 in 2007	10 5.87 in 1991	10 2.05 in 1995
	74.5 in 2001
	74.5 in 1999	24 4.23 in 2019	28 4.23 in 2019

Normal Temperature for May at ACHF1 = 75.3°

Normal Rainfall for May at ACHF1 = 3.41 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.3 in 2015	1 67.8 in 1983	1 18.74 in 2018	1 2.36 in 2006
2 74.0 in 1991	2 68.2 in 1993	2 17.63 in 1982	2 3.56 in 1971
3 73.5 in 2003	3 68.4 in 2013	3 16.84 in 2010	3 4.08 in 2007
73.5 in 1995	4 68.5 in 1987	4 15.34 in 2003	4 4.22 in 1981
5 73.3 in 1975	5 68.6 in 1992	5 14.26 in 1984	5 4.85 in 1990
6 73.1 in 2017	6 68.7 in 2005	6 14.01 in 1970	6 4.93 in 2002
73.1 in 2002	68.7 in 1986	7 13.53 in 1996	7 4.96 in 2017
8 73.0 in 1997	8 69.1 in 2010	8 13.41 in 1969	8 5.09 in 2000
9 72.9 in 1974	69.1 in 1988	9 12.51 in 1991	9 6.60 in 2009
10 72.7 in 2016	10 69.3 in 2004	10 12.24 in 1973	10 6.85 in 1974
11 72.6 in 2012	
12 72.5 in 2019		37 8.16 in 2019	15 8.16 in 2019

Normal Temperature for Spring at ACHF1 = 70.4°

Normal Rainfall for Spring at ACHF1 = 9.43 in.

Punta Gorda Area (Records began June 1914) :

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 80.9 in 1953	1 74.0 in 1917	1 15.98 in 2018	1 0.01 in 1927
2 80.7 in 1946	2 74.1 in 1928	2 10.13 in 1946	2 0.07 in 1992
3 80.5 in 1995	3 74.9 in 1992	3 9.45 in 1991	3 0.40 in 1965
4 80.2 in 1991	4 75.0 in 1916	4 9.27 in 1959	4 0.41 in 2000
5 79.9 in 2012	5 75.1 in 1920	5 8.24 in 1968	5 0.42 in 2004
79.9 in 1933	6 75.2 in 2001	6 8.20 in 1963	6 0.45 in 1953
7 79.7 in 2010	75.2 in 1970	7 7.77 in 1972	7 0.54 in 2001
79.7 in 1962	75.2 in 1925	8 7.34 in 1979	0.54 in 1967
9 79.6 in 1956	9 75.6 in 1977	9 7.29 in 1923	9 0.66 in 1998
10 79.5 in 1935	75.6 in 1941	10 7.18 in 1932	0.66 in 1941
11 79.4 in 1990	
79.4 in 1950		21 5.80 in 2019	82 5.80 in 2019
13 79.3 in 2019			

Normal Temperature for May at PGD = 77.4°
 Normal Rainfall for May at PGD = 2.60 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.5 in 1945	1 68.3 in 1915	1 19.21 in 1957	1 0.69 in 1967
2 76.5 in 1948	2 68.8 in 1916	2 18.61 in 1947	2 1.20 in 2006
3 76.1 in 1953	3 69.4 in 1931	3 17.66 in 2018	3 1.82 in 2000
4 76.0 in 1946	4 70.2 in 1971	4 17.41 in 1930	4 2.10 in 1971
5 75.7 in 1944	5 70.5 in 1941	5 15.87 in 1970	5 2.14 in 1981
6 75.6 in 2015	6 70.8 in 2005	6 15.85 in 2010	6 2.24 in 2007
75.6 in 1991	7 70.9 in 1993	7 15.70 in 1959	7 2.27 in 1945
8 75.1 in 1994	70.9 in 1969	8 14.94 in 2003	8 3.31 in 1935
9 75.0 in 2012	9 71.1 in 2010	9 14.42 in 1931	9 3.45 in 1975
75.0 in 1929	71.1 in 2004	10 14.14 in 1991	10 3.55 in 1974
	71.1 in 1983		
...
33 73.8 in 2019	62 73.8 in 2019	32 9.02 in 2019	65 9.02 in 2019
73.8 in 1950	73.8 in 1950		

Normal Temperature for Spring at PGD = 72.6°
 Normal Rainfall for Spring at PGD = 8.34 in.

Fort Myers Area (Records began January 1902) :

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.0 in 1995	1 74.3 in 1917	1 12.77 in 2018	1 0.20 in 2001
2 81.2 in 2010	2 74.5 in 1941	2 10.32 in 1968	2 0.34 in 1994
3 81.1 in 2012	3 74.8 in 1921	3 8.73 in 1980	0.34 in 1962
4 80.8 in 1991	4 74.9 in 1928	4 8.49 in 1925	4 0.41 in 1953
5 80.7 in 1975	5 75.0 in 1970	8.49 in 1911	5 0.47 in 2004
6 80.6 in 2017	6 75.1 in 1903	6 8.48 in 1991	6 0.50 in 1964
7 80.5 in 2019	7 75.3 in 1940	7 8.42 in 1922	7 0.54 in 2010
80.5 in 2008	75.3 in 1931	8 8.05 in 1989	8 0.62 in 1988
80.5 in 2003	75.3 in 1918	9 7.97 in 1957	0.62 in 1983
10 80.4 in 1994	10 75.5 in 1925	10 7.82 in 1929	10 0.71 in 1903
80.4 in 1990	
80.4 in 1989		31 5.57 in 2019	88 5.57 in 2019

Normal Temperature for May at FMY = 79.0°

Normal Rainfall for May at FMY = 2.65 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.9 in 2015	1 69.4 in 1931	1 24.94 in 1970	1 1.89 in 1945
2 77.0 in 2012	2 70.0 in 1915	2 18.71 in 1958	2 2.18 in 1967
3 76.9 in 1997	3 70.2 in 1941	3 18.23 in 1947	3 2.36 in 2006
4 76.6 in 1991	4 70.5 in 1983	4 17.77 in 1930	4 2.44 in 1902
5 76.4 in 2002	5 70.8 in 1960	5 16.85 in 1933	5 2.54 in 1974
6 76.3 in 2003	6 71.1 in 1971	6 15.70 in 1941	6 2.69 in 2001
7 76.2 in 2011	71.1 in 1916	7 15.39 in 1957	7 3.37 in 1953
76.2 in 1995	71.1 in 1910	8 14.62 in 1991	8 3.42 in 1964
76.2 in 1994	9 71.2 in 1940	9 14.26 in 2018	9 3.45 in 1927
10 76.0 in 1948	71.2 in 1926	10 13.84 in 1980	10 3.93 in 2017
11 75.8 in 1989
12 75.7 in 1975		48 8.74 in 2019	71 8.74 in 2019
75.7 in 1929			
14 75.5 in 2019			
75.5 in 1990			

Normal Temperature for Spring at FMY = 74.3°

Normal Rainfall for Spring at FMY = 7.71 in.

For more Climate information visit our web site at the following link:
<http://www.weather.gov/tampabay> and then go to the Climate and Past Weather
drop down menu above the graphical forecast images.