



NOAA - National Weather Service

Tampa Bay Area


2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>

May and Spring 2026 Weather Summary for West Central and Southwest Florida

This May and Spring (March/April/May) we saw above normal temperatures with averages running about 2 to almost 5 degrees above the 1991-2020 normals. This placed all of our official observing locations in the Top Ten Warmest Mays and Warmest Springs since records began, with a few sites coming in as the Warmest on record for May and Spring.

The graphic below has the daily high and low temperatures (blue bars) overlaid on the 1991-2020 normals (brown area) for each day during Spring (March/April/May) 2026 at Tampa International Airport. It also includes the daily record high (red area) and record low temperatures (light blue area). You'll notice that there are numerous days where the highs and lows are above normal, with not nearly as many days with below normal temperatures.




MAY TEMPERATURE RANKINGS (°F) :

Location	Rank	May 2026 Avg Temp	Normal May Temp	Dep fm Normal	Records Began
St Petersburg Area	2nd Warmest	83.2°	79.4°	+3.8°	Jul 1914
Lakeland Area	1st Warmest	83.0°	78.2°	+4.8°	Jan 1915
Plant City	2nd Warmest (tie)	82.6°	78.7°	+3.9°	Sep 1892
Winter Haven Area	2nd Warmest	82.4°	79.3°	+3.1°	Mar 1941
Fort Myers Area	2nd Warmest	82.3°	79.3°	+3.0°	Jan 1902
Tampa Area	3rd Warmest (tie)	81.7°	79.5°	+2.2°	Apr 1890
Sarasota-Bradenton Area	1st Warmest (tie)	81.4°	77.8°	+3.6°	Jan 1911
Bartow	4th Warmest	81.3°	77.6°	+3.7°	Jun 1892
Wauchula	3rd Warmest	80.8°	76.3°	+4.5°	Jan 1933
Punta Gorda Area	5th Warmest	80.6	77.9°	+2.7°	May 1914
St. Leo	4th Warmest	80.4°	76.7°	+3.7°	Apr 1895
Venice	7th Warmest	80.4°	77.5°	+2.9°	May 1955
Brooksville Area	4th Warmest (tie)	79.9°	75.3°	+4.6°	Jan 1892
Tarpon Springs	7th Warmest (tie)	79.8°	77.6	+2.2°	Jan 1892
Inverness 3 SE	6th Warmest (tie)	78.4°	74.8°	+3.6°	Jul 1948


SPRING TEMPERATURE RANKINGS (°F) :

Location	Rank	Spring 2026 Avg Temp	Normal Spr Temp	Dep fm Normal	Records Began
St Petersburg Area	1st Warmest	78.8°	74.2°	+4.6°	Jul 1914
Fort Myers Area	5th Warmest	77.7°	74.8°	+2.9°	Jan 1902
Lakeland Area	1st Warmest	77.3°	73.3°	+4.0°	Jan 1915
Plant City	1st Warmest	77.0°	73.6°	+3.4°	Sep 1892
Tampa Area	3rd Warmest	76.8°	74.0°	+2.8°	Apr 1890
Sarasota-Bradenton Area	1st Warmest	76.7°	72.9°	+3.8°	Jan 1911
Winter Haven Area	2nd Warmest	76.7°	74.1°	+2.6°	Mar 1941
Punta Gorda Area	7th Warmest (tie)	75.7°	73.2°	+2.5°	May 1914
Bartow	5th Warmest (tie)	75.4°	72.6°	+2.8°	Jun 1892
Venice	7th Warmest	75.2°	72.6°	+2.6°	May 1955
St. Leo	2nd Warmest (tie)	74.9°	71.5°	+3.4°	Apr 1895
Wauchula	3rd Warmest (tie)	74.6°	71.2°	+3.4°	Jan 1933
Tarpon Springs	8th Warmest	74.5°	72.2	+2.3°	Jan 1892
Brooksville Area	7th Warmest (tie)	74.0°	69.6°	+4.4°	Jan 1892
Inverness 3 SE	8th Warmest	72.6°	68.8°	+3.8°	Jul 1948


Temperature (F)
5/1/2026 - 5/31/2026




Departure from Normal Temperature (F)
5/1/2026 - 5/31/2026



Temperature (F)
3/1/2026 - 5/31/2026



Departure from Normal Temperature (F)
3/1/2026 - 5/31/2026



Graphics Source: NOAA Regional Climate Centers


As for rainfall, March and April were rather dry with less than 50 percent of normal rainfall across much of West Central Florida, but parts of Southwest Florida were above normal. As for May, the Nature Coast and other areas close to the coast saw above normal rainfall thanks to many days of east to southeast flow, while the interior remained rather dry.

MAY RAINFALL RANKINGS (inches)


Location	Rank	May 2026 Rain Total	Normal May Rain	Dep fm Normal	Records Began
St. Leo	14th Wettest	7.85	2.98	+4.87	Apr 1895
Inverness 3 SE	10th Wettest	7.17	3.09	+4.08	Jul 1948
Plant City	24th Wettest	5.68	4.04	+1.64	Feb 1893
Brooksville Area	23rd Wettest	5.51	3.35	+2.16	Jan 1892
Venice	8th Wettest	5.16	3.25	+1.91	May 1955
Sarasota-Bradenton Area	20th Wettest	5.07	2.58	+2.49	Jan 1911
Fort Myers Area	46th Wettest	4.57	3.46	+1.11	Jan 1902
Punta Gorda Area	34th Wettest	4.46	3.26	+1.20	May 1914
Tampa Area	29th Wettest (tie)	4.31	2.60	+1.71	Apr 1890
Tarpon Springs	38th Wettest	3.65	2.35	+1.30	Jan 1892
St. Petersburg Area	38th Wettest (tie)	3.32	2.26	+1.06	Jul 1914
Lakeland Area	54th Driest	3.22	3.80	-0.58	Jan 1915
Wauchula	37th Driest	2.64	3.51	-0.87	Jan 1933
Winter Haven Area	37th Driest	2.55	2.67	-0.12	Mar 1941
Bartow	48th Driest	2.38	2.95	-0.57	Jun 1892

SPRING RAINFALL RANKINGS (inches)


Location	Rank	Spring 2026 Rain Total	Normal Spr Rain	Dep fm Normal	Records Began
Punta Gorda Area	18th Wettest	12.23	7.77	+4.46	May 1914
Brooksville Area	38th Wettest	11.61	8.19	+3.42	Jan 1892
St. Leo	54th Wettest (tie)	10.39	9.22	+1.17	Apr 1895
Inverness 3 SE	35th Wettest	10.28	9.07	+1.21	Jul 1948
Bartow	76th Wettest	8.72	8.51	+0.21	Jun 1892
Sarasota-Bradenton Area	88th Wettest	8.61	7.89	+0.72	Jan 1911
Fort Myers Area	55th Wettest	8.42	7.97	+0.45	Jan 1902
Plant City	60th Driest	8.35	9.70	-1.35	Feb 1893
Venice	39th Driest	7.99	8.69	-0.70	May 1955
Tampa Area	62nd Wettest	7.75	7.67	+0.08	Apr 1890
Winter Haven Area	27th Driest	7.06	8.21	-1.15	Mar 1941
Wauchula	26th Driest	6.80	9.42	-2.62	Jan 1933
St. Petersburg Area	45th Driest	6.54	6.77	-0.23	Jul 1914
Lakeland Area	17th Driest	5.67	9.68	-4.01	Jan 1915
Tarpon Springs	40th Driest	5.38	8.12	-2.74	Jan 1892




May 2026 Rainfall



Percent of Normal



Spring (Mar/Apr/May) 2026 Rainfall



Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Mays and Springs at some official NWS locations, which includes the average/total for this May and Spring 2026 (March/April/May) where available, and the 1991-2020 Normal (average) temperature and rainfall.

Chiefland 5 ESE (Records began July 1956):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 78.5 in 1991	1 72.3 in 1992	1 13.14 in 1976	1 0.00 in 2021
2 78.1 in 2019	2 72.5 in 2013	2 7.50 in 2010	0.00 in 2001
3 77.2 in 2017	72.5 in 2005	3 6.99 in 1959	3 0.05 in 2000
77.2 in 1959	72.5 in 1988	4 6.93 in 1966	4 0.23 in 2008
5 77.1 in 2024	5 72.6 in 1967	5 6.87 in 2014	5 0.26 in 1965
6 77.0 in 1995	72.6 in 1960	6 6.82 in 1969	6 0.62 in 1985
7 76.9 in 2015	7 72.8 in 2007	7 6.72 in 2018	7 0.68 in 1994
76.9 in 1975	72.8 in 2006	8 6.65 in 2005	8 0.76 in 2007
9 76.7 in 2012	9 72.9 in 1971	9 5.99 in 1991	9 0.82 in 1998
10 76.6 in 2018	10 73.0 in 2001	10 5.72 in 1980	0.82 in 1988
76.6 in 1990			

Average Temperature for May 2026 = Not Available Yet
 Normal Temperature for May at CHIF1 = 74.5°

Total Rainfall for May 2026 = Not Available Yet
 Normal Rainfall for May at CHIF1 = 2.78 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 73.4 in 2015	1 65.8 in 2005	1 24.94 in 1959	1 2.69 in 2007
2 72.1 in 2020	2 66.0 in 1969	2 23.30 in 1982	2 2.92 in 2000
3 72.0 in 1991	3 66.3 in 2010	3 21.65 in 1991	3 3.71 in 2006
4 71.7 in 2012	4 66.4 in 1960	4 19.46 in 2014	4 4.66 in 2002
5 71.3 in 2017	5 66.5 in 2013	5 19.45 in 1957	5 4.71 in 1989
6 70.8 in 2022	6 66.8 in 1993	6 19.41 in 2005	6 4.77 in 2004
70.8 in 2019	66.8 in 1971	7 18.33 in 1996	7 5.29 in 2017
70.8 in 2002	8 66.9 in 1966	8 16.64 in 2018	8 5.46 in 1994
9 70.5 in 2003	9 67.0 in 1996	9 16.28 in 1983	9 5.72 in 2019
10 70.4 in 1995	10 67.2 in 2001	10 16.23 in 1976	10 5.75 in 1998
	67.2 in 1962		5.75 in 1967

Average Temperature for Spring 2026 = Not Available Yet
 Normal Temperature for Spring at CHIF1 = 68.6°

Total Rainfall for Spring 2026 = Not Available Yet
 Normal Rainfall for Spring at CHIF1 = 9.56 in

Inverness 3 SE (Records began July 1948):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 80.0 in 1953	1 71.6 in 1992	1 11.97 in 1976	1 0.04 in 2008
2 79.7 in 2010	2 72.3 in 1988	2 11.48 in 2009	2 0.20 in 2000
3 79.2 in 2024	3 72.6 in 1993	3 10.61 in 2018	3 0.29 in 2021
4 79.1 in 1975	4 73.4 in 2005	4 10.59 in 1959	4 0.40 in 1965
5 78.7 in 1962	5 73.6 in 2006	5 8.79 in 1979	5 0.42 in 1994
6 78.4 in 2026	6 73.7 in 1997	6 8.11 in 2012	6 0.49 in 1998
78.4 in 2019	7 73.9 in 2001	7 7.71 in 2014	7 0.54 in 2007
8 78.2 in 1991	8 74.0 in 2007	8 7.33 in 1984	8 0.74 in 1997
9 78.1 in 2022	74.0 in 1999	9 7.27 in 1952	0.74 in 1977
78.1 in 2015	10 74.2 in 1982	10 7.17 in 2026	10 0.78 in 2001
78.1 in 1959	74.2 in 1976		

Normal Temperature for May at INVf1 = 74.8°

Normal Rainfall for May at INVf1 = 3.09 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 74.0 in 2015	1 66.3 in 1993	1 24.95 in 1959	1 1.96 in 1967
2 73.7 in 1953	2 66.9 in 1992	2 21.14 in 1960	2 2.76 in 1977
3 73.5 in 1967	3 67.1 in 1996	3 20.75 in 1982	3 3.22 in 2000
4 73.1 in 1963	4 67.2 in 1988	4 18.07 in 2022	4 3.60 in 1994
5 73.0 in 2023	5 67.8 in 2018	5 17.63 in 2018	5 4.03 in 2013
73.0 in 2020	6 68.1 in 2001	6 17.36 in 2014	6 4.05 in 2007
7 72.9 in 2012	7 68.3 in 2007	7 17.22 in 1991	7 4.24 in 2019
8 72.6 in 2026	8 68.7 in 2004	8 15.78 in 1987	8 4.47 in 2004
9 72.5 in 2022	68.7 in 1999	15.74 in 1976	9 4.63 in 1955
72.5 in 1965	10 69.1 in 2006	10 15.34 in 1958	10 4.67 in 1999
	
		35 10.28 in 2026	43 10.28 in 2026

Normal Temperature for Spring at INVf1 = 68.8°

Normal Rainfall for Spring at INVf1 = 9.07 in.

Brooksville Area (Records began January 1892):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 80.7 in 1905	1 72.5 in 2005	1 16.27 in 1976	1 Trace in 1977
2 80.6 in 1927	2 72.8 in 1917	2 15.57 in 2009	2 0.19 in 1926
3 80.3 in 1933	3 73.1 in 2001	3 12.25 in 2018	3 0.23 in 1949
4 79.9 in 2026	4 73.2 in 1924	4 12.20 in 1923	4 0.29 in 2000
79.9 in 2024	73.2 in 1920	5 9.54 in 2014	5 0.45 in 1951
6 79.6 in 1995	6 73.4 in 1923	6 9.25 in 1906	6 0.47 in 1948
7 79.4 in 1899	7 73.6 in 1999	7 9.15 in 1912	7 0.56 in 2021
8 79.2 in 1929	8 73.7 in 1925	8 8.71 in 1921	8 0.57 in 1908
9 79.1 in 1962	9 73.8 in 2006	9 8.18 in 1957	9 0.60 in 1899
10 79.0 in 1975	73.8 in 1954	10 7.92 in 1919	10 0.65 in 2024
79.0 in 1902		...	
		23 5.51 in 2026	

Normal Temperature for May at BKV = 75.3°

Normal Rainfall for May at BKV = 3.35 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.2 in 1929	1 66.1 in 2005	1 22.97 in 1959	1 1.20 in 1898
2 75.0 in 1945	2 67.6 in 2004	2 21.84 in 1960	2 1.57 in 2000
3 74.4 in 1927	67.6 in 1926	3 21.28 in 1991	3 2.20 in 1977
4 74.3 in 2015	67.6 in 1892	4 20.07 in 1928	2.20 in 1945
74.3 in 1935	5 67.8 in 1924	5 19.69 in 1976	5 2.35 in 2006
6 74.2 in 2020	6 68.0 in 2010	6 19.67 in 1900	6 2.58 in 1910
7 74.0 in 2026	7 68.1 in 1998	7 18.83 in 2018	7 3.25 in 1908
74.0 in 1948	8 68.2 in 2013	8 18.78 in 1982	8 3.56 in 1967
9 73.6 in 1938	9 68.3 in 2001	9 18.54 in 1987	9 3.65 in 2017
10 73.3 in 1994	68.3 in 1999	10 18.26 in 1957	10 3.67 in 1897
	
		38 11.61 in 2026	91 11.61 in 2026

Normal Temperature for Spring at BKV = 69.6°

Normal Rainfall for Spring at BKV = 8.19 in.

St. Leo (Records began April 1895):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 81.3 in 1995	1 71.7 in 1928	1 16.81 in 1979	1 0.03 in 2000
2 80.7 in 2024	2 72.3 in 1921	2 14.37 in 1923	2 0.08 in 2021
3 80.6 in 1899	3 73.0 in 1923	3 11.64 in 2009	3 0.15 in 2008
4 80.4 in 2026	4 73.1 in 1931	4 10.33 in 1976	4 0.17 in 1953
5 80.2 in 1953	5 73.6 in 1917	5 10.06 in 2018	5 0.28 in 1965
6 80.1 in 2003	6 73.7 in 1940	6 9.43 in 1919	6 0.40 in 1985
7 79.7 in 2025	7 73.8 in 1920	7 9.23 in 1963	7 0.51 in 1914
79.7 in 2000	8 73.9 in 1992	8 8.64 in 1905	8 0.78 in 2001
9 79.6 in 1896	9 74.1 in 1918	9 8.63 in 1957	9 0.84 in 1998
10 79.4 in 1962	10 74.2 in 1903	10 8.28 in 1921	10 0.86 in 1927
		11 8.14 in 1909	
		12 8.00 in 1938	
		13 7.86 in 1922	
		14 7.85 in 2026	

Normal Temperature for May at STLf1 = 76.7°

Normal Rainfall for May at STLf1 = 2.98 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.2 in 1948	1 65.6 in 1931	1 24.63 in 1987	1 1.12 in 2000
2 74.9 in 2026	2 67.9 in 1915	2 21.67 in 1979	2 1.83 in 1967
74.9 in 2002	3 68.0 in 1928	3 21.01 in 1960	3 2.87 in 1898
4 74.8 in 1945	4 68.5 in 1930	4 20.57 in 1900	4 3.20 in 1904
5 74.7 in 2003	5 69.0 in 1940	5 20.48 in 1959	5 3.32 in 1977
6 74.6 in 2015	6 69.2 in 1916	6 20.01 in 1953	6 3.96 in 1999
7 74.5 in 1908	7 69.3 in 2013	7 19.13 in 1991	7 4.03 in 1908
8 74.4 in 1995	69.3 in 1971	8 18.77 in 1928	8 4.10 in 1914
9 74.2 in 2020	69.3 in 1969	9 18.34 in 1957	9 4.19 in 1910
74.2 in 1953	10 69.4 in 1992	10 17.99 in 2018	10 4.46 in 2006
	69.4 in 1926
	69.4 in 1920	54 10.39 in 2026	78 10.39 in 2026
		10.39 in 1954	10.39 in 1954

Normal Temperature for Spring at STLf1 = 71.5°

Normal Rainfall for Spring at STLf1 = 9.22 in.

Tarpon Springs (Records began January 1892):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.1 in 1995	1 71.7 in 1939	1 15.17 in 1979	1 0.00 in 2001
2 81.2 in 2024	2 72.6 in 1897	2 10.14 in 1991	0.00 in 2000
3 80.6 in 2019	3 72.8 in 1917	3 10.13 in 1976	3 Trace in 1927
80.6 in 1991	4 73.6 in 1894	4 9.38 in 1946	4 0.01 in 2007
5 80.3 in 1933	5 74.0 in 1928	5 8.18 in 1921	5 0.03 in 1965
6 80.0 in 1996	6 74.1 in 1992	6 7.70 in 1969	6 0.08 in 2021
7 79.8 in 2026	74.1 in 1941	7 7.17 in 1957	7 0.11 in 1949
79.8 in 2010	74.1 in 1921	8 6.84 in 1915	8 0.13 in 1899
9 79.7 in 2025	74.1 in 1903	9 6.79 in 2018	9 0.14 in 1994
10 79.6 in 2003	74.1 in 1892	10 6.53 in 2012	10 0.15 in 1953
	
		38 3.65 in 2026	96 3.65 in 2026

Normal Temperature for May at TRPF1 = 77.6°
 Normal Rainfall for May at TRPF1 = 2.35 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.5 in 1948	1 66.9 in 1940	1 22.38 in 1959	1 0.97 in 1898
2 75.4 in 2020	2 67.5 in 1915	2 20.20 in 1979	2 1.40 in 2000
75.4 in 2015	3 68.0 in 1960	3 19.83 in 1991	3 1.43 in 2006
4 75.0 in 1995	68.0 in 1931	4 18.91 in 1987	4 1.47 in 1967
75.0 in 1991	5 68.3 in 1971	5 18.30 in 1957	5 1.65 in 2023
6 74.9 in 1929	6 68.7 in 1916	6 18.26 in 1942	6 1.86 in 1908
7 74.8 in 1997	7 68.8 in 1969	7 17.99 in 1960	7 2.81 in 1990
8 74.5 in 2026	68.8 in 1941	8 16.73 in 1900	8 2.82 in 1977
9 74.4 in 2024	9 68.9 in 1900	9 15.71 in 1983	9 2.83 in 1945
74.4 in 1994	10 69.0 in 1906	10 15.58 in 1931	10 3.21 in 1927
74.4 in 1945	
		93 5.38 in 2026	40 5.38 in 2026
		5.38 in 2003	5.38 in 2003

Normal Temperature for Spring at TRPF1 = 72.2°
 Normal Rainfall for Spring at TRPF1 = 8.12 in.

Tampa Area (Records began April 1890):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 83.0 in 2024	1 73.8 in 1891	1 17.64 in 1979	1 Trace in 2001
2 82.6 in 2025	2 74.2 in 1992	2 9.41 in 1921	2 0.02 in 2000
3 81.7 in 2026	3 74.3 in 1928	3 9.11 in 2009	3 0.07 in 1994
81.7 in 1995	4 74.4 in 1982	4 8.54 in 2014	4 0.10 in 1992
5 81.6 in 2022	5 74.5 in 1897	5 8.13 in 1976	5 0.16 in 2021
81.6 in 2019	6 74.7 in 1940	6 7.73 in 2018	0.16 in 1941
7 81.5 in 1945	74.7 in 1917	7 7.55 in 1959	7 0.17 in 1973
8 81.2 in 1991	8 74.8 in 1921	8 7.21 in 1957	8 0.22 in 1985
9 81.1 in 2021	74.8 in 1903	9 6.92 in 1894	9 0.24 in 1989
10 81.0 in 2017	10 74.9 in 1923	10 6.88 in 1991	10 0.31 in 1940
	
		29 4.31 in 2026	108 4.31 in 2026
		4.31 in 1901	4.31 in 1901

Normal Temperature for May at TPA = 79.5°
 Normal Rainfall for May at TPA = 2.60 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.5 in 2022	1 68.3 in 1915	1 25.67 in 1959	1 0.61 in 1898
2 77.1 in 2015	2 68.5 in 1931	2 20.78 in 1957	2 0.86 in 2000
3 76.8 in 2026	68.5 in 1901	3 20.62 in 1979	3 1.29 in 1967
4 76.6 in 2025	4 68.8 in 1969	4 19.91 in 1930	4 2.17 in 1945
76.6 in 2012	5 69.1 in 1971	5 17.54 in 1931	5 2.32 in 1977
6 76.3 in 2023	6 69.2 in 1993	6 15.26 in 1987	6 2.46 in 2006
7 76.2 in 2020	7 69.4 in 1992	7 14.45 in 1983	7 2.64 in 1999
8 76.1 in 2024	69.4 in 1926	8 14.38 in 2014	8 2.74 in 1989
9 76.0 in 2017	9 69.6 in 1983	9 14.31 in 1924	9 2.98 in 1985
10 75.4 in 1991	69.6 in 1940	10 13.73 in 1960	10 3.06 in 2017
75.4 in 1945	69.6 in 1916
	69.6 in 1891	62 7.75 in 2026	76 7.75 in 2026

Normal Temperature for Spring at TPA = 74.0°
 Normal Rainfall for Spring at TPA = 7.67 in.

St Petersburg Area (Records began July 1914) :

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 83.9 in 2024	1 75.3 in 1928	1 10.64 in 1959	1 0.00 in 1953
2 83.2 in 2026	75.3 in 1921	2 9.68 in 2018	2 Trace in 2007
3 82.0 in 2010	3 75.4 in 1992	3 9.21 in 1979	3 0.02 in 2000
4 81.5 in 2015	75.4 in 1917	4 8.17 in 1976	4 0.04 in 2001
5 81.3 in 1995	5 75.7 in 1940	5 7.85 in 1925	5 0.05 in 1941
6 81.2 in 1933	6 75.8 in 1954	6 7.16 in 1991	6 0.12 in 2021
7 80.9 in 2003	7 76.2 in 1920	7 7.11 in 1915	7 0.18 in 1945
80.9 in 1991	8 76.4 in 1993	8 7.05 in 1921	8 0.19 in 1973
9 80.8 in 1975	9 76.5 in 1988	9 6.99 in 2009	9 0.22 in 1992
80.8 in 1935	10 76.6 in 1960	10 6.08 in 1957	10 0.24 in 1994
	76.6 in 1951
		38 3.32 in 2026	74 3.32 in 2026
		3.32 in 2014	3.32 in 2014

Normal Temperature for May at SPG = 79.4°

Normal Rainfall for May at SPG = 2.26 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 78.8 in 2026	1 69.5 in 1915	1 26.45 in 1959	1 0.88 in 1945
2 77.7 in 2015	2 70.1 in 1931	2 17.88 in 1957	2 1.42 in 2000
3 77.0 in 2024	3 70.2 in 1993	3 17.20 in 1930	3 1.53 in 2006
4 76.7 in 2020	70.2 in 1983	4 17.18 in 1931	4 1.73 in 1977
76.7 in 2012	5 70.7 in 1996	5 16.31 in 1987	5 2.48 in 1967
6 76.5 in 2023	70.7 in 1940	6 15.65 in 1982	6 2.73 in 2007
7 75.9 in 1948	70.7 in 1926	7 15.17 in 1960	7 2.84 in 1938
75.9 in 1935	8 70.8 in 1916	8 14.50 in 2003	8 2.85 in 1949
75.9 in 1929	9 71.0 in 1992	9 14.03 in 1991	9 2.88 in 1999
10 75.8 in 2022	10 71.1 in 1924	10 13.98 in 1958	10 2.96 in 2002
75.8 in 2002	
		68 6.54 in 2026	45 6.54 in 2026

Normal Temperature for Spring at SPG = 74.2°

Normal Rainfall for Spring at SPG = 6.77 in.

Plant City (Temperature Records began September 1892/Rainfall Records began February 1893):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 83.8 in 2024	1 71.3 in 1928	1 16.44 in 2009	1 0.01 in 2001
2 82.6 in 2026	2 71.9 in 1931	2 14.27 in 2018	2 0.14 in 2000
82.6 in 2025	3 72.0 in 1940	3 11.77 in 1991	3 0.29 in 1953
4 82.0 in 2019	4 72.4 in 1941	4 11.68 in 1979	4 0.50 in 1992
5 80.8 in 2017	5 73.0 in 1925	5 10.64 in 1923	5 0.58 in 1981
6 80.4 in 2022	6 73.6 in 1992	6 10.14 in 1957	6 0.62 in 2007
7 80.1 in 1915	7 73.9 in 1932	7 9.10 in 1905	7 0.67 in 1985
8 80.0 in 1995	8 74.0 in 1979	8 9.04 in 1976	0.67 in 1948
9 79.9 in 2021	74.0 in 1960	9 8.72 in 1907	9 0.72 in 1898
10 79.8 in 1975	10 74.1 in 1901	10 8.41 in 2022	10 0.75 in 1945
		...	
		24 5.68 in 2026	

Normal Temperature for May at PLCF1 = 78.7°
 Normal Rainfall for May at PLCF1 = 4.04 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.0 in 2026	1 64.9 in 1931	1 26.28 in 1959	1 1.56 in 1898
2 76.8 in 2023	2 66.8 in 1901	2 23.68 in 1957	2 1.91 in 1977
3 76.7 in 2020	3 67.0 in 1932	3 20.67 in 1991	3 2.30 in 1981
4 76.5 in 2025	4 67.9 in 1940	4 19.68 in 1960	4 2.40 in 1908
5 76.3 in 2024	5 68.0 in 1941	5 19.42 in 1987	5 2.61 in 1945
6 76.2 in 2015	6 68.1 in 1930	6 19.38 in 1900	6 2.62 in 2017
7 75.8 in 2022	7 68.9 in 1925	7 19.25 in 1933	7 3.13 in 1902
8 75.6 in 2019	8 69.0 in 1942	8 18.59 in 2009	8 3.29 in 1949
9 75.3 in 2021	69.0 in 1928	9 18.56 in 1930	9 3.47 in 1985
10 75.1 in 1912	10 69.1 in 1924	10 18.30 in 1931	10 3.61 in 1967
	
		65 8.35 in 2026	60 8.35 in 2026

Normal Temperature for Spring at PLCF1 = 73.6°
 Normal Rainfall for Spring at PLCF1 = 9.70 in.

Lakeland (Records began January 1915):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 83.0 in 2026	1 73.4 in 1928	1 19.19 in 2018	1 0.13 in 1953
2 82.9 in 1995	2 74.0 in 2007	2 16.03 in 1979	2 0.34 in 2021
3 82.7 in 2024	3 74.4 in 1941	3 14.95 in 2009	3 0.37 in 2008
4 81.8 in 2025	74.4 in 1921	4 10.83 in 1923	4 0.44 in 2001
5 81.0 in 1996	5 74.8 in 1923	5 10.65 in 1991	5 0.50 in 1985
6 80.8 in 2019	6 75.1 in 1982	6 9.68 in 1957	6 0.55 in 2000
7 80.7 in 1991	75.1 in 1970	7 9.10 in 1968	0.55 in 1965
8 80.6 in 2010	8 75.2 in 1940	8 8.75 in 2023	8 0.63 in 1986
9 80.5 in 1990	75.2 in 1917	9 8.45 in 1922	9 0.89 in 1960
10 80.4 in 1994	10 75.4 in 1972	10 8.21 in 1921	10 0.92 in 1945
	75.4 in 1960
	75.4 in 1931	59 3.22 in 2026	54 3.22 in 2026
	75.4 in 1920		

Normal Temperature for May at LLDF1 = 78.2°

Normal Rainfall for May at LLDF1 = 3.80 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.3 in 2026	1 69.1 in 1941	1 24.87 in 1959	1 2.28 in 1945
2 76.3 in 2015	2 69.3 in 1915	2 23.85 in 2018	2 3.02 in 1981
3 76.1 in 2020	3 69.5 in 1960	3 21.98 in 1981	3 3.16 in 2000
4 76.0 in 2023	4 69.6 in 1969	4 21.14 in 1957	4 3.32 in 1967
76.0 in 1995	5 69.8 in 1983	5 21.03 in 1979	5 3.40 in 2017
5 75.8 in 2024	69.8 in 1925	6 20.64 in 1934	6 3.75 in 1977
75.8 in 1994	7 69.9 in 1971	7 18.56 in 1982	7 3.89 in 2006
8 75.7 in 2025	8 70.0 in 2007	8 18.46 in 1987	8 4.03 in 1985
75.7 in 1991	9 70.2 in 1926	9 17.86 in 1931	9 4.45 in 1949
75.7 in 1935	70.2 in 1924	17.86 in 1930	10 4.47 in 2021
			11 4.75 in 2012
			12 5.03 in 1972
			13 5.13 in 2007
			14 5.30 in 1917
			15 5.34 in 2004
			16 5.59 in 2020
			17 5.67 in 2026

Normal Temperature for Spring at LLDF1 = 73.3°

Normal Rainfall for Spring at LLDF1 = 9.68 in.

Winter Haven Area (Records began March 1941) :

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.9 in 2024	1 74.3 in 1972	1 12.72 in 1957	1 0.03 in 2000
2 82.4 in 2026	2 74.5 in 1960	2 10.36 in 1982	2 0.05 in 2021
3 81.8 in 2019	3 74.6 in 1982	3 8.54 in 1943	3 0.49 in 1945
4 81.2 in 1995	4 74.9 in 1954	4 8.26 in 2009	4 0.57 in 1941
5 81.2 in 2025	5 75.1 in 1941	5 8.11 in 1976	5 0.58 in 1965
6 80.9 in 2015	6 75.3 in 1983	6 7.63 in 1946	6 0.71 in 2004
80.9 in 2010	7 75.4 in 1971	7 7.58 in 2018	7 0.80 in 1951
80.9 in 2003	8 75.5 in 1988	8 6.81 in 1947	8 0.81 in 1985
9 80.4 in 2022	75.5 in 1968	9 6.75 in 1975	9 0.84 in 1949
10 80.2 in 1990	10 75.7 in 2007	10 6.54 in 2016	10 0.88 in 1969
80.2 in 1989	75.7 in 1977
80.2 in 1953	75.7 in 1973	49 2.55 in 2026	37 2.55 in 2026

Normal Temperature for May at GIF = 79.3°
 Normal Rainfall for May at GIF = 2.67 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.7 in 2015	1 69.1 in 1983	1 23.21 in 1957	1 1.61 in 2000
2 76.7 in 2026	2 69.5 in 1960	2 21.81 in 1959	2 2.25 in 1945
3 76.5 in 2020	3 69.8 in 1971	3 20.49 in 1982	3 2.61 in 2017
4 76.1 in 1948	69.8 in 1969	4 20.32 in 1960	4 2.94 in 1981
5 76.0 in 2022	5 70.1 in 1941	5 18.23 in 1947	5 3.77 in 2007
6 75.9 in 2024	6 70.4 in 1987	6 15.16 in 1991	6 3.78 in 1967
75.9 in 1991	70.4 in 1968	7 14.42 in 2010	7 4.01 in 2021
75.9 in 1945	8 70.6 in 1993	8 13.59 in 1970	8 4.08 in 2015
9 75.7 in 1949	70.6 in 1981	13.59 in 1973	9 4.17 in 2006
10 75.6 in 2023	10 70.8 in 2013	10 13.44 in 1958	10 4.39 in 1965
	70.8 in 2005		...
	70.8 in 1988		27 7.06 in 2026


Normal Temperature for Spring at GIF = 74.1°
 Normal Rainfall for Spring at GIF = 8.21 in.

Bartow (Records began June 1892) :

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.9 in 2015	1 73.3 in 1928	1 17.74 in 1923	1 0.02 in 1965
2 81.6 in 2024	2 73.5 in 1913	2 13.05 in 1979	2 0.25 in 1941
3 81.4 in 1995	3 73.8 in 1941	3 12.96 in 1957	3 0.36 in 1908
4 81.3 in 2026	4 74.3 in 1894	4 11.42 in 2009	4 0.40 in 1992
5 81.1 in 2014	5 74.5 in 1917	5 11.16 in 1905	5 0.45 in 1951
81.1 in 2003	6 74.6 in 1921	6 11.15 in 1930	6 0.52 in 2021
7 81.0 in 2012	7 74.7 in 1940	7 11.04 in 1976	7 0.72 in 1955
8 80.5 in 2025	74.7 in 1897	8 10.79 in 2025	8 0.75 in 1949
80.5 in 1905	9 74.8 in 1992	9 10.35 in 1921	9 0.87 in 1953
10 80.0 in 1990	10 74.9 in 1982	10 9.46 in 2018	10 0.91 in 2004
80.0 in 1975	
80.0 in 1953		88 2.38 in 2026	48 2.38 in 2026

Normal Temperature for May at BARF1 = 77.6°


Normal Rainfall for May at BARF1 = 2.95 in.



Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 80.1 in 2015	1 67.8 in 1915	1 25.91 in 1959	1 2.34 in 1908
2 76.0 in 2003	2 68.2 in 1901	2 22.99 in 1930	2 2.48 in 1967
3 75.9 in 2012	3 69.3 in 1914	3 22.88 in 1957	3 2.55 in 2000
4 75.6 in 2014	4 69.6 in 1983	4 19.55 in 1934	4 3.27 in 1977
5 75.4 in 2026	5 70.1 in 1993	5 19.44 in 1923	5 3.53 in 1949
75.4 in 1908	6 70.5 in 1894	6 19.34 in 1905	3.53 in 1894
7 75.3 in 1945	70.5 in 1893	7 19.05 in 1947	7 3.55 in 2017
8 75.1 in 1991	8 70.6 in 1971	8 18.67 in 1991	8 3.57 in 1892
9 74.9 in 2023	70.6 in 1960	9 17.84 in 1979	9 3.70 in 2021
10 74.8 in 1995	70.6 in 1925	10 16.39 in 1937	10 3.77 in 1911
74.8 in 1948	70.6 in 1913
	70.6 in 1896	76 8.72 in 2026	54 8.72 in 2026

Normal Temperature for Spring at BARF1 = 72.6°

Normal Rainfall for Spring at BARF1 = 8.51 in.



Sarasota-Bradenton Area (Records began January 1911):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 81.4 in 2026	1 71.8 in 1917	1 9.52 in 1996	1 0.00 in 1941
81.4 in 2024	2 72.9 in 1928	2 9.39 in 1991	2 Trace in 2007
3 80.7 in 2019	3 73.1 in 1940	3 9.34 in 1978	3 0.02 in 2024
80.7 in 1995	4 73.4 in 1911	4 9.26 in 1957	0.02 in 1953
5 80.1 in 2025	5 73.5 in 1931	5 9.05 in 1921	5 0.10 in 1951
6 79.6 in 2010	73.5 in 1921	6 8.56 in 1954	0.10 in 1945
7 79.5 in 1991	7 73.7 in 1960	7 8.18 in 1959	7 0.13 in 1973
79.5 in 1992	8 74.0 in 1924	8 7.52 in 1934	8 0.15 in 1993
9 79.4 in 2012	9 74.1 in 1926	9 7.05 in 2014	0.15 in 1952
10 78.9 in 2017	10 74.2 in 1992	10 6.97 in 2018	10 0.16 in 1967
	74.2 in 1923	...	
		20 5.07 in 2026	

Normal Temperature for May at SRQ = 77.8°
 Normal Rainfall for May at SRQ = 2.58 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 76.7 in 2026	1 66.8 in 1931	1 25.80 in 1957	1 1.39 in 1967
2 75.4 in 2023	2 67.2 in 1915	2 17.97 in 1959	2 2.01 in 2006
75.4 in 2020	3 68.3 in 1916	3 17.92 in 1991	3 2.07 in 1977
4 75.2 in 2015	4 68.5 in 1940	4 16.60 in 1996	4 2.12 in 2024
5 75.1 in 2024	5 68.8 in 1941	5 16.55 in 1997	5 2.50 in 1945
75.1 in 2012	68.8 in 1926	6 15.97 in 1958	6 2.61 in 1981
7 75.0 in 2022	68.8 in 1924	7 15.17 in 1930	7 2.83 in 1974
8 74.7 in 2025	8 69.0 in 1983	8 14.97 in 1969	8 2.97 in 1956
9 74.5 in 2019	9 69.1 in 1971	9 14.76 in 2014	9 3.02 in 2007
10 74.4 in 2016	10 69.5 in 1914	10 14.20 in 1987	3.02 in 1949
	
		88 8.61 in 2026	73 8.61 in 2026

Normal Temperature for Spring at SRQ = 72.9°
 Normal Rainfall for Spring at SRQ = 7.89 in.

**Myakka River State Park (Temperature Records began March 1956/
Rainfall Records began September 1943):**

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 81.3 in 1995	1 73.5 in 1960	1 15.06 in 2018	1 0.02 in 2007
2 80.1 in 2010	2 74.2 in 1992	2 12.81 in 1959	0.02 in 2000
3 79.9 in 2019	3 74.9 in 1988	3 9.17 in 2014	3 0.23 in 1985
4 79.8 in 2003	4 75.0 in 2001	4 8.85 in 1970	4 0.35 in 1953
5 79.5 in 2024	75.0 in 1993	5 7.95 in 1975	5 0.42 in 1945
6 79.4 in 1990	6 75.1 in 2013	6 7.92 in 2009	6 0.50 in 1955
7 79.3 in 1998	75.1 in 1963	7 7.73 in 2016	7 0.55 in 1994
8 79.2 in 1978	8 75.2 in 1972	8 7.55 in 1976	8 0.56 in 1973
9 79.0 in 1996	9 75.4 in 1970	9 6.02 in 1968	9 0.61 in 1951
10 78.9 in 2012	10 75.6 in 2020	10 5.59 in 1963	10 0.62 in 1949
78.9 in 1975			

Average Temperature for May 2026 = Not Available Yet
Normal Temperature for May at MKCF1 = 77.4°

Total Rainfall for May 2026 = Not Available Yet
Normal Rainfall for May at MKCF1 = 3.75 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.5 in 2003	1 69.1 in 1960	1 23.31 in 1959	1 1.43 in 2006
2 75.4 in 1995	2 69.8 in 1971	2 18.47 in 1987	2 1.83 in 1945
3 74.9 in 1997	69.8 in 1962	3 18.06 in 1957	3 3.01 in 1989
4 74.1 in 2012	4 70.0 in 2013	4 18.02 in 2018	4 3.44 in 1981
74.1 in 1982	5 70.4 in 1986	5 17.63 in 1993	5 3.56 in 1955
74.1 in 1975	6 70.5 in 1983	6 16.55 in 1998	6 3.75 in 2024
7 74.0 in 2019	70.5 in 1958	7 16.43 in 2014	7 3.80 in 2004
74.0 in 1990	8 70.7 in 2005	8 15.59 in 1969	8 4.05 in 1978
9 73.8 in 1994	70.7 in 1988	9 15.18 in 1970	9 4.12 in 1950
10 73.6 in 2016	10 70.8 in 1959	10 14.48 in 1982	10 4.16 in 1971

Average Temperature for Spring 2026 = Not Available Yet
Normal Temperature for Spring at MKCF1 = 72.6°

Total Rainfall for Spring 2026 = Not Available Yet
Normal Rainfall for Spring at MKCF1 = 9.73 in.

Venice (Records began May 1955):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 82.7 in 2010	1 72.9 in 1988	1 13.39 in 2018	1 0.06 in 1994
2 82.2 in 2024	2 74.3 in 1960	2 8.57 in 1969	0.06 in 1989
3 81.8 in 1995	3 74.5 in 1981	3 7.73 in 2009	3 0.12 in 1995
4 81.3 in 2003	4 74.6 in 1980	4 7.70 in 1959	4 0.35 in 2024
5 80.9 in 2025	5 74.7 in 1977	5 6.41 in 1996	5 0.40 in 1972
6 80.8 in 2012	6 75.2 in 1973	6 5.86 in 1976	0.40 in 1967
7 80.4 in 2026	7 75.3 in 1963	7 5.61 in 1975	7 0.41 in 2007
8 80.2 in 2019	8 75.4 in 1983	8 5.16 in 2026	0.41 in 2001
9 79.8 in 2011	9 75.5 in 1970	9 5.13 in 1991	9 0.46 in 2008
10 78.9 in 1996	10 75.6 in 2005	10 5.12 in 2003	10 0.54 in 1999

Normal Temperature for May at VNCF1 = 77.5°

Normal Rainfall for May at VNCF1 = 3.25 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 76.4 in 2012	1 68.8 in 1988	1 21.37 in 1957	1 0.79 in 1967
2 75.9 in 2023	2 69.3 in 1962	2 16.90 in 1959	2 1.87 in 1981
75.9 in 2003	3 69.5 in 1993	3 16.33 in 1969	3 1.94 in 1974
4 75.8 in 2015	4 69.7 in 1960	4 16.16 in 2018	4 2.58 in 1963
5 75.6 in 2024	5 69.8 in 1987	5 16.05 in 1984	5 2.83 in 1971
6 75.4 in 2011	69.8 in 1983	6 15.10 in 1983	6 2.92 in 1977
7 75.2 in 2026	7 69.9 in 1986	7 14.79 in 1987	7 3.30 in 2006
8 75.1 in 1995	8 70.0 in 2005	8 13.99 in 1962	3.30 in 1989
9 74.9 in 1997	9 70.1 in 1981	9 13.92 in 1996	9 3.36 in 1979
10 74.7 in 2002	10 70.4 in 1971	10 13.86 in 1991	10 3.59 in 2023
	70.4 in 1958
		33 7.99 in 2026	39 7.99 in 2026

Normal Temperature for Spring at VNCF1 = 72.6°

Normal Rainfall for Spring at VNCF1 = 8.69 in.

Wauchula 2 N (Records began January 1933):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 81.0 in 2025	1 73.0 in 1992	1 13.94 in 2018	1 0.00 in 2000
2 80.9 in 2024	2 73.1 in 2013	2 11.32 in 1954	2 0.01 in 1965
3 80.8 in 2026	3 74.1 in 2001	3 11.31 in 1957	3 0.23 in 2024
4 80.1 in 2009	4 74.3 in 1960	4 10.61 in 1963	4 0.29 in 1945
5 79.8 in 1975	74.3 in 1940	5 9.37 in 2009	5 0.30 in 2015
6 79.7 in 1995	6 74.4 in 2007	6 8.39 in 1976	6 0.43 in 1953
7 79.4 in 1990	74.4 in 1999	7 7.82 in 1968	7 0.48 in 2008
79.4 in 1933	8 74.5 in 1982	8 7.53 in 1934	8 0.55 in 1941
9 79.2 in 1935	9 74.6 in 1954	9 7.42 in 1972	9 0.56 in 1949
10 78.9 in 2008	10 74.7 in 2011	10 7.17 in 1939	10 0.65 in 1995
78.9 in 1991	74.7 in 1941
		57 2.64 in 2026	37 2.64 in 2026

Normal Temperature for May at WAUF1 = 76.3°
 Normal Rainfall for May at WAUF1 = 3.51 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.0 in 1945	1 67.6 in 2013	1 21.37 in 1947	1 0.69 in 1945
2 74.8 in 1935	2 68.8 in 2005	2 20.73 in 1957	2 0.85 in 1967
3 74.6 in 2026	3 69.0 in 2004	3 18.24 in 1998	3 1.90 in 2006
74.6 in 1975	69.0 in 1993	4 17.01 in 2018	4 2.25 in 2000
74.6 in 1948	5 69.1 in 1996	5 16.98 in 1962	5 2.40 in 2004
6 74.4 in 1991	69.1 in 1983	6 16.65 in 1954	6 2.42 in 2015
7 74.1 in 2009	7 69.4 in 1960	7 15.78 in 1958	7 2.77 in 2024
74.1 in 1938	8 69.8 in 2018	8 15.60 in 1934	8 4.05 in 2023
9 74.0 in 2023	69.8 in 2007	9 15.14 in 1959	9 4.34 in 1981
74.0 in 2015	10 69.9 in 2014	10 14.19 in 1982	10 4.60 in 1974
74.0 in 1939	69.9 in 1950		...
			26 6.80 in 2026

Normal Temperature for Spring at WAUF1 = 71.2°
 Normal Rainfall for Spring at WAUF1 = 9.42 in.

Archbold Bio Stn (Records began January 1969):

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 79.9 in 2024	1 71.2 in 1992	1 14.46 in 2018	1 0.74 in 2024
2 79.1 in 1991	2 73.3 in 2013	2 7.99 in 2020	2 0.83 in 2021
3 79.0 in 1995	3 73.6 in 1988	3 7.61 in 1996	3 1.01 in 1983
4 78.7 in 2025	4 73.7 in 1993	4 7.23 in 2016	4 1.07 in 1993
5 78.5 in 2017	5 73.8 in 1982	5 7.00 in 1978	1.07 in 1993
6 78.2 in 2010	6 73.9 in 1983	6 6.97 in 1975	6 1.09 in 2005
7 78.1 in 2019	7 74.1 in 2005	7 6.96 in 1982	7 1.17 in 2000
8 78.0 in 1990	8 74.2 in 2006	8 6.75 in 2014	8 1.24 in 2007
78.0 in 1975	9 74.4 in 1977	9 6.53 in 1977	9 1.46 in 2006
10 77.4 in 2022	10 74.5 in 2007	10 6.52 in 1999	10 1.56 in 1986
	74.5 in 2001		
	74.5 in 1999		

Average Temperature for May 1-27, 2026 = 79.6°

Normal Temperature for May at ACHF1 = 76.3°

Total Rainfall for May 1-27, 2026 = 0.83 inches

Normal Rainfall for May at ACHF1 = 4.36 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 75.3 in 2015	1 67.8 in 1983	1 18.74 in 2018	1 2.36 in 2006
2 74.0 in 1991	2 68.2 in 1993	2 17.63 in 1982	2 2.53 in 2024
3 73.7 in 2023	3 68.4 in 2013	3 16.84 in 2010	3 3.56 in 1971
73.7 in 2022	4 68.5 in 1987	4 15.34 in 2003	4 4.08 in 2007
5 73.6 in 2024	5 68.6 in 1992	5 14.26 in 1984	5 4.22 in 1981
6 73.5 in 2020	6 68.7 in 2005	6 14.01 in 1970	6 4.85 in 1990
73.5 in 2003	68.7 in 1986	7 13.53 in 1996	7 4.93 in 2002
73.5 in 1995	8 69.1 in 2010	8 13.41 in 1969	8 4.96 in 2017
9 73.3 in 1975	69.1 in 1988	9 12.51 in 1991	9 5.09 in 2000
10 73.1 in 2017	10 69.3 in 2004	10 12.24 in 1973	10 6.60 in 2009
73.1 in 2002			

Average Temperature for March 1 - May 27, 2026 = 74.1°

Normal Temperature for Spring at ACHF1 = 71.7°

Total Rainfall for March 1 - May 27, 2026 = 6.42 inches

Normal Rainfall for Spring at ACHF1 = 9.77 in.

Punta Gorda Area (Records began May 1914) :

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 83.0 in 2024	1 74.0 in 1917	1 15.98 in 2018	1 0.01 in 1927
2 80.9 in 1953	2 74.1 in 1928	2 10.13 in 1946	2 0.07 in 1992
3 80.7 in 2025	3 74.9 in 1992	3 9.45 in 1991	3 0.40 in 1965
80.7 in 1946	4 75.0 in 1916	4 9.27 in 1959	4 0.41 in 2000
5 80.6 in 2026	5 75.1 in 1920	5 8.24 in 1968	5 0.42 in 2004
6 80.5 in 1995	6 75.2 in 2001	6 8.20 in 1963	6 0.45 in 1953
7 80.2 in 1991	75.2 in 1970	7 7.77 in 1972	7 0.54 in 2024
8 79.9 in 2012	75.2 in 1925	8 7.34 in 1979	0.54 in 2001
79.9 in 1933	9 75.6 in 1977	9 7.29 in 1923	0.54 in 1967
10 79.7 in 2010	75.6 in 1941	10 7.18 in 1932	10 0.66 in 1998
79.7 in 1962			0.66 in 1941
	
		34 4.46 in 2026	78 4.46 in 2026

Normal Temperature for May at PGD = 77.9°

Normal Rainfall for May at PGD = 3.26 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 77.5 in 1945	1 68.3 in 1915	1 19.21 in 1957	1 0.69 in 1967
2 76.8 in 2024	2 68.8 in 1916	2 18.61 in 1947	2 1.20 in 2006
3 76.5 in 1948	3 69.4 in 1931	3 17.66 in 2018	3 1.82 in 2000
4 76.1 in 1953	4 70.2 in 1971	4 17.41 in 1930	4 2.10 in 1971
5 76.0 in 1946	5 70.5 in 1941	5 15.87 in 1970	5 2.14 in 1981
6 75.9 in 2023	6 70.8 in 2005	6 15.85 in 2010	6 2.24 in 2007
7 75.7 in 2026	7 70.9 in 1993	7 15.70 in 1959	7 2.27 in 1945
75.7 in 1944	70.9 in 1969	8 14.94 in 2003	8 3.31 in 1935
9 75.6 in 2015	9 71.1 in 2010	9 14.42 in 1931	9 3.45 in 1975
75.6 in 1991	71.1 in 2004	10 14.14 in 1991	10 3.55 in 1974
	71.1 in 1983	...	
		18 12.23 in 2026	

Normal Temperature for Spring at PGD = 73.2°

Normal Rainfall for Spring at PGD = 7.77 in.

Fort Myers Area (Records began January 1902) :

Warmest Mays	Coollest Mays	Wettest Mays	Driest Mays
1 83.2 in 2024	1 74.3 in 1917	1 12.77 in 2018	1 0.04 in 2021
2 82.3 in 2026	2 74.5 in 1941	2 10.32 in 1968	2 0.20 in 2001
3 82.0 in 2025	3 74.8 in 1921	3 8.73 in 1980	3 0.34 in 1994
82.0 in 1995	4 74.9 in 1928	4 8.67 in 2022	0.34 in 1962
5 81.3 in 2023	5 75.0 in 1970	5 8.49 in 1925	5 0.41 in 1953
6 81.2 in 2010	6 75.1 in 1903	8.49 in 1911	6 0.47 in 2004
7 81.1 in 2012	7 75.3 in 1940	7 8.48 in 1991	7 0.50 in 1964
8 80.8 in 1991	75.3 in 1931	8 8.42 in 1922	8 0.54 in 2010
9 80.7 in 2021	75.3 in 1918	9 8.05 in 1989	9 0.62 in 1988
80.7 in 1975	10 75.5 in 1925	10 7.97 in 1957	0.62 in 1983
	
		46 4.57 in 2026	80 4.57 in 2026

Normal Temperature for May at FMY = 79.3°

Normal Rainfall for May at FMY = 3.46 in.

Warmest Springs	Coollest Springs	Wettest Springs	Driest Springs
1 78.5 in 2023	1 69.4 in 1931	1 24.94 in 1970	1 1.89 in 1945
2 77.9 in 2022	2 70.0 in 1915	2 18.71 in 1958	2 2.18 in 1967
77.9 in 2015	3 70.2 in 1941	3 18.23 in 1947	3 2.36 in 2006
4 77.8 in 2020	4 70.5 in 1983	4 17.77 in 1930	4 2.44 in 1902
5 77.7 in 2026	5 70.8 in 1960	5 16.85 in 1933	5 2.54 in 1974
6 77.2 in 2024	6 71.1 in 1971	6 15.70 in 1941	6 2.69 in 2001
7 77.0 in 2012	71.1 in 1916	7 15.39 in 1957	7 3.37 in 1953
8 76.9 in 1997	71.1 in 1910	8 14.93 in 2022	8 3.42 in 1964
9 76.6 in 1991	9 71.2 in 1940	9 14.62 in 1991	9 3.45 in 1927
10 76.5 in 2025	71.2 in 1926	10 14.26 in 2018	10 3.93 in 2017
	
		55 8.42 in 2026	71 8.42 in 2026

Normal Temperature for Spring at FMY = 74.8°

Normal Rainfall for Spring at FMY = 7.97 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past Weather
 drop down menu above the graphical forecast images.