



NOAA - National Weather Service

Tampa Bay Area


2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


November and Autumn (Sep/Oct/Nov) 2019 Climate Summary

November 2019 started out well above normal then cooled to near to below normal during the second half of the month at most locations. However, even with the cooler weather many sites still ended up slightly above normal for November, but no locations placed in the top ten.

Temperature (F)
11/1/2019 - 11/30/2019



Departure from Normal Temperature (F)
11/1/2019 - 11/30/2019




Graphics Source: NOAA Regional Climate Centers

Thanks to the very warm September and October which saw averages run anywhere from 1.5 to over 6 degrees above normal, Autumn 2019 (Sep/Oct/Nov) ended up in the Top Ten Warmest in many locations with Sarasota-Bradenton setting a new record for the warmest Autumn since records began. Overall for Autumn 2019 temperatures averaged near normal to about 4 degrees above normal.


AUTUMN (SEPTEMBER/OCTOBER/NOVEMBER) TEMPERATURE (°F – Top Ten Warmest):

Location	Autumn 2019		Normal Aut Temp	Dep fm Normal	Record/ Prev Rec	Records Began
	Rank	Avg Temp			Warmest	
Sarasota-Bradenton Area	1st	79.7°	75.6°	+4.1°	78.3/2016	1911
Plant City	2nd	78.3°	74.5°	+3.8°	78.4/2018	1892
Fort Myers Area	3rd	79.8°	77.3°	+2.5°	80.4/1986	1902
Winter Haven Area	3rd	78.7°	75.4°	+3.3°	79.1/2018	1941
Myakka River State Park	3rd(tie)	78.0°	75.3°	+2.7°	78.5/2015	1956
Inverness 3 SE	3rd	75.0°	72.6°	+2.4°	76.1/2015	1948
Tampa Area	4th	78.1°	75.7°	+2.4°	79.0/2015	1890
Archbold Bio Stn	4th(tie)	76.3°	74.1°	+2.2°	78.2/2015	1969
Lakeland Area	5th	77.4°	74.5°	+2.9°	79.2/1986	1915
St Petersburg Area	6th	78.9°	76.5°	+2.4°	80.0/1985	1914
Chiefland 5 ESE	6th	73.4°	70.4°	+3.0°	75.2/2018	1956
Bartow	7th(tie)	76.5°	75.5°	+1.0°	77.8/2015	1892
Tarpon Springs	8th(tie)	76.6°	74.2°	+2.4°	78.1/1985	1892
Wauchula 2 N	9th	76.1°	76.1°	0.0°	78.1/2009	1933

Temperature (F)
9/1/2019 – 11/30/2019




Departure from Normal Temperature (F)
9/1/2019 – 11/30/2019




Graphics Source: NOAA Regional Climate Centers

Looking at rainfall, most days in November 2019 were dry, which is pretty typical, with rainfall amounts for the month rather variable from as little as a half inch to over 3 inches.




Rainfall November 2019




November Percent of Normal

For autumn most of the region was below normal for rainfall thanks to a very dry September with amounts ranging from near 6 inches to a little over 12 inches, or from about 50% of normal to 130% of normal.



Rainfall for Autumn 2019



Autumn 2019 Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Novembers and Autumns at some official NWS locations, which include the average/total so for this November and Autumn, and the 1981-2010 Normal (average) temperature and rainfall for November and Autumn.

CHIEFLAND 5 SE (records began in June 1956):

Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1 69.4 in 1985	1 56.6 in 1976	1 7.52 in 1972	1 Trace in 1978
2 69.2 in 1998	2 56.7 in 2008	2 6.47 in 1997	2 0.15 in 2012
3 68.9 in 1986	3 57.3 in 1970	3 6.02 in 1987	3 0.25 in 2016
4 68.6 in 1994	4 58.2 in 1962	4 5.94 in 2002	4 0.33 in 1956
5 67.5 in 1982	5 58.3 in 1968	5 5.25 in 1958	5 0.35 in 1970
6 66.9 in 1973	6 59.2 in 1969	6 4.95 in 1983	6 0.48 in 1998
7 66.5 in 1958	7 59.4 in 2014	7 4.80 in 1963	7 0.61 in 1990
8 66.3 in 1978	8 59.7 in 1984	8 4.73 in 2013	8 0.62 in 1991
9 66.1 in 2003	9 59.8 in 1963	9 4.55 in 1981	9 0.66 in 2001
10 65.9 in 1992	10 60.0 in 2012	10 4.50 in 1986	10 0.82 in 1993
...	60.0 in 1983
...	...	18 3.06 in 2019	45 3.06 in 2019
41 61.5 in 2019	21 61.5 in 2019		

Normal Temperature for November at CHIF1 = 62.8°
 Normal Rainfall for November at CHIF1 = 2.65 inches

Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1 75.2 in 2018	1 67.1 in 1976	1 26.52 in 2004	1 2.05 in 1978
2 74.9 in 1998	2 67.9 in 2008	2 24.26 in 1983	2 3.83 in 2008
3 74.2 in 1986	3 68.7 in 2006	3 20.54 in 1964	3 4.20 in 1961
4 73.9 in 1985	4 68.8 in 1968	4 18.65 in 1959	4 5.13 in 2010
5 73.7 in 1959	5 68.9 in 2000	5 17.59 in 1985	5 5.37 in 1970
6 73.4 in 2019	6 69.1 in 1963	6 16.94 in 1998	6 5.38 in 2003
7 73.0 in 1973	69.1 in 1969	7 16.38 in 1997	7 6.24 in 1991
8 72.9 in 2016	8 69.3 in 1956	8 15.91 in 1960	8 6.61 in 1974
9 72.6 in 1994	69.3 in 1962	9 15.67 in 2002	9 6.65 in 2005
10 72.5 in 1978	10 69.6 in 2010	10 15.26 in 2017	10 6.67 in 1968
72.5 in 1960	
		33 10.47 in 2019	30 10.47 in 2019

Normal Temperature for Autumn at CHIF1 = 70.4°
 Normal Rainfall for Autumn at CHIF1 = 12.64 inches

INVERNESS 3 SE (records began in July 1948):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.1 in 2015	1	59.0 in 1991	1	7.73 in 1980	1	0.00 in 2004
2	70.3 in 1958	2	59.5 in 1976	2	6.40 in 1997		0.00 in 1978
3	69.3 in 1964	3	60.3 in 2002	3	6.21 in 1972	3	0.01 in 2016
	69.3 in 1978	4	60.5 in 2014	4	5.48 in 1951	4	0.02 in 1950
5	68.8 in 1957	5	60.6 in 1997	5	4.90 in 2015	5	0.07 in 2012
6	68.6 in 1998	6	61.0 in 1950	6	4.78 in 2014	6	0.23 in 1993
7	68.5 in 1973	7	61.3 in 2012	7	4.69 in 1988	7	0.25 in 1967
	68.5 in 1960	8	61.4 in 1995	8	3.77 in 2005	8	0.28 in 1956
9	68.4 in 2003	9	61.6 in 2000	9	3.70 in 2017	9	0.36 in 2001
10	67.8 in 1961	10	61.7 in 1949	10	3.46 in 1953	10	0.38 in 1966
...				0.38 in 1964
39	64.6 in 2019	24	64.6 in 2019	
	in 1989		in 1989	30	1.73 in 2019	41	1.73 in 2019

Normal Temperature for November at INVf1 = 65.3°
 Normal Rainfall for November at INVf1 = 1.81 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.1 in 2015	1	68.4 in 1976	1	21.53 in 2017	1	2.08 in 1967
2	75.1 in 1958	2	69.4 in 1997	2	21.34 in 1960	2	2.92 in 1978
3	75.0 in 2019	3	70.2 in 1991	3	21.07 in 1950	3	4.19 in 1961
4	74.9 in 1998	4	70.4 in 2006	4	19.55 in 1992	4	4.56 in 1974
	74.9 in 1960	5	70.6 in 2000	5	19.27 in 1997	5	4.97 in 2010
	74.9 in 1959	6	70.7 in 1987	6	18.83 in 2004	6	5.13 in 2003
7	74.2 in 1948	7	70.8 in 2014	7	17.75 in 2016	7	5.37 in 1954
8	74.1 in 2009	8	71.1 in 1956	8	17.32 in 2001	8	5.47 in 2012
	74.1 in 2007	9	71.3 in 2002	9	16.51 in 1988	9	5.85 in 2000
10	73.9 in 2013	10	71.5 in 1996	10	16.40 in 1979	10	6.14 in 1996
	73.9 in 1978			
	73.9 in 1961			33	10.28 in 2019	35	10.28 in 2019

Normal Temperature for Autumn at INVf1 = 72.6°
 Normal Rainfall for Autumn at INVf1 = 10.61 inches

BUSHNELL 1 E (records began in July 1948):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.3 in 1986	1	59.8 in 2014	1	8.39 in 2014	1	0.00 in 2016
2	71.9 in 2015	2	60.2 in 1962	2	5.96 in 1972		0.00 in 2008
3	71.3 in 1985	3	60.7 in 2008	3	5.66 in 1992		0.00 in 2007
4	70.7 in 1981		60.7 in 1970	4	5.24 in 1987	4	0.02 in 1978
5	69.7 in 1958	5	60.8 in 2012	5	5.05 in 1963	5	0.03 in 1960
6	69.5 in 1998	6	60.9 in 1968	6	4.84 in 1988	6	0.13 in 1956
	69.5 in 1978	7	61.5 in 2000	7	3.78 in 1961	7	0.17 in 1966
8	69.3 in 1973	8	61.8 in 1966	8	3.63 in 1997	8	0.18 in 1967
9	68.9 in 2003		61.8 in 1954	9	3.60 in 1951	9	0.30 in 1974
10	68.1 in 1957	10	62.0 in 1949	10	3.57 in 1955	10	0.36 in 1995
		
		17	63.1 in 2019	27	1.99 in 2019	43	1.99 in 2019

Normal Temperature for November at BSHF1 = 65.5°
 Normal Rainfall for November at BSHF1 = 2.18 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.0 in 1985	1	69.6 in 2014	1	22.62 in 1950	1	2.68 in 2008
2	75.9 in 1986	2	70.2 in 1968	2	19.50 in 1997	2	3.14 in 1984
3	75.4 in 1998	3	70.3 in 2008	3	17.99 in 2004	3	5.32 in 1974
4	74.8 in 2015	4	70.4 in 2012	4	17.41 in 1960	4	5.86 in 1991
5	74.6 in 1959	5	70.5 in 1962	5	17.12 in 1952	5	6.17 in 1967
6	74.4 in 1973		70.5 in 1956	6	16.74 in 1969	6	6.25 in 2005
	74.4 in 1960	7	70.7 in 1967	7	16.15 in 1964	7	6.38 in 1954
8	74.0 in 1958	8	71.0 in 2011	8	16.08 in 2001	8	6.39 in 1996
9	73.8 in 2002	9	71.1 in 1966	9	15.64 in 1949	9	6.43 in 1961
10	73.6 in 1971		71.1 in 1963	10	15.52 in 1953	10	6.48 in 1986
		
19	72.7 in 2019			44	8.28 in 2019	24	8.28 in 2019
	in 1957						

Normal Temperature for Autumn at BSHF1 = 73.0°
 Normal Rainfall for Autumn at BSHF1 = 10.32 inches

BROOKSVILLE AREA (records began in January 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.2 in 2015	1	57.5 in 1901	1	9.31 in 1916	1	0.00 in 1967
2	72.7 in 1948	2	60.3 in 2008	2	9.17 in 1987	2	Trace in 2016
3	72.6 in 1946	3	60.5 in 1892	3	8.30 in 1951		Trace in 1931
4	71.0 in 1958	4	60.8 in 2014	4	7.08 in 2014	4	0.01 in 1978
5	70.7 in 1994	5	61.1 in 1923	5	6.64 in 1937	5	0.05 in 1928
6	70.5 in 1973	6	61.3 in 2000	6	6.56 in 1980	6	0.12 in 2001
	70.5 in 1896	7	61.4 in 2012	7	6.28 in 1999	7	0.15 in 1913
8	70.1 in 1905		61.4 in 1917	8	6.14 in 1972	8	0.18 in 1940
9	69.8 in 1988	9	61.8 in 2002	9	5.49 in 1932	9	0.22 in 1956
	69.8 in 1929	10	61.9 in 1962	10	5.14 in 1988		0.22 in 1924
...		...			5.14 in 1920		0.22 in 1900
69	65.1 in 2019	43	65.1 in 2019	
	in 1983		in 1983	41	2.29 in 2019	85	2.29 in 2019
	in 1967		in 1967		in 1994		in 1994

Normal Temperature for November at BKV = 65.0°

Normal Rainfall for November at BKV = 1.91 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.0 in 1911	1	69.3 in 1892	1	27.84 in 1950	1	2.30 in 1903
2	75.9 in 2015	2	69.5 in 1901	2	24.74 in 1912	2	3.58 in 2008
3	75.7 in 1905	3	70.2 in 1920	3	22.68 in 1894		3.58 in 1978
4	75.4 in 1941	4	70.3 in 2008	4	21.62 in 1947	4	3.87 in 1967
	75.4 in 1919	5	70.4 in 1923	5	21.50 in 1922	5	3.97 in 1909
	75.4 in 1915	6	70.5 in 2000	6	21.46 in 1995	6	4.10 in 2010
7	75.3 in 1946	7	70.8 in 2006	7	21.24 in 1921	7	4.58 in 1940
	75.3 in 1927	8	70.9 in 2014	8	20.56 in 1938	8	4.61 in 1991
9	75.2 in 2018		70.9 in 1894	9	20.36 in 1911	9	5.37 in 2015
	75.2 in 1973	10	71.0 in 1953	10	19.88 in 1988	10	5.61 in 1961
11	75.1 in 1958			
	75.1 in 1902			69	9.75 in 2019	58	9.75 in 2019
13	75.0 in 1960						
14	74.9 in 2019						

Normal Temperature for Autumn at BKV = 72.4°

Normal Rainfall for Autumn at BKV = 11.20 inches

ST LEO (records began in April 1895):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.1 in 1986	1	60.8 in 1917	1	12.48 in 1988	1	Trace in 1960
2	73.6 in 1985	2	61.3 in 1901	2	8.34 in 1951	2	0.02 in 1978
3	73.2 in 1946	3	61.7 in 1910	3	7.36 in 1987	3	0.03 in 1931
4	73.1 in 1948	4	62.2 in 1930	4	7.21 in 2014		0.03 in 1928
5	72.0 in 1998	5	62.3 in 2014	5	6.22 in 1916	5	0.06 in 2016
6	71.8 in 2015	6	62.5 in 1923	6	6.12 in 1963	6	0.08 in 2012
	71.8 in 1994	7	62.6 in 1970	7	6.06 in 1972	7	0.21 in 1993
8	71.5 in 1982	8	62.8 in 1933	8	5.84 in 1911	8	0.22 in 1940
9	71.4 in 1958		62.8 in 1932	9	5.61 in 1918	9	0.23 in 1913
10	71.3 in 1978		62.8 in 1904	10	4.69 in 1937	10	0.26 in 1945
...		
70	66.2 in 2019	51	66.2 in 2019	43	2.24 in 2019	83	2.24 in 2019
	in 2010		in 2010				
	in 2006		in 2006				
	in 1984		in 1984				
	in 1924		in 1924				
	in 1908		in 1908				

Normal Temperature for November at STLf1 = 68.6°
 Normal Rainfall for November at STLf1 = 2.20 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	77.9 in 1985	1	69.8 in 1917	1	25.80 in 1988	1	1.52 in 1978
2	77.4 in 1986	2	70.1 in 1903	2	25.13 in 1912	2	3.19 in 1940
3	76.5 in 1998	3	70.2 in 1930	3	24.60 in 1922	3	3.56 in 2010
4	76.4 in 2007	4	70.7 in 1920	4	22.73 in 1953	4	3.81 in 1909
5	76.2 in 1946	5	71.0 in 1976	5	21.77 in 1997	5	4.14 in 1967
6	76.1 in 2009		71.0 in 1923	6	21.48 in 1982	6	4.76 in 1991
	76.1 in 1941	7	71.1 in 1910	7	21.40 in 1950	7	5.09 in 2008
8	75.9 in 2004	8	71.4 in 1943	8	21.29 in 1921	8	5.11 in 2018
9	75.8 in 2018	9	71.5 in 2014	9	20.71 in 1949	9	5.33 in 1931
	75.8 in 2003	10	71.8 in 1956	10	20.35 in 2004	10	5.63 in 1961
			71.8 in 1922	
...		...		68	10.87 in 2019	57	10.87 in 2019
22	75.2 in 2019	100	75.2 in 2019				
	in 1990		in 1990				
	in 1900		in 1900				

Normal Temperature for Autumn at STLf1= 75.0°
 Normal Rainfall for Autumn at STLf1 = 12.02 inches

TARPON SPRINGS (records began in January 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.9 in 1986	1	59.6 in 2004	1	9.13 in 1988	1	0.00 in 2016
2	74.4 in 1985	2	60.0 in 1901	2	8.18 in 1916	2	Trace in 1939
3	74.3 in 1946	3	61.5 in 1917	3	6.99 in 1997		Trace in 1931
4	73.5 in 2015	4	61.7 in 1962	4	6.63 in 1992	4	0.02 in 1978
5	72.6 in 1994		61.7 in 1892	5	6.09 in 2014	5	0.06 in 1933
6	72.3 in 1998	6	61.9 in 1910	6	5.80 in 1963	6	0.08 in 1942
7	71.8 in 2003	7	62.5 in 1904	7	5.57 in 1920	7	0.09 in 1940
8	71.6 in 1896	8	62.6 in 2014	8	5.19 in 1955		0.09 in 1928
9	71.4 in 1982		62.6 in 1970	9	5.18 in 1896	9	0.10 in 1930
10	71.3 in 1929	10	63.0 in 1976	10	5.13 in 1919	10	0.13 in 1924
	71.3 in 1919		63.0 in 1912	
...		...		48	1.89 in 2019	79	1.89 in 2019
57	67.3 in 2019	67	67.3 in 2019				
	in 1909		in 1909				

Normal Temperature for November at TRPF1 = 67.8°

Normal Rainfall for November at TRPF1 = 2.15 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.1 in 1985	1	70.8 in 1917	1	28.87 in 1911	1	1.85 in 2005
2	78.0 in 1986		70.8 in 1892	2	28.34 in 1988	2	3.33 in 1978
3	77.9 in 1919	3	71.4 in 1903	3	24.31 in 2014	3	3.44 in 1967
4	77.6 in 2018	4	71.5 in 1976	4	22.25 in 1997	4	4.62 in 2008
5	76.8 in 1946	5	71.7 in 1967	5	21.71 in 1983	5	4.85 in 2010
6	76.7 in 2015		71.7 in 1901	6	21.70 in 1912	6	4.86 in 1927
	76.7 in 1994	7	71.9 in 1963	7	21.43 in 1975	7	5.57 in 1909
8	76.6 in 2019		71.9 in 1962	8	20.78 in 1995	8	5.74 in 1930
	76.6 in 1998		71.9 in 1940		20.78 in 1959	9	5.99 in 1981
10	76.4 in 1921		71.9 in 1904	10	20.60 in 1971	10	6.37 in 1961
	76.4 in 1911		71.9 in 1899				6.37 in 1933
				
				52	12.11 in 2019	75	12.11 in 2019

Normal Temperature for Autumn at TRPF1 = 74.2°

Normal Rainfall for Autumn at TRPF1 = 12.45 inches

TAMPA AREA (records began in April 1890):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.3 in 1986	1	61.4 in 1901	1	6.12 in 1963	1	Trace in 1960
2	76.2 in 2015	2	61.9 in 1970	2	5.97 in 1988	2	0.01 in 2016
3	73.7 in 1946	3	62.3 in 1968	3	5.38 in 1954		0.01 in 1978
4	73.6 in 1948	4	62.5 in 1962	4	5.26 in 2014	4	0.04 in 1931
	73.6 in 1985	5	62.8 in 1976	5	4.89 in 1953	5	0.05 in 1928
6	72.7 in 1958	6	62.9 in 1969	6	4.85 in 1925	6	0.08 in 1927
7	72.5 in 1998		62.9 in 1917	7	4.75 in 1941	7	0.10 in 2001
8	72.3 in 1994	8	63.3 in 1910	8	4.36 in 1987		0.10 in 1942
9	72.1 in 2017	9	63.4 in 1923	9	4.34 in 1916	9	0.11 in 2007
10	72.0 in 1896	10	63.7 in 1949	10	3.96 in 1896	10	0.12 in 2017
...							0.12 in 1974
39	69.1 in 2019	91	69.1 in 2019	
	in 1993		in 1993	92	0.56 in 2019	37	0.56 in 2019
					in 1909		in 1909
					in 1906		in 1906

Normal Temperature for November at TPA = 69.1°

Normal Rainfall for November at TPA = 1.55 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.0 in 2015	1	71.0 in 1976	1	24.38 in 1894	1	3.19 in 2010
2	78.9 in 2018	2	71.6 in 1903	2	22.83 in 1912	2	3.30 in 1909
3	78.4 in 1986		71.6 in 1891	3	20.45 in 1997	3	3.62 in 1961
4	78.1 in 2019	4	71.7 in 1968	4	19.80 in 1922	4	4.06 in 1942
5	77.9 in 2017	5	71.8 in 1917	5	19.62 in 1988	5	4.21 in 1940
6	77.8 in 1985		71.8 in 1901	6	19.07 in 1947	6	4.25 in 1913
7	77.7 in 2016	7	71.9 in 1923	7	18.15 in 1953	7	4.35 in 1974
8	77.5 in 1919	8	72.2 in 1892	8	17.60 in 1890	8	5.07 in 1967
9	77.2 in 1998	9	72.3 in 1962	9	16.58 in 1911	9	5.22 in 1984
10	77.0 in 2007	10	72.4 in 1956	10	16.41 in 1975	10	5.33 in 2003
			72.4 in 1910	
				84	8.96 in 2019	47	8.96 in 2019

Normal Temperature for Autumn at TPA = 75.7°

Normal Rainfall for Autumn at TPA = 10.11 inches

ST PETERSBURG (records began in August 1914):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 77.4 in 1986	1 63.9 in 1917	1 6.94 in 1988	1 0.00 in 1931
2 76.3 in 1985	2 64.3 in 1962	2 6.85 in 1953	2 0.02 in 1960
3 74.9 in 2015	3 64.7 in 1949	3 6.80 in 1987	3 0.03 in 2016
4 74.8 in 1946	4 65.1 in 1976	4 6.04 in 1963	0.03 in 1942
5 74.5 in 1948	5 65.2 in 1995	5 5.71 in 1916	5 0.04 in 2001
6 73.8 in 2005	65.2 in 1951	6 5.63 in 1925	6 0.10 in 1978
7 73.7 in 1978	7 65.3 in 1950	7 5.08 in 1954	7 0.12 in 1974
8 73.5 in 1958	8 65.4 in 1954	8 5.03 in 1968	8 0.14 in 1930
9 72.9 in 1994	9 65.7 in 1956	9 5.02 in 1915	9 0.15 in 1928
72.9 in 1929	65.7 in 1923	10 4.83 in 1997	10 0.18 in 1946
...
38 70.7 in 2019	68 70.7 in 2019	80 0.47 in 2019	27 0.47 in 2019
		in 1990	in 1990

Normal Temperature for November at SPG = 70.1°
 Normal Rainfall for November at SPG = 1.90 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 80.0 in 1985	1 72.6 in 1917	1 32.75 in 1988	1 2.13 in 2010
2 79.9 in 1986	2 73.2 in 1956	2 30.04 in 1953	2 4.00 in 1990
3 79.8 in 2005	3 73.4 in 1952	3 26.31 in 1986	3 4.49 in 1967
4 79.1 in 2015	4 73.5 in 1954	4 26.30 in 1952	4 4.69 in 2008
5 79.0 in 2018	73.5 in 1953	5 21.83 in 1997	5 4.84 in 1964
6 78.9 in 2019	6 73.6 in 1976	6 21.06 in 1922	6 5.01 in 1940
7 78.4 in 2013	73.6 in 1962	7 20.14 in 1954	7 5.52 in 1927
78.4 in 1941	73.6 in 1923	8 19.12 in 1918	8 5.61 in 1966
9 78.3 in 2010	9 73.7 in 1943	9 19.07 in 2001	9 5.73 in 1965
78.3 in 1919	10 73.9 in 1950	10 18.52 in 1959	10 6.14 in 1939
	
		77 8.73 in 2019	30 8.73 in 2019

Normal Temperature for Autumn at SPG = 76.5°
 Normal Rainfall for Autumn at SPG = 12.44 inches

PLANT CITY (records began in September 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.7 in 1986	1	61.8 in 1932	1	7.88 in 1953	1	0.00 in 1960
2	74.6 in 2015	2	62.0 in 1930	2	7.34 in 1988		0.00 in 1931
3	74.3 in 1948	3	62.1 in 1917	3	6.75 in 2014		0.00 in 1905
4	73.9 in 1946	4	62.4 in 1933	4	6.46 in 1963	4	0.01 in 2007
5	72.7 in 1985	5	62.6 in 1904	5	5.90 in 1918	5	0.05 in 2012
6	72.5 in 1896	6	62.9 in 1912	6	5.56 in 1971	6	0.10 in 1928
7	72.3 in 1994	7	63.1 in 2014	7	4.63 in 1980		0.10 in 1924
	72.3 in 1958	8	63.3 in 1962	8	4.52 in 1987	8	0.13 in 1940
9	71.7 in 1978		63.3 in 1949	9	4.41 in 1947	9	0.15 in 2017
10	71.2 in 2018	10	63.4 in 1926	10	4.07 in 1997		0.15 in 1978
...		
23	69.6 in 2019	89	69.6 in 2019	68	1.08 in 2019	54	1.08 in 2019
	in 1911		in 1911				

Normal Temperature for November at PLCF1 = 68.2°
 Normal Rainfall for November at PLCF1 = 1.83 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.4 in 2018	1	70.4 in 1930	1	25.05 in 1947	1	1.89 in 1909
2	78.3 in 2019	2	70.8 in 1932	2	23.20 in 1894	2	1.99 in 1961
3	77.9 in 1986	3	71.2 in 1940	3	23.04 in 1988	3	3.56 in 1940
4	77.4 in 2015	4	71.5 in 2000	4	21.72 in 1953	4	4.08 in 1991
5	77.2 in 1985	5	71.6 in 1976	5	20.36 in 2014	5	4.29 in 1927
6	76.4 in 1946	6	71.7 in 1943	6	20.15 in 2004	6	4.41 in 1990
7	76.0 in 2016	7	72.0 in 1937	7	20.06 in 1998	7	4.55 in 2010
8	75.9 in 1948		72.0 in 1909	8	19.92 in 1959	8	4.57 in 1939
	75.9 in 1911	9	72.2 in 1968	9	19.76 in 1912	9	4.63 in 1967
10	75.8 in 2007	10	72.4 in 1926	10	18.24 in 1960	10	4.67 in 2008
	75.8 in 1959			
				80	9.32 in 2019	35	9.32 in 2019

Normal Temperature for Autumn at PLCF1 = 74.5°
 Normal Rainfall for Autumn at PLCF1 = 11.28 inches

LAKELAND AREA (records began in January 1915):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.9 in 1986	1	62.6 in 1970	1	7.56 in 2014	1	0.00 in 1924
2	75.4 in 2015	2	62.9 in 1962	2	7.19 in 1988	2	Trace in 2016
3	73.4 in 1985	3	63.0 in 1969	3	6.08 in 1987		Trace in 1960
4	73.3 in 1994	4	63.4 in 1949	4	5.94 in 1941		Trace in 1917
	73.3 in 1948	5	63.5 in 1976	5	5.71 in 1963	5	0.03 in 1931
6	73.1 in 1946		63.5 in 1951	6	5.54 in 1980	6	0.05 in 1928
7	71.6 in 2003		63.5 in 1950	7	5.37 in 1953	7	0.07 in 1950
	71.6 in 1958	8	63.7 in 1968	8	4.59 in 2018	8	0.08 in 2012
9	71.5 in 1998	9	63.9 in 2008	9	4.48 in 1997	9	0.10 in 1991
10	71.3 in 1988	10	64.0 in 1923	10	4.41 in 1994	10	0.11 in 1940
	71.3 in 1978			
...		...		29	2.49 in 2019	77	2.49 in 2019
38	68.9 in 2019	66	68.9 in 2019				
	in 2016		in 2016				

Normal Temperature for November at LLDF1 = 68.2°
 Normal Rainfall for November at LLDF1 = 2.30 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.2 in 1986	1	71.5 in 1976	1	22.45 in 2014	1	2.99 in 1961
2	78.3 in 2015	2	72.1 in 1943	2	21.46 in 2004	2	3.21 in 1940
3	78.1 in 1985	3	72.2 in 1923	3	19.78 in 1947	3	4.16 in 1942
4	78.0 in 2018	4	72.3 in 2006	4	19.52 in 1918	4	4.25 in 1927
5	77.4 in 2019		72.3 in 1968	5	18.47 in 1998	5	4.28 in 1934
6	77.0 in 1994		72.3 in 1956	6	18.39 in 1929	6	4.58 in 2010
7	76.8 in 2009	7	72.4 in 1967	7	18.29 in 1953	7	4.69 in 2008
8	76.7 in 1990	8	72.5 in 1940	8	17.36 in 1997	8	5.01 in 1967
9	76.6 in 2017	9	72.6 in 1954	9	17.09 in 1989	9	5.12 in 1978
10	76.4 in 1998	10	72.7 in 1962	10	17.06 in 1982	10	5.35 in 1974
	76.4 in 1993		72.7 in 1953		17.06 in 1979		
	76.4 in 1941		72.7 in 1924	
				63	9.53 in 2019	41	9.53 in 2019

Normal Temperature for Autumn at LLDF1 = 74.5°
 Normal Rainfall for Autumn at LLDF1 = 12.62 inches

WINTER HAVEN AREA (records began in January 1941):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 76.8 in 1986	1 63.1 in 1962	1 7.81 in 1988	1 0.00 in 1960
2 75.6 in 1948	2 63.2 in 1970	2 7.13 in 1987	0.00 in 1950
3 75.1 in 2015	3 63.9 in 2008	3 6.76 in 1953	3 Trace in 2011
4 74.9 in 1985	63.9 in 1968	4 6.27 in 1963	4 0.01 in 2012
5 74.5 in 1946	5 64.1 in 1976	5 5.32 in 1994	5 0.07 in 2016
6 73.1 in 1994	6 64.5 in 1949	6 5.21 in 1980	6 0.13 in 1966
7 72.6 in 1988	7 64.6 in 1969	7 4.94 in 1951	7 0.16 in 1942
8 72.4 in 1958	8 64.7 in 1981	8 4.07 in 1995	8 0.19 in 1985
9 72.2 in 1998	9 64.9 in 1950	9 3.97 in 1968	9 0.20 in 2017
10 71.9 in 2018	10 65.0 in 2012	10 3.88 in 2014	0.20 in 1991
71.9 in 1973	65.0 in 1951		0.20 in 1967
...
32 69.3 in 2019	39 69.3 in 2019	20 2.79 in 2019	58 2.79 in 2019

Normal Temperature for November at GIF = 69.0°

Normal Rainfall for November at GIF = 2.11 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.1 in 2018	1 71.8 in 1976	1 21.86 in 1987	1 2.72 in 1961
2 79.0 in 1986	2 72.2 in 1968	2 20.61 in 1947	2 3.11 in 2009
3 78.7 in 2019	3 72.5 in 1962	3 20.57 in 1953	3 4.27 in 1967
4 78.4 in 1985	4 73.0 in 1963	4 20.35 in 1960	4 4.29 in 2008
5 78.0 in 2015	5 73.2 in 2006	5 18.82 in 1959	5 4.91 in 1985
6 77.2 in 1998	6 73.3 in 2008	6 18.11 in 1950	6 5.14 in 1942
77.2 in 1989	73.3 in 1981	7 17.84 in 2014	7 5.44 in 1978
77.2 in 1946	73.3 in 1953	8 17.59 in 2001	8 5.54 in 2006
77.2 in 1941	9 73.4 in 1943	9 17.16 in 1988	9 5.78 in 1990
10 76.8 in 2009	10 73.5 in 2000	10 15.63 in 1948	10 5.87 in 2015

Normal Temperature for Autumn at GIF = 75.4°

Total Rainfall for Sep 1 - Nov 25, 2019 = 11.14 inches, but two days were missing in October where decent rainfall likely occurred.

Normal Rainfall for Autumn at GIF = 11.16 inches

BARTOW (records began in June 1892):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 76.4 in 1986	1 60.9 in 1917	1 7.40 in 1987	1 0.00 in 2016
2 75.3 in 2015	2 61.5 in 1970	2 7.36 in 2002	0.00 in 1960
3 74.5 in 1948	3 62.0 in 1910	3 6.52 in 1963	3 0.02 in 1931
4 73.6 in 2013	4 62.3 in 1901	4 6.33 in 1988	4 0.04 in 1966
73.6 in 1985	5 62.6 in 1904	5 5.97 in 1953	0.04 in 1928
6 73.5 in 1946	62.6 in 1892	6 5.80 in 1951	6 0.05 in 2012
7 73.0 in 1994	7 62.9 in 1962	7 4.75 in 1911	7 0.06 in 1950
8 72.9 in 1958	8 63.5 in 2008	8 4.71 in 1937	8 0.09 in 1923
9 72.5 in 1998	63.5 in 1912	9 4.68 in 2015	9 0.10 in 2007
10 72.3 in 2003	10 63.6 in 1939	10 4.54 in 1983	0.10 in 1974
...
42 68.3 in 2019	57 68.3 in 2019	81 1.02 in 2019	47 1.02 in 2019

Normal Temperature for November at BARF1 = 69.2°
Normal Rainfall for November at BARF1 = 1.94 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 77.8 in 2015	1 71.0 in 1894	1 26.99 in 1894	1 3.71 in 1942
2 77.2 in 1998	2 71.1 in 1892	2 21.30 in 1947	2 4.88 in 2010
3 77.1 in 2018	3 71.4 in 1917	3 20.97 in 1917	3 5.00 in 1940
4 76.9 in 2009	4 71.8 in 1976	4 20.77 in 1922	4 5.02 in 1990
5 76.8 in 1946	5 72.1 in 1895	5 20.38 in 1959	5 5.25 in 1961
76.8 in 1919	6 72.3 in 1914	6 20.31 in 1982	6 5.26 in 1939
7 76.5 in 2019	7 72.4 in 1970	7 19.77 in 1953	7 5.29 in 1984
76.5 in 1958	8 72.5 in 1904	8 19.43 in 1902	8 5.47 in 1974
9 76.4 in 1994	9 72.8 in 1967	9 19.30 in 1960	9 5.57 in 1906
10 76.2 in 1990	72.8 in 1963	10 18.97 in 2004	10 5.90 in 1927
	72.8 in 1935
		83 9.56 in 2019	43 9.56 in 2019

Normal Temperature for Autumn at BARF1 = 75.5°
Normal Rainfall for Autumn at BARF1 = 11.40 inches

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 76.1 in 1986	1 63.2 in 1917	1 9.40 in 1997	1 0.00 in 1931
2 75.4 in 2015	2 63.5 in 1949	2 6.81 in 1920	2 Trace in 1940
3 73.2 in 1948	63.5 in 1923	3 6.24 in 1925	Trace in 1928
4 73.1 in 1958	4 64.2 in 1976	4 5.68 in 1953	4 0.02 in 2016
5 72.7 in 1994	5 64.5 in 2008	5 5.18 in 1941	5 0.06 in 2001
6 72.4 in 1985	6 64.6 in 2014	6 5.15 in 1988	0.06 in 1991
7 72.2 in 2013	64.6 in 1981	7 4.94 in 1918	7 0.09 in 1930
8 72.1 in 1998	8 64.7 in 1968	8 4.69 in 2002	8 0.16 in 2007
72.1 in 1946	9 64.8 in 1933	9 4.55 in 1972	9 0.20 in 1945
10 71.9 in 2016	10 65.0 in 1962	10 4.43 in 1983	10 0.21 in 1978
11 71.8 in 2018			0.21 in 1950
12 71.5 in 2019	
in 2003		82 0.53 in 2019	26 0.53 in 2019
in 1992			

Normal Temperature for November at SRQ = 69.2°
 Normal Rainfall for November at SRQ = 1.93 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.7 in 2019	1 71.3 in 1976	1 28.46 in 1953	1 3.64 in 2010
2 78.3 in 2016	2 72.2 in 1930	2 25.64 in 1962	2 4.01 in 1991
3 78.2 in 1986	3 72.3 in 1943	3 23.66 in 1922	3 5.08 in 1942
4 78.0 in 2015	4 72.5 in 1940	4 23.12 in 1997	4 5.44 in 1974
5 77.8 in 2018	5 72.7 in 1923	5 22.26 in 1912	5 5.61 in 2012
6 77.3 in 2007	6 73.0 in 1981	6 22.01 in 1952	6 5.90 in 2019
7 77.1 in 1998	73.0 in 1944	7 21.30 in 1988	7 5.95 in 1945
77.1 in 1990	73.0 in 1937	8 20.43 in 1928	8 6.05 in 1944
9 77.0 in 2013	9 73.1 in 1968	9 20.29 in 1957	9 6.27 in 1984
10 76.9 in 1985	73.1 in 1956	10 19.80 in 1960	10 6.42 in 1930

Normal Temperature for Autumn at SRQ = 75.6°
 Normal Rainfall for Autumn at SRQ = 12.15 inches

VENICE (records began in April 1955):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.8 in 2015	1	64.2 in 2008	1	7.65 in 1997	1	0.00 in 1991
2	74.1 in 1985	2	64.7 in 1962	2	5.85 in 1972	2	0.02 in 2007
3	73.6 in 1998	3	64.9 in 1981	3	5.56 in 1983	3	0.04 in 2001
	73.6 in 1994		64.9 in 1970	4	5.55 in 1963	4	0.06 in 2016
5	72.5 in 2013	5	65.1 in 1956	5	4.77 in 1957	5	0.15 in 1960
6	72.3 in 2003	6	65.2 in 1976	6	4.46 in 1980	6	0.20 in 1993
7	72.2 in 1978	7	65.4 in 1968	7	4.14 in 1998	7	0.30 in 1956
8	71.9 in 2011	8	65.8 in 2014	8	3.77 in 1968	8	0.31 in 1978
	71.9 in 1982	9	66.0 in 1969	9	3.72 in 2014	9	0.32 in 2012
10	71.8 in 2009	10	66.8 in 1966	10	3.47 in 1988		0.32 in 2003
	71.8 in 1973			
				39	1.03 in 2019	27	1.03 in 2019

Average Temperature for Nov 2019 = Several Days Missing
 Normal Temperature for November at VNCF1 = 69.3°

Normal Rainfall for November at VNCF1 = 1.80 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.9 in 2009	1	71.8 in 1976	1	26.44 in 1983	1	3.04 in 1961
2	78.5 in 1998	2	72.1 in 1968	2	25.83 in 1995	2	3.63 in 1981
3	78.4 in 2015	3	72.8 in 2008	3	21.38 in 1997	3	5.24 in 1978
4	77.8 in 2018		72.8 in 1956	4	20.89 in 1960	4	5.81 in 2010
	77.8 in 2013	5	73.6 in 1974	5	20.27 in 1968	5	6.18 in 1964
	77.8 in 1985	6	73.7 in 1987	6	19.23 in 1959	6	6.59 in 1984
7	77.6 in 2010		73.7 in 1981	7	18.86 in 1982	7	7.16 in 1990
8	77.3 in 1994		73.7 in 1962	8	18.67 in 2014	8	7.38 in 2011
9	77.0 in 2017	9	73.9 in 1977	9	18.33 in 1957	9	7.53 in 2019
	77.0 in 2011	10	74.0 in 2006	10	18.29 in 1962	10	7.81 in 1965
	77.0 in 2003						

Average Temperature for Autumn 2019 = Several Days Missing in November
 Normal Temperature for Autumn at VNCF1 = 75.3°

Normal Rainfall for Autumn at VNCF1 = 12.30 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.8 in 2015	1	62.1 in 1962	1	10.19 in 1997	1	0.00 in 2001
2	75.6 in 1986	2	62.4 in 1969	2	5.13 in 1953	2	0.02 in 1950
3	73.4 in 1998	3	62.8 in 1970	3	5.04 in 1947	3	0.03 in 1991
4	73.2 in 1985	4	63.2 in 1968	4	5.01 in 1972	4	0.07 in 2016
5	72.7 in 1958	5	64.1 in 2008	5	4.87 in 1981	5	0.19 in 2012
6	72.3 in 1982	6	65.3 in 2000	6	4.73 in 1958	6	0.20 in 1944
7	72.1 in 2013	7	65.4 in 2012	7	4.52 in 1963	7	0.30 in 1996
	72.1 in 1978		65.4 in 1963	8	4.45 in 2002		0.30 in 1993
9	71.6 in 2003	9	65.8 in 1976	9	4.42 in 1983		0.30 in 1965
10	71.5 in 1991	10	65.9 in 2002	10	4.22 in 2014	10	0.37 in 1945
...				
16	70.3 in 2019			37	1.47 in 2019	39	1.47 in 2019
	in 2017						
	in 1993						

Normal Temperature for November at MKCF1 = 69.1°
Normal Rainfall for November at MKCF1 = 2.15 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.5 in 2015	1	71.7 in 1962	1	25.70 in 1962	1	4.57 in 1961
2	78.3 in 1998	2	72.6 in 1968	2	23.65 in 1997	2	5.85 in 1974
3	78.0 in 2019	3	72.7 in 1976	3	23.43 in 1979	3	6.14 in 1991
	78.0 in 2018	4	72.8 in 1963	4	21.95 in 2014	4	6.52 in 2008
5	77.9 in 1986	5	73.4 in 1970	5	21.67 in 1995	5	7.52 in 1970
6	77.8 in 1985		73.4 in 1969	6	21.13 in 1953	6	7.57 in 1955
7	77.7 in 1991	7	73.5 in 2008	7	20.63 in 1957	7	8.07 in 2012
8	76.8 in 2009	8	73.7 in 2000	8	20.18 in 2001	8	8.67 in 1950
	76.8 in 1990	9	73.8 in 1992	9	19.62 in 1952	9	8.75 in 1996
10	76.7 in 2013	10	73.9 in 1987	10	19.59 in 1994	10	8.84 in 2011
				
				53	10.11 in 2019	22	10.11 in 2019

Normal Temperature for Autumn at MKCF1 = 75.3°
Normal Rainfall for Autumn at MKCF1 = 13.33 inches

WAUCHULA 2 N (records began in January 1933):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.7 in 1986	1	61.9 in 2012	1	11.18 in 1987	1	0.02 in 1940
2	74.6 in 2015	2	62.5 in 2014	2	10.38 in 1997	2	0.03 in 1967
3	74.4 in 1948		62.5 in 1949	3	6.43 in 1953	3	0.08 in 1960
4	73.2 in 1946	4	63.2 in 1962	4	5.89 in 1963	4	0.12 in 1991
5	72.7 in 1985	5	63.4 in 1970	5	4.75 in 1972	5	0.16 in 1974
6	72.4 in 1958	6	63.5 in 1956	6	4.41 in 2002	6	0.17 in 2016
7	71.7 in 1988	7	63.8 in 2000	7	4.37 in 2014	7	0.19 in 2012
8	71.4 in 1978	8	63.9 in 1969	8	3.93 in 2010	8	0.23 in 1944
	71.4 in 1973	9	64.0 in 1950	9	3.91 in 1937	9	0.24 in 1966
10	71.1 in 1998	10	64.4 in 1954	10	3.44 in 1988		0.24 in 1956
	71.1 in 1947			
...		...		30	1.75 in 2019	56	1.75 in 2019
43	67.7 in 2019	41	67.7 in 2019				

Normal Temperature for November at WAUF1 = 69.5°
 Normal Rainfall for November at WAUF1 = 2.14 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.1 in 2009	1	71.6 in 2014	1	27.02 in 1953	1	2.12 in 1961
2	77.9 in 2007	2	71.7 in 2012	2	23.48 in 1947	2	3.84 in 1974
3	77.7 in 1985	3	72.0 in 1956	3	20.13 in 1975	3	4.75 in 1967
4	77.5 in 2015	4	72.1 in 1943	4	20.12 in 1952	4	4.92 in 2008
5	77.2 in 1941	5	72.2 in 1954	5	19.04 in 1987	5	5.10 in 1978
6	76.9 in 2018	6	72.5 in 2010	6	19.02 in 1960	6	5.80 in 1991
7	76.3 in 1946		72.5 in 2006	7	19.00 in 1997	7	6.09 in 1976
8	76.2 in 1989		72.5 in 1953	8	18.33 in 2017	8	6.10 in 1944
9	76.1 in 2019		72.5 in 1944	9	16.90 in 1938	9	6.32 in 1980
	76.1 in 1990	10	72.6 in 1976	10	16.88 in 1969	10	6.58 in 2003
	76.1 in 1936					11	6.76 in 1984
						12	7.19 in 2019

Normal Temperature for Autumn at WAUF1 = 76.1°
 Normal Rainfall for Autumn at WAUF1 = 10.87 inches

ARCADIA (records began in January 1899):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 74.9 in 1986	1 62.1 in 1901	1 6.69 in 1997	1 Trace in 1996
2 74.7 in 2015	2 62.2 in 2008	2 5.67 in 1947	Trace in 1940
3 74.2 in 1948	3 62.6 in 1970	3 5.11 in 1987	Trace in 1928
4 73.3 in 1958	4 62.7 in 1910	4 5.08 in 2002	4 0.01 in 1931
73.3 in 1946	5 62.8 in 1923	5 4.95 in 1980	5 0.04 in 1950
6 72.7 in 1919	6 63.3 in 1933	6 4.82 in 1992	6 0.05 in 2016
7 72.2 in 1902	7 63.4 in 1949	4.82 in 1962	7 0.06 in 2008
8 72.0 in 1911	8 63.7 in 2014	8 4.53 in 2014	8 0.09 in 2007
9 71.9 in 1990	9 63.8 in 2012	9 4.43 in 1951	9 0.10 in 1991
10 71.6 in 1985	63.8 in 1962	10 4.01 in 1968	0.10 in 1960
...
46 68.6 in 2019	63 68.6 in 2019	42 1.78 in 2019	73 1.78 in 2019

Normal Temperature for November at ARCF1 = 68.1°
 Normal Rainfall for November at ARCF1 = 1.94 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 78.0 in 1919	1 71.6 in 1923	1 24.53 in 1952	1 3.03 in 1961
2 77.4 in 1911	2 71.7 in 1976	2 22.94 in 1953	2 4.14 in 1909
3 77.2 in 2015	71.7 in 1910	3 22.83 in 1908	3 4.68 in 1901
77.2 in 1986	4 71.8 in 2008	4 20.84 in 1947	4 4.77 in 1946
77.2 in 1902	5 72.2 in 1968	5 20.79 in 1960	5 5.62 in 1925
6 76.9 in 2018	6 72.5 in 1943	6 20.17 in 1962	6 5.89 in 1942
7 76.6 in 1946	7 72.6 in 1970	7 19.95 in 1910	7 5.97 in 1913
8 76.4 in 1998	72.6 in 1969	8 18.88 in 1959	8 5.98 in 1974
76.4 in 1948	9 72.7 in 1990	9 18.83 in 2017	9 5.99 in 1955
76.4 in 1941	72.7 in 1962	10 18.62 in 1969	10 6.00 in 2008
11 76.3 in 1973	
12 76.2 in 1958		92 7.33 in 2019	18 7.33 in 2019
13 76.1 in 1985		in 1973	in 1973
76.1 in 1942			
15 75.9 in 2019			

Normal Temperature for Autumn at ARCF1 = 74.4°
 Normal Rainfall for Autumn at ARCF1 = 11.81 inches

ARCHBOLD BIO STN (records began in January 1969):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.0 in 2015	1	62.2 in 2008	1	5.94 in 1987	1	0.00 in 2016
2	75.6 in 1986	2	63.1 in 2012	2	5.16 in 1998		0.00 in 2008
3	72.4 in 1992	3	63.2 in 1970	3	4.52 in 2002	3	0.08 in 1986
4	71.7 in 1985	4	64.2 in 1969	4	4.46 in 1997	4	0.12 in 1970
5	71.6 in 1994	5	64.4 in 1981	5	4.37 in 1992	5	0.13 in 1975
6	71.3 in 1978	6	65.1 in 2014	6	4.17 in 1977	6	0.20 in 1996
	71.3 in 1973	7	65.3 in 2006	7	4.16 in 1994	7	0.21 in 2012
8	71.2 in 2013	8	65.4 in 2000	8	3.80 in 1988	8	0.24 in 2000
9	70.6 in 2017	9	66.0 in 1991	9	3.78 in 2005	9	0.29 in 1973
	70.6 in 2003	10	66.3 in 1997	10	3.52 in 1972	10	0.40 in 2006
	70.6 in 1988			
...		...		25	1.24 in 2019	27	1.24 in 2019
29	68.5 in 2019	23	68.5 in 2019				

Normal Temperature for November at ACHF1 = 68.1°
 Normal Rainfall for November at ACHF1 = 1.98 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.2 in 2015	1	71.6 in 2008	1	22.87 in 2017	1	4.62 in 1996
2	77.4 in 1986	2	72.5 in 2012	2	22.49 in 1987	2	4.86 in 1990
3	76.6 in 2018	3	72.7 in 2006	3	20.74 in 1969	3	5.52 in 2006
4	76.3 in 2019		72.7 in 2000	4	18.09 in 2014	4	5.96 in 1974
	76.3 in 1985		72.7 in 1976	5	17.33 in 1977	5	6.01 in 2018
6	76.2 in 2017	6	72.8 in 1997	6	17.04 in 2001	6	6.16 in 2010
7	75.8 in 2016	7	73.0 in 1981	7	16.79 in 1998	7	6.27 in 2008
	75.8 in 1973	8	73.1 in 1970	8	16.55 in 2016	8	6.53 in 1980
9	75.7 in 2009	9	73.2 in 2014	9	16.32 in 2005	9	7.16 in 1984
10	75.6 in 1990		73.2 in 1984	10	16.23 in 2004	10	7.36 in 2007
						11	7.42 in 2019

Normal Temperature for Autumn at ACHF1 = 74.1°
 Normal Rainfall for Autumn at ACHF1 = 11.62 inches

PUNTA GORDA AREA (records began in May 1914):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 78.3 in 1948	1 63.9 in 1917	1 5.97 in 1916	1 0.00 in 1931
2 76.8 in 1986	2 64.2 in 1970	2 5.52 in 2002	2 0.02 in 2012
3 75.9 in 1946	64.2 in 1968	3 5.07 in 1987	3 0.05 in 2016
4 75.5 in 2015	4 65.1 in 2008	4 4.60 in 2014	0.05 in 1990
5 74.2 in 1985	5 65.7 in 1969	5 4.54 in 1968	5 0.07 in 2007
6 74.1 in 1958	6 65.8 in 1966	6 4.40 in 1972	6 0.08 in 1940
7 73.8 in 1961	7 66.1 in 1976	7 4.31 in 1921	7 0.09 in 1993
8 73.6 in 1947	66.1 in 1923	8 4.16 in 1951	8 0.10 in 1929
9 73.0 in 1960	9 67.0 in 2012	9 3.92 in 1998	9 0.11 in 1973
10 72.8 in 2013	67.0 in 1939	10 3.91 in 1938	10 0.12 in 1924
72.8 in 1994	67.0 in 1914		
72.8 in 1992			
72.8 in 1929			
...	...		
49 69.7 in 2019	53 69.7 in 2019		
in 1979	in 1979		
in 1936	in 1936		

Normal Temperature for November at PGD = 69.9°
 Total Rainfall for Nov 2019 = 0.60 inches, but rainfall missing on Nov 24
 Normal Rainfall for November at PGD = 2.01 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.6 in 1948	1 72.4 in 1917	1 31.25 in 1959	1 5.37 in 2008
2 79.4 in 1986	2 73.0 in 1976	2 24.61 in 1922	2 5.75 in 1961
3 79.1 in 1946	73.0 in 1968	3 23.01 in 1962	3 5.87 in 1974
4 78.7 in 2018	4 73.5 in 1923	4 21.28 in 1953	4 5.91 in 1927
78.7 in 1985	5 73.7 in 1930	5 20.82 in 1995	5 5.95 in 1973
6 78.1 in 2015	6 73.8 in 1914	6 20.64 in 1947	6 6.00 in 1931
78.1 in 1947	7 73.9 in 1943	7 20.39 in 1924	7 6.22 in 1991
8 77.9 in 1960	73.9 in 1940	8 18.72 in 1929	8 6.33 in 1970
77.9 in 1951	9 74.0 in 1970	9 18.66 in 1951	9 6.62 in 1978
10 77.7 in 1961	10 74.1 in 2008	10 18.54 in 1945	10 6.82 in 1920
11 77.6 in 2019	74.1 in 1969		
in 2009	74.1 in 1966		

Normal Temperature for Autumn at PGD = 76.2°
 Total Rainfall for Autumn 2019 = 8.13 inches, but rainfall missing on Nov 24
 Normal Rainfall for Autumn at PGD = 12.39 inches

FORT MYERS AREA (records began in January 1902):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	78.3 in 1986	1	64.7 in 1917	1	8.06 in 1987	1	Trace in 2016
2	76.7 in 2015	2	64.9 in 1910	2	7.58 in 1998		Trace in 2000
3	75.6 in 1985	3	65.4 in 1956	3	5.67 in 2002		Trace in 1944
	75.6 in 1948	4	65.7 in 1949	4	4.60 in 1921	4	0.01 in 1990
5	75.4 in 1994	5	65.9 in 1923	5	4.47 in 2014	5	0.02 in 1950
6	75.0 in 1946	6	66.1 in 1962	6	4.11 in 1997	6	0.03 in 1945
7	74.2 in 1978	7	66.2 in 1969	7	3.85 in 1972	7	0.04 in 1978
8	74.0 in 2017	8	66.3 in 1903	8	3.75 in 2005	8	0.06 in 1905
	74.0 in 1988	9	66.6 in 1950	9	3.71 in 1922	9	0.08 in 1942
10	73.9 in 1992	10	66.7 in 1976	10	3.66 in 1983	10	0.09 in 2008
			66.7 in 1970				0.09 in 2007
...		0.09 in 1931
18	73.0 in 2019	101	73.0 in 2019	80	0.60 in 2019	39	0.60 in 2019

Normal Temperature for November at FMY = 71.7°

Normal Rainfall for November at FMY = 1.96 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	80.4 in 1986	1	72.5 in 1903	1	32.14 in 1922	1	5.16 in 1988
2	80.2 in 1985	2	72.7 in 1910	2	27.85 in 1969	2	5.95 in 1942
3	79.8 in 2019	3	72.9 in 1976	3	26.80 in 1924	3	5.96 in 1974
4	79.1 in 2015	4	73.7 in 1908	4	23.34 in 1947	4	5.97 in 1907
5	78.8 in 1979	5	73.8 in 1913	5	23.33 in 1953	5	6.11 in 1992
6	78.7 in 1994	6	74.0 in 1923	6	22.99 in 1962	6	6.12 in 1906
7	78.6 in 2018	7	74.1 in 1953	7	21.74 in 1998	7	6.31 in 2004
8	78.5 in 2007	8	74.3 in 1909	8	21.44 in 1952	8	6.50 in 1966
	78.5 in 1990	9	74.4 in 1943	9	20.90 in 2011	9	6.67 in 1978
10	78.3 in 1988		74.4 in 1914	10	20.85 in 1959	10	6.78 in 1904
				
				96	8.44 in 2019	22	8.44 in 2019

Normal Temperature for Autumn at FMY = 77.3°

Normal Rainfall for Autumn at FMY = 13.15 inches

For more local climate information, please visit our web page at <http://weather.gov/tampabay> and look within the "Climate and Past Weather" drop down menu above the map of the area.