



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


November and Autumn (Sep/Oct/Nov) 2020 Climate Summary

During the first few days of November 2020 a cold front swept across the area bringing some cooler more comfortable conditions. However, this was short lived as the high pressure that brought these conditions moved off the southeast U.S. coast setting up a rather breezy, warm and humid east to southeast flow. During the second week Tropical Cyclone Eta moved north toward south Florida and then turned west across the Florida Keys and out into the southeast Gulf of Mexico. However, during the 10th and 11th it turned back north northeast moving just off the west coast of Florida and into the Nature Coast across northeast Florida on the 12th. Behind this system the warm and humid conditions persisted into the third week when another cold front moved through bringing a return to some drier air, but temperatures remained a few degrees above normal through the end of the month.


NOVEMBER TEMPERATURE (°F - Warmest):

Location	Nov 2020 Rank	Nov 2020 Avg Temp	Normal Nov Temp	Dep fm Normal	Record/Prev Rec Warmest	Records Began
Inverness 3 SE	2nd	71.0°	65.3°	+5.7°	73.1/2015	Jul 1948
Sarasota-Bradenton Area	3rd	74.7°	69.2°	+5.5°	76.1/1986	Jan 1911
Tampa Area	3rd	74.6°	69.1°	+5.5°	76.3/1986	Apr 1890
Archbold Bio Stn	3rd	73.7°	68.1°	+5.6°	76.0/2015	Jan 1969
Plant City	4th	74.2°	68.2°	+6.0°	75.7/1986	Sep 1892
Brooksville Area	4th(tie)	71.0°	65.0°	+6.0°	73.2/2015	Jan 1892
Punta Gorda Area	5th	74.3°	69.9°	+4.4°	78.3/1948	May 1914
Venice	5th	73.5°	69.3°	+4.2°	75.8/2015	May 1955
Myakka River State Park	5th	72.8°	69.1°	+3.7°	75.8/2015	Mar 1956
Wauchula 2 N	5th(tie)	72.7°	69.5°	+3.2°	75.7/1986	Jan 1933
St Petersburg Area	6th	74.3°	70.1°	+4.2°	77.4/1986	Aug 1914
Winter Haven Area	6th	73.5°	69.0°	+4.5°	76.8/1986	Mar 1941
Chiefland 5 ESE	6th	67.1°	62.8°	+4.3°	69.4/1985	Jul 1956
Fort Myers Area	7th	74.9°	71.7°	+3.2°	78.3/1986	Jan 1902
Lakeland Area	7th	73.0°	68.2°	+4.8°	76.9/1986	Jan 1915
Arcadia	7th	72.4°	68.1°	+4.3°	74.9/1986	Nov 1899
Bartow	9th(tie)	72.5°	69.2°	+3.3°	76.4/1986	Jun 1892
St. Leo	10th(tie)	71.3°	68.6°	+2.7°	75.1/1986	Apr 1895
Tarpon Springs	21st	70.1°	67.8°	+2.3°	75.9/1986	Jan 1892

Temperature (F)
11/1/2020 - 11/30/2020



Departure from Normal Temperature (F)
11/1/2020 - 11/30/2020




Graphics Source: NOAA Regional Climate Centers

Thanks to the near to slightly above normal temperatures in September and a warm October and November, which saw averages up to 6 degrees above normal, Autumn 2020 (Sep/Oct/Nov) ended up in the Top Ten Warmest in most locations. Overall, for Autumn 2020 temperatures averaged about 2 to 5 degrees above normal.


AUTUMN (SEPTEMBER/OCTOBER/NOVEMBER) TEMPERATURE (°F - Warmest):

Location	Autumn 2020 Rank	Autumn 2020 Avg Temp	Normal Aut Temp	Dep fm Normal	Record/Prev Rec Warmest	Records Began
Sarasota-Bradenton Area	1st(tie)	79.7°	75.6°	+4.1°	79.7/2019	Jan 1911
Plant City	1st	79.6°	74.5°	+5.1°	78.4/2018	Sep 1892
Winter Haven Area	1st	79.2°	75.4°	+3.8°	79.1/2018	Mar 1941
Tampa Area	1st	79.7°	75.7°	+4.0°	79.0/2015	Apr 1890
Bartow	1st(tie)	77.8°	75.5°	+2.3°	77.8/2015	Jun 1892
Inverness 3 SE	1st	76.8°	72.6°	+4.2°	76.1/2015	Jul 1948
Brooksville Area	1st	76.6°	72.4°	+4.2°	76.0/1911	Jan 1892
Lakeland Area	2nd	78.6°	74.5°	+4.1°	79.2/1986	Jan 1915
Archbold Bio Stn	2nd	78.0°	74.1°	+3.9°	78.2/2015	Jan 1969
Arcadia	2nd	77.5°	74.4°	+3.1°	78.0/1919	Nov 1899
Chiefland 5 ESE	2nd	75.0°	70.4°	+4.6°	75.2/2018	Jul 1956
Punta Gorda Area	3rd	79.3°	76.2°	+3.1°	79.6/1948	May 1914
St. Leo	3rd(tie)	76.5°	75.0°	+1.5°	77.9/1985	Apr 1895
St Petersburg Area	4th	79.3°	76.5°	+2.8°	80.0/1985	Aug 1914
Fort Myers Area	4th(tie)	79.1°	77.3°	+1.8°	80.4/1986	Jan 1902
Venice	4th	78.0°	75.3°	+2.7°	78.9/2009	May 1955
Wauchula 2 N	4th	77.6°	76.1°	+1.5°	78.1/2009	Jan 1933
Tarpon Springs	5th(tie)	76.8°	74.2°	+2.6°	78.1/1985	Jan 1892
Myakka River State Park	8th	77.5°	75.3°	+2.2°	78.5/2015	Mar 1956

Temperature (F)
9/1/2020 – 11/30/2020



Departure from Normal Temperature (F)
9/1/2020 – 11/30/2020




Graphics Source: NOAA Regional Climate Centers


Looking at rainfall, most days in November 2020 were dry, which is pretty typical, but thanks to Tropical Cyclone Eta dropping 3 to over 10 inches of rain across much of the area, amounts for the month ended up well above normal in many areas, except across Levy and parts of Citrus counties.

NOVEMBER RAINFALL (inches):

Location	Nov 2020 Rain Total	Normal Nov Rain	Dep fm Normal	Ranking	Records Began
Sarasota-Bradenton Area	7.62	1.93	+5.69	2nd Wettest	Jan 1911
Punta Gorda Area	6.91	2.01	+4.90	1st Wettest	May 1914
Plant City	6.89	1.83	+5.06	3rd Wettest	Sep 1892
St. Petersburg Area	6.18	1.90	+4.28	4th Wettest	Aug 1914
Venice	6.02	1.80	+4.22	2nd Wettest	May 1955
Lakeland Area	5.80	2.30	+3.50	5th Wettest	Jan 1915
Tarpon Springs	5.49	2.15	+3.34	8th Wettest	Jan 1892
Tampa Area	5.40	1.55	+3.85	3rd Wettest	Apr 1890
St. Leo	4.89	2.20	+2.69	10th Wettest	Apr 1895
Arcadia	4.88	1.94	+2.94	6th Wettest	Nov 1899
Myakka River State Park	4.76	2.15	+2.61	6th Wettest	Sep 1943
Fort Myers Area	4.21	1.96	+2.25	38th Wettest	Jan 1902
Winter Haven Area	4.00	2.11	+1.89	9th Wettest	Mar 1941
Brooksville Area	3.92	1.91	+2.01	18th Wettest	Jan 1892
Archbold Bio Stn	3.44	1.98	+1.46	12th Wettest	Jan 1969
Inverness 3 SE	3.27	1.81	+1.46	17th Wettest	Jul 1948
Wauchula 2 N	2.76	2.14	+0.62	19th Wettest	Jan 1933
Bartow	2.73	1.94	+0.79	26th Wettest	Jun 1892
Chiefland 5 ESE	1.46	2.65	-1.19	21st Driest	Jul 1956



Rainfall Nov 2020




Percent of Normal


For autumn much of the region was above normal thanks to the rainfall from Tropical Cyclone Eta, otherwise amounts varied during September and October with autumn totals ranging from about 10 inches to over 23 inches, or from about 75% of normal to nearly 200% of normal.

AUTUMN (SEPTEMBER/OCTOBER/NOVEMBER) RAINFALL (inches):

Location	Aut 2020 Rain Total	Normal Aut Rain	Dep fm Normal	Ranking	Records Began
Arcadia	23.19	11.81	+11.38	2nd Wettest	Nov 1899
Fort Myers Area	22.36	13.15	+9.21	7th Wettest	Jan 1902
Plant City	20.54	11.28	+9.26	5th Wettest	Sep 1892
Sarasota-Bradenton Area	19.21	12.15	+7.06	13th Wettest	Jan 1911
Punta Gorda Area	18.09	12.39	+5.70	11th Wettest	May 1914
Myakka River State Park	17.23	13.33	+3.90	16th Wettest	Sep 1943
Lakeland Area	17.08	12.62	+4.46	10th Wettest	Jan 1915
Winter Haven Area	16.36	11.16	+5.20	10th Wettest	Mar 1941
Bartow	15.33	11.40	+3.93	31st Wettest	Jun 1892
Archbold Bio Stn	14.96	11.62	+3.34	15th Wettest	Jan 1969
Venice	14.11	12.30	+1.81	22nd Wettest	May 1955
St. Leo	13.75	12.02	+1.73	36th Wettest	Apr 1895
Tarpon Springs	13.41	12.45	+0.96	42nd Wettest	Jan 1892
St. Petersburg Area	13.39	12.44	+0.95	38th Wettest	Aug 1914
Tampa Area	12.72	10.11	+2.61	3rd Wettest	Apr 1890
Wauchula 2 N	11.69	10.87	+0.82	34th Wettest	Jan 1933
Chiefland 5 ESE	11.52	12.64	-1.12	34th Driest	Jul 1956
Inverness 3 SE	10.60	10.61	-0.01	40th Driest	Jul 1948
Brooksville Area	10.10	11.20	-1.10	61st Driest	Jan 1892



Rainfall Autumn 2020



Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Novembers and Autumns at some official NWS locations, which include the average/total for this November and Autumn where available, and the 1981-2010 Normal (average) temperature and rainfall for November and Autumn.

CHIEFLAND 5 SE (records began in July 1956):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 69.4 in 1985	1 56.6 in 1976	1 7.52 in 1972	1 Trace in 1978
2 69.2 in 1998	2 56.7 in 2008	2 6.47 in 1997	2 0.15 in 2012
3 68.9 in 1986	3 57.3 in 1970	3 6.02 in 1987	3 0.25 in 2016
4 68.6 in 1994	4 58.2 in 1962	4 5.94 in 2002	4 0.33 in 1956
5 67.5 in 1982	5 58.3 in 1968	5 5.25 in 1958	5 0.35 in 1970
6 67.1 in 2020	6 59.2 in 1969	6 4.95 in 1983	6 0.48 in 1998
7 66.9 in 1973	7 59.4 in 2014	7 4.80 in 1963	7 0.61 in 1990
8 66.5 in 1958	8 59.7 in 1984	8 4.73 in 2013	8 0.62 in 1991
9 66.3 in 1978	9 59.8 in 1963	9 4.55 in 1981	9 0.66 in 2001
10 66.1 in 2003	10 60.0 in 2012	10 4.50 in 1986	10 0.82 in 1993
	60.0 in 1983
		43 1.46 in 2020	21 1.46 in 2020

Normal Temperature for November at CHIF1 = 62.8°

Normal Rainfall for November at CHIF1 = 2.65 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 75.2 in 2018	1 67.1 in 1976	1 26.52 in 2004	1 2.05 in 1978
2 75.0 in 2020	2 67.9 in 2008	2 24.26 in 1983	2 3.83 in 2008
3 74.9 in 1998	3 68.7 in 2006	3 20.54 in 1964	3 4.20 in 1961
4 74.2 in 1986	4 68.8 in 1968	4 18.65 in 1959	4 5.13 in 2010
5 73.9 in 1985	5 68.9 in 2000	5 17.59 in 1985	5 5.37 in 1970
6 73.7 in 1959	6 69.1 in 1963	6 16.94 in 1998	6 5.38 in 2003
7 73.4 in 2019	69.1 in 1969	7 16.38 in 1997	7 6.24 in 1991
8 73.0 in 1973	8 69.3 in 1956	8 15.91 in 1960	8 6.61 in 1974
9 72.9 in 2016	69.3 in 1962	9 15.67 in 2002	9 6.65 in 2005
10 72.6 in 1994	10 69.6 in 2010	10 15.26 in 2017	10 6.67 in 1968
	
		30 11.52 in 2020	34 11.52 in 2020

Normal Temperature for Autumn at CHIF1 = 70.4°

Normal Rainfall for Autumn at CHIF1 = 12.64 inches

INVERNESS 3 SE (records began in July 1948):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.1 in 2015	1	59.0 in 1991	1	7.73 in 1980	1	0.00 in 2004
2	71.0 in 2020	2	59.5 in 1976	2	6.40 in 1997		0.00 in 1978
3	70.3 in 1958	3	60.3 in 2002	3	6.21 in 1972	3	0.01 in 2016
4	69.3 in 1964	4	60.5 in 2014	4	5.48 in 1951	4	0.02 in 1950
	69.3 in 1978	5	60.6 in 1997	5	4.90 in 2015	5	0.07 in 2012
6	68.8 in 1957	6	61.0 in 1950	6	4.78 in 2014	6	0.23 in 1993
7	68.6 in 1998	7	61.3 in 2012	7	4.69 in 1988	7	0.25 in 1967
8	68.5 in 1973	8	61.4 in 1995	8	3.77 in 2005	8	0.28 in 1956
	68.5 in 1960	9	61.6 in 2000	9	3.70 in 2017	9	0.36 in 2001
10	68.4 in 2003	10	61.7 in 1949	10	3.46 in 1953	10	0.38 in 1966
				...			0.38 in 1964
				17	3.27 in 2020		

Normal Temperature for November at INVFl = 65.3°
 Normal Rainfall for November at INVFl = 1.81 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.8 in 2020	1	68.4 in 1976	1	21.53 in 2017	1	2.08 in 1967
2	76.1 in 2015	2	69.4 in 1997	2	21.34 in 1960	2	2.92 in 1978
3	75.1 in 1958	3	70.2 in 1991	3	21.07 in 1950	3	4.19 in 1961
4	75.0 in 2019	4	70.4 in 2006	4	19.55 in 1992	4	4.56 in 1974
5	74.9 in 1998	5	70.6 in 2000	5	19.27 in 1997	5	4.97 in 2010
	74.9 in 1960	6	70.7 in 1987	6	18.83 in 2004	6	5.13 in 2003
	74.9 in 1959	7	70.8 in 2014	7	17.75 in 2016	7	5.37 in 1954
8	74.2 in 1948	8	71.1 in 1956	8	17.32 in 2001	8	5.47 in 2012
9	74.1 in 2009	9	71.3 in 2002	9	16.51 in 1988	9	5.85 in 2000
	74.1 in 2007	10	71.5 in 1996	10	16.40 in 1979	10	6.14 in 1996
				
				29	10.60 in 2020	40	10.60 in 2020

Normal Temperature for Autumn at INVFl = 72.6°
 Normal Rainfall for Autumn at INVFl = 10.61 inches

BUSHNELL 1 E (records began in July 1948):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 73.3 in 1986	1 59.8 in 2014	1 8.39 in 2014	1 0.00 in 2016
2 71.9 in 2015	2 60.2 in 1962	2 5.96 in 1972	0.00 in 2008
3 71.3 in 1985	3 60.7 in 2008	3 5.66 in 1992	0.00 in 2007
4 70.7 in 1981	60.7 in 1970	4 5.24 in 1987	4 0.02 in 1978
5 69.7 in 1958	5 60.8 in 2012	5 5.05 in 1963	5 0.03 in 1960
6 69.5 in 1998	6 60.9 in 1968	6 4.84 in 1988	6 0.13 in 1956
69.5 in 1978	7 61.5 in 2000	7 3.78 in 1961	7 0.17 in 1966
8 69.3 in 1973	8 61.8 in 1966	8 3.63 in 1997	8 0.18 in 1967
9 68.9 in 2003	61.8 in 1954	9 3.60 in 1951	9 0.30 in 1974
10 68.1 in 1957	10 62.0 in 1949	10 3.57 in 1955	10 0.36 in 1995

Average Temperature for Nov 2020 = Not Available Yet
Normal Temperature for November at BSHF1 = 65.5°

Total Rainfall for Nov 2020 = Not Available Yet
Normal Rainfall for November at BSHF1 = 2.18 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 76.0 in 1985	1 69.6 in 2014	1 22.62 in 1950	1 2.68 in 2008
2 75.9 in 1986	2 70.2 in 1968	2 19.50 in 1997	2 3.14 in 1984
3 75.4 in 1998	3 70.3 in 2008	3 17.99 in 2004	3 5.32 in 1974
4 74.8 in 2015	4 70.4 in 2012	4 17.41 in 1960	4 5.86 in 1991
5 74.6 in 1959	5 70.5 in 1962	5 17.12 in 1952	5 6.17 in 1967
6 74.4 in 1973	70.5 in 1956	6 16.74 in 1969	6 6.25 in 2005
74.4 in 1960	7 70.7 in 1967	7 16.15 in 1964	7 6.38 in 1954
8 74.0 in 1958	8 71.0 in 2011	8 16.08 in 2001	8 6.39 in 1996
9 73.8 in 2002	9 71.1 in 1966	9 15.64 in 1949	9 6.43 in 1961
10 73.6 in 1971	71.1 in 1963	10 15.52 in 1953	10 6.48 in 1986

Average Temperature for Autumn 2020 = Not Available Yet
Normal Temperature for Autumn at BSHF1 = 73.0°

Total Rainfall for Autumn 2020 = Not Available Yet
Normal Rainfall for Autumn at BSHF1 = 10.32 inches

BROOKSVILLE AREA (records began in January 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.2 in 2015	1	57.5 in 1901	1	9.31 in 1916	1	0.00 in 1967
2	72.7 in 1948	2	60.3 in 2008	2	9.17 in 1987	2	Trace in 2016
3	72.6 in 1946	3	60.5 in 1892	3	8.30 in 1951		Trace in 1931
4	71.0 in 2020	4	60.8 in 2014	4	7.08 in 2014	4	0.01 in 1978
	71.0 in 1958	5	61.1 in 1923	5	6.64 in 1937	5	0.05 in 1928
6	70.7 in 1994	6	61.3 in 2000	6	6.56 in 1980	6	0.12 in 2001
7	70.5 in 1973	7	61.4 in 2012	7	6.28 in 1999	7	0.15 in 1913
	70.5 in 1896		61.4 in 1917	8	6.14 in 1972	8	0.18 in 1940
9	70.1 in 1905	9	61.8 in 2002	9	5.49 in 1932	9	0.22 in 1956
10	69.8 in 1988	10	61.9 in 1962	10	5.14 in 1988		0.22 in 1924
	69.8 in 1929				5.14 in 1920		0.22 in 1900
				...			
				18	3.92 in 2020		

Normal Temperature for November at BKV = 65.0°

Normal Rainfall for November at BKV = 1.91 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.6 in 2020	1	69.3 in 1892	1	27.84 in 1950	1	2.30 in 1903
2	76.0 in 1911	2	69.5 in 1901	2	24.74 in 1912	2	3.58 in 2008
3	75.9 in 2015	3	70.2 in 1920	3	22.68 in 1894		3.58 in 1978
4	75.7 in 1905	4	70.3 in 2008	4	21.62 in 1947	4	3.87 in 1967
5	75.4 in 1941	5	70.4 in 1923	5	21.50 in 1922	5	3.97 in 1909
	75.4 in 1919	6	70.5 in 2000	6	21.46 in 1995	6	4.10 in 2010
	75.4 in 1915	7	70.8 in 2006	7	21.24 in 1921	7	4.58 in 1940
8	75.3 in 1946	8	70.9 in 2014	8	20.56 in 1938	8	4.61 in 1991
	75.3 in 1927		70.9 in 1894	9	20.36 in 1911	9	5.37 in 2015
10	75.2 in 2018	10	71.0 in 1953	10	19.88 in 1988	10	5.61 in 1961
	75.2 in 1973		
				67	10.10 in 2020		61
							10.10 in 2020

Normal Temperature for Autumn at BKV = 72.4°

Normal Rainfall for Autumn at BKV = 11.20 inches

ST LEO (records began in April 1895):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.1 in 1986	1	60.8 in 1917	1	12.48 in 1988	1	Trace in 1960
2	73.6 in 1985	2	61.3 in 1901	2	8.34 in 1951	2	0.02 in 1978
3	73.2 in 1946	3	61.7 in 1910	3	7.36 in 1987	3	0.03 in 1931
4	73.1 in 1948	4	62.2 in 1930	4	7.21 in 2014		0.03 in 1928
5	72.0 in 1998	5	62.3 in 2014	5	6.22 in 1916	5	0.06 in 2016
6	71.8 in 2015	6	62.5 in 1923	6	6.12 in 1963	6	0.08 in 2012
	71.8 in 1994	7	62.6 in 1970	7	6.06 in 1972	7	0.21 in 1993
8	71.5 in 1982	8	62.8 in 1933	8	5.84 in 1911	8	0.22 in 1940
9	71.4 in 1958		62.8 in 1932	9	5.61 in 1918	9	0.23 in 1913
10	71.3 in 2020		62.8 in 1904	10	4.89 in 2020	10	0.26 in 1945
	71.3 in 1978						

Normal Temperature for November at STLf1 = 68.6°

Normal Rainfall for November at STLf1 = 2.20 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	77.9 in 1985	1	69.8 in 1917	1	25.80 in 1988	1	1.52 in 1978
2	77.4 in 1986	2	70.1 in 1903	2	25.13 in 1912	2	3.19 in 1940
3	76.5 in 2020	3	70.2 in 1930	3	24.60 in 1922	3	3.56 in 2010
	76.5 in 1998	4	70.7 in 1920	4	22.73 in 1953	4	3.81 in 1909
5	76.4 in 2007	5	71.0 in 1976	5	21.77 in 1997	5	4.14 in 1967
6	76.2 in 1946		71.0 in 1923	6	21.48 in 1982	6	4.76 in 1991
7	76.1 in 2009	7	71.1 in 1910	7	21.40 in 1950	7	5.09 in 2008
	76.1 in 1941	8	71.4 in 1943	8	21.29 in 1921	8	5.11 in 2018
9	75.9 in 2004	9	71.5 in 2014	9	20.71 in 1949	9	5.33 in 1931
10	75.8 in 2018	10	71.8 in 1956	10	20.35 in 2004	10	5.63 in 1961
	75.8 in 2003		71.8 in 1922	
				36	13.75 in 2020	90	13.75 in 2020

Normal Temperature for Autumn at STLf1= 75.0°

Normal Rainfall for Autumn at STLf1 = 12.02 inches

TARPON SPRINGS (records began in January 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.9 in 1986	1	59.6 in 2004	1	9.13 in 1988	1	0.00 in 2016
2	74.4 in 1985	2	60.0 in 1901	2	8.18 in 1916	2	Trace in 1939
3	74.3 in 1946	3	61.5 in 1917	3	6.99 in 1997		Trace in 1931
4	73.5 in 2015	4	61.7 in 1962	4	6.63 in 1992	4	0.02 in 1978
5	72.6 in 1994		61.7 in 1892	5	6.09 in 2014	5	0.06 in 1933
6	72.3 in 1998	6	61.9 in 1910	6	5.80 in 1963	6	0.08 in 1942
7	71.8 in 2003	7	62.5 in 1904	7	5.57 in 1920	7	0.09 in 1940
8	71.6 in 1896	8	62.6 in 2014	8	5.49 in 2020		0.09 in 1928
9	71.4 in 1982		62.6 in 1970	9	5.19 in 1955	9	0.10 in 1930
10	71.3 in 1929	10	63.0 in 1976	10	5.18 in 1896	10	0.13 in 1924
	71.3 in 1919		63.0 in 1912				
...		...					
21	70.1 in 2020	104	70.1 in 2020				

Normal Temperature for November at TRPF1 = 67.8°

Normal Rainfall for November at TRPF1 = 2.15 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.1 in 1985	1	70.8 in 1917	1	28.87 in 1911	1	1.85 in 2005
2	78.0 in 1986		70.8 in 1892	2	28.34 in 1988	2	3.33 in 1978
3	77.9 in 1919	3	71.4 in 1903	3	24.31 in 2014	3	3.44 in 1967
4	77.6 in 2018	4	71.5 in 1976	4	22.25 in 1997	4	4.62 in 2008
5	76.8 in 2020	5	71.7 in 1967	5	21.71 in 1983	5	4.85 in 2010
	76.8 in 1946		71.7 in 1901	6	21.70 in 1912	6	4.86 in 1927
7	76.7 in 2015	7	71.9 in 1963	7	21.43 in 1975	7	5.57 in 1909
	76.7 in 1994		71.9 in 1962	8	20.78 in 1995	8	5.74 in 1930
9	76.6 in 2019		71.9 in 1940		20.78 in 1959	9	5.99 in 1981
	76.6 in 1998		71.9 in 1904	10	20.60 in 1971	10	6.37 in 1961
			71.9 in 1899				6.37 in 1933
				
				42	13.41 in 2020	89	13.41 in 2020

Normal Temperature for Autumn at TRPF1 = 74.2°

Normal Rainfall for Autumn at TRPF1 = 12.45 inches

TAMPA AREA (records began in April 1890):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.3 in 1986	1	61.4 in 1901	1	6.12 in 1963	1	Trace in 1960
2	76.2 in 2015	2	61.9 in 1970	2	5.97 in 1988	2	0.01 in 2016
3	74.6 in 2020	3	62.3 in 1968	3	5.40 in 2020		0.01 in 1978
4	73.7 in 1946	4	62.5 in 1962	4	5.38 in 1944	4	0.04 in 1931
5	73.6 in 1948	5	62.8 in 1976	5	5.26 in 2014	5	0.05 in 1928
	73.6 in 1985	6	62.9 in 1969	6	4.89 in 1953	6	0.08 in 1927
7	72.7 in 1958		62.9 in 1917	7	4.85 in 1925	7	0.10 in 2001
8	72.5 in 1998	8	63.3 in 1910	8	4.75 in 1941		0.10 in 1942
9	72.3 in 1994	9	63.4 in 1923	9	4.36 in 1987	9	0.11 in 2007
10	72.1 in 2017	10	63.7 in 1949	10	4.34 in 1916	10	0.12 in 2017
							0.12 in 1974

Normal Temperature for November at TPA = 69.1°

Normal Rainfall for November at TPA = 1.55 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.7 in 2020	1	71.0 in 1976	1	24.38 in 1894	1	3.19 in 2010
2	79.0 in 2015	2	71.6 in 1903	2	22.83 in 1912	2	3.30 in 1909
3	78.9 in 2018		71.6 in 1891	3	20.45 in 1997	3	3.62 in 1961
4	78.4 in 1986	4	71.7 in 1968	4	19.80 in 1922	4	4.06 in 1942
5	78.1 in 2019	5	71.8 in 1917	5	19.62 in 1988	5	4.21 in 1940
6	77.9 in 2017		71.8 in 1901	6	19.07 in 1947	6	4.25 in 1913
7	77.8 in 1985	7	71.9 in 1923	7	18.15 in 1953	7	4.35 in 1974
8	77.7 in 2016	8	72.2 in 1892	8	17.60 in 1890	8	5.07 in 1967
9	77.5 in 1919	9	72.3 in 1962	9	16.58 in 1911	9	5.22 in 1984
10	77.2 in 1998	10	72.4 in 1956	10	16.41 in 1975	10	5.33 in 2003
			72.4 in 1910	
				38	12.72 in 2020	94	12.72 in 2020

Normal Temperature for Autumn at TPA = 75.7°

Normal Rainfall for Autumn at TPA = 10.11 inches

ST PETERSBURG (records began in August 1914):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	77.4 in 1986	1	63.9 in 1917	1	6.94 in 1988	1	0.00 in 1931
2	76.3 in 1985	2	64.3 in 1962	2	6.85 in 1953	2	0.02 in 1960
3	74.9 in 2015	3	64.7 in 1949	3	6.80 in 1987	3	0.03 in 2016
4	74.8 in 1946	4	65.1 in 1976	4	6.18 in 2020		0.03 in 1942
5	74.5 in 1948	5	65.2 in 1995	5	6.04 in 1963	5	0.04 in 2001
6	74.3 in 2020		65.2 in 1951	6	5.71 in 1916	6	0.10 in 1978
7	73.8 in 2005	7	65.3 in 1950	7	5.63 in 1925	7	0.12 in 1974
8	73.7 in 1978	8	65.4 in 1954	8	5.08 in 1954	8	0.14 in 1930
9	73.5 in 1958	9	65.7 in 1956	9	5.03 in 1968	9	0.15 in 1928
10	72.9 in 1994		65.7 in 1923	10	5.02 in 1915	10	0.18 in 1946
	72.9 in 1929						

Normal Temperature for November at SPG = 70.1°

Normal Rainfall for November at SPG = 1.90 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	80.0 in 1985	1	72.6 in 1917	1	32.75 in 1988	1	2.13 in 2010
2	79.9 in 1986	2	73.2 in 1956	2	30.04 in 1953	2	4.00 in 1990
3	79.8 in 2005	3	73.4 in 1952	3	26.31 in 1986	3	4.49 in 1967
4	79.3 in 2020	4	73.5 in 1954	4	26.30 in 1952	4	4.69 in 2008
5	79.1 in 2015		73.5 in 1953	5	21.83 in 1997	5	4.84 in 1964
6	79.0 in 2018	6	73.6 in 1976	6	21.06 in 1922	6	5.01 in 1940
7	78.9 in 2019		73.6 in 1962	7	20.14 in 1954	7	5.52 in 1927
8	78.4 in 2013		73.6 in 1923	8	19.12 in 1918	8	5.61 in 1966
	78.4 in 1941	9	73.7 in 1943	9	19.07 in 2001	9	5.73 in 1965
10	78.3 in 2010	10	73.9 in 1950	10	18.52 in 1959	10	6.14 in 1939
	78.3 in 1919			
				38	13.39 in 2020	70	13.39 in 2020

Normal Temperature for Autumn at SPG = 76.5°

Normal Rainfall for Autumn at SPG = 12.44 inches

PLANT CITY (records began in September 1892):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 75.7 in 1986	1 61.8 in 1932	1 7.88 in 1953	1 0.00 in 1960
2 74.6 in 2015	2 62.0 in 1930	2 7.34 in 1988	0.00 in 1931
3 74.3 in 1948	3 62.1 in 1917	3 6.89 in 2020	0.00 in 1905
4 74.2 in 2020	4 62.4 in 1933	4 6.75 in 2014	4 0.01 in 2007
5 73.9 in 1946	5 62.6 in 1904	5 6.46 in 1963	5 0.05 in 2012
6 72.7 in 1985	6 62.9 in 1912	6 5.90 in 1918	6 0.10 in 1928
7 72.5 in 1896	7 63.1 in 2014	7 5.56 in 1971	0.10 in 1924
8 72.3 in 1994	8 63.3 in 1962	8 4.63 in 1980	8 0.13 in 1940
72.3 in 1958	63.3 in 1949	9 4.52 in 1987	9 0.15 in 2017
10 71.7 in 1978	10 63.4 in 1926	10 4.41 in 1947	0.15 in 1978

Normal Temperature for November at PLCF1 = 68.2°

Normal Rainfall for November at PLCF1 = 1.83 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.6 in 2020	1 70.4 in 1930	1 25.05 in 1947	1 1.89 in 1909
2 78.4 in 2018	2 70.8 in 1932	2 23.20 in 1894	2 1.99 in 1961
3 78.3 in 2019	3 71.2 in 1940	3 23.04 in 1988	3 3.56 in 1940
4 77.9 in 1986	4 71.5 in 2000	4 21.72 in 1953	4 4.08 in 1991
5 77.4 in 2015	5 71.6 in 1976	5 20.54 in 2020	5 4.29 in 1927
6 77.2 in 1985	6 71.7 in 1943	6 20.36 in 2014	6 4.41 in 1990
7 76.4 in 1946	7 72.0 in 1937	7 20.15 in 2004	7 4.55 in 2010
8 76.0 in 2016	72.0 in 1909	8 20.06 in 1998	8 4.57 in 1939
9 75.9 in 1948	9 72.2 in 1968	9 19.92 in 1959	9 4.63 in 1967
75.9 in 1911	10 72.4 in 1926	10 19.76 in 1912	10 4.67 in 2008

Normal Temperature for Autumn at PLCF1 = 74.5°

Normal Rainfall for Autumn at PLCF1 = 11.28 inches

LAKELAND AREA (records began in January 1915):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 76.9 in 1986	1 62.6 in 1970	1 7.56 in 2014	1 0.00 in 1924
2 75.4 in 2015	2 62.9 in 1962	2 7.19 in 1988	2 Trace in 2016
3 73.4 in 1985	3 63.0 in 1969	3 6.08 in 1987	Trace in 1960
4 73.3 in 1994	4 63.4 in 1949	4 5.94 in 1941	Trace in 1917
73.3 in 1948	5 63.5 in 1976	5 5.80 in 2020	5 0.03 in 1931
6 73.1 in 1946	63.5 in 1951	6 5.71 in 1963	6 0.05 in 1928
7 73.0 in 2020	63.5 in 1950	7 5.54 in 1980	7 0.07 in 1950
8 71.6 in 2003	8 63.7 in 1968	8 5.37 in 1953	8 0.08 in 2012
71.6 in 1958	9 63.9 in 2008	9 4.59 in 2018	9 0.10 in 1991
10 71.5 in 1998	10 64.0 in 1923	10 4.48 in 1997	10 0.11 in 1940

Normal Temperature for November at LLDF1 = 68.2°

Normal Rainfall for November at LLDF1 = 2.30 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.2 in 1986	1 71.5 in 1976	1 22.45 in 2014	1 2.99 in 1961
2 78.6 in 2020	2 72.1 in 1943	2 21.46 in 2004	2 3.21 in 1940
3 78.3 in 2015	3 72.2 in 1923	3 19.78 in 1947	3 4.16 in 1942
4 78.1 in 1985	4 72.3 in 2006	4 19.52 in 1918	4 4.25 in 1927
5 78.0 in 2018	72.3 in 1968	5 18.47 in 1998	5 4.28 in 1934
6 77.4 in 2019	72.3 in 1956	6 18.39 in 1929	6 4.58 in 2010
7 77.0 in 1994	7 72.4 in 1967	7 18.29 in 1953	7 4.69 in 2008
8 76.8 in 2009	8 72.5 in 1940	8 17.36 in 1997	8 5.01 in 1967
9 76.7 in 1990	9 72.6 in 1954	9 17.09 in 1989	9 5.12 in 1978
10 76.6 in 2017	10 72.7 in 1962	10 17.08 in 2020	10 5.35 in 1974
	72.7 in 1953		
	72.7 in 1924		

Normal Temperature for Autumn at LLDF1 = 74.5°

Normal Rainfall for Autumn at LLDF1 = 12.62 inches

WINTER HAVEN AREA (records began in January 1941):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 76.8 in 1986	1 63.1 in 1962	1 7.81 in 1988	1 0.00 in 1960
2 75.6 in 1948	2 63.2 in 1970	2 7.13 in 1987	0.00 in 1950
3 75.1 in 2015	3 63.9 in 2008	3 6.76 in 1953	3 Trace in 2011
4 74.9 in 1985	63.9 in 1968	4 6.27 in 1963	4 0.01 in 2012
5 74.5 in 1946	5 64.1 in 1976	5 5.32 in 1994	5 0.07 in 2016
6 73.5 in 2020	6 64.5 in 1949	6 5.21 in 1980	6 0.13 in 1966
7 73.1 in 1994	7 64.6 in 1969	7 4.94 in 1951	7 0.16 in 1942
8 72.6 in 1988	8 64.7 in 1981	8 4.07 in 1995	8 0.19 in 1985
9 72.4 in 1958	9 64.9 in 1950	9 4.00 in 2020	9 0.20 in 2017
10 72.2 in 1998	10 65.0 in 2012	10 3.97 in 1968	0.20 in 1991
	65.0 in 1951		0.20 in 1967

Normal Temperature for November at GIF = 69.0°

Normal Rainfall for November at GIF = 2.11 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.2 in 2020	1 71.8 in 1976	1 21.86 in 1987	1 2.72 in 1961
2 79.1 in 2018	2 72.2 in 1968	2 20.61 in 1947	2 3.11 in 2009
3 79.0 in 1986	3 72.5 in 1962	3 20.57 in 1953	3 4.27 in 1967
4 78.7 in 2019	4 73.0 in 1963	4 20.35 in 1960	4 4.29 in 2008
5 78.4 in 1985	5 73.2 in 2006	5 18.82 in 1959	5 4.91 in 1985
6 78.0 in 2015	6 73.3 in 2008	6 18.11 in 1950	6 5.14 in 1942
7 77.2 in 1998	73.3 in 1981	7 17.84 in 2014	7 5.44 in 1978
77.2 in 1989	73.3 in 1953	8 17.59 in 2001	8 5.54 in 2006
77.2 in 1946	9 73.4 in 1943	9 17.16 in 1988	9 5.78 in 1990
77.2 in 1941	10 73.5 in 2000	10 16.36 in 2020	10 5.87 in 2015

Normal Temperature for Autumn at GIF = 75.4°

Normal Rainfall for Autumn at GIF = 11.16 inches

BARTOW (records began in June 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.4 in 1986	1	60.9 in 1917	1	7.40 in 1987	1	0.00 in 2016
2	75.3 in 2015	2	61.5 in 1970	2	7.36 in 2002		0.00 in 1960
3	74.5 in 1948	3	62.0 in 1910	3	6.52 in 1963	3	0.02 in 1931
4	73.6 in 2013	4	62.3 in 1901	4	6.33 in 1988	4	0.04 in 1966
	73.6 in 1985	5	62.6 in 1904	5	5.97 in 1953		0.04 in 1928
6	73.5 in 1946		62.6 in 1892	6	5.80 in 1951	6	0.05 in 2012
7	73.0 in 1994	7	62.9 in 1962	7	4.75 in 1911	7	0.06 in 1950
8	72.9 in 1958	8	63.5 in 2008	8	4.71 in 1937	8	0.09 in 1923
9	72.5 in 2020		63.5 in 1912	9	4.68 in 2015	9	0.10 in 2007
	72.5 in 1998	10	63.6 in 1939	10	4.54 in 1983		0.10 in 1974
				
				26	2.73 in 2020	103	2.73 in 2020

Normal Temperature for November at BARF1 = 69.2°
 Normal Rainfall for November at BARF1 = 1.94 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	77.8 in 2020	1	71.0 in 1894	1	26.99 in 1894	1	3.71 in 1942
	77.8 in 2015	2	71.1 in 1892	2	21.30 in 1947	2	4.88 in 2010
3	77.2 in 1998	3	71.4 in 1917	3	20.97 in 1917	3	5.00 in 1940
4	77.1 in 2018	4	71.8 in 1976	4	20.77 in 1922	4	5.02 in 1990
5	76.9 in 2009	5	72.1 in 1895	5	20.38 in 1959	5	5.25 in 1961
6	76.8 in 1946	6	72.3 in 1914	6	20.31 in 1982	6	5.26 in 1939
	76.8 in 1919	7	72.4 in 1970	7	19.77 in 1953	7	5.29 in 1984
8	76.5 in 2019	8	72.5 in 1904	8	19.43 in 1902	8	5.47 in 1974
	76.5 in 1958	9	72.8 in 1967	9	19.30 in 1960	9	5.57 in 1906
10	76.4 in 1994		72.8 in 1963	10	18.97 in 2004	10	5.90 in 1927
			72.8 in 1935	
				31	15.33 in 2020	94	15.33 in 2020

Normal Temperature for Autumn at BARF1 = 75.5°
 Normal Rainfall for Autumn at BARF1 = 11.40 inches

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 76.1 in 1986	1 63.2 in 1917	1 9.40 in 1997	1 0.00 in 1931
2 75.4 in 2015	2 63.5 in 1949	2 7.62 in 2020	2 Trace in 1940
3 74.7 in 2020	63.5 in 1923	3 6.81 in 1920	Trace in 1928
4 73.2 in 1948	4 64.2 in 1976	4 6.24 in 1925	4 0.02 in 2016
5 73.1 in 1958	5 64.5 in 2008	5 5.68 in 1953	5 0.06 in 2001
6 72.7 in 1994	6 64.6 in 2014	6 5.18 in 1941	0.06 in 1991
7 72.4 in 1985	64.6 in 1981	7 5.15 in 1988	7 0.09 in 1930
8 72.2 in 2013	8 64.7 in 1968	8 4.94 in 1918	8 0.16 in 2007
9 72.1 in 1998	9 64.8 in 1933	9 4.69 in 2002	9 0.20 in 1945
72.1 in 1946	10 65.0 in 1962	10 4.55 in 1972	10 0.21 in 1978
			0.21 in 1950

Normal Temperature for November at SRQ = 69.2°
 Normal Rainfall for November at SRQ = 1.93 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.7 in 2020	1 71.3 in 1976	1 28.46 in 1953	1 3.64 in 2010
79.7 in 2019	2 72.2 in 1930	2 25.64 in 1962	2 4.01 in 1991
3 78.3 in 2016	3 72.3 in 1943	3 23.66 in 1922	3 5.08 in 1942
4 78.2 in 1986	4 72.5 in 1940	4 23.12 in 1997	4 5.44 in 1974
5 78.0 in 2015	5 72.7 in 1923	5 22.26 in 1912	5 5.61 in 2012
6 77.8 in 2018	6 73.0 in 1981	6 22.01 in 1952	6 5.90 in 2019
7 77.3 in 2007	73.0 in 1944	7 21.30 in 1988	7 5.95 in 1945
8 77.1 in 1998	73.0 in 1937	8 20.43 in 1928	8 6.05 in 1944
77.1 in 1990	9 73.1 in 1968	9 20.29 in 1957	9 6.27 in 1984
10 77.0 in 2013	73.1 in 1956	10 19.80 in 1960	10 6.42 in 1930
		11 19.60 in 1947	
		12 19.53 in 1926	
		13 19.21 in 2020	

Normal Temperature for Autumn at SRQ = 75.6°
 Normal Rainfall for Autumn at SRQ = 12.15 inches

VENICE (records began in May 1955):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.8 in 2015	1	64.2 in 2008	1	7.65 in 1997	1	0.00 in 1991
2	74.1 in 1985	2	64.7 in 1962	2	6.02 in 2020	2	0.02 in 2007
3	73.6 in 1998	3	64.9 in 1981	3	5.85 in 1972	3	0.04 in 2001
	73.6 in 1994		64.9 in 1970	4	5.56 in 1983	4	0.06 in 2016
5	73.5 in 2020	5	65.1 in 1956	5	5.55 in 1963	5	0.15 in 1960
6	72.5 in 2013	6	65.2 in 1976	6	4.77 in 1957	6	0.20 in 1993
7	72.3 in 2003	7	65.4 in 1968	7	4.46 in 1980	7	0.30 in 1956
8	72.2 in 1978	8	65.8 in 2014	8	4.14 in 1998	8	0.31 in 1978
9	71.9 in 2011	9	66.0 in 1969	9	3.77 in 1968	9	0.32 in 2012
	71.9 in 1982	10	66.8 in 1966	10	3.72 in 2014		0.32 in 2003

Normal Temperature for November at VNCF1 = 69.3°
 Normal Rainfall for November at VNCF1 = 1.80 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.9 in 2009	1	71.8 in 1976	1	26.44 in 1983	1	3.04 in 1961
2	78.5 in 1998	2	72.1 in 1968	2	25.83 in 1995	2	3.63 in 1981
3	78.4 in 2015	3	72.8 in 2008	3	21.38 in 1997	3	5.24 in 1978
4	78.0 in 2020		72.8 in 1956	4	20.89 in 1960	4	5.81 in 2010
5	77.8 in 2018	5	73.6 in 1974	5	20.27 in 1968	5	6.18 in 1964
	77.8 in 2013	6	73.7 in 1987	6	19.23 in 1959	6	6.59 in 1984
	77.8 in 1985		73.7 in 1981	7	18.86 in 1982	7	7.16 in 1990
8	77.6 in 2010		73.7 in 1962	8	18.67 in 2014	8	7.38 in 2011
9	77.3 in 1994	9	73.9 in 1977	9	18.33 in 1957	9	7.53 in 2019
10	77.0 in 2017	10	74.0 in 2006	10	18.29 in 1962	10	7.81 in 1965
	77.0 in 2011			
	77.0 in 2003			22	14.11 in 2020	45	14.11 in 2020

Normal Temperature for Autumn at VNCF1 = 75.3°
 Normal Rainfall for Autumn at VNCF1 = 12.30 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.8 in 2015	1	62.1 in 1962	1	10.19 in 1997	1	0.00 in 2001
2	75.6 in 1986	2	62.4 in 1969	2	5.13 in 1953	2	0.02 in 1950
3	73.4 in 1998	3	62.8 in 1970	3	5.04 in 1947	3	0.03 in 1991
4	73.2 in 1985	4	63.2 in 1968	4	5.01 in 1972	4	0.07 in 2016
5	72.8 in 2020	5	64.1 in 2008	5	4.87 in 1981	5	0.19 in 2012
6	72.7 in 1958	6	65.3 in 2000	6	4.76 in 2020	6	0.20 in 1944
7	72.3 in 1982	7	65.4 in 2012	7	4.73 in 1958	7	0.30 in 1996
8	72.1 in 2013		65.4 in 1963	8	4.52 in 1963		0.30 in 1993
	72.1 in 1978	9	65.8 in 1976	9	4.45 in 2002		0.30 in 1965
10	71.6 in 2003	10	65.9 in 2002	10	4.42 in 1983	10	0.37 in 1945

Normal Temperature for November at MKCF1 = 69.1°
Normal Rainfall for November at MKCF1 = 2.15 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.5 in 2015	1	71.7 in 1962	1	25.70 in 1962	1	4.57 in 1961
2	78.3 in 1998	2	72.6 in 1968	2	23.65 in 1997	2	5.85 in 1974
3	78.0 in 2019	3	72.7 in 1976	3	23.43 in 1979	3	6.14 in 1991
	78.0 in 2018	4	72.8 in 1963	4	21.95 in 2014	4	6.52 in 2008
5	77.9 in 1986	5	73.4 in 1970	5	21.67 in 1995	5	7.52 in 1970
6	77.8 in 1985		73.4 in 1969	6	21.13 in 1953	6	7.57 in 1955
7	77.7 in 1991	7	73.5 in 2008	7	20.63 in 1957	7	8.07 in 2012
8	77.5 in 2020	8	73.7 in 2000	8	20.18 in 2001	8	8.67 in 1950
9	76.8 in 2009	9	73.8 in 1992	9	19.62 in 1952	9	8.75 in 1996
	76.8 in 1990	10	73.9 in 1987	10	19.59 in 1994	10	8.84 in 2011
				11	19.10 in 1951		
				12	18.75 in 1983		
				13	18.62 in 1960		
				14	18.24 in 1959		
				15	17.68 in 1954		
				16	17.23 in 2020		

Normal Temperature for Autumn at MKCF1 = 75.3°
Normal Rainfall for Autumn at MKCF1 = 13.33 inches

WAUCHULA 2 N (records began in January 1933):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.7 in 1986	1	61.9 in 2012	1	11.18 in 1987	1	0.02 in 1940
2	74.6 in 2015	2	62.5 in 2014	2	10.38 in 1997	2	0.03 in 1967
3	74.4 in 1948		62.5 in 1949	3	6.43 in 1953	3	0.08 in 1960
4	73.2 in 1946	4	63.2 in 1962	4	5.89 in 1963	4	0.12 in 1991
5	72.7 in 2020	5	63.4 in 1970	5	4.75 in 1972	5	0.16 in 1974
	72.7 in 1985	6	63.5 in 1956	6	4.41 in 2002	6	0.17 in 2016
7	72.7 in 1958	7	63.8 in 2000	7	4.37 in 2014	7	0.19 in 2012
8	71.7 in 1988	8	63.9 in 1969	8	3.93 in 2010	8	0.23 in 1944
9	71.4 in 1978	9	64.0 in 1950	9	3.91 in 1937	9	0.24 in 1966
	71.4 in 1973	10	64.4 in 1954	10	3.44 in 1988		0.24 in 1956
				
				19	2.76 in 2020	67	2.76 in 2020
					2.76 in 1936		2.76 in 1936

Normal Temperature for November at WAUF1 = 69.5°
 Normal Rainfall for November at WAUF1 = 2.14 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.1 in 2009	1	71.6 in 2014	1	27.02 in 1953	1	2.12 in 1961
2	77.9 in 2007	2	71.7 in 2012	2	23.48 in 1947	2	3.84 in 1974
3	77.7 in 1985	3	72.0 in 1956	3	20.13 in 1975	3	4.75 in 1967
4	77.6 in 2020	4	72.1 in 1943	4	20.12 in 1952	4	4.92 in 2008
5	77.5 in 2015	5	72.2 in 1954	5	19.04 in 1987	5	5.10 in 1978
6	77.2 in 1941	6	72.5 in 2010	6	19.02 in 1960	6	5.80 in 1991
7	76.9 in 2018		72.5 in 2006	7	19.00 in 1997	7	6.09 in 1976
8	76.3 in 1946		72.5 in 1953	8	18.33 in 2017	8	6.10 in 1944
9	76.2 in 1989		72.5 in 1944	9	16.90 in 1938	9	6.32 in 1980
10	76.1 in 2019	10	72.6 in 1976	10	16.88 in 1969	10	6.58 in 2003
	76.1 in 1990			
	76.1 in 1936			34	11.69 in 2020	50	11.69 in 2020

Normal Temperature for Autumn at WAUF1 = 76.1°
 Normal Rainfall for Autumn at WAUF1 = 10.87 inches

ARCADIA (records began in November 1899)

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 74.9 in 1986	1 62.1 in 1901	1 6.69 in 1997	1 Trace in 1996
2 74.7 in 2015	2 62.2 in 2008	2 5.67 in 1947	Trace in 1940
3 74.2 in 1948	3 62.6 in 1970	3 5.11 in 1987	Trace in 1928
4 73.3 in 1958	4 62.7 in 1910	4 5.08 in 2002	4 0.01 in 1931
73.3 in 1946	5 62.8 in 1923	5 4.95 in 1980	5 0.04 in 1950
6 72.7 in 1919	6 63.3 in 1933	6 4.88 in 2020	6 0.05 in 2016
7 72.4 in 2020	7 63.4 in 1949	7 4.82 in 1992	7 0.06 in 2008
8 72.2 in 1902	8 63.7 in 2014	4.82 in 1962	8 0.09 in 2007
9 72.0 in 1911	9 63.8 in 2012	9 4.53 in 2014	9 0.10 in 1991
10 71.9 in 1990	63.8 in 1962	10 4.43 in 1951	0.10 in 1960

Normal Temperature for November at ARCF1 = 68.1°

Normal Rainfall for November at ARCF1 = 1.94 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 78.0 in 1919	1 71.6 in 1923	1 24.53 in 1952	1 3.03 in 1961
2 77.5 in 2020	2 71.7 in 1976	2 23.19 in 2020	2 4.14 in 1909
3 77.4 in 1911	71.7 in 1910	3 22.94 in 1953	3 4.68 in 1901
4 77.2 in 2015	4 71.8 in 2008	4 22.83 in 1908	4 4.77 in 1946
77.2 in 1986	5 72.2 in 1968	5 20.84 in 1947	5 5.62 in 1925
77.2 in 1902	6 72.5 in 1943	6 20.79 in 1960	6 5.89 in 1942
7 76.9 in 2018	7 72.6 in 1970	7 20.17 in 1962	7 5.97 in 1913
8 76.6 in 1946	72.6 in 1969	8 19.95 in 1910	8 5.98 in 1974
9 76.4 in 1998	9 72.7 in 1990	9 18.88 in 1959	9 5.99 in 1955
76.4 in 1948	72.7 in 1962	10 18.83 in 2017	10 6.00 in 2008
76.4 in 1941			

Normal Temperature for Autumn at ARCF1 = 74.4°

Normal Rainfall for Autumn at ARCF1 = 11.81 inches

ARCHBOLD BIO STN (records began in January 1969):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 76.0 in 2015	1 62.2 in 2008	1 5.94 in 1987	1 0.00 in 2016
2 75.6 in 1986	2 63.1 in 2012	2 5.16 in 1998	0.00 in 2008
3 73.7 in 2020	3 63.2 in 1970	3 4.52 in 2002	3 0.08 in 1986
4 72.4 in 1992	4 64.2 in 1969	4 4.46 in 1997	4 0.12 in 1970
5 71.7 in 1985	5 64.4 in 1981	5 4.37 in 1992	5 0.13 in 1975
6 71.6 in 1994	6 65.1 in 2014	6 4.17 in 1977	6 0.20 in 1996
7 71.3 in 1978	7 65.3 in 2006	7 4.16 in 1994	7 0.21 in 2012
71.3 in 1973	8 65.4 in 2000	8 3.80 in 1988	8 0.24 in 2000
9 71.2 in 2013	9 66.0 in 1991	9 3.78 in 2005	9 0.29 in 1973
10 70.6 in 2017	10 66.3 in 1997	10 3.52 in 1972	10 0.40 in 2006
70.6 in 2003		11 3.50 in 2014	
70.6 in 1988		12 3.44 in 2020	

Normal Temperature for November at ACHF1 = 68.1°
Normal Rainfall for November at ACHF1 = 1.98 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 78.2 in 2015	1 71.6 in 2008	1 22.87 in 2017	1 4.62 in 1996
2 78.0 in 2020	2 72.5 in 2012	2 22.49 in 1987	2 4.86 in 1990
3 77.4 in 1986	3 72.7 in 2006	3 20.74 in 1969	3 5.52 in 2006
4 76.6 in 2018	72.7 in 2000	4 18.09 in 2014	4 5.96 in 1974
5 76.3 in 2019	72.7 in 1976	5 17.33 in 1977	5 6.01 in 2018
76.3 in 1985	6 72.8 in 1997	6 17.04 in 2001	6 6.16 in 2010
7 76.2 in 2017	7 73.0 in 1981	7 16.79 in 1998	7 6.27 in 2008
8 75.8 in 2016	8 73.1 in 1970	8 16.55 in 2016	8 6.53 in 1980
75.8 in 1973	9 73.2 in 2014	9 16.32 in 2005	9 7.16 in 1984
10 75.7 in 2009	73.2 in 1984	10 16.23 in 2004	10 7.36 in 2007
		11 16.01 in 1979	
		12 15.35 in 2002	
		13 15.27 in 1995	
		14 15.04 in 1994	
		15 14.96 in 2020	

Normal Temperature for Autumn at ACHF1 = 74.1°
Normal Rainfall for Autumn at ACHF1 = 11.62 inches

PUNTA GORDA AREA (records began in May 1914):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 78.3 in 1948	1 63.9 in 1917	1 6.91 in 2020	1 0.00 in 1931
2 76.8 in 1986	2 64.2 in 1970	2 5.97 in 1916	2 0.02 in 2012
3 75.9 in 1946	64.2 in 1968	3 5.52 in 2002	3 0.05 in 2016
4 75.5 in 2015	4 65.1 in 2008	4 5.07 in 1987	0.05 in 1990
5 74.3 in 2020	5 65.7 in 1969	5 4.60 in 2014	5 0.07 in 2007
6 74.2 in 1985	6 65.8 in 1966	6 4.54 in 1965	6 0.08 in 1940
7 74.1 in 1958	7 66.1 in 1976	7 4.40 in 1972	7 0.09 in 1993
8 73.8 in 1961	66.1 in 1923	8 4.31 in 1921	8 0.10 in 1929
9 73.6 in 1947	9 67.0 in 2012	9 4.16 in 1951	9 0.11 in 1973
10 73.0 in 1960	67.0 in 1939	10 3.92 in 1998	10 0.12 in 1924
	67.0 in 1914		

Normal Temperature for November at PGD = 69.9°

Normal Rainfall for November at PGD = 2.01 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.6 in 1948	1 72.4 in 1917	1 31.25 in 1959	1 5.37 in 2008
2 79.4 in 1986	2 73.0 in 1976	2 24.61 in 1922	2 5.75 in 1961
3 79.3 in 2020	73.0 in 1968	3 23.01 in 1962	3 5.87 in 1974
4 79.1 in 1946	4 73.5 in 1923	4 21.28 in 1953	4 5.91 in 1927
5 78.7 in 2018	5 73.7 in 1930	5 20.82 in 1995	5 5.95 in 1973
78.7 in 1985	6 73.8 in 1914	6 20.64 in 1947	6 6.00 in 1931
7 78.1 in 2015	7 73.9 in 1943	7 20.39 in 1924	7 6.22 in 1991
78.1 in 1947	73.9 in 1940	8 18.72 in 1929	8 6.33 in 1970
9 77.9 in 1960	9 74.0 in 1970	9 18.66 in 1951	9 6.62 in 1978
77.9 in 1951	10 74.1 in 2008	10 18.54 in 1945	10 6.82 in 1920
	74.1 in 1969	11 18.09 in 2020	
	74.1 in 1966		

Normal Temperature for Autumn at PGD = 76.2°

Normal Rainfall for Autumn at PGD = 12.39 inches

FORT MYERS AREA (records began in January 1902):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 78.3 in 1986	1 64.7 in 1917	1 8.06 in 1987	1 Trace in 2016
2 76.7 in 2015	2 64.9 in 1910	2 7.58 in 1998	Trace in 2000
3 75.6 in 1985	3 65.4 in 1956	3 5.67 in 2002	Trace in 1944
75.6 in 1948	4 65.7 in 1949	4 4.60 in 1921	4 0.01 in 1990
5 75.4 in 1994	5 65.9 in 1923	5 4.47 in 2014	5 0.02 in 1950
6 75.0 in 1946	6 66.1 in 1962	6 4.21 in 2020	6 0.03 in 1945
7 74.9 in 2020	7 66.2 in 1969	7 4.11 in 1997	7 0.04 in 1978
8 74.2 in 1978	8 66.3 in 1903	8 3.85 in 1972	8 0.06 in 1905
9 74.0 in 2017	9 66.6 in 1950	9 3.75 in 2005	9 0.08 in 1942
74.0 in 1988	10 66.7 in 1976	10 3.71 in 1922	10 0.09 in 2008
	66.7 in 1970		0.09 in 2007
			0.09 in 1931

Normal Temperature for November at FMY = 71.7°

Normal Rainfall for November at FMY = 1.96 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 80.4 in 1986	1 72.5 in 1903	1 32.14 in 1922	1 5.16 in 1988
2 80.2 in 1985	2 72.7 in 1910	2 27.85 in 1969	2 5.95 in 1942
3 79.8 in 2019	3 72.9 in 1976	3 26.80 in 1924	3 5.96 in 1974
4 79.1 in 2020	4 73.7 in 1908	4 23.34 in 1947	4 5.97 in 1907
79.1 in 2015	5 73.8 in 1913	5 23.33 in 1953	5 6.11 in 1992
6 78.8 in 1979	6 74.0 in 1923	6 22.99 in 1962	6 6.12 in 1906
7 78.7 in 1994	7 74.1 in 1953	7 22.36 in 2020	7 6.31 in 2004
8 78.6 in 2018	8 74.3 in 1909	8 21.74 in 1998	8 6.50 in 1966
9 78.5 in 2007	9 74.4 in 1943	9 21.44 in 1952	9 6.67 in 1978
78.5 in 1990	74.4 in 1914	10 20.90 in 2011	10 6.78 in 1904

Normal Temperature for Autumn at FMY = 77.3°

Normal Rainfall for Autumn at FMY = 13.15 inches

For more local climate information, please visit our web page at <http://weather.gov/tampabay> and look within the "Climate and Past Weather" drop down menu above the map of the area.