



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


November and Autumn (Sep/Oct/Nov) 2021 Climate Summary

We were on a temperature rollercoaster during November 2021 with cold fronts moving through each week causing warm and somewhat humid conditions ahead of them followed by cooler drier weather which led to average temperatures being slightly below normal for the month. Most of these fronts were uneventful bringing just a few showers, but the first one early in the month did bring some widespread heavy rainfall to the region with most areas receiving more rainfall in one day than they usually see during the entire month of November.


NOVEMBER TEMPERATURE (°F) :

Location	November 2021		Normal Nov Temp	Dep fm Normal	Records Began
	Rank	Avg Temp			
Fort Myers Area	68th Coolest (tie)	70.8°	71.5°	-0.7°	Jan 1902
St Petersburg Area	56th Coolest (tie)	69.7°	70.6°	-0.9°	Aug 1914
Punta Gorda Area	33rd Coolest (tie)	68.5°	70.2°	-1.7°	May 1914
Tampa Area	80th Coolest	68.4°	69.8°	-1.4°	Apr 1890
Sarasota-Bradenton Area	42th Coolest (tie)	67.6°	70.1°	-2.5°	Jan 1911
Winter Haven Area	20th Coolest (tie)	67.4°	69.8°	-2.4°	Mar 1941
Venice	10th Coolest (tie)	66.8°	69.9°	-3.1°	May 1955
Lakeland Area	65th Coolest (tie)	66.7°	69.2°	-2.5°	Jan 1915
Archbold Bio Stn	11th Coolest (tie)	66.5°	68.9°	-2.4°	Jan 1969
Plant City	48th Coolest	66.4°	69.4°	-3.0°	Sep 1892
Bartow	31st Coolest (tie)	66.0°	68.3°	-2.3°	Jun 1892
Myakka River State Park	9th Coolest	65.6°	69.1°	-3.5°	Mar 1956
Wauchula 2 N	20th Coolest (tie)	65.4°	67.8°	-2.4°	Jan 1933
St. Leo	32nd Coolest (tie)	64.6°	66.8°	-2.2°	Apr 1895
Tarpon Springs	17th Coolest (tie)	63.5°	67.5°	-4.0°	Jan 1892
Brooksville Area	13th Coolest	62.5°	65.1°	-2.6°	Jan 1892
Inverness 3 SE	15th Coolest	62.5°	64.3°	-1.8°	Jul 1948
Chiefland 5 ESE	7th Coolest	59.3°	62.7°	-3.4°	Jul 1956

Temperature (F)
11/1/2021 - 11/30/2021



Departure from Normal Temperature (F)
11/1/2021 - 11/30/2021




Graphics Source: NOAA Regional Climate Centers

As for Autumn, we had near normal temperatures in September, mostly above normal temperatures in October, and mostly below normal temperatures in November, which left the Autumn average temperatures pretty close to normal.


AUTUMN (SEPTEMBER/OCTOBER/NOVEMBER) TEMPERATURE (°F) :

Location	Autumn 2021 Rank	Autumn 2021 Avg Temp	Normal Aut Temp	Dep fm Normal	Records Began
Fort Myers Area	9th Warmest (tie)	78.5°	77.2°	+1.3°	Jan 1902
St Petersburg Area	12th Warmest	78.1°	77.0°	+1.1°	Aug 1914
Tampa Area	10th Warmest	77.3°	76.6°	+0.7°	Apr 1890
Punta Gorda Area	26th Warmest (tie)	76.7°	76.5°	+0.2°	May 1914
Winter Haven Area	16th Warmest (tie)	76.3°	76.4°	-0.1°	Mar 1941
Plant City	8th Warmest	76.2°	76.1°	+0.1°	Sep 1892
Sarasota-Bradenton Area	19th Warmest (tie)	76.2°	76.5°	-0.3°	Jan 1911
Venice	26th Warmest (tie)	75.9°	76.0°	-0.1°	May 1955
Lakeland Area	22nd Warmest (tie)	75.7°	75.7°	0.0°	Jan 1915
Bartow	37th Warmest (tie)	74.7°	74.8°	-0.1°	Jun 1892
Myakka River State Park	14th Coolest	74.4°	75.6°	-1.2°	Mar 1956
Archbold Bio Stn	22nd Coolest (tie)	74.2°	75.1°	-0.9°	Jan 1969
Wauchula 2 N	30th Coolest (tie)	74.1°	74.6°	-0.5°	Jan 1933
St. Leo	61st Coolest (tie)	73.5°	73.6°	-0.1°	Apr 1895
Tarpon Springs	36th Coolest (tie)	73.3°	74.8°	-1.5°	Jan 1892
Inverness 3 SE	28th Warmest	72.9°	71.9°	+1.0°	Jul 1948
Brooksville Area	33rd Coolest	72.6°	72.7°	-0.1°	Jan 1892
Chiefland 5 ESE	24th Coolest (tie)	70.6°	70.9°	-0.3°	Jul 1956

Temperature (F)
9/1/2021 - 11/30/2021



Departure from Normal Temperature (F)
9/1/2021 - 11/30/2021




Graphics Source: NOAA Regional Climate Centers


Looking at rainfall, most days in November 2021 were dry, which is pretty typical, but as mentioned earlier there was a widespread heavy rain event early in the month that pushed amounts above normal for most of the area.

NOVEMBER RAINFALL (inches):

Location	November Rank	2021 Rain Total	Normal Nov Rain	Dep fm Normal	Records Began
Lakeland Area	11th Wettest	4.24	1.93	+2.31	Jan 1915
Plant City	11th Wettest	4.23	1.76	+2.47	Sep 1892
Myakka River State Park	15th Wettest	3.76	2.02	+1.74	Sep 1943
Punta Gorda Area	12th Wettest	3.73	2.12	+1.61	May 1914
Tampa Area	15th Wettest	3.52	1.40	+2.12	Apr 1890
Venice	11th Wettest (tie)	3.47	1.54	+1.93	May 1955
St. Petersburg Area	22nd Wettest	3.38	1.46	+1.92	Aug 1914
Archbold Bio Stn	14th Wettest	3.16	1.74	+1.42	Jan 1969
Winter Haven Area	18th Wettest	3.07	1.45	+1.62	Mar 1941
Bartow	22nd Wettest (tie)	3.06	1.49	+1.57	Jun 1892
St. Leo	28th Wettest	2.90	1.86	+1.04	Apr 1895
Chiefland 5 ESE	20th Wettest	2.82	2.22	+0.60	Jul 1956
Tarpon Springs	31st Wettest	2.75	1.90	+0.85	Jan 1892
Brooksville Area	31st Wettest	2.57	1.59	+0.98	Jan 1892
Inverness 3 SE	22nd Wettest	2.63	1.83	+0.80	Jul 1948
Fort Myers Area	25th Wettest	2.45	1.78	+0.67	Jan 1902
Wauchula 2 N	24th Wettest	2.24	1.96	+0.28	Jan 1933
Sarasota-Bradenton Area	56th Driest	1.44	1.81	-0.37	Jan 1911



Rainfall Nov 2021




Percent of Normal


As far rainfall during Autumn it was somewhat variable with totals ranging from less than 8 inches to over 19 inches.

AUTUMN (SEPTEMBER/OCTOBER/NOVEMBER) RAINFALL (inches) :

Location	Rank	Autumn 2021 Rain Total	Normal Aut Rain	Dep fm Normal	Records Began
Inverness 3 SE	4th Wettest	19.73	10.56	+9.17	Jul 1948
Archbold Bio Stn	7th Wettest	16.98	12.32	+4.66	Jan 1969
St. Leo	21st Wettest	16.41	11.55	+4.86	Apr 1895
Lakeland Area	17th Wettest	15.94	12.59	+3.35	Jan 1915
Bartow	32nd Wettest	15.11	11.83	+3.28	Jun 1892
Fort Myers Area	41st Wettest	14.67	13.86	+1.19	Jan 1902
Plant City	38th Wettest	13.14	11.33	+1.81	Sep 1892
St. Petersburg Area	42nd Wettest	12.93	10.28	+2.65	Aug 1914
Tarpon Springs	52nd Wettest	12.53	12.12	+0.41	Jan 1892
Tampa Area	42nd Wettest (tie)	12.26	9.83	+2.43	Apr 1890
Myakka River State Park	32nd Driest	12.16	13.66	-1.50	Sep 1943
Wauchula 2 N	36th Wettest	11.39	11.37	+0.02	Jan 1933
Punta Gorda Area	43rd Driest	11.20	12.01	-0.81	May 1914
Chiefland 5 ESE	23rd Driest	9.88	11.21	-1.33	Jul 1956
Brooksville Area	59th Driest	9.78	10.17	-0.39	Jan 1892
Venice	13th Driest	8.32	12.05	-3.73	May 1955
Winter Haven Area	23rd Driest	8.04	8.98	-0.94	Mar 1941
Sarasota-Bradenton Area	21st Driest	7.77	10.57	-2.80	Jan 1911



Rainfall Sep 1-Nov 30, 2021



Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Novembers and Autumns at some official NWS locations, which include the average/total for this November and Autumn where available, and the 1991-2020 Normal (average) temperature and rainfall for November and Autumn.

CHIEFLAND 5 SE (records began in July 1956):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	69.4 in 1985	1	56.6 in 1976	1	7.52 in 1972	1	Trace in 1978
2	69.2 in 1998	2	56.7 in 2008	2	6.47 in 1997	2	0.15 in 2012
3	68.9 in 1986	3	57.3 in 1970	3	6.02 in 1987	3	0.25 in 2016
4	68.6 in 1994	4	58.2 in 1962	4	5.94 in 2002	4	0.33 in 1956
5	67.5 in 1982	5	58.3 in 1968	5	5.25 in 1958	5	0.35 in 1970
6	67.1 in 2020	6	59.2 in 1969	6	4.95 in 1983	6	0.48 in 1998
7	66.9 in 1973	7	59.3 in 2021	7	4.80 in 1963	7	0.61 in 1990
8	66.5 in 1958	8	59.4 in 2014	8	4.73 in 2013	8	0.62 in 1991
9	66.3 in 1978	9	59.7 in 1984	9	4.55 in 1981	9	0.66 in 2001
10	66.1 in 2003	10	59.8 in 1963	10	4.50 in 1986	10	0.82 in 1993
				
				20	2.82 in 2021	45	2.82 in 2021

Normal Temperature for November at CHIF1 = 62.7°
 Normal Rainfall for November at CHIF1 = 2.22 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	75.2 in 2018	1	67.1 in 1976	1	26.52 in 2004	1	2.05 in 1978
2	75.0 in 2020	2	67.9 in 2008	2	24.26 in 1983	2	3.83 in 2008
3	74.9 in 1998	3	68.7 in 2006	3	20.54 in 1964	3	4.20 in 1961
4	74.2 in 1986	4	68.8 in 1968	4	18.65 in 1959	4	5.13 in 2010
5	73.9 in 1985	5	68.9 in 2000	5	17.59 in 1985	5	5.37 in 1970
6	73.7 in 1959	6	69.1 in 1963	6	16.94 in 1998	6	5.38 in 2003
7	73.4 in 2019		69.1 in 1969	7	16.38 in 1997	7	6.24 in 1991
8	73.0 in 1973	8	69.3 in 1956	8	15.91 in 1960	8	6.61 in 1974
9	72.9 in 2016		69.3 in 1962	9	15.67 in 2002	9	6.65 in 2005
10	72.6 in 1994	10	69.6 in 2010	10	15.26 in 2017	10	6.67 in 1968
		
36	70.6 in 2021	24	70.6 in 2021	42	9.88 in 2021	23	9.88 in 2021
	70.6 in 1977		70.6 in 1977				
	70.6 in 1961		70.6 in 1961				

Normal Temperature for Autumn at CHIF1 = 70.9°
 Normal Rainfall for Autumn at CHIF1 = 11.21 inches

INVERNESS 3 SE (records began in July 1948):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.1 in 2015	1	59.0 in 1991	1	7.73 in 1980	1	0.00 in 2004
2	71.0 in 2020	2	59.5 in 1976	2	6.40 in 1997		0.00 in 1978
3	70.3 in 1958	3	60.3 in 2002	3	6.21 in 1972	3	0.01 in 2016
4	69.3 in 1964	4	60.5 in 2014	4	5.48 in 1951	4	0.02 in 1950
	69.3 in 1978	5	60.6 in 1997	5	4.90 in 2015	5	0.07 in 2012
6	68.8 in 1957	6	61.0 in 1950	6	4.78 in 2014	6	0.23 in 1993
7	68.6 in 1998	7	61.3 in 2012	7	4.69 in 1988	7	0.25 in 1967
8	68.5 in 1973	8	61.4 in 1995	8	3.77 in 2005	8	0.28 in 1956
	68.5 in 1960	9	61.6 in 2000	9	3.70 in 2017	9	0.36 in 2001
10	68.4 in 2003	10	61.7 in 1949	10	3.46 in 1953	10	0.38 in 1966
		11	61.8 in 1970	...			0.38 in 1964
		12	62.3 in 2006	22	2.63 in 2021		
			62.3 in 1954				
		14	62.4 in 1969				
		15	62.5 in 2021				

Normal Temperature for November at INVF1 = 64.3°
 Normal Rainfall for November at INVF1 = 1.83 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.8 in 2020	1	68.4 in 1976	1	21.53 in 2017	1	2.08 in 1967
2	76.1 in 2015	2	69.4 in 1997	2	21.34 in 1960	2	2.92 in 1978
3	75.1 in 1958	3	70.2 in 1991	3	21.07 in 1950	3	4.19 in 1961
4	75.0 in 2019	4	70.4 in 2006	4	19.73 in 2021	4	4.56 in 1974
5	74.9 in 1998	5	70.6 in 2000	5	19.55 in 1992	5	4.97 in 2010
	74.9 in 1960	6	70.7 in 1987	6	19.27 in 1997	6	5.13 in 2003
	74.9 in 1959	7	70.8 in 2014	7	18.83 in 2004	7	5.37 in 1954
8	74.2 in 1948	8	71.1 in 1956	8	17.75 in 2016	8	5.47 in 2012
9	74.1 in 2009	9	71.3 in 2002	9	17.32 in 2001	9	5.85 in 2000
	74.1 in 2007	10	71.5 in 1996	10	16.51 in 1988	10	6.14 in 1996
...		...					
28	72.9 in 2021	33	72.9 in 2021				

Normal Temperature for Autumn at INVF1 = 71.9°
 Normal Rainfall for Autumn at INVF1 = 10.56 inches

BROOKSVILLE AREA (records began in January 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.2 in 2015	1	57.5 in 1901	1	9.31 in 1916	1	0.00 in 1967
2	72.7 in 1948	2	60.3 in 2008	2	9.17 in 1987	2	Trace in 2016
3	72.6 in 1946	3	60.5 in 1892	3	8.30 in 1951		Trace in 1931
4	71.0 in 2020	4	60.8 in 2014	4	7.08 in 2014	4	0.01 in 1978
	71.0 in 1958	5	61.1 in 1923	5	6.64 in 1937	5	0.05 in 1928
6	70.7 in 1994	6	61.3 in 2000	6	6.56 in 1980	6	0.12 in 2001
7	70.5 in 1973	7	61.4 in 2012	7	6.28 in 1999	7	0.15 in 1913
	70.5 in 1896		61.4 in 1917	8	6.14 in 1972	8	0.18 in 1940
9	70.1 in 1905	9	61.8 in 2002	9	5.49 in 1932	9	0.22 in 1956
10	69.8 in 1988	10	61.9 in 1962	10	5.14 in 1988		0.22 in 1924
	69.8 in 1929	11	62.2 in 1976		5.14 in 1920		0.22 in 1900
		12	62.4 in 1910	
		13	62.5 in 2021	31	2.57 in 2021	96	2.57 in 2021
			62.5 in 1950		2.57 in 1989		2.57 in 1989
					2.57 in 1902		2.57 in 1902

Normal Temperature for November at BKV = 65.1°

Normal Rainfall for November at BKV = 1.59 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.6 in 2020	1	69.3 in 1892	1	27.84 in 1950	1	2.30 in 1903
2	76.0 in 1911	2	69.5 in 1901	2	24.74 in 1912	2	3.58 in 2008
3	75.9 in 2015	3	70.2 in 1920	3	22.68 in 1894		3.58 in 1978
4	75.7 in 1905	4	70.3 in 2008	4	21.62 in 1947	4	3.87 in 1967
5	75.4 in 1941	5	70.4 in 1923	5	21.50 in 1922	5	3.97 in 1909
	75.4 in 1919	6	70.5 in 2000	6	21.46 in 1995	6	4.10 in 2010
	75.4 in 1915	7	70.8 in 2006	7	21.24 in 1921	7	4.58 in 1940
8	75.3 in 1946	8	70.9 in 2014	8	20.56 in 1938	8	4.61 in 1991
	75.3 in 1927		70.9 in 1894	9	20.36 in 1911	9	5.37 in 2015
10	75.2 in 2018	10	71.0 in 1953	10	19.88 in 1988	10	5.61 in 1961
	75.2 in 1973			
...		...		70	9.78 in 2021	59	9.78 in 2021
67	72.6 in 2021	33	72.6 in 2021				
	72.6 in 2003		72.6 in 2003				
	72.6 in 1983		72.6 in 1983				

Normal Temperature for Autumn at BKV = 72.7°

Normal Rainfall for Autumn at BKV = 10.17 inches

ST LEO (records began in April 1895):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.1 in 1986	1	60.8 in 1917	1	12.48 in 1988	1	Trace in 1960
2	73.6 in 1985	2	61.3 in 1901	2	8.34 in 1951	2	0.02 in 1978
3	73.2 in 1946	3	61.7 in 1910	3	7.36 in 1987	3	0.03 in 1931
4	73.1 in 1948	4	62.2 in 1930	4	7.21 in 2014		0.03 in 1928
5	72.0 in 1998	5	62.3 in 2014	5	6.22 in 1916	5	0.06 in 2016
6	71.8 in 2015	6	62.5 in 1923	6	6.12 in 1963	6	0.08 in 2012
	71.8 in 1994	7	62.6 in 1970	7	6.06 in 1972	7	0.21 in 1993
8	71.5 in 1982	8	62.8 in 1933	8	5.84 in 1911	8	0.22 in 1940
9	71.4 in 1958		62.8 in 1932	9	5.61 in 1918	9	0.23 in 1913
10	71.3 in 2020		62.8 in 1904	10	4.89 in 2020	10	0.26 in 1945
	71.3 in 1978				...		
...				28	2.90 in 2021		
95	64.6 in 2021	32	64.6 in 2021				
	64.6 in 2021		64.6 in 2021				

Normal Temperature for November at STLf1 = 66.8°
 Normal Rainfall for November at STLf1 = 1.86 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	77.9 in 1985	1	69.8 in 1917	1	25.80 in 1988	1	1.52 in 1978
2	77.4 in 1986	2	70.1 in 1903	2	25.13 in 1912	2	3.19 in 1940
3	76.5 in 2020	3	70.2 in 1930	3	24.60 in 1922	3	3.56 in 2010
	76.5 in 1998	4	70.7 in 1920	4	22.73 in 1953	4	3.81 in 1909
5	76.4 in 2007	5	71.0 in 1976	5	21.77 in 1997	5	4.14 in 1967
6	76.2 in 1946		71.0 in 1923	6	21.48 in 1982	6	4.76 in 1991
7	76.1 in 2009	7	71.1 in 1910	7	21.40 in 1950	7	5.09 in 2008
	76.1 in 1941	8	71.4 in 1943	8	21.29 in 1921	8	5.11 in 2018
9	75.9 in 2004	9	71.5 in 2014	9	20.71 in 1949	9	5.33 in 1931
10	75.8 in 2018	10	71.8 in 1956	10	20.35 in 2004	10	5.63 in 1961
	75.8 in 2003		71.8 in 1922		...		
...				21	16.41 in 2021		
62	73.5 in 2021	61	73.5 in 2021				
	73.5 in 1963		73.5 in 1963				
	73.5 in 1955		73.5 in 1955				
	73.5 in 1906		73.5 in 1906				

Normal Temperature for Autumn at STLf1= 73.6°
 Normal Rainfall for Autumn at STLf1 = 11.55 inches

TARPON SPRINGS (records began in January 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.9 in 1986	1	59.6 in 2004	1	9.13 in 1988	1	0.00 in 2016
2	74.4 in 1985	2	60.0 in 1901	2	8.18 in 1916	2	Trace in 1939
3	74.3 in 1946	3	61.5 in 1917	3	6.99 in 1997		Trace in 1931
4	73.5 in 2015	4	61.7 in 1962	4	6.63 in 1992	4	0.02 in 1978
5	72.6 in 1994		61.7 in 1892	5	6.09 in 2014	5	0.06 in 1933
6	72.3 in 1998	6	61.9 in 1910	6	5.80 in 1963	6	0.08 in 1942
7	71.8 in 2003	7	62.5 in 1904	7	5.57 in 1920	7	0.09 in 1940
8	71.6 in 1896	8	62.6 in 2014	8	5.49 in 2020		0.09 in 1928
9	71.4 in 1982		62.6 in 1970	9	5.19 in 1955	9	0.10 in 1930
10	71.3 in 1929	10	63.0 in 1976	10	5.18 in 1896	10	0.13 in 1924
	71.3 in 1919		63.0 in 1912	
		...		31	2.75 in 2021	98	2.75 in 2021
		17	63.5 in 2021				
			63.5 in 1969				
			63.5 in 1939				
			63.5 in 1903				

Normal Temperature for November at TRPF1 = 67.5°
 Normal Rainfall for November at TRPF1 = 1.90 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.1 in 1985	1	70.8 in 1917	1	28.87 in 1911	1	1.85 in 2005
2	78.0 in 1986		70.8 in 1892	2	28.34 in 1988	2	3.33 in 1978
3	77.9 in 1919	3	71.4 in 1903	3	24.31 in 2014	3	3.44 in 1967
4	77.6 in 2018	4	71.5 in 1976	4	22.25 in 1997	4	4.62 in 2008
5	76.8 in 2020	5	71.7 in 1967	5	21.71 in 1983	5	4.85 in 2010
	76.8 in 1946		71.7 in 1901	6	21.70 in 1912	6	4.86 in 1927
7	76.7 in 2015	7	71.9 in 1963	7	21.43 in 1975	7	5.57 in 1909
	76.7 in 1994		71.9 in 1962	8	20.78 in 1995	8	5.74 in 1930
9	76.6 in 2019		71.9 in 1940		20.78 in 1959	9	5.99 in 1981
	76.6 in 1998		71.9 in 1904	10	20.60 in 1971	10	6.37 in 1961
			71.9 in 1899				6.37 in 1933
...		
90	73.3 in 2021	36	73.3 in 2021	52	12.53 in 2021	77	12.53 in 2021
	73.3 in 2014		73.3 in 2014				

Normal Temperature for Autumn at TRPF1 = 74.8°
 Normal Rainfall for Autumn at TRPF1 = 12.12 inches

TAMPA AREA (records began in April 1890):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.3 in 1986	1	61.4 in 1901	1	6.12 in 1963	1	Trace in 1960
2	76.2 in 2015	2	61.9 in 1970	2	5.97 in 1988	2	0.01 in 2016
3	74.6 in 2020	3	62.3 in 1968	3	5.40 in 2020		0.01 in 1978
4	73.7 in 1946	4	62.5 in 1962	4	5.38 in 1944	4	0.04 in 1931
5	73.6 in 1948	5	62.8 in 1976	5	5.26 in 2014	5	0.05 in 1928
	73.6 in 1985	6	62.9 in 1969	6	4.89 in 1953	6	0.08 in 1927
7	72.7 in 1958		62.9 in 1917	7	4.85 in 1925	7	0.10 in 2001
8	72.5 in 1998	8	63.3 in 1910	8	4.75 in 1941		0.10 in 1942
9	72.3 in 1994	9	63.4 in 1923	9	4.36 in 1987	9	0.11 in 2007
10	72.1 in 2017	10	63.7 in 1949	10	4.34 in 1916	10	0.12 in 2017
...		...		11	3.96 in 1896		0.12 in 1974
53	68.4 in 2021	80	68.4 in 2021	12	3.91 in 1911		
				13	3.68 in 1951		
				14	3.53 in 1972		
				15	3.52 in 2021		

Normal Temperature for November at TPA = 69.8°

Normal Rainfall for November at TPA = 1.40 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.7 in 2020	1	71.0 in 1976	1	24.38 in 1894	1	3.19 in 2010
2	79.0 in 2015	2	71.6 in 1903	2	22.83 in 1912	2	3.30 in 1909
3	78.9 in 2018		71.6 in 1891	3	20.45 in 1997	3	3.62 in 1961
4	78.4 in 1986	4	71.7 in 1968	4	19.80 in 1922	4	4.06 in 1942
5	78.1 in 2019	5	71.8 in 1917	5	19.62 in 1988	5	4.21 in 1940
6	77.9 in 2017		71.8 in 1901	6	19.07 in 1947	6	4.25 in 1913
7	77.8 in 1985	7	71.9 in 1923	7	18.15 in 1953	7	4.35 in 1974
8	77.7 in 2016	8	72.2 in 1892	8	17.60 in 1890	8	5.07 in 1967
9	77.5 in 1919	9	72.3 in 1962	9	16.58 in 1911	9	5.22 in 1984
10	77.3 in 2021	10	72.4 in 1956	10	16.41 in 1975	10	5.33 in 2003
			72.4 in 1910	
				42	12.26 in 2021	90	12.26 in 2021
					12.26 in 1896		12.26 in 1896

Normal Temperature for Autumn at TPA = 76.6°

Normal Rainfall for Autumn at TPA = 9.83 inches

ST PETERSBURG (records began in August 1914):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 77.4 in 1986	1 63.9 in 1917	1 6.94 in 1988	1 0.00 in 1931
2 76.3 in 1985	2 64.3 in 1962	2 6.85 in 1953	2 0.02 in 1960
3 74.9 in 2015	3 64.7 in 1949	3 6.80 in 1987	3 0.03 in 2016
4 74.8 in 1946	4 65.1 in 1976	4 6.18 in 2020	0.03 in 1942
5 74.5 in 1948	5 65.2 in 1995	5 6.04 in 1963	5 0.04 in 2001
6 74.3 in 2020	65.2 in 1951	6 5.71 in 1916	6 0.10 in 1978
7 73.8 in 2005	7 65.3 in 1950	7 5.63 in 1925	7 0.12 in 1974
8 73.7 in 1978	8 65.4 in 1954	8 5.08 in 1954	8 0.14 in 1930
9 73.5 in 1958	9 65.7 in 1956	9 5.03 in 1968	9 0.15 in 1928
10 72.9 in 1994	65.7 in 1923	10 5.02 in 1915	10 0.18 in 1946
72.9 in 1929	
...	...	22 3.38 in 2021	86 3.38 in 2021
51 69.7 in 2021	56 69.7 in 2021		
69.7 in 2011	69.7 in 2011		

Normal Temperature for November at SPG = 70.6°

Normal Rainfall for November at SPG = 1.46 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 80.0 in 1985	1 72.6 in 1917	1 32.75 in 1988	1 2.13 in 2010
2 79.9 in 1986	2 73.2 in 1956	2 30.04 in 1953	2 4.00 in 1990
3 79.8 in 2005	3 73.4 in 1952	3 26.31 in 1986	3 4.49 in 1967
4 79.3 in 2020	4 73.5 in 1954	4 26.30 in 1952	4 4.69 in 2008
5 79.1 in 2015	73.5 in 1953	5 21.83 in 1997	5 4.84 in 1964
6 79.0 in 2018	6 73.6 in 1976	6 21.06 in 1922	6 5.01 in 1940
7 78.9 in 2019	73.6 in 1962	7 20.14 in 1954	7 5.52 in 1927
8 78.4 in 2013	73.6 in 1923	8 19.12 in 1918	8 5.61 in 1966
78.4 in 1941	9 73.7 in 1943	9 19.07 in 2001	9 5.73 in 1965
10 78.3 in 2010	10 73.9 in 1950	10 18.52 in 1959	10 6.14 in 1939
78.3 in 1919	
12 78.1 in 2021		42 12.93 in 2021	66 12.93 in 2021

Normal Temperature for Autumn at SPG = 77.0°

Normal Rainfall for Autumn at SPG = 10.28 inches

PLANT CITY (records began in September 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.7 in 1986	1	61.8 in 1932	1	7.88 in 1953	1	0.00 in 1960
2	74.6 in 2015	2	62.0 in 1930	2	7.34 in 1988		0.00 in 1931
3	74.3 in 1948	3	62.1 in 1917	3	6.89 in 2020		0.00 in 1905
4	74.2 in 2020	4	62.4 in 1933	4	6.75 in 2014	4	0.01 in 2007
5	73.9 in 1946	5	62.6 in 1904	5	6.46 in 1963	5	0.05 in 2012
6	72.7 in 1985	6	62.9 in 1912	6	5.90 in 1918	6	0.10 in 1928
7	72.5 in 1896	7	63.1 in 2014	7	5.56 in 1971		0.10 in 1924
8	72.3 in 1994	8	63.3 in 1962	8	4.63 in 1980	8	0.13 in 1940
	72.3 in 1958		63.3 in 1949	9	4.52 in 1987	9	0.15 in 2017
10	71.7 in 1978	10	63.4 in 1926	10	4.41 in 1947		0.15 in 1978
...		...		11	4.23 in 2021		
65	66.4 in 2021	48	66.4 in 2021				
	66.4 in 1955		66.4 in 1955				
	66.4 in 1931		66.4 in 1931				

Normal Temperature for November at PLCF1 = 69.4°

Normal Rainfall for November at PLCF1 = 1.76 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.6 in 2020	1	70.4 in 1930	1	25.05 in 1947	1	1.89 in 1909
2	78.4 in 2018	2	70.8 in 1932	2	23.20 in 1894	2	1.99 in 1961
3	78.3 in 2019	3	71.2 in 1940	3	23.04 in 1988	3	3.56 in 1940
4	77.9 in 1986	4	71.5 in 2000	4	21.72 in 1953	4	4.08 in 1991
5	77.4 in 2015	5	71.6 in 1976	5	20.54 in 2020	5	4.29 in 1927
6	77.2 in 1985	6	71.7 in 1943	6	20.36 in 2014	6	4.41 in 1990
7	76.4 in 1946	7	72.0 in 1937	7	20.15 in 2004	7	4.55 in 2010
8	76.2 in 2021		72.0 in 1909	8	20.06 in 1998	8	4.57 in 1939
9	76.0 in 2016	9	72.2 in 1968	9	19.92 in 1959	9	4.63 in 1967
10	75.9 in 1948	10	72.4 in 1926	10	19.76 in 1912	10	4.67 in 2008
	75.9 in 1911			
				38	13.14 in 2021	84	13.14 in 2021

Normal Temperature for Autumn at PLCF1 = 76.1°

Normal Rainfall for Autumn at PLCF1 = 11.33 inches

LAKELAND AREA (records began in January 1915):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.9 in 1986	1	62.6 in 1970	1	7.56 in 2014	1	0.00 in 1924
2	75.4 in 2015	2	62.9 in 1962	2	7.19 in 1988	2	Trace in 2016
3	73.4 in 1985	3	63.0 in 1969	3	6.08 in 1987		Trace in 1960
4	73.3 in 1994	4	63.4 in 1949	4	5.94 in 1941		Trace in 1917
	73.3 in 1948	5	63.5 in 1976	5	5.80 in 2020	5	0.03 in 1931
6	73.1 in 1946		63.5 in 1951	6	5.71 in 1963	6	0.05 in 1928
7	73.0 in 2020		63.5 in 1950	7	5.54 in 1980	7	0.07 in 1950
8	71.6 in 2003	8	63.7 in 1968	8	5.37 in 1953	8	0.08 in 2012
	71.6 in 1958	9	63.9 in 2008	9	4.59 in 2018	9	0.10 in 1991
10	71.5 in 1998	10	64.0 in 1923	10	4.48 in 1997	10	0.11 in 1940
...		...		11	4.24 in 2021		
42	66.7 in 2021	65	66.7 in 2021				

Normal Temperature for November at LLDF1 = 69.2°
 Normal Rainfall for November at LLDF1 = 1.93 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.2 in 1986	1	71.5 in 1976	1	22.45 in 2014	1	2.99 in 1961
2	78.6 in 2020	2	72.1 in 1943	2	21.46 in 2004	2	3.21 in 1940
3	78.3 in 2015	3	72.2 in 1923	3	19.78 in 1947	3	4.16 in 1942
4	78.1 in 1985	4	72.3 in 2006	4	19.52 in 1918	4	4.25 in 1927
5	78.0 in 2018		72.3 in 1968	5	18.47 in 1998	5	4.28 in 1934
6	77.4 in 2019		72.3 in 1956	6	18.39 in 1929	6	4.58 in 2010
7	77.0 in 1994	7	72.4 in 1967	7	18.29 in 1953	7	4.69 in 2008
8	76.8 in 2009	8	72.5 in 1940	8	17.36 in 1997	8	5.01 in 1967
9	76.7 in 1990	9	72.6 in 1954	9	17.09 in 1989	9	5.12 in 1978
10	76.6 in 2017	10	72.7 in 1962	10	17.08 in 2020	10	5.35 in 1974
...			72.7 in 1953	...			
22	75.7 in 2021		72.7 in 1924	17	15.94 in 2021		
	75.7 in 2003						
	75.7 in 2002						
	75.7 in 1978						

Normal Temperature for Autumn at LLDF1 = 75.7°
 Normal Rainfall for Autumn at LLDF1 = 12.59 inches

WINTER HAVEN AREA (records began in January 1941):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 76.8 in 1986	1 63.1 in 1962	1 7.81 in 1988	1 0.00 in 1960
2 75.6 in 1948	2 63.2 in 1970	2 7.13 in 1987	0.00 in 1950
3 75.1 in 2015	3 63.9 in 2008	3 6.76 in 1953	3 Trace in 2011
4 74.9 in 1985	63.9 in 1968	4 6.27 in 1963	4 0.01 in 2012
5 74.5 in 1946	5 64.1 in 1976	5 5.32 in 1994	5 0.07 in 2016
6 73.5 in 2020	6 64.5 in 1949	6 5.21 in 1980	6 0.13 in 1966
7 73.1 in 1994	7 64.6 in 1969	7 4.94 in 1951	7 0.16 in 1942
8 72.6 in 1988	8 64.7 in 1981	8 4.07 in 1995	8 0.19 in 1985
9 72.4 in 1958	9 64.9 in 1950	9 4.00 in 2020	9 0.20 in 2017
10 72.2 in 1998	10 65.0 in 2012	10 3.97 in 1968	0.20 in 1991
...	65.0 in 1951	...	0.20 in 1967
52 67.4 in 2021	...	18 3.07 in 2021	
67.4 in 1995	20 67.4 in 2021		
	67.4 in 1995		

Normal Temperature for November at GIF = 69.8°

Normal Rainfall for November at GIF = 1.45 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.2 in 2020	1 71.8 in 1976	1 21.86 in 1987	1 2.72 in 1961
2 79.1 in 2018	2 72.2 in 1968	2 20.61 in 1947	2 3.11 in 2009
3 79.0 in 1986	3 72.5 in 1962	3 20.57 in 1953	3 4.27 in 1967
4 78.7 in 2019	4 73.0 in 1963	4 20.35 in 1960	4 4.29 in 2008
5 78.4 in 1985	5 73.2 in 2006	5 18.82 in 1959	5 4.91 in 1985
6 78.0 in 2015	6 73.3 in 2008	6 18.11 in 1950	6 5.14 in 1942
7 77.2 in 1998	73.3 in 1981	7 17.84 in 2014	7 5.44 in 1978
77.2 in 1989	73.3 in 1953	8 17.59 in 2001	8 5.54 in 2006
77.2 in 1946	9 73.4 in 1943	9 17.16 in 1988	9 5.78 in 1990
77.2 in 1941	10 73.5 in 2000	10 16.36 in 2020	10 5.87 in 2015
...	
16 76.3 in 2021		57 8.04 in 2021	23 8.04 in 2021
76.3 in 2005		8.04 in 2007	8.04 in 2007
76.3 in 1993			
76.3 in 1988			
76.3 in 1973			

Normal Temperature for Autumn at GIF = 76.4°

Normal Rainfall for Autumn at GIF = 8.98 inches

BARTOW (records began in June 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.4 in 1986	1	60.9 in 1917	1	7.40 in 1987	1	0.00 in 2016
2	75.3 in 2015	2	61.5 in 1970	2	7.36 in 2002		0.00 in 1960
3	74.5 in 1948	3	62.0 in 1910	3	6.52 in 1963	3	0.02 in 1931
4	73.6 in 2013	4	62.3 in 1901	4	6.33 in 1988	4	0.04 in 1966
	73.6 in 1985	5	62.6 in 1904	5	5.97 in 1953		0.04 in 1928
6	73.5 in 1946		62.6 in 1892	6	5.80 in 1951	6	0.05 in 2012
7	73.0 in 1994	7	62.9 in 1962	7	4.75 in 1911	7	0.06 in 1950
8	72.9 in 1958	8	63.5 in 2008	8	4.71 in 1937	8	0.09 in 1923
9	72.5 in 2020		63.5 in 1912	9	4.68 in 2015	9	0.10 in 2007
	72.5 in 1998	10	63.6 in 1939	10	4.54 in 1983		0.10 in 1974
...		
70	66.0 in 2021	31	66.0 in 2021	22	3.06 in 2021	108	3.06 in 2021
					3.06 in 1904		3.06 in 1904

Normal Temperature for November at BARF1 = 68.3°
 Normal Rainfall for November at BARF1 = 1.49 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	77.8 in 2020	1	71.0 in 1894	1	26.99 in 1894	1	3.71 in 1942
	77.8 in 2015	2	71.1 in 1892	2	21.30 in 1947	2	4.88 in 2010
3	77.2 in 1998	3	71.4 in 1917	3	20.97 in 1917	3	5.00 in 1940
4	77.1 in 2018	4	71.8 in 1976	4	20.77 in 1922	4	5.02 in 1990
5	76.9 in 2009	5	72.1 in 1895	5	20.38 in 1959	5	5.25 in 1961
6	76.8 in 1946	6	72.3 in 1914	6	20.31 in 1982	6	5.26 in 1939
	76.8 in 1919	7	72.4 in 1970	7	19.77 in 1953	7	5.29 in 1984
8	76.5 in 2019	8	72.5 in 1904	8	19.43 in 1902	8	5.47 in 1974
	76.5 in 1958	9	72.8 in 1967	9	19.30 in 1960	9	5.57 in 1906
10	76.4 in 1994		72.8 in 1963	10	18.97 in 2004	10	5.90 in 1927
			72.8 in 1935	
...		...		32	15.11 in 2021	93	15.11 in 2021
37	74.7 in 2021	53	74.7 in 2021				
	74.7 in 1984		74.7 in 1984				
	74.7 in 1957		74.7 in 1957				
	74.7 in 1936		74.7 in 1936				

Normal Temperature for Autumn at BARF1 = 74.8°
 Normal Rainfall for Autumn at BARF1 = 11.83 inches

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.1 in 1986	1	63.2 in 1917	1	9.40 in 1997	1	0.00 in 1931
2	75.4 in 2015	2	63.5 in 1949	2	7.62 in 2020	2	Trace in 1940
3	74.7 in 2020		63.5 in 1923	3	6.81 in 1920		Trace in 1928
4	73.2 in 1948	4	64.2 in 1976	4	6.24 in 1925	4	0.02 in 2016
5	73.1 in 1958	5	64.5 in 2008	5	5.68 in 1953	5	0.06 in 2001
6	72.7 in 1994	6	64.6 in 2014	6	5.18 in 1941		0.06 in 1991
7	72.4 in 1985		64.6 in 1981	7	5.15 in 1988	7	0.09 in 1930
8	72.2 in 2013	8	64.7 in 1968	8	4.94 in 1918	8	0.16 in 2007
9	72.1 in 1998	9	64.8 in 1933	9	4.69 in 2002	9	0.20 in 1945
	72.1 in 1946	10	65.0 in 1962	10	4.55 in 1972	10	0.21 in 1978
...				0.21 in 1950
62	67.6 in 2021	42	67.6 in 2021	
	67.6 in 1977		67.6 in 1977	54	1.44 in 2021	56	1.44 in 2021
	67.6 in 1975		67.6 in 1975				
	67.6 in 1955		67.6 in 1955				
	67.6 in 1940		67.6 in 1940				

Normal Temperature for November at SRQ = 70.1°

Normal Rainfall for November at SRQ = 1.81 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.7 in 2020	1	71.3 in 1976	1	28.46 in 1953	1	3.64 in 2010
	79.7 in 2019	2	72.2 in 1930	2	25.64 in 1962	2	4.01 in 1991
3	78.3 in 2016	3	72.3 in 1943	3	23.66 in 1922	3	5.08 in 1942
4	78.2 in 1986	4	72.5 in 1940	4	23.12 in 1997	4	5.44 in 1974
5	78.0 in 2015	5	72.7 in 1923	5	22.26 in 1912	5	5.61 in 2012
6	77.8 in 2018	6	73.0 in 1981	6	22.01 in 1952	6	5.90 in 2019
7	77.3 in 2007		73.0 in 1944	7	21.30 in 1988	7	5.95 in 1945
8	77.1 in 1998		73.0 in 1937	8	20.43 in 1928	8	6.05 in 1944
	77.1 in 1990	9	73.1 in 1968	9	20.29 in 1957	9	6.27 in 1984
10	77.0 in 2013		73.1 in 1956	10	19.80 in 1960	10	6.42 in 1930
...		
19	76.2 in 2021			90	7.77 in 2021	21	7.77 in 2021
	76.2 in 2003						
	76.2 in 1993						

Normal Temperature for Autumn at SRQ = 76.5°

Normal Rainfall for Autumn at SRQ = 10.57 inches

VENICE (records began in May 1955):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.8 in 2015	1	64.2 in 2008	1	7.65 in 1997	1	0.00 in 1991
2	74.1 in 1985	2	64.7 in 1962	2	6.02 in 2020	2	0.02 in 2007
3	73.6 in 1998	3	64.9 in 1981	3	5.85 in 1972	3	0.04 in 2001
	73.6 in 1994		64.9 in 1970	4	5.56 in 1983	4	0.06 in 2016
5	73.5 in 2020	5	65.1 in 1956	5	5.55 in 1963	5	0.15 in 1960
6	72.5 in 2013	6	65.2 in 1976	6	4.77 in 1957	6	0.20 in 1993
7	72.3 in 2003	7	65.4 in 1968	7	4.46 in 1980	7	0.30 in 1956
8	72.2 in 1978	8	65.8 in 2014	8	4.14 in 1998	8	0.31 in 1978
9	71.9 in 2011	9	66.0 in 1969	9	3.77 in 1968	9	0.32 in 2012
	71.9 in 1982	10	66.8 in 2021	10	3.72 in 2014		0.32 in 2003
			66.8 in 1966	11	3.47 in 2021		
					3.47 in 1988		

Normal Temperature for November at VNCF1 = 69.9°
 Normal Rainfall for November at VNCF1 = 1.54 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.9 in 2009	1	71.8 in 1976	1	26.44 in 1983	1	3.04 in 1961
2	78.5 in 1998	2	72.1 in 1968	2	25.83 in 1995	2	3.63 in 1981
3	78.4 in 2015	3	72.8 in 2008	3	21.38 in 1997	3	5.24 in 1978
4	78.0 in 2020		72.8 in 1956	4	20.89 in 1960	4	5.81 in 2010
5	77.8 in 2018	5	73.6 in 1974	5	20.27 in 1968	5	6.18 in 1964
	77.8 in 2013	6	73.7 in 1987	6	19.23 in 1959	6	6.59 in 1984
	77.8 in 1985		73.7 in 1981	7	18.86 in 1982	7	7.16 in 1990
8	77.6 in 2010		73.7 in 1962	8	18.67 in 2014	8	7.38 in 2011
9	77.3 in 1994	9	73.9 in 1977	9	18.33 in 1957	9	7.53 in 2019
10	77.0 in 2017	10	74.0 in 2006	10	18.29 in 1962	10	7.81 in 1965
	77.0 in 2011					11	8.06 in 2016
	77.0 in 2003					12	8.28 in 2009
...		...				13	8.32 in 2021
26	75.9 in 2021	29	75.9 in 2021				
	75.9 in 1982		75.9 in 1982				
	75.9 in 1972		75.9 in 1972				

Normal Temperature for Autumn at VNCF1 = 76.0°
 Normal Rainfall for Autumn at VNCF1 = 12.05 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.8 in 2015	1	62.1 in 1962	1	10.19 in 1997	1	0.00 in 2001
2	75.6 in 1986	2	62.4 in 1969	2	5.13 in 1953	2	0.02 in 1950
3	73.4 in 1998	3	62.8 in 1970	3	5.04 in 1947	3	0.03 in 1991
4	73.2 in 1985	4	63.2 in 1968	4	5.01 in 1972	4	0.07 in 2016
5	72.8 in 2020	5	64.1 in 2008	5	4.87 in 1981	5	0.19 in 2012
6	72.7 in 1958	6	65.3 in 2000	6	4.76 in 2020	6	0.20 in 1944
7	72.3 in 1982	7	65.4 in 2012	7	4.73 in 1958	7	0.30 in 1996
8	72.1 in 2013		65.4 in 1963	8	4.52 in 1963		0.30 in 1993
	72.1 in 1978	9	65.6 in 2021	9	4.45 in 2002		0.30 in 1965
10	71.6 in 2003	10	65.8 in 1976	10	4.42 in 1983	10	0.37 in 1945
				11	4.22 in 2014		
				12	4.20 in 1998		
				13	4.12 in 1987		
				14	4.04 in 1980		
				15	3.76 in 2021		

Normal Temperature for November at MKCF1 = 69.1°
Normal Rainfall for November at MKCF1 = 2.02 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.5 in 2015	1	71.7 in 1962	1	25.70 in 1962	1	4.57 in 1961
2	78.3 in 1998	2	72.6 in 1968	2	23.65 in 1997	2	5.85 in 1974
3	78.0 in 2019	3	72.7 in 1976	3	23.43 in 1979	3	6.14 in 1991
	78.0 in 2018	4	72.8 in 1963	4	21.95 in 2014	4	6.52 in 2008
5	77.9 in 1986	5	73.4 in 1970	5	21.67 in 1995	5	7.52 in 1970
6	77.8 in 1985		73.4 in 1969	6	21.13 in 1953	6	7.57 in 1955
7	77.7 in 1991	7	73.5 in 2008	7	20.63 in 1957	7	8.07 in 2012
8	77.5 in 2020	8	73.7 in 2000	8	20.18 in 2001	8	8.67 in 1950
9	76.8 in 2009	9	73.8 in 1992	9	19.62 in 1952	9	8.75 in 1996
	76.8 in 1990	10	73.9 in 1987	10	19.59 in 1994	10	8.84 in 2011
		11	74.2 in 1984	
			74.2 in 1977	45	12.16 in 2021	32	12.16 in 2021
			74.2 in 1972				
		14	74.4 in 2021				

Normal Temperature for Autumn at MKCF1 = 75.6°
Normal Rainfall for Autumn at MKCF1 = 13.66 inches

WAUCHULA 2 N (records began in January 1933):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 75.7 in 1986	1 61.9 in 2012	1 11.18 in 1987	1 0.02 in 1940
2 74.6 in 2015	2 62.5 in 2014	2 10.38 in 1997	2 0.03 in 1967
3 74.4 in 1948	62.5 in 1949	3 6.43 in 1953	3 0.08 in 1960
4 73.2 in 1946	4 63.2 in 1962	4 5.89 in 1963	4 0.12 in 1991
5 72.7 in 2020	5 63.4 in 1970	5 4.75 in 1972	5 0.16 in 1974
72.7 in 1985	6 63.5 in 1956	6 4.41 in 2002	6 0.17 in 2016
7 72.7 in 1958	7 63.8 in 2000	7 4.37 in 2014	7 0.19 in 2012
8 71.7 in 1988	8 63.9 in 1969	8 3.93 in 2010	8 0.23 in 1944
9 71.4 in 1978	9 64.0 in 1950	9 3.91 in 1937	9 0.24 in 1966
71.4 in 1973	10 64.4 in 1954	10 3.44 in 1988	0.24 in 1956
	
	20 65.4 in 2021	24 2.24 in 2021	
	65.4 in 2010		

Normal Temperature for November at WAUF1 = 67.8°
 Normal Rainfall for November at WAUF1 = 1.96 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 78.1 in 2009	1 71.6 in 2014	1 27.02 in 1953	1 2.12 in 1961
2 77.9 in 2007	2 71.7 in 2012	2 23.48 in 1947	2 3.84 in 1974
3 77.7 in 1985	3 72.0 in 1956	3 20.13 in 1975	3 4.75 in 1967
4 77.6 in 2020	4 72.1 in 1943	4 20.12 in 1952	4 4.92 in 2008
5 77.5 in 2015	5 72.2 in 1954	5 19.04 in 1987	5 5.10 in 1978
6 77.2 in 1941	6 72.5 in 2010	6 19.02 in 1960	6 5.80 in 1991
7 76.9 in 2018	72.5 in 2006	7 19.00 in 1997	7 6.09 in 1976
8 76.3 in 1946	72.5 in 1953	8 18.33 in 2017	8 6.10 in 1944
9 76.2 in 1989	72.5 in 1944	9 16.90 in 1938	9 6.32 in 1980
10 76.1 in 2019	10 72.6 in 1976	10 16.88 in 1969	10 6.58 in 2003
76.1 in 1990	
76.1 in 1936		36 11.39 in 2021	49 11.39 in 2021
...	...		
48 74.1 in 2021	30 74.1 in 2021		

Normal Temperature for Autumn at WAUF1 = 74.6°
 Normal Rainfall for Autumn at WAUF1 = 11.37 inches

ARCADIA (records began in November 1899)

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 74.9 in 1986	1 62.1 in 1901	1 6.69 in 1997	1 Trace in 1996
2 74.7 in 2015	2 62.2 in 2008	2 5.67 in 1947	Trace in 1940
3 74.2 in 1948	3 62.6 in 1970	3 5.11 in 1987	Trace in 1928
4 73.3 in 1958	4 62.7 in 1910	4 5.08 in 2002	4 0.01 in 1931
73.3 in 1946	5 62.8 in 1923	5 4.95 in 1980	5 0.04 in 1950
6 72.7 in 1919	6 63.3 in 1933	6 4.88 in 2020	6 0.05 in 2016
7 72.4 in 2020	7 63.4 in 1949	7 4.82 in 1992	7 0.06 in 2008
8 72.2 in 1902	8 63.7 in 2014	4.82 in 1962	8 0.09 in 2007
9 72.0 in 1911	9 63.8 in 2012	9 4.53 in 2014	9 0.10 in 1991
10 71.9 in 1990	63.8 in 1962	10 4.43 in 1951	0.10 in 1960

Average Temperature for Nov 2021 = Not Available Yet

Normal Temperature for November at ARCF1 = 67.6°

Total Rainfall for Nov 2021 = Not Available Yet

Normal Rainfall for November at ARCF1 = 1.83 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 78.0 in 1919	1 71.6 in 1923	1 24.53 in 1952	1 3.03 in 1961
2 77.5 in 2020	2 71.7 in 1976	2 23.19 in 2020	2 4.14 in 1909
3 77.4 in 1911	71.7 in 1910	3 22.94 in 1953	3 4.68 in 1901
4 77.2 in 2015	4 71.8 in 2008	4 22.83 in 1908	4 4.77 in 1946
77.2 in 1986	5 72.2 in 1968	5 20.84 in 1947	5 5.62 in 1925
77.2 in 1902	6 72.5 in 1943	6 20.79 in 1960	6 5.89 in 1942
7 76.9 in 2018	7 72.6 in 1970	7 20.17 in 1962	7 5.97 in 1913
8 76.6 in 1946	72.6 in 1969	8 19.95 in 1910	8 5.98 in 1974
9 76.4 in 1998	9 72.7 in 1990	9 18.88 in 1959	9 5.99 in 1955
76.4 in 1948	72.7 in 1962	10 18.83 in 2017	10 6.00 in 2008
76.4 in 1941			

Average Temperature for Autumn 2021 = Not Available Yet

Normal Temperature for Autumn at ARCF1 = 74.2°

Total Rainfall for Autumn 2021 = Not Available Yet

Normal Rainfall for Autumn at ARCF1 = 12.18 inches

ARCHBOLD BIO STN (records began in January 1969):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.0 in 2015	1	62.2 in 2008	1	5.94 in 1987	1	0.00 in 2016
2	75.6 in 1986	2	63.1 in 2012	2	5.16 in 1998		0.00 in 2008
3	73.7 in 2020	3	63.2 in 1970	3	4.52 in 2002	3	0.08 in 1986
4	72.4 in 1992	4	64.2 in 1969	4	4.46 in 1997	4	0.12 in 1970
5	71.7 in 1985	5	64.4 in 1981	5	4.37 in 1992	5	0.13 in 1975
6	71.6 in 1994	6	65.1 in 2014	6	4.17 in 1977	6	0.20 in 1996
7	71.3 in 1978	7	65.3 in 2006	7	4.16 in 1994	7	0.21 in 2012
	71.3 in 1973	8	65.4 in 2000	8	3.80 in 1988	8	0.24 in 2000
9	71.2 in 2013	9	66.0 in 1991	9	3.78 in 2005	9	0.29 in 1973
10	70.6 in 2017	10	66.3 in 1997	10	3.52 in 1972	10	0.40 in 2006
	70.6 in 2003	11	66.5 in 2021	11	3.50 in 2014		
	70.6 in 1988		66.5 in 1995	12	3.44 in 2020		
				13	3.21 in 1980		
				14	3.16 in 2021		

Normal Temperature for November at ACHF1 = 68.9°
 Normal Rainfall for November at ACHF1 = 1.74 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.2 in 2015	1	71.6 in 2008	1	22.87 in 2017	1	4.62 in 1996
2	78.0 in 2020	2	72.5 in 2012	2	22.49 in 1987	2	4.86 in 1990
3	77.4 in 1986	3	72.7 in 2006	3	20.74 in 1969	3	5.52 in 2006
4	76.6 in 2018		72.7 in 2000	4	18.09 in 2014	4	5.96 in 1974
5	76.3 in 2019		72.7 in 1976	5	17.33 in 1977	5	6.01 in 2018
	76.3 in 1985	6	72.8 in 1997	6	17.04 in 2001	6	6.16 in 2010
7	76.2 in 2017	7	73.0 in 1981	7	16.98 in 2021	7	6.27 in 2008
8	75.8 in 2016	8	73.1 in 1970	8	16.79 in 1998	8	6.53 in 1980
	75.8 in 1973	9	73.2 in 2014	9	16.55 in 2016	9	7.16 in 1984
10	75.7 in 2009		73.2 in 1984	10	16.32 in 2005	10	7.36 in 2007
...		...					
31	74.2 in 2021	22	74.2 in 2021				
	74.2 in 2021		74.2 in 2021				

Normal Temperature for Autumn at ACHF1 = 75.1°
 Normal Rainfall for Autumn at ACHF1 = 12.32 inches

PUNTA GORDA AREA (records began in May 1914):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 78.3 in 1948	1 63.9 in 1917	1 6.91 in 2020	1 0.00 in 1931
2 76.8 in 1986	2 64.2 in 1970	2 5.97 in 1916	2 0.02 in 2012
3 75.9 in 1946	64.2 in 1968	3 5.52 in 2002	3 0.05 in 2016
4 75.5 in 2015	4 65.1 in 2008	4 5.07 in 1987	0.05 in 1990
5 74.3 in 2020	5 65.7 in 1969	5 4.60 in 2014	5 0.07 in 2007
6 74.2 in 1985	6 65.8 in 1966	6 4.54 in 1965	6 0.08 in 1940
7 74.1 in 1958	7 66.1 in 1976	7 4.40 in 1972	7 0.09 in 1993
8 73.8 in 1961	66.1 in 1923	8 4.31 in 1921	8 0.10 in 1929
9 73.6 in 1947	9 67.0 in 2012	9 4.16 in 1951	9 0.11 in 1973
10 73.0 in 1960	67.0 in 1939	10 3.92 in 1998	10 0.12 in 1924
...	67.0 in 1914	11 3.91 in 1938	
72 68.5 in 2021	...	12 3.73 in 2021	
68.5 in 1950	33 68.5 in 2021		
	68.5 in 1950		

Normal Temperature for November at PGD = 70.2°

Normal Rainfall for November at PGD = 2.12 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.6 in 1948	1 72.4 in 1917	1 31.25 in 1959	1 5.37 in 2008
2 79.4 in 1986	2 73.0 in 1976	2 24.61 in 1922	2 5.75 in 1961
3 79.3 in 2020	73.0 in 1968	3 23.01 in 1962	3 5.87 in 1974
4 79.1 in 1946	4 73.5 in 1923	4 21.28 in 1953	4 5.91 in 1927
5 78.7 in 2018	5 73.7 in 1930	5 20.82 in 1995	5 5.95 in 1973
78.7 in 1985	6 73.8 in 1914	6 20.64 in 1947	6 6.00 in 1931
7 78.1 in 2015	7 73.9 in 1943	7 20.39 in 1924	7 6.22 in 1991
78.1 in 1947	73.9 in 1940	8 18.72 in 1929	8 6.33 in 1970
9 77.9 in 1960	9 74.0 in 1970	9 18.66 in 1951	9 6.62 in 1978
77.9 in 1951	10 74.1 in 2008	10 18.54 in 1945	10 6.82 in 1920
...	74.1 in 1969
26 76.7 in 2021	74.1 in 1966	64 11.20 in 2021	43 11.20 in 2021
76.7 in 1936	...		
	76 76.7 in 2021		
	76.7 in 1936		

Normal Temperature for Autumn at PGD = 76.5°

Normal Rainfall for Autumn at PGD = 12.01 inches

FORT MYERS AREA (records began in January 1902):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	78.3 in 1986	1	64.1 in 1917	1	8.06 in 1987	1	Trace in 2016
2	76.7 in 2015	2	64.9 in 1910	2	7.58 in 1998		Trace in 2000
3	75.6 in 1985	3	65.4 in 1956	3	5.67 in 2002		Trace in 1944
	75.6 in 1948	4	65.7 in 1949	4	4.60 in 1921	4	0.01 in 1990
5	75.4 in 1994	5	65.9 in 1923	5	4.47 in 2014	5	0.02 in 1950
6	75.0 in 1946	6	66.1 in 1962	6	4.21 in 2020	6	0.03 in 1945
7	74.9 in 2020	7	66.2 in 1969	7	4.11 in 1997	7	0.04 in 1978
8	74.2 in 1978	8	66.3 in 1903	8	3.85 in 1972	8	0.06 in 1905
9	74.0 in 2017	9	66.6 in 1950	9	3.75 in 2005	9	0.08 in 1942
	74.0 in 1988	10	66.7 in 1976	10	3.71 in 1922	10	0.09 in 2008
			66.7 in 1970				0.09 in 2007
...				0.09 in 1931
51	70.8 in 2021	68	70.8 in 2021	
	70.8 in 1980		70.8 in 1980	25	2.45 in 2021	96	2.45 in 2021
	70.8 in 1902		70.8 in 1902				

Normal Temperature for November at FMY = 71.5°

Normal Rainfall for November at FMY = 1.78 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	80.4 in 1986	1	72.5 in 1903	1	32.14 in 1922	1	5.16 in 1988
2	80.2 in 1985	2	72.7 in 1910	2	27.85 in 1969	2	5.95 in 1942
3	79.8 in 2019	3	72.9 in 1976	3	26.80 in 1924	3	5.96 in 1974
4	79.1 in 2020	4	73.7 in 1908	4	23.34 in 1947	4	5.97 in 1907
	79.1 in 2015	5	73.8 in 1913	5	23.33 in 1953	5	6.11 in 1992
6	78.8 in 1979	6	74.0 in 1923	6	22.99 in 1962	6	6.12 in 1906
7	78.7 in 1994	7	74.1 in 1953	7	22.36 in 2020	7	6.31 in 2004
8	78.6 in 2018	8	74.3 in 1909	8	21.74 in 1998	8	6.50 in 1966
9	78.5 in 2021	9	74.4 in 1943	9	21.44 in 1952	9	6.67 in 1978
	78.5 in 2007		74.4 in 1914	10	20.90 in 2011	10	6.78 in 1904
	78.5 in 1996			
	78.5 in 1990			41	14.67 in 2021	76	14.67 in 2021

Normal Temperature for Autumn at FMY = 77.2°

Normal Rainfall for Autumn at FMY = 13.86 inches

For more local climate information, please visit our web page at <https://www.weather.gov/tampabay> and look within the "Climate and Past Weather" drop down menu above the map of the area.