

# NOAA - National Weather Service

Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay


# November and Autumn (Sep/Oct/Nov) 2023 Climate Summary

We saw a wide range in our temperatures this November with a couple of cold fronts moving through bringing some cooler weather, especially during the last few days which knocked several sites out of the Top Ten Warmest for November. For the month temperatures averaged from near normal to almost 2.5 degrees above normal.


#### NOVEMBER TEMPERATURE (°F):

Location	November 2 Rank A		Normal Nov Temp	Dep fm Normal	Records Began
Fort Myers Area Punta Gorda Area Sarasota-Bradenton Area Archbold Bio Stn Tampa Area Venice	11th Warmest 24th Warmest(tie 24th Warmest(tie	72.6° ) 71.1° 70.8° ) 70.4° ) 70.4°	71.5° 70.2° 70.1° 68.9° 69.8° 69.9° 70.6°	+1.5° +2.4° +1.0° +1.9° +0.6° +0.5° -0.2°	Jan 1902 May 1914 Jan 1911 Jan 1969 Apr 1890 May 1955
St Petersburg Area Plant City	64th Coolest(tie 20th Warmest(tie	) 70.2°	69.4°	+0.8°	Aug 1914 Sep 1892
Lakeland Area Wauchula 2 N Bartow	22nd Warmest 28th Warmest 32nd Warmest(tie	70.1° 69.8° ) 69.5°	69.2° 67.8° 68.3°	+0.9° +2.0° +0.8°	Jan 1915 Jan 1933 Jun 1892
Winter Haven Area Myakka River State Park	41st Coolest(tie	) 69.5°	69.8° 69.1°	-0.3° 0.0°	Mar 1941 Mar 1956
St. Leo Brooksville Area	49th Warmest(tie 57th Warmest(tie	) 67.4°	66.8° 65.1°	+0.6° +1.2°	Apr 1895 Jan 1892
Chiefland 5 ESE	19th Warmest(tie	) 65.1°	62.7°	+2.4°	Jul 1956

Temperature (F) 11/1/2023 - 11/30/2023



Departure from Normal Temperature (F) 11/1/2023 - 11/30/2023




Graphics Source: NOAA Regional Climate Centers

As for Autumn, we had temperatures near to about 2 degrees above normal in September, 1 degree below to 1 degree above average in October, and near to about 2.5 degrees above normal this November. Overall, this Autumn temperatures averaged near to almost 2 degrees above normal which placed a few locations in the Top Ten Warmest for Autumn.

#### AUTUMN (SEPTEMBER/OCTOBER/NOVEMBER) TEMPERATURE (°F):

	Autumn 2023		Normal	Dep fm	Records
Location	Rank Avo	f Temp	Aut Temp	Normal	Began
Fort Myers Area	14th Warmest	78.4°	77.2°	+1.2°	Jan 1902
Punta Gorda Area	7th Warmest	78.2°	76.5°	+1.7°	May 1914
Sarasota-Bradenton Area	8th Warmest	77.2°	76.5°	+0.7°	Jan 1911
Tampa Area	11th Warmest(tie)	77.2°	76.6°	+0.6°	Apr 1890
St Petersburg Area	28th Warmest(tie)	77.2°	77.0°	+0.2°	Aug 1914
Venice	10th Warmest(tie)	77.0°	76.0°	+1.0°	May 1955
Plant City	8th Warmest	76.8°	76.1°	+0.7°	Sep 1892
Lakeland Area	14th Warmest(tie)	76.3°	75.7°	+0.6°	Jan 1915
Archbold Bio Stn	9th Warmest(tie)	75.8°	75.1°	+0.7°	Jan 1969
Winter Haven Area	40th Coolest(tie)	75.8°	76.4	-0.6°	Jan 1941
Wauchula 2 N	25th Warmest	75.4°	74.6°	+0.8°	Jan 1933
Myakka River State Park	22nd Coolest(tie)	75.2°	75.6°	-0.4°	Mar 1956
Bartow	31st Warmest	75.1°	74.8°	+0.3°	Jun 1892
St. Leo	52nd Warmest(tie)	73.9°	73.6°	+0.3°	Apr 1895
Brooksville Area	51st Warmest(tie)	73.3°	72.7°	+0.6°	Jan 1892
Chiefland 5 ESE	14th Warmest(tie)	72.2°	70.9°	+1.3°	Jul 1956



Graphics Source: NOAA Regional Climate Centers

1.5

-0.5


-1.5 -2

-2.5


Looking at rainfall, many days in November 2023 were dry, which is pretty typical, but we did see a few fronts move through bringing some decent rainfall to parts of the Nature Coast and Southwest Florida.

#### NOVEMBER RAINFALL (inches):

	November	2023	Normal	Dep fm	Records
Location	Rank Ra	ain Total	Nov Rain	Normal	Began
Fort Myers Area	19th Wettest	2.97	1.78	+1.19	Jan 1902
Plant City	29th Wettest(t	ie) 2.88	1.76	+1.12	Sep 1892
Brooksville Area	25th Wettest	2.84	1.59	+1.25	Jan 1892
St. Leo	42nd Wettest	2.83	1.86	+0.97	Apr 1895
Lakeland Area	30th Wettest	2.69	1.93	+0.76	Jan 1915
Wauchula 2 N	21st Wettest(t	ie) 2.48	1.96	+0.52	Jan 1933
Winter Haven Area	31st Wettest	2.03	1.45	+0.58	Jan 1941
Tampa Area	50th Wettest	1.85	1.40	+0.45	Apr 1890
St. Petersburg Area	46th Wettest	1.66	1.46	+0.20	Aug 1914
Bartow	62nd Wettest	1.64	1.49	+0.15	Jun 1892
Venice	31st Driest	1.34	1.54	-0.20	May 1955
Punta Gorda Area	55th Driest	1.29	2.12	-0.83	May 1914
Myakka River State Pk	35th Driest	1.25	2.02	-0.77	Sep 1943
Archbold Bio Stn	25th Driest	1.19	1.74	-0.55	Jan 1969
Chiefland 5 ESE	16th Driest	1.06	2.22	-1.16	Jul 1956
Tarpon Springs	34th Driest	0.74	1.90	-1.16	Jan 1892
Sarasota-Bradenton Area	37th Driest	0.67	1.81	-1.14	Jan 1911



Rainfall November 2023





Percent of Normal

As for rainfall during Autumn it remained variable with totals ranging from as little as 4 inches to about 12 inches. Unfortunately, the lower totals continued to be in the drought-stricken areas near the coast from around Tampa Bay south through Sarasota and Venice.

#### AUTUMN (SEPTEMBER/OCTOBER/NOVEMBER) RAINFALL (inches):

Location	Aut <sup>.</sup> Rank	umn 2023 Rain Total	Normal Aut Rain	Dep fm Normal	Records Began
	Italin		nuc num	normar	Degan
Wauchula 2 N	14th Wett	est 15.64	11.37	+4.27	Jan 1933
Archbold Bio Stn	28th Drie	st 12.28	12.32	-0.04	Jan 1969
Fort Myers Area	56th Drie	st(tie) 12.02	13.86	-1.84	Jan 1902
Brooksville Area	51st Wett	est 11.75	10.17	+1.58	Jan 1892
Bartow	64th Drie	st 11.56	11.83	-0.27	Jun 1892
Punta Gorda Area	48th Drie	st 11.46	12.01	-0.55	May 1914
Winter Haven Area	39th Wett	est 10.23	8.98	+1.25	Jan 1941
St. Leo	29th Drie	st 8.42	11.55	-3.13	Apr 1895
Tampa Area	41st Drie	st 8.20	9.83	-1.63	Apr 1890
Lakeland Area	15th Drie	st 6.81	12.59	-5.78	Jan 1915
Myakka River State Pk	3rd Drie	st 6.07	13.66	-7.59	Sep 1943
St. Petersburg Area	10th Drie	st 5.82	10.28	-4.46	Aug 1914
Venice	4th Drie	st 5.68	12.05	-6.37	May 1955
Plant City	12th Drie	st 5.29	11.33	-6.04	Sep 1892
Tarpon Springs	4th Drie	st 4.03	12.12	-8.09	Jan 1892
Sarasota-Bradenton Area	1st Drie	st 3.25	10.57	-7.32	Jan 1911





Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Novembers and Autumns at some official NWS locations, which include the average/total for this November and Autumn where available, and the 1991-2020 Normal (average) temperature and rainfall for November and Autumn.

#### CHIEFLAND 5 SE (records began in July 1956):

Warmest Novembers		Coolest Novembers		Wettest Novembers			Driest Novembers	
1 2	69.4 in 1985 69.2 in 1998	1	56.6 in 1976 56.7 in 2008	1 2	7.52 in 1972 6.47 in 1997		Trace in 1978 0.15 in 2012	
3	68.9 in 1986	3	57.3 in 1970	3	6.02 in 1987	3	0.25 in 2016	
4	68.6 in 1994	4	58.2 in 1962	4	5.94 in 2002	4	0.33 in 1956	
5	67.5 in 1982	5	58.3 in 1968	5	5.25 in 1958	5	0.35 in 1970	
6	67.0 in 2022	6	59.2 in 1969	6	4.95 in 1983	6	0.48 in 1998	
7	66.9 in 2020	7	59.3 in 2021	7	4.80 in 1963	7	0.61 in 1990	
	66.9 in 1973	8	59.4 in 2014	8	4.73 in 2013	8	0.62 in 1991	
9	66.5 in 1958	9	59.7 in 1984	9	4.55 in 1981	9	0.66 in 2001	
10	66.3 in 1978	10	59.8 in 1963	10	4.50 in 1986	10	0.82 in 1993	
•••						•••		
19	65.1 in 2023					16	1.06 in 2023	
	65.1 in 1964							

Normal Temperature for November at CHIF1 = 62.7° Normal Rainfall for November at CHIF1 = 2.22 inches

-----

War	mest Autumns	Coolest	Autumns	Wet	test Au	tumns	Drie	est Autumns
1	75.2 in 2018	1 67.1	in 1976	1	26.52	in 2004	1	2.05 in 1978
2	75.0 in 2020	2 67.9	) in 2008	2	24.26	in 1983	2	3.83 in 2008
3	74.9 in 1998	3 68.	/ in 2006	3	20.54	in 1964	3	4.20 in 1961
4	74.2 in 1986	4 68.8	8 in 1968	4	18.65 :	in 1959	4	5.13 in 2010
5	73.9 in 1985	5 68.9	) in 2000	5	17.59 :	in 1985	5	5.37 in 1970
6	73.7 in 1959	6 69.1	in 1963	6	16.94	in 1998	6	5.38 in 2003
7	73.4 in 2019	69.1	in 1969	7	16.38	in 1997	7	6.11 in 2022
8	73.0 in 1973	8 69.3	3 in 1956	8	15.91 :	in 1960	8	6.24 in 1991
9	72.9 in 2016	69.3	3 in 1962	9	15.67	in 2002	9	6.61 in 1974
10	72.6 in 1994	10 69.0	5 in 2010	10	15.26	in 2017	10	6.65 in 2005
11	72.5 in 1978							
	72.5 in 1960							
13	72.4 in 1990							
14	72.2 in 2023							
	72.2 in 1971							
Normal Temperature for Autumn at CHIF1 = 70.9°								
Tot	al Rainfall for	Autumn 20	)23 = Few Da	vs M	issing	in Septem	ber	

Total Rainfall for Autumn 2023 = Few Days Missing in September Normal Rainfall for Autumn at CHIF1 = 11.21 inches

\_\_\_\_\_

## **INVERNESS 3 SE** (records began in July 1948):

War	mest Novembers	Соо	lest Novembers	Wet	test Novembers	Dri	est Novembers
1	73.1 in 2015	1	59.0 in 1991	1	7.73 in 1980	1	0.00 in 2004
2	71.0 in 2020	2	59.5 in 1976	2	6.40 in 1997		0.00 in 1978
3	70.3 in 1958	3	60.3 in 2002	3	6.21 in 1972	3	0.01 in 2016
4	69.7 in 2022	4	60.5 in 2014	4	5.48 in 1951	4	0.02 in 1950
5	69.3 in 1964	5	60.6 in 1997	5	4.90 in 2015	5	0.07 in 2012
	69.3 in 1978	6	61.0 in 1950	6	4.78 in 2014	6	0.23 in 1993
7	68.8 in 1957	7	61.3 in 2012	7	4.69 in 1988	7	0.25 in 1967
8	68.6 in 1998	8	61.4 in 1995	8	4.35 in 2022	8	0.28 in 1956
9	68.5 in 1973	9	61.6 in 2000	9	3.77 in 2005	9	0.36 in 2001
	68.5 in 1960	10	61.7 in 1949	10	3.70 in 2017	10	0.38 in 1966

Average Temperature for November 2023 = Not Available Yet Normal Temperature for November at INVF1 =  $64.3^{\circ}$ 

Total Rainfall for November 2023 = Not Available Yet Normal Rainfall for November at INVF1 = 1.83 inches

-----

Warmest Autumns		Co	olest Autumns	Wettest Autumns	Driest Autumns		
1	76.8 in 202	0 1	68.4 in 1976	1 21.53 in 2017	1 2.08 in 1967		
2	76.1 in 201	5 2	69.4 in 1997	2 21.34 in 1960	2 2.92 in 1978		
3	75.1 in 195	8 3	70.2 in 1991	3 21.07 in 1950	3 4.19 in 1961		
4	75.0 in 201	9 4	70.4 in 2006	4 19.73 in 2021	4 4.56 in 1974		
5	74.9 in 199	8 5	70.6 in 2000	5 19.55 in 1992	5 4.97 in 2010		
	74.9 in 196	0 6	70.7 in 1987	6 19.27 in 1997	6 5.13 in 2003		
	74.9 in 195	9 7	70.8 in 2014	7 18.83 in 2004	7 5.37 in 1954		
8	74.2 in 194	8 8	71.1 in 1956	8 17.75 in 2016	8 5.47 in 2012		
9	74.1 in 200	9 9	71.3 in 2002	9 17.32 in 2001	9 5.85 in 2000		
	74.1 in 200	7 10	71.5 in 1996	10 16.51 in 1988	10 6.14 in 1996		

Average Temperature for Autumn 2023 = Not Available Yet Normal Temperature for Autumn at INVF1 = 71.9°

Total Rainfall for Autumn 2023 = Not Available Yet Normal Rainfall for Autumn at INVF1 = 10.56 inches

## BROOKSVILLE AREA (records began in January 1892):

War	mest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	73.2 in 2015	1 57.5 in 1901	1 9.31 in 1916	1 0.00 in 1967
2	72.7 in 1948	2 60.3 in 2008	2 9.17 in 1987	2 Trace in 2016
3	72.6 in 1946	3 60.5 in 1892	3 8.30 in 1951	Trace in 1931
4	71.0 in 2020	4 60.8 in 2014	4 7.08 in 2014	4 0.01 in 1978
	71.0 in 1958	5 61.1 in 1923	5 6.64 in 1937	5 0.05 in 1928
6	70.7 in 1994	6 61.3 in 2000	6 6.56 in 1980	6 0.12 in 2001
7	70.5 in 1973	7 61.4 in 2012	7 6.28 in 1999	7 0.15 in 1913
	70.5 in 1896	61.4 in 1917	8 6.14 in 1972	8 0.18 in 1940
9	70.1 in 1905	9 61.8 in 2002	9 5.49 in 1932	9 0.22 in 1956
10	69.8 in 2022	10 61.9 in 1962	10 5.14 in 1988	0.22 in 1924
	69.8 in 1988		5.14 in 1920	0.22 in 1900
	69.8 in 1929			
			25 2.84 in 2023	105 2.84 in 2023
57	66.3 in 2023	60 66.3 in 2023		
	66.3 in 2007	66.3 in 2007		

Normal Temperature for November at BKV =  $65.1^{\circ}$ Normal Rainfall for November at BKV = 1.59 inches

-----

War	mest Autumns	Coolest	Autumns	Wet	test Autu	mns	Dri	lest Au	ıtumns
1	76.6 in 2020	1 69.	3 in 1892	1	27.84 in	1950	1	2.30	in 1903
2	76.0 in 1911	2 69.	5 in 1901	2	24.74 in	1912	2	3.58	in 2008
3	75.9 in 2015	3 70.	2 in 1920	3	22.68 in	1894		3.58	in 1978
4	75.7 in 1905	4 70.	3 in 2008	4	21.62 in	1947	4	3.87	in 1967
5	75.4 in 1941	5 70.	4 in 1923	5	21.50 in	1922	5	3.97	in 1909
	75.4 in 1919	6 70.	5 in 2000	6	21.46 in	1995	6	4.10	in 2010
	75.4 in 1915	7 70.	8 in 2006	7	21.24 in	1921	7	4.58	in 1940
8	75.3 in 1946	8 70.	9 in 2014	8	20.56 in	1938	8	4.61	in 1991
	75.3 in 1927	70.	9 in 1894	9	20.36 in	1911	9	5.37	in 2015
10	75.2 in 2018	10 71.	0 in 1953	10	19.88 in	1988	10	5.61	in 1961
	75.2 in 1973								
		• • •		51	11.75 in	2023	79	11.75	in 2023
51	73.3 in 2023	50 73.	3 in 2023						
	73.3 in 1981	73.	3 in 1981						
	73.3 in 1945	73.	3 in 1945						
	73.3 in 1921	73.	3 in 1921						

\_\_\_\_\_

Normal Temperature for Autumn at BKV =  $72.7^{\circ}$ Normal Rainfall for Autumn at BKV = 10.17 inches

## ST LEO (records began in April 1895):

Warmest Novembers		Coolest Novembers	Wettest Novembers	Driest Novembers	
1	75.1 in 1986	1 60.8 in 1917	1 12.48 in 1988	1 Trace in 1960	
2	73.6 in 1985	2 61.3 in 1901	2 8.34 in 1951	2 0.02 in 1978	
3	73.2 in 1946	3 61.7 in 1910	3 7.36 in 1987	3 0.03 in 1931	
4	73.1 in 1948	4 62.2 in 1930	4 7.21 in 2014	0.03 in 1928	
5	72.0 in 1998	5 62.3 in 2014	5 6.72 in 2022	5 0.06 in 2016	
6	71.8 in 2015	6 62.5 in 1923	6 6.22 in 1916	6 0.08 in 2012	
	71.8 in 1994	7 62.6 in 1970	7 6.12 in 1963	7 0.21 in 1993	
8	71.5 in 1982	8 62.8 in 1933	8 6.06 in 1972	8 0.22 in 1940	
9	71.4 in 1958	62.8 in 1932	9 5.84 in 1911	9 0.23 in 1913	
10	71.3 in 2020	62.8 in 1904	10 5.61 in 1918	10 0.26 in 1945	
	71.3 in 1978				
			42 2.38 in 2023	88 2.38 in 2023	
49	67.4 in 2023	79 67.4 in 2023			
	67.4 in 1971	67.4 in 1971			
	67.4 in 1906	67.4 in 1906			

Normal Temperature for November at STLF1 = 66.8° Normal Rainfall for November at STLF1 = 1.86 inches

-----

War	mest Autumns	Cool	lest Auti	umns	Wet	test Au	utumns	Drie	est Autumns
1	77.9 in 1985	1	69.8 in	1917	1	25.80	in 1988	1	1.52 in 1978
2	77.4 in 1986	2	70.1 in	1903	2	25.13	in 1912	2	3.19 in 1940
3	76.5 in 2020	3	70.2 in	1930	3	24.60	in 1922	3	3.56 in 2010
	76.5 in 1998	4	70.7 in	1920	4	22.73	in 1953	4	3.81 in 1909
5	76.4 in 2007	5	71.0 in	1976	5	21.77	in 1997	5	4.14 in 1967
6	76.2 in 1946		71.0 in	1923	6	21.48	in 1982	6	4.76 in 1991
7	76.1 in 2009	7	71.1 in	1910	7	21.40	in 1950	7	5.09 in 2008
	76.1 in 1941	8	71.4 in	1943	8	21.29	in 1921	8	5.11 in 2018
9	75.9 in 2004	9	71.5 in	2014	9	20.71	in 1949	9	5.33 in 1931
10	75.8 in 2018	10	71.8 in	1956	10	20.35	in 2004	10	5.63 in 1961
	75.8 in 2003		71.8 in	1922					
		• • •			101	8.42	in 2023	29	8.42 in 2023
52	73.9 in 2023	73	73.9 in	2023					
	73.9 in 1996		73.9 in	1996					
	73.9 in 1951		73.9 in	1951					
	73.9 in 1949		73.9 in	1949					

\_\_\_\_\_

Normal Temperature for Autumn at STLF1= 73.6° Normal Rainfall for Autumn at STLF1 = 11.55 inches

Warmest Novembers		Coolest Novembers		Wet	test Novembers	D	Driest Novembers		
1	75.9 in 1986	1	59.6 in 2004	1	9.13 in 1988	-	1 0.00 in 2016		
2	74.4 in 1985	2	60.0 in 1901	2	8.18 in 1916		2 Trace in 1939		
3	74.3 in 1946	3	61.5 in 1917	3	6.99 in 1997		Trace in 1931		
4	73.5 in 2015	4	61.7 in 1962	4	6.63 in 1992	4	4 0.02 in 1978		
5	72.6 in 1994		61.7 in 1892	5	6.09 in 2014	I	5 0.06 in 1933		
6	72.3 in 1998	6	61.9 in 1910	6	5.80 in 1963	(	6 0.08 in 1942		
7	71.8 in 2003	7	62.5 in 1904	7	5.57 in 1920		7 0.09 in 1940		
8	71.6 in 1896	8	62.6 in 2014	8	5.49 in 2020		0.09 in 1928		
9	71.4 in 1982		62.6 in 1970	9	5.19 in 1955	(	9 0.10 in 1930		
10	71.3 in 1929	10	63.0 in 1976	10	5.18 in 1896	1(	) 0.13 in 1924		
	71.3 in 1919		63.0 in 1912			•			
				96	0.74 in 2023	34	4 0.74 in 2023		
					0.74 in 1991		0.74 in 1991		

TARPON SPRINGS (records began in January 1892):

Average Temperature for November 2023 = Few Days Missing/Unrepresentative Normal Temperature for November at TRPF1 =  $67.5^{\circ}$  Normal Rainfall for November at TRPF1 = 1.90 inches

\_\_\_\_\_

War	mest Autumns	Coolest Au	utumns	Wet	test Autumns	Driest Autumns		
1	78.1 in 1985	1 70.8 i	in 1917	1	28.87 in 1911	1	1.85 in 2005	
2	78.0 in 1986	70.8 i	in 1892	2	28.34 in 1988	2	3.33 in 1978	
3	77.9 in 1919	3 71.4 i	in 1903	3	24.31 in 2014	3	3.44 in 1967	
4	77.6 in 2018	4 71.5 i	in 1976	4	22.25 in 1997	4	4.03 in 2023	
5	76.8 in 2020	5 71.7 i	in 1967	5	21.71 in 1983	5	4.62 in 2008	
	76.8 in 1946	71.7 i	in 1901	6	21.70 in 1912	6	4.85 in 2010	
7	76.7 in 2015	7 71.9 i	in 1963	7	21.43 in 1975	7	4.86 in 1927	
	76.7 in 1994	71.9 i	in 1962	8	20.78 in 1995	8	5.57 in 1909	
9	76.6 in 2019	71.9 i	in 1940		20.78 in 1959	9	5.74 in 1930	
	76.6 in 1998	71.9 i	in 1904	10	20.60 in 1971	10	5.99 in 1981	
		71.9 i	in 1899					

Average Temperature for Autumn 2023 = Several Days Missing/Unrepresentative Normal Temperature for Autumn at TRPF1 = 74.8° Normal Rainfall for Autumn at TRPF1 = 12.12 inches

## TAMPA AREA (records began in April 1890):

War	mest Novembers	Cool	est Novembers	Wet	test Nov	embers	Dri	est No	vembers
1	76.3 in 1986	1	61.4 in 1901	1	6.12 in	1963	1	Trace	in 1960
2	76.2 in 2015	2	61.9 in 1970	2	5.97 in	1988	2	0.01	in 2016
3	74.6 in 2020	3	62.3 in 1968	3	5.40 in	2020		0.01	in 1978
4	73.7 in 1946	4	62.5 in 1962	4	5.38 in	1944	4	0.04	in 1931
5	73.6 in 1948	5	62.8 in 1976	5	5.26 in	2014	5	0.05	in 1928
	73.6 in 1985	6	62.9 in 1969	6	5.18 in	2022	6	0.08	in 1927
7	72.7 in 1958		62.9 in 1917	7	4.89 in	1953	7	0.10	in 2001
8	72.6 in 2022	8	63.3 in 1910	8	4.85 in	1925		0.10	in 1942
9	72.5 in 1998	9	63.4 in 1923	9	4.75 in	1941	9	0.11	in 2007
10	72.3 in 1994	10	63.7 in 1949	10	4.36 in	1987	10	0.12	in 2017
								0.12	in 1974
24	70.4 in 2023								
	70.4 in 2005			50	1.85 in	2023	85	1.85	in 2023

Normal Temperature for November at TPA =  $69.8^{\circ}$ Normal Rainfall for November at TPA = 1.40 inches

-----

War	mest Autumns	Coo	lest Autumns	Wet	test Autu	mns	Drie	est Au	ltumns
1 2	79.7 in 2020 79.0 in 2015	1 2	71.0 in 1976 71.6 in 1903	1 2	24.38 in 22.83 in		1 2		in 2010 in 1909
3	78.9 in 2018		71.6 in 1891	3	20.45 in	1997	3	3.62	in 1961
4	78.4 in 1986	4	71.7 in 1968	4	19.80 in	1922	4	4.06	in 1942
5	78.1 in 2019	5	71.8 in 1917	5	19.62 in	1988	5	4.21	in 1940
6	77.9 in 2017		71.8 in 1901	6	19.07 in	1947	6	4.25	in 1913
7	77.8 in 1985	7	71.9 in 1923	7	18.57 in	2022	7	4.35	in 1974
8	77.7 in 2016	8	72.2 in 1892	8	18.15 in	1953	8	5.07	in 1967
9	77.5 in 1919	9	72.3 in 1962	9	17.60 in	1890	9	5.22	in 1984
10	77.3 in 2021	10	72.4 in 1956	10	16.58 in	1911	10	5.33	in 2003
11	77.2 in 2023		72.4 in 1910						
	77.2 in 1998			94	8.20 in	2023	41	8.20	in 2023

Normal Temperature for Autumn at TPA =  $76.6^{\circ}$ Normal Rainfall for Autumn at TPA = 9.83 inches

## ST PETERSBURG (records began in August 1914):

War	mest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	77.4 in 1986	1 63.9 in 1917	1 6.94 in 1988	1 0.00 in 1931
2	76.3 in 1985	2 64.3 in 1962	2 6.85 in 1953	2 0.02 in 1960
3	74.9 in 2015	3 64.7 in 1949	3 6.80 in 1987	3 0.03 in 2016
4	74.8 in 1946	4 65.1 in 1976	4 6.18 in 2020	0.03 in 1942
5	74.5 in 1948	5 65.2 in 1995	5 6.04 in 1963	5 0.04 in 2001
6	74.3 in 2020	65.2 in 1951	6 5.71 in 1916	6 0.10 in 1978
7	73.8 in 2005	7 65.3 in 1950	7 5.63 in 1925	7 0.12 in 1974
8	73.7 in 1978	8 65.4 in 1954	8 5.08 in 1954	8 0.14 in 1930
9	73.5 in 1958	9 65.7 in 1956	9 5.03 in 1968	9 0.15 in 1928
10	72.9 in 1994	65.7 in 1923	10 5.02 in 1915	10 0.18 in 1946
	72.9 in 1929			
			46 1.66 in 2023	65 1.66 in 2023
46	70.4 in 2023	64 70.4 in 2023		
	70.4 in 1974	70.4 in 1974		

Normal Temperature for November at SPG =  $70.6^{\circ}$ Normal Rainfall for November at SPG = 1.46 inches

\_\_\_\_\_

War	mest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns		
1	80.0 in 1985	1 72.6 in 1917	1 32.75 in 1988	1 2.13 in 2010		
2	79.9 in 1986	2 73.2 in 1956	2 30.04 in 1953	2 4.00 in 1990		
3	79.8 in 2005	3 73.4 in 1952	3 26.31 in 1986	3 4.49 in 1967		
4	79.3 in 2020	4 73.5 in 1954	4 26.30 in 1952	4 4.69 in 2008		
5	79.1 in 2015	73.5 in 1953	5 21.83 in 1997	5 4.84 in 1964		
6	79.0 in 2018	6 73.6 in 1976	6 21.06 in 1922	6 5.01 in 1940		
7	78.9 in 2019	73.6 in 1962	7 20.14 in 1954	7 5.52 in 1927		
8	78.4 in 2013	73.6 in 1923	8 19.12 in 1918	8 5.61 in 1966		
	78.4 in 1941	9 73.7 in 1943	9 19.07 in 2001	9 5.73 in 1965		
10	78.3 in 2010 78.3 in 1919	10 73.9 in 1950	10 18.52 in 1959	10 5.82 in 2023		
28	<b>77.2 in 2023</b> 77.2 in 2003 77.2 in 1990 77.2 in 1915	77.2 in 2023 77.2 in 2003 77.2 in 1990 77.2 in 1915				

Normal Temperature for Autumn at SPG =  $77.0^{\circ}$ Normal Rainfall for Autumn at SPG = 10.28 inches

Warı	nest 1	Nove	embers	Cool	Lest 1	love	embers	Wett	test 1	love	embers	Drie	est No	oven	nbers
1	75.7	in	1986	1	61.8	in	1932	1	7.88	in	1953	1	0.00	in	1960
2	74.6	in	2015	2	62.0	in	1930	2	7.34	in	1988		0.00	in	1931
3	74.3	in	1948	3	62.1	in	1917	3	6.89	in	2020		0.00	in	1905
4	74.2	in	2020	4	62.4	in	1933	4	6.75	in	2014	4	0.01	in	2007
5	73.9	in	1946	5	62.6	in	1904	5	6.46	in	1963	5	0.05	in	2012
6	73.8	in	2022	6	62.9	in	1912	6	5.90	in	1918	6	0.10	in	1928
7	72.7	in	1985	7	63.1	in	2014	7	5.56	in	1971		0.10	in	1924
8	72.5	in	1896	8	63.3	in	1962	8	4.89	in	2022	8	0.13	in	1940
9	72.3	in	1994		63.3	in	1949	9	4.63	in	1980	9	0.15	in	2017
	72.3	in	1958	10	63.4	in	1926	10	4.52	in	1987		0.15	in	1978
•••								• • •				• • •			
20	70.2	in	2023					29	2.88	3 in	n 2023	96	2.88	3 ir	n 2023
	70.2	in	2013						2.88	3 ir	n 1926		2.88	3 ir	n 1926

## PLANT CITY (records began in September 1892):

Normal Temperature for November at PLCF1 = 69.4° Normal Rainfall for November at PLCF1 = 1.76 inches

-----

Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1 79.6 in 2020 2 78.4 in 2018	1 70.4 in 1930 2 70.8 in 1932	1 25.05 in 1947 2 23.20 in 1894	1 1.89 in 1909 2 1.99 in 1961
3 78.3 in 2019	3 71.2 in 1940	2 23.20 IN 1894 3 23.04 in 1988	3 3.56 in 1940
4 77.9 in 1986	4 71.5 in 2000	4 21.72 in 1953	4 4.08 in 1991
5 77.4 in 2015	5 71.6 in 1976	5 20.54 in 2020	5 4.29 in 1927
6 77.2 in 2022	6 71.7 in 1943	6 20.48 in 2022	6 4.41 in 1990
77.2 in 1985	7 72.0 in 1937	7 20.36 in 2014	7 4.55 in 2010
8 76.8 in 2023	72.0 in 1909	8 20.15 in 2004	8 4.57 in 1939
9 76.4 in 1946	9 72.2 in 1968	9 20.06 in 1998	9 4.63 in 1967
10 76.2 in 2021	10 72.4 in 1926	10 19.92 in 1959	10 4.67 in 2008
			11 4.98 in 1964
			12 5.29 in 2023

Normal Temperature for Autumn at PLCF1 = 76.1° Normal Rainfall for Autumn at PLCF1 = 11.33 inches

## LAKELAND AREA (records began in January 1915):

Warr	mest Novembe	rs Coo	lest Novembers	Wet	test Nove	embers	Dri	iest No	vember	S
1	76.9 in 198	5 1	62.6 in 1970	1	7.56 in	2014	1	0.00	in 192	4
2	75.4 in 201	5 2	62.9 in 1962	2	7.19 in	1988	2	Trace	in 201	6
3	73.4 in 198	5 3	63.0 in 1969	3	6.08 in	1987		Trace	in 196	0
4	73.3 in 199	1 4	63.4 in 1949	4	5.94 in	1941		Trace	in 191	7
	73.3 in 194	3 5	63.5 in 1976	5	5.80 in	2020	5	0.03	in 193	1
6	73.1 in 194	5	63.5 in 1951	6	5.71 in	1963	6	0.05	in 192	8
7	73.0 in 202	)	63.5 in 1950	7	5.54 in	1980	7	0.07	in 195	0
8	72.6 in 202	2 8	63.7 in 1968	8	5.37 in	1953	8	0.08	in 2012	2
9	71.6 in 200	3 9	63.9 in 2008	9	4.59 in	2018	9	0.10	in 1993	1
	71.6 in 198	3 10	64.0 in 1923	10	4.48 in	1997	10	0.11	in 194	0
• • •				•••			•••			
22	70.1 in 202	3		30	2.69 in	2023	80	2.69	in 202	3

Normal Temperature for November at LLDF1 =  $69.2^{\circ}$ Normal Rainfall for November at LLDF1 = 1.93 inches

\_\_\_\_\_

War	mest Autumns	Coo	lest Autumns	Wettest Autumns	Dri	est Autumns
1	79.2 in 1986	1	71.5 in 1976	1 22.45 in 2014	1	2.99 in 1961
2	78.6 in 2020	2	72.1 in 1943	2 21.46 in 2004	2	3.21 in 1940
3	78.3 in 2015	3	72.2 in 1923	3 19.78 in 1947	3	4.16 in 1942
4	78.1 in 1985	4	72.3 in 2006	4 19.52 in 1918	4	4.25 in 1927
5	78.0 in 2018		72.3 in 1968	5 18.91 in 2022	5	4.28 in 1934
6	77.4 in 2019		72.3 in 1956	6 18.47 in 1998	6	4.58 in 2010
7	77.0 in 1994	7	72.4 in 1967	7 18.39 in 1929	7	4.69 in 2008
8	76.8 in 2009	8	72.5 in 1940	8 18.29 in 1953	8	5.01 in 1967
9	76.7 in 1990	9	72.6 in 1954	9 17.36 in 1997	9	5.12 in 1978
10	76.6 in 2017	10	72.7 in 1962	10 17.09 in 1989	10	5.35 in 1974
11	76.4 in 1998		72.7 in 1953		11	5.49 in 2003
	76.4 in 1993		72.7 in 1924		12	5.56 in 1984
	76.4 in 1941				13	6.39 in 1921
14	76.3 in 2023				14	6.41 in 1990
	76.3 in 2022				15	6.81 in 2023

Normal Temperature for Autumn at LLDF1 = 75.7° Normal Rainfall for Autumn at LLDF1 = 12.59 inches

## WINTER HAVEN AREA (records began in January 1941):

War	mest Novembers	Cooles	st Novembers	Wet	test Novembers	Dr	iest Novembers
1	76.8 in 1986	1 63	3.1 in 1962	1	7.81 in 1988	1	0.00 in 1960
2	75.6 in 1948	2 63	3.2 in 1970	2	7.13 in 1987		0.00 in 1950
3	75.1 in 2015	3 63	3.9 in 2008	3	6.76 in 1953	3	Trace in 2011
4	74.9 in 1985	63	3.9 in 1968	4	6.27 in 1963	4	0.01 in 2012
5	74.5 in 1946	5 64	4.1 in 1976	5	5.32 in 1994	5	0.07 in 2016
6	73.5 in 2020	6 64	4.5 in 1949	6	5.21 in 1980	6	0.13 in 1966
7	73.1 in 1994	7 64	4.6 in 1969	7	4.94 in 1951	7	0.16 in 1942
8	72.6 in 1988	8 64	4.7 in 1981	8	4.07 in 1995	8	0.19 in 1985
9	72.5 in 2022	9 64	4.9 in 1950	9	4.00 in 2020	9	0.20 in 2017
10	72.4 in 1958	10 65	5.0 in 2012	10	3.97 in 1968		0.20 in 1991
		65	5.0 in 1951				0.20 in 1967
•••		•••		•••		••	•
33	<b>69.5 in 2023</b> 69.5 in 1993		<b>9.5 in 2023</b> 9.5 in 1993	31	2.03 in 2023	51	2.03 in 2023

Normal Temperature for November at GIF =  $69.8^{\circ}$ Normal Rainfall for November at GIF = 1.45 inches

War	mest Autumns	Cool	est Autu	mns	Wet	test Au	tumns	Dr	iest Au	ltumns
1	79.2 in 2020	1	71.8 in	1976	1	21.86	in 1987	1	2.72	in 1961
2	79.1 in 2018	2	72.2 in	1968	2	20.61	in 1947	2	3.11	in 2009
3	79.0 in 1986	3	72.5 in	1962	3	20.57	in 1953	3	4.27	in 1967
4	78.7 in 2019	4	73.0 in	1963	4	20.35	in 1960	4	4.29	in 2008
5	78.4 in 1985	5	73.2 in	2006	5	18.82	in 1959	5	4.91	in 1985
6	78.0 in 2015	6	73.3 in	2008	6	18.11	in 1950	6	5.14	in 1942
7	77.2 in 1998		73.3 in	1981	7	17.84	in 2014	7	5.44	in 1978
	77.2 in 1989		73.3 in	1953	8	17.59	in 2001	8	5.54	in 2006
	77.2 in 1946	9	73.4 in	1943	9	17.16	in 1988	9	5.78	in 1990
	77.2 in 1941	10	73.5 in	2000	10	16.36	in 2020	10	5.87	in 2015
•••		• • •						• •	•	
27	75.8 in 2023	40	75.8 in 3	2023	39	10.23	in 2023	40	10.23	in 2023
	75.8 in 1959		75.8 in	1959						

\_\_\_\_\_

\_\_\_\_\_

Normal Temperature for Autumn at GIF =  $76.4^{\circ}$ Normal Rainfall for Autumn at GIF = 8.98 inches

## **BARTOW** (records began in June 1892):

Warr	mest Novembers	Coolest	Novembers	Wet	test Novembers	Drie	est Novembers
1	76.4 in 1986	1 60.9	in 1917	1	7.40 in 1987	1	0.00 in 2016
2	75.3 in 2015	2 61.5	in 1970	2	7.36 in 2002		0.00 in 1960
3	74.5 in 1948	3 62.0	in 1910	3	6.52 in 1963	3	0.02 in 1931
4	73.6 in 2013	4 62.3	in 1901	4	6.33 in 1988	4	0.04 in 1966
	73.6 in 1985	5 62.6	in 1904	5	5.97 in 1953		0.04 in 1928
6	73.5 in 1946	62.6	in 1892	6	5.80 in 1951	6	0.05 in 2012
7	73.0 in 1994	7 62.9	in 1962	7	5.18 in 2022	7	0.06 in 1950
8	72.9 in 1958	8 63.5	in 2008	8	4.75 in 1911	8	0.09 in 1923
9	72.5 in 2020	63.5	in 1912	9	4.71 in 1937	9	0.10 in 2007
	72.5 in 1998	10 63.6	in 1939	10	4.68 in 2015		0.10 in 1974
• • •		• • •		• • •		• • •	
32	69.5 in 2023	70 69.5	in 2023	62	1.64 in 2023	71	1.64 in 2023
	69.5 in 1961	69.5	in 1961				

Normal Temperature for November at BARF1 =  $68.3^{\circ}$ Normal Rainfall for November at BARF1 = 1.49 inches

-----

Warı	mest Autumns	Cooles	st Autumns	Wet	test Autumns	Driest Autumns
1	77.8 in 2020	1 71	L.O in 1894	1	31.36 in 2022	1 3.71 in 1942
	77.8 in 2015	2 71	l.1 in 1892	2	26.99 in 1894	2 4.88 in 2010
3	77.2 in 1998	3 71	l.4 in 1917	3	21.30 in 1947	3 5.00 in 1940
4	77.1 in 2018	4 71	L.8 in 1976	4	20.97 in 1917	4 5.02 in 1990
5	76.9 in 2009	5 72	2.1 in 1895	5	20.77 in 1922	5 5.25 in 1961
6	76.8 in 1946	6 72	2.3 in 1914	6	20.38 in 1959	6 5.26 in 1939
	76.8 in 1919	7 72	2.4 in 1970	7	20.31 in 1982	7 5.29 in 1984
8	76.5 in 2019	8 72	2.5 in 1904	8	19.77 in 1953	8 5.47 in 1974
	76.5 in 1958	9 72	2.8 in 1967	9	19.43 in 1902	9 5.57 in 1906
10	76.4 in 1994	72	2.8 in 1963	10	19.30 in 1960	10 5.90 in 1927
		72	2.8 in 1935			
				65	11.56 in 2023	64 11.56 in 2023
31	75.1 in 2023	64 75	5.1 in 2023			

Normal Temperature for Autumn at BARF1 = 74.8° Normal Rainfall for Autumn at BARF1 = 11.83 inches

## SARASOTA-BRADENTON AREA (records began in January 1911):

War	mest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	76.1 in 1986	1 63.2 in 1917	1 9.40 in 1997	1 0.00 in 1931
2	75.4 in 2015	2 63.5 in 1949	2 7.62 in 2020	2 Trace in 1940
3	74.7 in 2020	63.5 in 1923	3 6.81 in 1920	Trace in 1928
4	73.2 in 1948	4 64.2 in 1976	4 6.24 in 1925	4 0.02 in 2016
5	73.1 in 2022	5 64.5 in 2008	5 5.68 in 1953	5 0.06 in 2001
	73.1 in 1958	6 64.6 in 2014	6 5.18 in 1941	0.06 in 1991
7	72.7 in 1994	64.6 in 1981	7 5.15 in 1988	7 0.09 in 1930
8	72.4 in 1985	8 64.7 in 1968	8 4.94 in 1918	8 0.16 in 2007
9	72.2 in 2013	9 64.8 in 1933	9 4.69 in 2002	9 0.20 in 1945
10	72.1 in 1998	10 65.0 in 1962	10 4.55 in 1972	10 0.21 in 1978
	72.1 in 1946			0.21 in 1950
•••			•••	• • •
21	71.1 in 2023		75 0.67 in 2023	37 0.67 in 2023
	71.1 in 1987		0.67 in 1965	0.67 in 1965

Normal Temperature for November at SRQ =  $70.1^{\circ}$ Normal Rainfall for November at SRQ = 1.81 inches

\_\_\_\_\_

Warmest Autumns		Coolest Autumn	s Wettest Autumns	Driest Autumns
1	79.7 in 2020	1 71.3 in 19	76 1 28.46 in 1953	1 3.25 in 2023
	79.7 in 2019	2 72.2 in 19	30 2 25.64 in 1962	2 3.64 in 2010
3	78.3 in 2016	3 72.3 in 19	43 3 23.66 in 1922	3 4.01 in 1991
4	78.2 in 1986	4 72.5 in 19	40 4 23.12 in 1997	4 5.08 in 1942
5	78.0 in 2015	5 72.7 in 19	23 5 22.26 in 1912	5 5.44 in 1974
6	77.8 in 2018	6 73.0 in 19	81 6 22.01 in 1952	6 5.61 in 2012
7	77.3 in 2007	73.0 in 19	44 7 21.30 in 1988	7 5.90 in 2019
8	77.2 in 2023	73.0 in 19	37 8 20.43 in 1928	8 5.95 in 1945
9	77.1 in 1998	9 73.1 in 19	68 9 20.29 in 1957	9 6.05 in 1944
	77.1 in 1990	73.1 in 19	56 10 19.80 in 1960	10 6.27 in 1984

\_\_\_\_\_

Normal Temperature for Autumn at SRQ =  $76.5^{\circ}$ Normal Rainfall for Autumn at SRQ = 10.57 inches

## **VENICE** (records began in May 1955):

Warn	mest Novembers	Coolest	Novembers	Wet	test Novembers	Drie	est Novembers
1	75.8 in 2015	1 64	.2 in 2008	1	7.65 in 1997	1	0.00 in 1991
2	74.1 in 1985	2 64.	.7 in 1962	2	6.02 in 2020	2	0.02 in 2007
3	73.9 in 2022	3 64	.9 in 1981	3	5.85 in 1972	3	0.04 in 2001
4	73.6 in 1998	64.	.9 in 1970	4	5.56 in 1983	4	0.06 in 2016
	73.6 in 1994	5 65.	.1 in 1956	5	5.55 in 1963	5	0.15 in 1960
6	73.5 in 2020	6 65	.2 in 1976	6	4.77 in 1957	6	0.20 in 1993
7	72.5 in 2013	7 65.	.4 in 1968	7	4.46 in 1980	7	0.30 in 1956
8	72.3 in 2003	8 65.	.8 in 2014	8	4.14 in 1998	8	0.31 in 1978
9	72.2 in 1978	9 66.	.0 in 1969	9	3.77 in 1968	9	0.32 in 2012
10	71.9 in 2011	10 66.	.8 in 2021	10	3.72 in 2014		0.32 in 2003
	71.9 in 1982	66.	.8 in 1966	• • •		• • •	
• • •				39	1.34 in 2023	31	1.34 in 2023
24	70.4 in 2023						

70.4 in 2004

Normal Temperature for November at VNCF1 =  $69.9^{\circ}$ Normal Rainfall for November at VNCF1 = 1.54 inches

\_\_\_\_\_

War	mest Autumns	Cool	lest Autumns	Wet	test Autumns	Drie	est Autumns
1	78.9 in 2009	1	71.8 in 1976	1	26.44 in 1983	1	3.04 in 1961
2	78.5 in 1998	2	72.1 in 1968	2	25.83 in 1995	2	3.63 in 1981
3	78.4 in 2015	3	72.8 in 2008	3	25.14 in 2022	3	5.24 in 1978
4	78.0 in 2020		72.8 in 1956	4	21.38 in 1997	4	5.68 in 2023
5	77.8 in 2018	5	73.6 in 1974	5	20.89 in 1960	5	5.81 in 2010
	77.8 in 2013	6	73.7 in 1987	6	20.27 in 1968	6	6.18 in 1964
	77.8 in 1985		73.7 in 1981	7	19.23 in 1959	7	6.59 in 1984
8	77.6 in 2010		73.7 in 1962	8	18.86 in 1982	8	7.16 in 1990
9	77.3 in 1994	9	73.9 in 1977	9	18.67 in 2014	9	7.38 in 2011
10	77.0 in 2023	10	74.0 in 2006	10	18.33 in 1957	10	7.53 in 2019
	77.0 in 2022						
	77.0 in 2017						
	77.0 in 2011						
	77.0 in 2003						

Normal Temperature for Autumn at VNCF1 =  $76.0^{\circ}$ Normal Rainfall for Autumn at VNCF1 = 12.05 inches

MYAKKA RIVER STATE PARK<br/>and Rainfall records began in March 1956<br/>and Rainfall records began in Sep 1943):Warmest NovembersCoolest NovembersWettest NovembersDriest Novembers175.8 in 2015162.1 in 1962110.19 in 199710.00 in 2001275.6 in 1986262.4 in 196925.55 in 202220.02 in 1950373.4 in 1998362.8 in 197035.13 in 195330.03 in 1991473.2 in 1985463.2 in 196845.04 in 194740.07 in 2016572.8 in 2020564.1 in 200855.01 in 197250.19 in 2012672.7 in 1958665.3 in 200064.87 in 198160.20 in 1944772.3 in 2022765.4 in 201274.76 in 202070.30 in 1996972.1 in 2013965.6 in 202194.52 in 19630.30 in 1945.....................

 32
 69.1 in 2023
 28
 69.1 in 2023
 45
 1.25 in 2023
 35
 1.25 in 2023

 69.1 in 1975
 69.1

\_\_\_\_\_\_

Normal Temperature for November at MKCF1 = 69.1° Normal Rainfall for November at MKCF1 = 2.02 inches

 Warmest Autumns
 Coolest Autumns
 Wettest Autumns
 Driest Autumns

 1
 78.5 in 2015
 1
 71.7 in 1962
 1
 37.20 in 2022\*
 1
 4.57 in 1961

 2
 78.3 in 1998
 2
 72.6 in 1968
 2
 25.70 in 1962
 2
 5.85 in 1974

 3
 78.0 in 2019
 3
 72.7 in 1976
 3
 23.65 in 1997
 3
 6.07 in 2023

 78.0 in 2018
 4
 72.8 in 1963
 4
 23.43 in 1979
 4
 6.14 in 1991

 5
 77.9 in 1986
 5
 73.4 in 1969
 6
 21.67 in 1995
 6
 7.52 in 2008

 6
 77.8 in 1985
 73.4 in 1969
 6
 21.67 in 1995
 7
 7.57 in 1970

 7
 77.7 in 1991
 7
 73.5 in 2008
 7
 21.13 in 1953
 7
 7.57 in 2012

 9
 76.8 in 2009
 9
 73.8 in 1992
 9
 20.18 in 2001
 9
 8.67 in 1950

 0
 75.2 in 2002
 75.2 in 2002
 75.2 in 2002
 75.2 in 2010
 10
 8.75 in 1996

 75.2 in 2002
 75.2 in 2002
 75.2 in 2002
 75.2 in 2010

War	mest Nove	mbers	Cool	lest 1	love	embers	Wet	test 1	Nove	embers	Dri	est Nc	veml	bers
1 2	75.7 in 74.6 in		1 2	61.9 62.5			_	11.18			1 2	0.02		
3	74.4 in		-			1949	3	6.43			3	0.08		
4	73.2 in	1946	4	63.2	in	1962	4	5.89	in	1963	4	0.12	in 1	1991
5	72.7 in	2020	5	63.4	in	1970	5	4.75	in	1972	5	0.16	in 1	1974
	72.7 in	1985	6	63.5	in	1956	6	4.41	in	2002	6	0.17	in 2	2016
7	72.7 in	1958	7	63.8	in	2000	7	4.37	in	2014	7	0.19	in 2	2012
8	71.9 in	2022	8	63.9	in	1969	8	3.93	in	2010	8	0.23	in 1	1944
9	71.7 in	1988	9	64.0	in	1950	9	3.91	in	1937	9	0.24	in 1	1966
10	71.4 in	1978	10	64.4	in	1954	10	3.44	in	1988		0.24	in 1	1956
	71.4 in	1973												
							21	2.48	in	2023				
28	69.8 in	2023	60	69.8	in	2023		2.48	in	1951				

# WAUCHULA 2 N (records began in January 1933):

Normal Temperature for November at WAUF1 =  $67.8^{\circ}$ Normal Rainfall for November at WAUF1 = 1.96 inches

War	mest Auti	umns	Cool	lest A	Auti	umns	Wet	test Aı	ıtur	nns	Dr	iest A	utur	nns
1	78.1 in	2009	1	71.6	in	2014	1	31.84	in	2022	1	2.12	in	1961
2	77.9 in	2007	2	71.7	in	2012	2	27.02	in	1953	2	3.84	in	1974
3	77.7 in	1985	3	72.0	in	1956	3	23.48	in	1947	3	4.75	in	1967
4	77.6 in	2020	4	72.1	in	1943	4	20.13	in	1975	4	4.92	in	2008
5	77.5 in	2015	5	72.2	in	1954	5	20.12	in	1952	5	5.10	in	1978
6	77.2 in	1941	6	72.5	in	2010	6	19.04	in	1987	6	5.80	in	1991
7	76.9 in	2018		72.5	in	2006	7	19.02	in	1960	7	6.09	in	1976
8	76.3 in	1946		72.5	in	1953	8	19.00	in	1997	8	6.10	in	1944
9	76.2 in	1989		72.5	in	1944	9	18.33	in	2017	9	6.32	in	1980
10	76.1 in	2019	10	72.6	in	1976	10	16.90	in	1938	10	6.58	in	2003
	76.1 in	1990					11	16.88	in	1969				
	76.1 in	1936					12	16.09	in	1936				
							13	15.67	in	1995				
25	75.4 in	2023					14	15.64	in	2023				

\_\_\_\_\_

Normal Temperature for Autumn at WAUF1 =  $74.6^{\circ}$ Normal Rainfall for Autumn at WAUF1 = 11.37 inches

-----

Warmest Novembers		Coolest Novembers		Wet	test Novembers	Dri	est Novembers
1	76.0 in 2015	1	62.2 in 2008	1	5.94 in 1987	1	0.00 in 2016
2	75.6 in 1986	2	63.1 in 2012	2	5.16 in 1998		0.00 in 2008
3	73.7 in 2020	3	63.2 in 1970	3	4.53 in 2022	3	0.08 in 1986
4	73.3 in 2022	4	64.2 in 1969	4	4.52 in 2002	4	0.12 in 1970
5	72.4 in 1992	5	64.4 in 1981	5	4.46 in 1997	5	0.13 in 1975
6	71.7 in 1985	6	65.1 in 2014	6	4.37 in 1992	6	0.20 in 1996
7	71.6 in 1994	7	65.3 in 2006	7	4.17 in 1977	7	0.21 in 2012
8	71.3 in 1978	8	65.4 in 2000	8	4.16 in 1994	8	0.24 in 2000
	71.3 in 1973	9	66.0 in 1991	9	3.80 in 1988	9	0.29 in 1973
10	71.2 in 2013	10	66.3 in 1997	10	3.78 in 2005	10	0.40 in 2006
11	70.8 in 2023						
						25	1.19 in 2023
							1.19 in 1999

**ARCHBOLD BIO STN** (records began in January 1969):

Normal Temperature for November at ACHF1 = 68.9° Normal Rainfall for November at ACHF1 = 1.74 inches

-----

Warr	mest Autumns	Coolest Autumns		Wet	Wettest Autumns			Driest Autumns		
1 2 3 4 5	78.2 in 2015 78.0 in 2020 77.4 in 1986 76.6 in 2018 76.3 in 2019	2 72.5 3 72.7 72.7	in 2008 in 2012 in 2006 in 2000 in 1976	1 2 3 4 5	22.87 ± 22.49 ± 21.60 ± 20.74 ±	in 1987 in 2022 in 1969	1 2 3 4 5	4.86 5.52 5.96	in 1990 in 1990 in 2000 in 1974 in 2018	0 6 4
J	76.3 in 1985	, _ ,	in 1997	6	17.33 i		6	0.01	in 2010	Ŭ
7	76.2 in 2017	7 73.0	in 1981	7	17.04 i	in 2001	7	6.27	in 2008	8
8	76.0 in 2022	8 73.1	in 1970	8	16.98 i	in 2021	8	6.53	in 1980	0
9	75.8 in 2023	9 73.2	in 2014	9	16.79 i	in 1998	9	7.16	in 1984	4
	75.8 in 2016	73.2	in 1984	10	16.55 i	in 2016	10	7.36	in 2007	7
	75.8 in 1973									
				28	12.28 i	in 2023	28	12.28	in 2023	3

Normal Temperature for Autumn at ACHF1 = 75.1° Normal Rainfall for Autumn at ACHF1 = 12.32 inches

War	mest Novembers	Cooles	st Novembers	Wet	test Novembers	Drie	est Novembers
1	78.3 in 1948	_ •••	3.9 in 1917	1	8.02 in 2022	1	0.00 in 1931
2	76.8 in 1986 75.9 in 1946		1.2 in 1970 1.2 in 1968	2 3	6.91 in 2020 5.97 in 1916	2	0.02 in 2012 0.05 in 2016
4	75.5 in 2015		5.1 in 2008	4	5.52 in 2002	5	0.05 in 1990
5	74.3 in 2022	5 65	5.7 in 1969	5	5.07 in 1987	5	0.07 in 2007
	74.3 in 2020	6 65	5.8 in 1966	6	4.60 in 2014	6	0.08 in 1940
7	74.2 in 1985	7 66	5.1 in 1976	7	4.54 in 1965	7	0.09 in 1993
8	74.1 in 1958	66	5.1 in 1923	8	4.40 in 1972	8	0.10 in 1929
9	73.8 in 1961	9 67	7.0 in 2012	9	4.31 in 1921	9	0.11 in 1973
10	73.6 in 1947	67	7.0 in 1939	10	4.16 in 1951	10	0.12 in 1924
		67	7.0 in 1914				
16	72.6 in 2023			53	1.29 in 2023	55	1.29 in 2023
					1.29 in 1949		1.29 in 1949

PUNTA GORDA AREA (records began in May 1914):

Normal Temperature for November at PGD =  $70.2^{\circ}$ Normal Rainfall for November at PGD = 2.12 inches

-----

Warmest Autumns		Coolest Autumns		Wet	test Autumns	Driest Autumns	
1	79.6 in 1948	1	72.4 in 1917	1	31.25 in 1959	1	5.37 in 2008
2	79.4 in 1986	2	73.0 in 1976	2	24.77 in 2022	2	5.75 in 1961
3	79.3 in 2020		73.0 in 1968	3	24.61 in 1922	3	5.87 in 1974
4	79.1 in 1946	4	73.5 in 1923	4	23.01 in 1962	4	5.91 in 1927
5	78.7 in 2018	5	73.7 in 1930	5	21.28 in 1953	5	5.95 in 1973
	78.7 in 1985	6	73.8 in 1914	6	20.82 in 1995	6	6.00 in 1931
7	78.2 in 2023	7	73.9 in 1943	7	20.64 in 1947	7	6.22 in 1991
8	78.1 in 2015		73.9 in 1940	8	20.39 in 1924	8	6.33 in 1970
	78.1 in 1947	9	74.0 in 1970	9	18.72 in 1929	9	6.62 in 1978
10	77.9 in 1960	10	74.1 in 2008	10	18.66 in 1951	10	6.82 in 1920
	77.9 in 1951		74.1 in 1969				
			74.1 in 1966	59	11.46 in 2023	48	11.46 in 2023

Normal Temperature for Autumn at PGD =  $76.5^{\circ}$ Normal Rainfall for Autumn at PGD = 12.01 inches

#### FORT MYERS AREA (records began in January 1902):

Warmest Novembers		Coolest Novembe	s Wettest November	rs Driest Novembers
1	78.3 in 1986	1 64.1 in 191	1 8.06 in 198'	7 1 Trace in 2016
2	76.7 in 2015	2 64.9 in 191	2 7.58 in 1998	8 Trace in 2000
3	76.6 in 2022	3 65.4 in 195	3 5.67 in 2002	2 Trace in 1944
4	75.6 in 1985	4 65.7 in 194	4 4.60 in 1921	1 4 0.01 in 1990
	75.6 in 1948	5 65.9 in 192	5 4.47 in 2014	4 5 0.02 in 1950
6	75.4 in 1994	6 66.1 in 196	6 4.21 in 202	0 6 0.03 in 1945
7	75.0 in 1946	7 66.2 in 196	7 4.11 in 199	7 0.04 in 1978
8	74.9 in 2020	8 66.3 in 190	8 3.85 in 1972	2 8 0.06 in 1905
9	74.2 in 1978	9 66.6 in 195	9 3.75 in 200	5 9 0.08 in 1942
10	74.0 in 2017	10 66.7 in 197	10 3.71 in 1923	2 10 0.09 in 2008
	74.0 in 1988	66.7 in 197		0.09 in 2007
•••			<b>19 2.97 in 202</b>	<b>3</b> 0.09 in 1931
20	73.0 in 2023			

73.0 in 2019

Normal Temperature for November at FMY =  $71.5^{\circ}$ 

Total Rainfall for November 1-28, 2023 = 2.97 inches Normal Rainfall for November at FMY = 1.78 inches

\_\_\_\_\_

War	mest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1	80.4 in 1986	1 72.5 in 1903	1 32.14 in 1922	1 5.16 in 1988
2	80.2 in 1985	2 72.7 in 1910	2 27.85 in 1969	2 5.95 in 1942
3	79.8 in 2019	3 72.9 in 1976	3 26.80 in 1924	3 5.96 in 1974
4	79.3 in 2022	4 73.7 in 1908	4 23.34 in 1947	4 5.97 in 1907
5	79.1 in 2020	5 73.8 in 1913	5 23.33 in 1953	5 6.11 in 1992
	79.1 in 2015	6 74.0 in 1923	6 22.99 in 1962	6 6.12 in 1906
7	78.8 in 1979	7 74.1 in 1953	7 22.36 in 2020	7 6.31 in 2004
8	78.7 in 1994	8 74.3 in 1909	8 21.74 in 1998	8 6.50 in 1966
9	78.6 in 2018	9 74.4 in 1943	9 21.44 in 1952	9 6.67 in 1978
10	78.5 in 2021	74.4 in 1914	10 20.90 in 2011	10 6.78 in 1904
	78.5 in 2007			
	78.5 in 1996		63 12.02 in 2023	56 12.02 in 2023
	78.5 in 1990		12.02 in 1911	12.02 in 1911
14	78.4 in 2023			

Normal Temperature for Autumn at FMY =  $77.2^{\circ}$ Normal Rainfall for Autumn at FMY = 13.86 inches

\_\_\_\_\_

For more local climate information, please visit our web page at https://www.weather.gov/tampabay and look within the "Climate and Past Weather" drop down menu above the map of the area.