



NOAA - National Weather Service


Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>

Preliminary November and Autumn (Sep/Oct/Nov) 2025 Weather Summary


November temperatures started out near normal then for a few days during the second week fell well below normal with several new record lows being set and some record low maximums. Following this cold spell, we saw a two week stretch of near normal temperatures overall. However, during this stretch of near normal temperatures the lows were actually slightly below normal while the highs were a few degrees above normal. Overall, for the month so far temperatures are averaging near to a couple of degrees below normal with none of the official sites expected to end up in the Top Ten Warmest or Coolest for November.




Graphics Source: High Plains Regional Climate Center (HPRCC)

As for Autumn, we had temperatures near normal in September, near normal to about 1 degree above normal in October, and so far near to a few degrees below normal in November. Overall, the Autumn temperatures are averaging near to slightly above normal which could place a couple of the official sites in the Top Ten Warmest.

Looking at rainfall, it has been a dry November, which is not that unusual, but so dry that many areas are on track to end up in the Top Ten Driest for November.




Rainfall Nov 1-25, 2025




Percent of Normal

As for rainfall during Autumn it has been much below normal in many areas with several locations on track to be the Driest Autumn on record, and some others in the Top 5 Driest.



Rainfall Sep 1-Nov 25, 2025



Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Novembers and Autumns at some official NWS locations, which include the average/total so far for this November and Autumn where available, and the 1991-2020 Normal (average) temperature and rainfall for November and Autumn.

CHIEFLAND 5 SE (records began in July 1956):

Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1 69.4 in 1985	1 56.6 in 1976	1 7.52 in 1972	1 Trace in 1978
2 69.2 in 1998	2 56.7 in 2008	2 6.47 in 1997	2 0.15 in 2012
3 68.9 in 1986	3 57.3 in 1970	3 6.02 in 1987	3 0.25 in 2016
4 68.6 in 1994	4 58.2 in 1962	4 5.94 in 2002	4 0.33 in 1956
5 67.6 in 2024	5 58.3 in 1968	5 5.25 in 1958	5 0.35 in 1970
6 67.5 in 1982	6 59.2 in 1969	6 4.95 in 1983	6 0.46 in 2024
7 66.9 in 2022	7 59.3 in 2021	7 4.80 in 1963	7 0.48 in 1998
66.9 in 2020	8 59.4 in 2014	8 4.73 in 2013	8 0.61 in 1990
66.9 in 1973	9 59.7 in 1984	9 4.55 in 1981	9 0.62 in 1991
10 66.5 in 1958	10 59.8 in 1963	10 4.50 in 1986	10 0.66 in 2001

Average Temperature for November 1-24, 2025 = 60.3°

Normal Temperature for November at CHIF1 = 62.7°

Total Rainfall for November 1-24, 2025 = 0.05 inches

Normal Rainfall for November at CHIF1 = 2.22 inches

Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1 75.2 in 2018	1 67.1 in 1976	1 26.52 in 2004	1 2.05 in 1978
2 74.9 in 2020	2 67.9 in 2008	2 24.26 in 1983	2 3.83 in 2008
74.9 in 1998	3 68.7 in 2006	3 20.54 in 1964	3 4.20 in 1961
4 74.2 in 1986	4 68.8 in 1968	4 18.65 in 1959	4 5.13 in 2010
5 73.9 in 1985	5 68.9 in 2000	5 17.59 in 1985	5 5.37 in 1970
6 73.7 in 1959	6 69.1 in 1963	6 16.94 in 1998	6 5.38 in 2003
7 73.4 in 2024	69.1 in 1969	7 16.38 in 1997	7 6.11 in 2022
73.4 in 2019	8 69.3 in 1956	8 15.91 in 1960	8 6.24 in 1991
9 73.0 in 1973	69.3 in 1962	9 15.67 in 2002	9 6.61 in 1974
10 72.9 in 2016	10 69.6 in 2010	10 15.26 in 2017	10 6.65 in 2005

Average Temperature for Sep 1 - Nov 24, 2025 = 70.3°

Normal Temperature for Autumn at CHIF1 = 70.9°

Total Rainfall for Sep 1 - Nov 24, 2025 = 8.46 inches

Normal Rainfall for Autumn at CHIF1 = 11.21 inches

INVERNESS 3 SE (records began in July 1948):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.1 in 2015	1	59.0 in 1991	1	7.73 in 1980	1	0.00 in 2004
2	71.0 in 2020	2	59.5 in 1976	2	6.40 in 1997		0.00 in 1978
3	70.3 in 1958	3	60.3 in 2002	3	6.21 in 1972	3	0.01 in 2016
4	69.7 in 2024	4	60.5 in 2014	4	5.48 in 1951	4	0.02 in 1950
	69.7 in 2022	5	60.6 in 1997	5	4.90 in 2015	5	0.07 in 2012
6	69.3 in 1978	6	61.0 in 1950	6	4.78 in 2014	6	0.23 in 1993
	69.3 in 1964	7	61.3 in 2012	7	4.69 in 1988	7	0.25 in 1967
8	68.8 in 1957	8	61.4 in 1995	8	4.35 in 2022	8	0.28 in 1956
9	68.6 in 1998	9	61.6 in 2000	9	3.77 in 2005	9	0.36 in 2001
10	68.5 in 1973	10	61.7 in 1949	10	3.70 in 2017	10	0.37 in 2024
	68.5 in 1960						

Average Temperature for November 1-25, 2025 = 62.3°

Normal Temperature for November at INVFl = 64.3°

Total Rainfall for November 1-25, 2025 = 0.16 inches

Normal Rainfall for November at INVFl = 1.83 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.8 in 2020	1	68.4 in 1976	1	21.53 in 2017	1	2.08 in 1967
2	76.1 in 2015	2	69.4 in 1997	2	21.34 in 1960	2	2.92 in 1978
3	75.5 in 2024	3	70.2 in 1991	3	21.07 in 1950	3	4.19 in 1961
4	75.1 in 1958	4	70.4 in 2006	4	19.73 in 2021	4	4.56 in 1974
5	75.0 in 2019	5	70.6 in 2000	5	19.55 in 1992	5	4.97 in 2010
6	74.9 in 1998	6	70.7 in 1987	6	19.27 in 1997	6	5.13 in 2003
	74.9 in 1960	7	70.8 in 2014	7	18.83 in 2004	7	5.37 in 1954
	74.9 in 1959	8	71.1 in 1956	8	17.75 in 2016	8	5.47 in 2012
9	74.2 in 1948	9	71.3 in 2002	9	17.32 in 2001	9	5.85 in 2000
10	74.1 in 2009	10	71.5 in 1996	10	16.51 in 1988	10	6.14 in 1996
	74.1 in 2007						

Average Temperature for Sep 1 - Nov 25, 2025 = 72.2°

Normal Temperature for Autumn at INVFl = 71.9°

Total Rainfall for Sep 1 - Nov 25, 2025 = 7.37 inches

Normal Rainfall for Autumn at INVFl = 10.56 inches

BROOKSVILLE AREA (records began in January 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.2 in 2015	1	57.5 in 1901	1	9.31 in 1916	1	0.00 in 1967
2	72.7 in 1948	2	60.3 in 2008	2	9.17 in 1987	2	Trace in 2016
3	72.6 in 1946	3	60.5 in 1892	3	8.30 in 1951		Trace in 1931
4	71.0 in 2020	4	60.8 in 2014	4	7.08 in 2014	4	0.01 in 1978
	71.0 in 1958	5	61.1 in 1923	5	6.64 in 1937	5	0.05 in 1928
6	70.7 in 1994	6	61.3 in 2000	6	6.56 in 1980	6	0.12 in 2001
7	70.5 in 1973	7	61.4 in 2012	7	6.28 in 1999	7	0.15 in 1913
	70.5 in 1896		61.4 in 1917	8	6.14 in 1972	8	0.18 in 1940
9	70.1 in 1905	9	61.8 in 2002	9	5.49 in 1932	9	0.22 in 1956
10	69.8 in 2022	10	61.9 in 1962	10	5.14 in 1988		0.22 in 1924
	69.8 in 1988				5.14 in 1920		0.22 in 1900
	69.8 in 1929						

Average Temperature for November 1-25, 2025 = 64.1°

Normal Temperature for November at BKV = 65.1°

Total Rainfall for November 1-25, 2025 = 0.10 inches

Normal Rainfall for November at BKV = 1.59 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.6 in 2020	1	69.3 in 1892	1	27.84 in 1950	1	2.30 in 1903
2	76.0 in 1911	2	69.5 in 1901	2	24.74 in 1912	2	3.58 in 2008
3	75.9 in 2015	3	70.2 in 1920	3	22.68 in 1894		3.58 in 1978
4	75.7 in 1905	4	70.3 in 2008	4	21.62 in 1947	4	3.87 in 1967
5	75.4 in 1941	5	70.4 in 1923	5	21.50 in 1922	5	3.97 in 1909
	75.4 in 1919	6	70.5 in 2000	6	21.46 in 1995	6	4.10 in 2010
	75.4 in 1915	7	70.8 in 2006	7	21.24 in 1921	7	4.58 in 1940
8	75.3 in 1946	8	70.9 in 2014	8	20.56 in 1938	8	4.61 in 1991
	75.3 in 1927		70.9 in 1894	9	20.36 in 1911	9	5.37 in 2015
10	75.2 in 2018	10	71.0 in 1953	10	19.88 in 1988	10	5.61 in 1961
	75.2 in 1973						

Average Temperature for Sep 1 - Nov 25, 2025 = 73.1°

Normal Temperature for Autumn at BKV = 72.7°

Total Rainfall for Sep 1 - Nov 25, 2025 = 3.41 inches

Normal Rainfall for Autumn at BKV = 10.17 inches

ST LEO (records began in April 1895):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.1 in 1986	1	60.8 in 1917	1	12.48 in 1988	1	Trace in 1960
2	73.6 in 1985	2	61.3 in 1901	2	8.34 in 1951	2	0.02 in 1978
3	73.2 in 1946	3	61.7 in 1910	3	7.36 in 1987	3	0.03 in 1931
4	73.1 in 1948	4	62.2 in 1930	4	7.21 in 2014		0.03 in 1928
5	72.0 in 1998	5	62.3 in 2014	5	6.72 in 2022	5	0.06 in 2016
6	71.8 in 2015	6	62.5 in 1923	6	6.22 in 1916	6	0.08 in 2012
	71.8 in 1994	7	62.6 in 1970	7	6.12 in 1963	7	0.18 in 2024
8	71.5 in 1982	8	62.8 in 1933	8	6.06 in 1972	8	0.21 in 1993
9	71.4 in 1958		62.8 in 1932	9	5.84 in 1911	9	0.22 in 1940
10	71.3 in 2020		62.8 in 1904	10	5.61 in 1918	10	0.23 in 1913
	71.3 in 1978						

Average Temperature for November 2025 = Not Available Yet
Normal Temperature for November at STLf1 = 66.8°

Total Rainfall for November 2025 = Not Available Yet
Normal Rainfall for November at STLf1 = 1.86 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	77.9 in 1985	1	69.8 in 1917	1	25.80 in 1988	1	1.52 in 1978
2	77.4 in 1986	2	70.1 in 1903	2	25.13 in 1912	2	3.19 in 1940
3	76.5 in 2020	3	70.2 in 1930	3	24.87 in 2024	3	3.56 in 2010
	76.5 in 1998	4	70.7 in 1920	4	24.60 in 1922	4	3.81 in 1909
5	76.4 in 2007	5	71.0 in 1976	5	22.73 in 1953	5	4.14 in 1967
6	76.2 in 1946		71.0 in 1923	6	21.77 in 1997	6	4.76 in 1991
7	76.1 in 2024	7	71.1 in 1910	7	21.48 in 1982	7	5.09 in 2008
	76.1 in 2009	8	71.4 in 1943	8	21.40 in 1950	8	5.11 in 2018
	76.1 in 1941	9	71.5 in 2014	9	21.29 in 1921	9	5.33 in 1931
10	75.9 in 2004	10	71.8 in 1956	10	20.71 in 1949	10	5.63 in 1961
			71.8 in 1922				

Average Temperature for Autumn 2025 = Not Available Yet
Normal Temperature for Autumn at STLf1= 73.6°

Total Rainfall for Autumn 2025 = Not Available Yet
Normal Rainfall for Autumn at STLf1 = 11.55 inches

TARPON SPRINGS (records began in January 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.9 in 1986	1	59.6 in 2004	1	9.13 in 1988	1	0.00 in 2016
2	74.4 in 1985	2	60.0 in 1901	2	8.18 in 1916	2	Trace in 1939
3	74.3 in 1946	3	61.5 in 1917	3	6.99 in 1997		Trace in 1931
4	73.5 in 2015	4	61.7 in 1962	4	6.63 in 1992	4	0.02 in 1978
5	72.6 in 1994		61.7 in 1892	5	6.09 in 2014	5	0.06 in 1933
6	72.3 in 2024	6	61.9 in 1910	6	5.80 in 1963	6	0.08 in 1942
	72.3 in 1998	7	62.5 in 1904	7	5.57 in 1920	7	0.09 in 1940
8	71.8 in 2003	8	62.6 in 2014	8	5.49 in 2020		0.09 in 1928
9	71.6 in 1896		62.6 in 1970	9	5.19 in 1955	9	0.10 in 1930
10	71.4 in 1982	10	63.0 in 1976	10	5.18 in 1896	10	0.13 in 1924
			63.0 in 1912				

Average Temperature for November 1-20, 2025 = 66.4°

Normal Temperature for November at TRPF1 = 67.5°

Total Rainfall for November 1-20, 2025 = 0.14 inches

Normal Rainfall for November at TRPF1 = 1.90 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.1 in 1985	1	70.8 in 1917	1	28.87 in 1911	1	1.85 in 2005
2	78.0 in 1986		70.8 in 1892	2	28.34 in 1988	2	3.33 in 1978
3	77.9 in 1919	3	71.4 in 1903	3	24.31 in 2014	3	3.44 in 1967
4	77.6 in 2018	4	71.5 in 1976	4	22.61 in 2024	4	4.03 in 2023
5	77.1 in 2024	5	71.7 in 1967	5	22.25 in 1997	5	4.62 in 2008
6	76.8 in 2020		71.7 in 1901	6	21.71 in 1983	6	4.85 in 2010
	76.8 in 1946	7	71.9 in 1963	7	21.70 in 1912	7	4.86 in 1927
8	76.7 in 2015		71.9 in 1962	8	21.43 in 1975	8	5.57 in 1909
	76.7 in 1994		71.9 in 1940	9	20.78 in 1995	9	5.74 in 1930
10	76.6 in 2019		71.9 in 1904		20.78 in 1959	10	5.99 in 1981
	76.6 in 1998		71.9 in 1899				

Average Temperature for Sep 1 - Nov 25, 2025 = 74.8°

Normal Temperature for Autumn at TRPF1 = 74.8°

Total Rainfall for Sep 1 - Nov 25, 2025 = 2.23 inches

Normal Rainfall for Autumn at TRPF1 = 12.12 inches

TAMPA AREA (records began in April 1890):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.3 in 1986	1	61.4 in 1901	1	6.12 in 1963	1	Trace in 1960
2	76.2 in 2015	2	61.9 in 1970	2	5.97 in 1988	2	0.01 in 2016
3	74.6 in 2020	3	62.3 in 1968	3	5.40 in 2020		0.01 in 1978
4	73.7 in 1946	4	62.5 in 1962	4	5.38 in 1944	4	0.04 in 1931
5	73.6 in 1948	5	62.8 in 1976	5	5.26 in 2014	5	0.05 in 1928
	73.6 in 1985	6	62.9 in 1969	6	5.18 in 2022	6	0.08 in 1927
7	73.0 in 2024		62.9 in 1917	7	4.89 in 1953	7	0.10 in 2001
8	72.7 in 1958	8	63.3 in 1910	8	4.85 in 1925		0.10 in 1942
9	72.6 in 2022	9	63.4 in 1923	9	4.75 in 1941	9	0.11 in 2007
10	72.5 in 1998	10	63.7 in 1949	10	4.36 in 1987	10	0.12 in 2017
							0.12 in 1974

Average Temperature for November 1-25, 2025 = 70.3°

Normal Temperature for November at TPA = 69.8°

Total Rainfall for November 1-25, 2025 = 0.07 inches

Normal Rainfall for November at TPA = 1.40 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.7 in 2020	1	71.0 in 1976	1	29.57 in 2024	1	3.19 in 2010
2	79.0 in 2015	2	71.6 in 1903	2	24.38 in 1894	2	3.30 in 1909
3	78.9 in 2018		71.6 in 1891	3	22.83 in 1912	3	3.62 in 1961
4	78.4 in 1986	4	71.7 in 1968	4	20.45 in 1997	4	4.06 in 1942
5	78.1 in 2024	5	71.8 in 1917	5	19.80 in 1922	5	4.21 in 1940
	78.1 in 2019		71.8 in 1901	6	19.62 in 1988	6	4.25 in 1913
7	77.9 in 2017	7	71.9 in 1923	7	19.07 in 1947	7	4.35 in 1974
8	77.8 in 1985	8	72.2 in 1892	8	18.57 in 2022	8	5.07 in 1967
9	77.7 in 2016	9	72.3 in 1962	9	18.15 in 1953	9	5.22 in 1984
10	77.5 in 1919	10	72.4 in 1956	10	17.60 in 1890	10	5.33 in 2003
			72.4 in 1910				

Average Temperature for Sep 1 - Nov 25, 2025 = 77.8°

Normal Temperature for Autumn at TPA = 76.6°

Total Rainfall for Sep 1 - Nov 25, 2025 = 1.16 inches

Normal Rainfall for Autumn at TPA = 9.83 inches

ST PETERSBURG (records began in August 1914):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	77.4 in 1986	1	63.9 in 1917	1	6.94 in 1988	1	0.00 in 1931
2	76.3 in 1985	2	64.3 in 1962	2	6.85 in 1953	2	0.02 in 1960
3	74.9 in 2015	3	64.7 in 1949	3	6.80 in 1987	3	0.03 in 2016
4	74.8 in 1946	4	65.1 in 1976	4	6.18 in 2020		0.03 in 1942
5	74.5 in 1948	5	65.2 in 1995	5	6.04 in 1963	5	0.04 in 2001
6	74.3 in 2020		65.2 in 1951	6	5.71 in 1916	6	0.10 in 1978
7	73.8 in 2005	7	65.3 in 1950	7	5.63 in 1925	7	0.12 in 1974
8	73.7 in 1978	8	65.4 in 1954	8	5.08 in 1954	8	0.14 in 1930
9	73.6 in 2024	9	65.7 in 1956	9	5.03 in 1968	9	0.15 in 1928
10	73.5 in 1958		65.7 in 1923	10	5.02 in 1915	10	0.18 in 1946

Average Temperature for November 1-25, 2025 = 72.2°

Normal Temperature for November at SPG = 70.6°

Total Rainfall for November 1-25, 2025 = 0.12 inches

Normal Rainfall for November at SPG = 1.46 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	80.0 in 1985	1	72.6 in 1917	1	32.75 in 1988	1	2.13 in 2010
2	79.9 in 1986	2	73.2 in 1956	2	30.04 in 1953	2	4.00 in 1990
3	79.8 in 2005	3	73.4 in 1952	3	26.31 in 1986	3	4.49 in 1967
4	79.3 in 2024	4	73.5 in 1954	4	26.30 in 1952	4	4.69 in 2008
	79.3 in 2020		73.5 in 1953	5	21.83 in 1997	5	4.84 in 1964
6	79.1 in 2015	6	73.6 in 1976	6	21.06 in 1922	6	5.01 in 1940
7	79.0 in 2018		73.6 in 1962	7	20.14 in 1954	7	5.52 in 1927
8	78.9 in 2019		73.6 in 1923	8	19.12 in 1918	8	5.61 in 1966
9	78.4 in 2013	9	73.7 in 1943	9	19.07 in 2001	9	5.73 in 1965
	78.4 in 1941	10	73.9 in 1950	10	18.52 in 1959	10	5.82 in 2023

Average Temperature for Sep 1 - Nov 25, 2025 = 77.7°

Normal Temperature for Autumn at SPG = 77.0°

Total Rainfall for Sep 1 - Nov 25, 2025 = 2.92 inches

Normal Rainfall for Autumn at SPG = 10.28 inches

PLANT CITY (records began in September 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.7 in 1986	1	61.8 in 1932	1	7.88 in 1953	1	0.00 in 1960
2	74.6 in 2015	2	62.0 in 1930	2	7.34 in 1988		0.00 in 1931
3	74.3 in 1948	3	62.1 in 1917	3	6.89 in 2020		0.00 in 1905
4	74.2 in 2020	4	62.4 in 1933	4	6.75 in 2014	4	0.01 in 2007
5	73.9 in 1946	5	62.6 in 1904	5	6.46 in 1963	5	0.05 in 2012
6	73.8 in 2022	6	62.9 in 1912	6	5.90 in 1918	6	0.10 in 1928
7	72.7 in 1985	7	63.1 in 2014	7	5.56 in 1971		0.10 in 1924
8	72.5 in 1896	8	63.3 in 1962	8	4.89 in 2022	8	0.13 in 1940
9	72.3 in 1994		63.3 in 1949	9	4.63 in 1980	9	0.15 in 2017
	72.3 in 1958	10	63.4 in 1926	10	4.52 in 1987		0.15 in 1978

Average Temperature for November 1-25, 2025 = 68.5°

Normal Temperature for November at PLCF1 = 69.4°

Total Rainfall for November 1-25, 2025 = 0.01 inches

Normal Rainfall for November at PLCF1 = 1.76 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.6 in 2020	1	70.4 in 1930	1	25.05 in 1947	1	1.89 in 1909
2	78.8 in 2024	2	70.8 in 1932	2	23.63 in 2024	2	1.99 in 1961
3	78.4 in 2018	3	71.2 in 1940	3	23.20 in 1894	3	3.56 in 1940
4	78.3 in 2019	4	71.5 in 2000	4	23.04 in 1988	4	4.08 in 1991
5	77.9 in 1986	5	71.6 in 1976	5	21.72 in 1953	5	4.29 in 1927
6	77.4 in 2015	6	71.7 in 1943	6	20.54 in 2020	6	4.41 in 1990
7	77.2 in 2022	7	72.0 in 1937	7	20.48 in 2022	7	4.55 in 2010
	77.2 in 1985		72.0 in 1909	8	20.36 in 2014	8	4.57 in 1939
9	76.8 in 2023	9	72.2 in 1968	9	20.15 in 2004	9	4.63 in 1967
10	76.4 in 1946	10	72.4 in 1926	10	20.06 in 1998	10	4.67 in 2008

Average Temperature for Sep 1 - Nov 25, 2025 = 76.5°

Normal Temperature for Autumn at PLCF1 = 76.1°

Total Rainfall for Sep 1 - Nov 25, 2025 = 8.11 inches

Normal Rainfall for Autumn at PLCF1 = 11.33 inches

LAKELAND AREA (records began in January 1915):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.9 in 1986	1	62.6 in 1970	1	7.56 in 2014	1	0.00 in 1924
2	75.4 in 2015	2	62.9 in 1962	2	7.19 in 1988	2	Trace in 2016
3	73.4 in 1985	3	63.0 in 1969	3	6.08 in 1987		Trace in 1960
4	73.3 in 1994	4	63.4 in 1949	4	5.94 in 1941		Trace in 1917
	73.3 in 1948	5	63.5 in 1976	5	5.80 in 2020	5	0.03 in 1931
6	73.1 in 1946		63.5 in 1951	6	5.71 in 1963	6	0.05 in 1928
7	73.0 in 2020		63.5 in 1950	7	5.54 in 1980	7	0.07 in 1950
8	72.6 in 2022	8	63.7 in 1968	8	5.37 in 1953	8	0.08 in 2012
9	71.9 in 2024	9	63.9 in 2008	9	4.59 in 2018	9	0.10 in 1991
10	71.6 in 2003	10	64.0 in 1923	10	4.48 in 1997	10	0.11 in 1940
	71.6 in 1988						

Average Temperature for November 1-25, 2025 = 68.3°

Normal Temperature for November at LLDF1 = 69.2°

Total Rainfall for November 1-25, 2025 = 0.05 inches

Normal Rainfall for November at LLDF1 = 1.93 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.2 in 1986	1	71.5 in 1976	1	31.68 in 2024	1	2.99 in 1961
2	78.6 in 2020	2	72.1 in 1943	2	22.45 in 2014	2	3.21 in 1940
3	78.3 in 2015	3	72.2 in 1923	3	21.46 in 2004	3	4.16 in 1942
4	78.1 in 1985	4	72.3 in 2006	4	19.78 in 1947	4	4.25 in 1927
5	78.0 in 2018		72.3 in 1968	5	19.52 in 1918	5	4.28 in 1934
6	77.5 in 2024		72.3 in 1956	6	18.91 in 2022	6	4.58 in 2010
7	77.4 in 2019	7	72.4 in 1967	7	18.47 in 1998	7	4.69 in 2008
8	77.0 in 1994	8	72.5 in 1940	8	18.39 in 1929	8	5.01 in 1967
9	76.8 in 2009	9	72.6 in 1954	9	18.29 in 1953	9	5.12 in 1978
10	76.7 in 1990	10	72.7 in 1962	10	17.36 in 1997	10	5.35 in 1974
			72.7 in 1953				
			72.7 in 1924				

Average Temperature for Sep 1 - Nov 25, 2025 = 76.1°

Normal Temperature for Autumn at LLDF1 = 75.7°

Total Rainfall for Sep 1 - Nov 25, 2025 = 4.80 inches

Normal Rainfall for Autumn at LLDF1 = 12.59 inches

WINTER HAVEN AREA (records began in January 1941):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.8 in 1986	1	63.1 in 1962	1	7.81 in 1988	1	0.00 in 1960
2	75.6 in 1948	2	63.2 in 1970	2	7.13 in 1987		0.00 in 1950
3	75.1 in 2015	3	63.9 in 2008	3	6.76 in 1953	3	Trace in 2011
4	74.9 in 1985		63.9 in 1968	4	6.27 in 1963	4	0.01 in 2012
5	74.5 in 1946	5	64.1 in 1976	5	5.32 in 1994	5	0.07 in 2016
6	73.8 in 2024	6	64.5 in 1949	6	5.21 in 1980	6	0.13 in 1966
7	73.5 in 2020	7	64.6 in 1969	7	4.94 in 1951	7	0.16 in 1942
8	73.1 in 1994	8	64.7 in 1981	8	4.07 in 1995	8	0.19 in 1985
9	72.6 in 1988	9	64.9 in 1950	9	4.00 in 2020	9	0.20 in 2017
10	72.5 in 2022	10	65.0 in 2012	10	3.97 in 1968		0.20 in 1991
			65.0 in 1951				0.20 in 1967

Average Temperature for November 1-25, 2025 = 68.7°

Normal Temperature for November at GIF = 69.8°

Total Rainfall for November 1-25, 2025 = 0.03 inches

Normal Rainfall for November at GIF = 1.45 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.2 in 2020	1	71.8 in 1976	1	21.86 in 1987	1	2.72 in 1961
2	79.1 in 2018	2	72.2 in 1968	2	20.61 in 1947	2	3.11 in 2009
3	79.0 in 1986	3	72.5 in 1962	3	20.57 in 1953	3	4.27 in 1967
4	78.7 in 2019	4	73.0 in 1963	4	20.35 in 1960	4	4.29 in 2008
5	78.6 in 2024	5	73.2 in 2006	5	18.82 in 1959	5	4.91 in 1985
6	78.4 in 1985	6	73.3 in 2008	6	18.11 in 1950	6	5.14 in 1942
7	78.0 in 2015		73.3 in 1981	7	17.84 in 2014	7	5.44 in 1978
8	77.2 in 1998		73.3 in 1953	8	17.59 in 2001	8	5.54 in 2006
	77.2 in 1989	9	73.4 in 1943	9	17.16 in 1988	9	5.78 in 1990
	77.2 in 1946	10	73.5 in 2000	10	16.36 in 2020	10	5.87 in 2015
	77.2 in 1941						

Average Temperature for Sep 1 - Nov 25, 2025 = 76.2°

Normal Temperature for Autumn at GIF = 76.4°

Total Rainfall for Sep 1 - Nov 25, 2025 = 4.79 inches

Normal Rainfall for Autumn at GIF = 8.98 inches

BARTOW (records began in June 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.4 in 1986	1	60.9 in 1917	1	7.40 in 1987	1	0.00 in 2016
2	75.3 in 2015	2	61.5 in 1970	2	7.36 in 2002		0.00 in 1960
3	74.5 in 1948	3	62.0 in 1910	3	6.52 in 1963	3	0.02 in 1931
4	73.6 in 2013	4	62.3 in 1901	4	6.33 in 1988	4	0.04 in 1966
	73.6 in 1985	5	62.6 in 1904	5	5.97 in 1953		0.04 in 1928
6	73.5 in 1946		62.6 in 1892	6	5.80 in 1951	6	0.05 in 2012
7	73.0 in 1994	7	62.9 in 1962	7	5.18 in 2022	7	0.06 in 1950
8	72.9 in 1958	8	63.5 in 2008	8	4.75 in 1911	8	0.09 in 1923
9	72.5 in 2020		63.5 in 1912	9	4.71 in 1937	9	0.10 in 2007
	72.5 in 1998	10	63.6 in 1939	10	4.68 in 2015		0.10 in 1974

Average Temperature for November 2025 = Not Available Yet
Normal Temperature for November at BARF1 = 68.3°

Total Rainfall for November 2025 = Not Available Yet
Normal Rainfall for November at BARF1 = 1.49 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	77.8 in 2020	1	71.0 in 1894	1	31.36 in 2022	1	3.71 in 1942
	77.8 in 2015	2	71.1 in 1892	2	26.99 in 1894	2	4.88 in 2010
3	77.2 in 1998	3	71.4 in 1917	3	21.30 in 1947	3	5.00 in 1940
4	77.1 in 2018	4	71.8 in 1976	4	20.97 in 1917	4	5.02 in 1990
5	76.8 in 2009	5	72.1 in 1895	5	20.77 in 1922	5	5.25 in 1961
	76.8 in 1946	6	72.3 in 1914	6	20.38 in 1959	6	5.26 in 1939
7	76.7 in 2024	7	72.4 in 1970	7	20.31 in 1982	7	5.29 in 1984
8	76.6 in 1919	8	72.5 in 1904	8	19.77 in 1953	8	5.47 in 1974
9	76.5 in 2019	9	72.8 in 1967	9	19.43 in 1902	9	5.57 in 1906
10	76.4 in 1994		72.8 in 1963	10	19.30 in 1960	10	5.90 in 1927
	76.4 in 1958		72.8 in 1935				

Average Temperature for Autumn = Not Available Yet
Normal Temperature for Autumn at BARF1 = 74.8°

Total Rainfall for Autumn 2025 = Not Available Yet
Normal Rainfall for Autumn at BARF1 = 11.83 inches

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.1 in 1986	1	63.2 in 1917	1	9.40 in 1997	1	0.00 in 1931
2	75.4 in 2015	2	63.5 in 1949	2	7.62 in 2020	2	Trace in 1940
3	74.7 in 2020		63.5 in 1923	3	6.81 in 1920		Trace in 1928
4	73.2 in 1948	4	64.2 in 1976	4	6.24 in 1925	4	0.02 in 2016
5	73.1 in 2022	5	64.5 in 2008	5	5.68 in 1953	5	0.06 in 2001
	73.1 in 1958	6	64.6 in 2014	6	5.18 in 1941		0.06 in 1991
7	72.8 in 2024		64.6 in 1981	7	5.15 in 1988	7	0.09 in 1930
8	72.7 in 1994	8	64.7 in 1968	8	4.94 in 1918	8	0.13 in 2024
9	72.4 in 1985	9	64.8 in 1933	9	4.69 in 2002	9	0.16 in 2007
10	72.2 in 2013	10	65.0 in 1962	10	4.55 in 1972	10	0.20 in 1945

Average Temperature for November 1-25, 2025 = 69.9°

Normal Temperature for November at SRQ = 70.1°

Total Rainfall for November 1-25, 2025 = 0.48 inches

Normal Rainfall for November at SRQ = 1.81 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.7 in 2020	1	71.3 in 1976	1	28.46 in 1953	1	3.25 in 2023
	79.7 in 2019	2	72.2 in 1930	2	25.64 in 1962	2	3.64 in 2010
3	78.3 in 2016	3	72.3 in 1943	3	23.66 in 1922	3	4.01 in 1991
4	78.2 in 1986	4	72.5 in 1940	4	23.12 in 1997	4	5.08 in 1942
5	78.0 in 2015	5	72.7 in 1923	5	22.26 in 1912	5	5.44 in 1974
6	77.8 in 2018	6	73.0 in 1981	6	22.01 in 1952	6	5.61 in 2012
7	77.6 in 2024		73.0 in 1944	7	21.30 in 1988	7	5.90 in 2019
8	77.3 in 2007		73.0 in 1937	8	20.43 in 1928	8	5.95 in 1945
9	77.2 in 2023	9	73.1 in 1968	9	20.29 in 1957	9	6.05 in 1944
10	77.1 in 1998		73.1 in 1956	10	19.80 in 1960	10	6.27 in 1984
	77.1 in 1990						

Average Temperature for Sep 1 - Nov 25, 2025 = 77.1°

Normal Temperature for Autumn at SRQ = 76.5°

Total Rainfall for Sep 1 - Nov 25, 2025 = 3.04 inches

Normal Rainfall for Autumn at SRQ = 10.57 inches

VENICE (records began in May 1955):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.8 in 2015	1	64.2 in 2008	1	7.65 in 1997	1	0.00 in 1991
2	74.1 in 1985	2	64.7 in 1962	2	6.02 in 2020	2	0.02 in 2007
3	73.9 in 2022	3	64.9 in 1981	3	5.85 in 1972	3	0.04 in 2001
4	73.6 in 1998		64.9 in 1970	4	5.56 in 1983	4	0.06 in 2016
	73.6 in 1994	5	65.1 in 1956	5	5.55 in 1963	5	0.15 in 1960
6	73.5 in 2020	6	65.2 in 1976	6	4.77 in 1957	6	0.20 in 1993
7	72.8 in 2024	7	65.4 in 1968	7	4.46 in 1980	7	0.30 in 1956
8	72.5 in 2013	8	65.8 in 2014	8	4.14 in 1998	8	0.31 in 1978
9	72.3 in 2003	9	66.0 in 1969	9	3.77 in 1968	9	0.32 in 2012
10	72.2 in 1978	10	66.8 in 2021	10	3.72 in 2014		0.32 in 2003
			66.8 in 1966				

Average Temperature for November 1-25, 2025 = 67.6°

Normal Temperature for November at VNCF1 = 69.9°

Total Rainfall for November 1-25, 2025 = 0.20 inches

Normal Rainfall for November at VNCF1 = 1.54 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.9 in 2009	1	71.8 in 1976	1	26.44 in 1983	1	3.04 in 1961
2	78.5 in 1998	2	72.1 in 1968	2	25.83 in 1995	2	3.63 in 1981
3	78.4 in 2015	3	72.8 in 2008	3	25.14 in 2022	3	5.24 in 1978
4	78.3 in 2024		72.8 in 1956	4	21.38 in 1997	4	5.68 in 2023
5	78.0 in 2020	5	73.6 in 1974	5	20.89 in 1960	5	5.81 in 2010
6	77.8 in 2018	6	73.7 in 1987	6	20.27 in 1968	6	6.18 in 1964
	77.8 in 2013		73.7 in 1981	7	19.23 in 1959	7	6.59 in 1984
	77.8 in 1985		73.7 in 1962	8	18.86 in 1982	8	7.16 in 1990
9	77.6 in 2010	9	73.9 in 1977	9	18.67 in 2014	9	7.38 in 2011
10	77.3 in 1994	10	74.0 in 2006	10	18.33 in 1957	10	7.53 in 2019

Average Temperature for Sep 1 - Nov 25, 2025 = 75.7°

Normal Temperature for Autumn at VNCF1 = 76.0°

Total Rainfall for Sep 1 - Nov 25, 2025 = 3.08 inches

Normal Rainfall for Autumn at VNCF1 = 12.05 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 75.8 in 2015	1 62.1 in 1962	1 10.19 in 1997	1 0.00 in 2001
2 75.6 in 1986	2 62.4 in 1969	2 5.55 in 2022	2 0.02 in 1950
3 73.4 in 1998	3 62.8 in 1970	3 5.13 in 1953	3 0.03 in 1991
4 73.2 in 1985	4 63.2 in 1968	4 5.04 in 1947	4 0.07 in 2016
5 72.8 in 2020	5 64.1 in 2008	5 5.01 in 1972	5 0.19 in 2012
6 72.7 in 1958	6 65.3 in 2000	6 4.87 in 1981	6 0.20 in 1944
7 72.3 in 2022	7 65.4 in 2012	7 4.76 in 2020	7 0.30 in 1996
72.3 in 1982	65.4 in 1963	8 4.73 in 1958	0.30 in 1993
9 72.1 in 2013	9 65.6 in 2021	9 4.52 in 1963	0.30 in 1965
72.1 in 1978	10 65.8 in 1976	10 4.45 in 2002	10 0.37 in 1945

Average Temperature for November 2025 = Not Available Yet
Normal Temperature for November at MKCF1 = 69.1°

Total Rainfall for November 2025 = Not Available Yet
Normal Rainfall for November at MKCF1 = 2.02 inches

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 78.5 in 2015	1 71.7 in 1962	1 37.20 in 2022*	1 4.57 in 1961
2 78.3 in 1998	2 72.6 in 1968	2 25.70 in 1962	2 5.85 in 1974
3 78.0 in 2019	3 72.7 in 1976	3 23.65 in 1997	3 6.07 in 2023
78.0 in 2018	4 72.8 in 1963	4 23.43 in 1979	4 6.14 in 1991
5 77.9 in 1986	5 73.4 in 1970	5 21.95 in 2014	5 6.52 in 2008
6 77.8 in 1985	73.4 in 1969	6 21.67 in 1995	6 7.52 in 1970
7 77.7 in 1991	7 73.5 in 2008	7 21.13 in 1953	7 7.57 in 1955
8 77.5 in 2020	8 73.7 in 2000	8 20.63 in 1957	8 8.07 in 2012
9 76.8 in 2009	9 73.8 in 1992	9 20.18 in 2001	9 8.67 in 1950
76.8 in 1990	10 73.9 in 1987	10 19.62 in 1952	10 8.75 in 1996

Average Temperature for Autumn 2025 = Not Available Yet
Normal Temperature for Autumn at MKCF1 = 75.6°

Total Rainfall for Autumn 2025 = Not Available Yet
Normal Rainfall for Autumn at MKCF1 = 13.66 inches

WAUCHULA (records began in January 1933):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.7 in 1986	1	61.9 in 2012	1	11.18 in 1987	1	0.02 in 1940
2	74.6 in 2015	2	62.5 in 2014	2	10.38 in 1997	2	0.03 in 1967
3	74.4 in 1948		62.5 in 1949	3	6.43 in 1953	3	0.08 in 1960
4	73.2 in 1946	4	63.2 in 1962	4	5.89 in 1963	4	0.12 in 1991
5	72.7 in 2020	5	63.4 in 1970	5	4.75 in 1972	5	0.16 in 1974
	72.7 in 1985	6	63.5 in 1956	6	4.41 in 2002	6	0.17 in 2016
7	72.7 in 1958	7	63.8 in 2000	7	4.37 in 2014	7	0.19 in 2012
8	71.9 in 2022	8	63.9 in 1969	8	3.93 in 2010	8	0.23 in 1944
9	71.7 in 1988	9	64.0 in 1950	9	3.91 in 1937	9	0.24 in 1966
10	71.4 in 1978	10	64.4 in 1954	10	3.44 in 1988		0.24 in 1956
	71.4 in 1973						

Average Temperature for November 1-23, 2025 = 64.9°

Normal Temperature for November at WAUF1 = 67.8°

Total Rainfall for November 1-23, 2025 = 0.24 inches

Normal Rainfall for November at WAUF1 = 1.96 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.1 in 2009	1	71.6 in 2014	1	31.84 in 2022	1	2.12 in 1961
2	77.9 in 2007	2	71.7 in 2012	2	27.02 in 1953	2	3.84 in 1974
3	77.7 in 1985	3	72.0 in 1956	3	23.48 in 1947	3	4.75 in 1967
4	77.6 in 2020	4	72.1 in 1943	4	23.20 in 2024	4	4.92 in 2008
5	77.5 in 2015	5	72.2 in 1954	5	20.13 in 1975	5	5.10 in 1978
6	77.2 in 1941	6	72.5 in 2010	6	20.12 in 1952	6	5.80 in 1991
7	76.9 in 2024		72.5 in 2006	7	19.04 in 1987	7	6.09 in 1976
	76.9 in 2018		72.5 in 1953	8	19.02 in 1960	8	6.10 in 1944
9	76.3 in 1946		72.5 in 1944	9	19.00 in 1997	9	6.32 in 1980
10	76.2 in 1989	10	72.6 in 1976	10	18.33 in 2017	10	6.58 in 2003

Average Temperature for Sep 1 - Nov 23, 2025 = 74.6°

Normal Temperature for Autumn at WAUF1 = 74.6°

Total Rainfall for Sep 1 - Nov 23, 2025 = 6.41 inches

Normal Rainfall for Autumn at WAUF1 = 11.37 inches

ARCHBOLD BIO STN (records began in January 1969):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.0 in 2015	1	62.2 in 2008	1	5.94 in 1987	1	0.00 in 2016
2	75.6 in 1986	2	63.1 in 2012	2	5.16 in 1998		0.00 in 2008
3	73.7 in 2020	3	63.2 in 1970	3	4.53 in 2022	3	0.08 in 1986
4	73.3 in 2022	4	64.2 in 1969	4	4.52 in 2002	4	0.12 in 1970
5	72.4 in 1992	5	64.4 in 1981	5	4.46 in 1997	5	0.13 in 1975
6	71.7 in 1985	6	65.1 in 2014	6	4.37 in 1992	6	0.20 in 1996
7	71.6 in 1994	7	65.3 in 2006	7	4.17 in 1977	7	0.21 in 2012
8	71.3 in 1978	8	65.4 in 2000	8	4.16 in 1994	8	0.24 in 2000
	71.3 in 1973	9	66.0 in 1991	9	3.80 in 1988	9	0.29 in 1973
10	71.2 in 2013	10	66.3 in 1997	10	3.78 in 2005	10	0.40 in 2006

Average Temperature for November 2025 = Not Available Yet

Normal Temperature for November at ACHF1 = 68.9°

Total Rainfall for November 2025 = Not Available Yet

Normal Rainfall for November at ACHF1 = 1.74 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.2 in 2015	1	71.6 in 2008	1	22.87 in 2017	1	4.62 in 1996
2	78.0 in 2020	2	72.5 in 2012	2	22.49 in 1987	2	4.86 in 1990
3	77.4 in 1986	3	72.7 in 2006	3	21.60 in 2022	3	5.52 in 2006
4	76.6 in 2018		72.7 in 2000	4	20.74 in 1969	4	5.96 in 1974
5	76.3 in 2019		72.7 in 1976	5	18.09 in 2014	5	6.01 in 2018
	76.3 in 1985	6	72.8 in 1997	6	17.33 in 1977	6	6.16 in 2010
7	76.2 in 2017	7	73.0 in 1981	7	17.04 in 2001	7	6.27 in 2008
8	76.0 in 2022	8	73.1 in 1970	8	16.98 in 2021	8	6.53 in 1980
9	75.8 in 2023	9	73.2 in 2014	9	16.79 in 1998	9	7.16 in 1984
	75.8 in 2016		73.2 in 1984	10	16.55 in 2016	10	7.36 in 2007
	75.8 in 1973						

Average Temperature for Autumn 2025 = Not Available Yet

Normal Temperature for Autumn at ACHF1 = 75.1°

Total Rainfall for Autumn 2025 = Not Available Yet

Normal Rainfall for Autumn at ACHF1 = 12.32 inches

PUNTA GORDA AREA (records began in May 1914):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	78.3 in 1948	1	63.9 in 1917	1	8.02 in 2022	1	0.00 in 1931
2	76.8 in 1986	2	64.2 in 1970	2	6.91 in 2020	2	0.02 in 2012
3	75.9 in 1946		64.2 in 1968	3	5.97 in 1916	3	0.05 in 2016
4	75.5 in 2015	4	65.1 in 2008	4	5.52 in 2002		0.05 in 1990
5	74.3 in 2022	5	65.7 in 1969	5	5.07 in 1987	5	0.07 in 2007
	74.3 in 2020	6	65.8 in 1966	6	4.60 in 2014	6	0.08 in 1940
7	74.2 in 1985	7	66.1 in 1976	7	4.54 in 1965	7	0.09 in 1993
8	74.1 in 1958		66.1 in 1923	8	4.40 in 1972	8	0.10 in 1929
9	73.8 in 1961	9	67.0 in 2012	9	4.31 in 1921	9	0.11 in 1973
10	73.7 in 2024		67.0 in 1939	10	4.16 in 1951	10	0.12 in 1924
			67.0 in 1914				

Average Temperature for November 1-25, 2025 = 68.3°

Normal Temperature for November at PGD = 70.2°

Total Rainfall for November 1-25, 2025 = Trace

Normal Rainfall for November at PGD = 2.12 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.6 in 1948	1	72.4 in 1917	1	31.25 in 1959	1	5.37 in 2008
2	79.5 in 2024	2	73.0 in 1976	2	24.77 in 2022	2	5.75 in 1961
3	79.4 in 1986		73.0 in 1968	3	24.61 in 1922	3	5.87 in 1974
4	79.3 in 2020	4	73.5 in 1923	4	23.01 in 1962	4	5.91 in 1927
5	79.1 in 1946	5	73.7 in 1930	5	21.28 in 1953	5	5.95 in 1973
6	78.7 in 2018	6	73.8 in 1914	6	20.82 in 1995	6	6.00 in 1931
	78.7 in 1985	7	73.9 in 1943	7	20.64 in 1947	7	6.22 in 1991
8	78.2 in 2023		73.9 in 1940	8	20.39 in 1924	8	6.33 in 1970
9	78.1 in 2015	9	74.0 in 1970	9	18.72 in 1929	9	6.62 in 1978
	78.1 in 1947	10	74.1 in 2008	10	18.66 in 1951	10	6.82 in 1920
			74.1 in 1969				
			74.1 in 1966				

Average Temperature for Sep 1 - Nov 25, 2025 = 76.1°

Normal Temperature for Autumn at PGD = 76.5°

Total Rainfall for Sep 1 - Nov 25, 2025 = 6.83 inches

Normal Rainfall for Autumn at PGD = 12.01 inches

FORT MYERS AREA (records began in January 1902):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	78.3 in 1986	1	64.1 in 1917	1	8.06 in 1987	1	Trace in 2016
2	76.7 in 2015	2	64.9 in 1910	2	7.58 in 1998		Trace in 2000
3	76.6 in 2022	3	65.4 in 1956	3	5.67 in 2002		Trace in 1944
4	75.6 in 1985	4	65.7 in 1949	4	4.60 in 1921	4	0.01 in 1990
	75.6 in 1948	5	65.9 in 1923	5	4.47 in 2014	5	0.02 in 1950
6	75.4 in 1994	6	66.1 in 1962	6	4.21 in 2020	6	0.03 in 1945
7	75.0 in 1946	7	66.2 in 1969	7	4.11 in 1997	7	0.04 in 1978
8	74.9 in 2020	8	66.3 in 1903	8	3.85 in 1972	8	0.06 in 1905
9	74.2 in 1978	9	66.6 in 1950	9	3.75 in 2005	9	0.08 in 1942
10	74.0 in 2024	10	66.7 in 1976	10	3.71 in 1922	10	0.09 in 2008
	74.0 in 2017		66.7 in 1970				0.09 in 2007
	74.0 in 1988						0.09 in 1931

Average Temperature for November 1-25, 2025 = 71.0°

Normal Temperature for November at FMY = 71.5°

Total Rainfall for November 1-25, 2025 = Trace

Normal Rainfall for November at FMY = 1.78 inches

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	80.4 in 1986	1	72.5 in 1903	1	32.14 in 1922	1	5.16 in 1988
2	80.2 in 1985	2	72.7 in 1910	2	27.85 in 1969	2	5.95 in 1942
3	79.8 in 2019	3	72.9 in 1976	3	26.80 in 1924	3	5.96 in 1974
4	79.3 in 2022	4	73.7 in 1908	4	23.34 in 1947	4	5.97 in 1907
5	79.1 in 2024	5	73.8 in 1913	5	23.33 in 1953	5	6.11 in 1992
	79.1 in 2020	6	74.0 in 1923	6	22.99 in 1962	6	6.12 in 1906
	79.1 in 2015	7	74.1 in 1953	7	22.36 in 2020	7	6.31 in 2004
8	78.8 in 1979	8	74.3 in 1909	8	21.74 in 1998	8	6.50 in 1966
9	78.7 in 1994	9	74.4 in 1943	9	21.44 in 1952	9	6.67 in 1978
10	78.6 in 2018		74.4 in 1914	10	20.90 in 2011	10	6.78 in 1904

Average Temperature for Sep 1 - Nov 25, 2025 = 77.9°

Normal Temperature for Autumn at FMY = 77.2°

Total Rainfall for Sep 1 - Nov 25, 2025 = 9.04 inches

Normal Rainfall for Autumn at FMY = 13.86 inches

For more local climate information, please visit our web page at <https://www.weather.gov/tampabay> and look within the "Climate and Past Weather" drop down menu above the map of the area.