
NOAA - National Weather Service
Tampa Bay Area
2525 14th Avenue SE, Ruskin, Florida 33570
813-645-2323 https://weather.gov/tampabay

Preliminary November and Autumn (Sep/Oct/Nov) 2026 Weather Summary

November temperatures started out above normal then for a couple of days during the second week fell well below normal followed by a stretch of near to a few degrees above normal temperatures. For the month so far, temperatures are averaging about 1 to 4 degrees above normal.




Graphics Source: High Plains Regional Climate Center (HPRCC)


As for Autumn, we had temperatures near to slightly above normal in September, near normal to about 3 degrees above normal in October, and about 1 to 4 degrees above normal so far in November. Overall, for Autumn temperatures are averaging about 1 to 3 degrees above normal.

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

Looking at rainfall, it's been a rather wet November thanks to the very strong El Niño becoming established. Much of the area is running about two to four times the normal rainfall for November, with a few of the official NWS climate locations on track to end up in the Top Ten Wettest November on record.



Rainfall November 1-25, 2026



Percent of Normal

As for rainfall during Autumn it has also been above normal across much of the area, except for parts of southwest Florida. Several of the official NWS climate locations are on track to end up in the Top Ten Wettest Autumn on record.

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Novembers and Autumns at some official NWS locations, which include the average/total so far for this November and Autumn where available, and the 1991-2020 Normal (average) temperature and rainfall for November and Autumn.

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

CHIEFLAND 5 SE (records began in July 1956):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	69.4 in 1985	1	56.6 in 1976	1	7.52 in 1972	1	Trace in 1978
2	69.2 in 1998	2	56.7 in 2008	2	6.47 in 1997	2	0.05 in 2025
3	68.9 in 1986	3	57.3 in 1970	3	6.02 in 1987	3	0.15 in 2012
4	68.6 in 1994	4	58.2 in 1962	4	5.94 in 2002	4	0.25 in 2016
5	67.6 in 2024	5	58.3 in 1968	5	5.25 in 1958	5	0.33 in 1956
6	67.5 in 1982	6	59.2 in 1969	6	4.95 in 1983	6	0.35 in 1970
7	66.9 in 2022	7	59.3 in 2021	7	4.80 in 1963	7	0.46 in 2024
	66.9 in 2020	8	59.4 in 2014	8	4.73 in 2013	8	0.48 in 1998
	66.9 in 1973	9	59.7 in 2025	9	4.55 in 1981	9	0.61 in 1990
10	66.5 in 1958		59.7 in 1984	10	4.50 in 1986	10	0.62 in 1991

Average Temperature for November 1-23, 2026 = 63.6°
Normal Temperature for November at CHIF1 = 62.7°

Total Rainfall for November 1-23, 2026 = 7.58 inches
Normal Rainfall for November at CHIF1 = 2.22 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	75.2 in 2018	1	67.1 in 1976	1	26.52 in 2004	1	2.05 in 1978
2	74.9 in 2020	2	67.9 in 2008	2	24.26 in 1983	2	3.83 in 2008
	74.9 in 1998	3	68.7 in 2006	3	20.54 in 1964	3	4.20 in 1961
4	74.2 in 1986	4	68.8 in 1968	4	18.65 in 1959	4	5.13 in 2010
5	73.9 in 1985	5	68.9 in 2000	5	17.59 in 1985	5	5.37 in 1970
6	73.7 in 1959	6	69.1 in 1963	6	16.94 in 1998	6	5.38 in 2003
7	73.4 in 2024		69.1 in 1969	7	16.38 in 1997	7	6.11 in 2022
	73.4 in 2019	8	69.3 in 1956	8	15.91 in 1960	8	6.24 in 1991
9	73.0 in 1973		69.3 in 1962	9	15.67 in 2002	9	6.61 in 1974
10	72.9 in 2016	10	69.5 in 2025	10	15.26 in 2017	10	6.65 in 2005

Average Temperature for Sep 1 - Nov 23, 2026 = 72.6°
Normal Temperature for Autumn at CHIF1 = 70.9°

Total Rainfall for Sep 1 – Nov 23, 2026 = 16.62 inches
Normal Rainfall for Autumn at CHIF1 = 11.21 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

INVERNESS 3 SE (records began in July 1948):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	73.1 in 2015	1	59.0 in 1991	1	7.73 in 1980	1	0.00 in 2004
2	71.0 in 2020	2	59.5 in 1976	2	6.40 in 1997		0.00 in 1978
3	70.3 in 1958	3	60.3 in 2002	3	6.21 in 1972	3	0.01 in 2016
4	69.7 in 2024	4	60.5 in 2014	4	5.48 in 1951	4	0.02 in 1950
	69.7 in 2022	5	60.6 in 1997	5	4.90 in 2015	5	0.07 in 2012
6	69.3 in 1978	6	61.0 in 1950	6	4.78 in 2014	6	0.16 in 2025
	69.3 in 1964	7	61.3 in 2012	7	4.69 in 1988	7	0.23 in 1993
8	68.8 in 1957	8	61.4 in 1995	8	4.35 in 2022	8	0.25 in 1967
9	68.6 in 1998	9	61.6 in 2000	9	3.77 in 2005	9	0.28 in 1956
10	68.5 in 1973	10	61.7 in 1949	10	3.70 in 2017	10	0.36 in 2001
	68.5 in 1960						

Average Temperature for November 1-21, 2026 = 68.9°
Normal Temperature for November at INVF1 = 64.3°

Total Rainfall for November 1-21, 2026 = 3.58 inches
Normal Rainfall for November at INVF1 = 1.83 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	76.8 in 2020	1	68.4 in 1976	1	21.53 in 2017	1	2.08 in 1967
2	76.1 in 2015	2	69.4 in 1997	2	21.34 in 1960	2	2.92 in 1978
3	75.5 in 2024	3	70.2 in 1991	3	21.07 in 1950	3	4.19 in 1961
4	75.1 in 1958	4	70.4 in 2006	4	19.73 in 2021	4	4.56 in 1974
5	75.0 in 2019	5	70.6 in 2000	5	19.55 in 1992	5	4.97 in 2010
6	74.9 in 1998	6	70.7 in 1987	6	19.27 in 1997	6	5.13 in 2003
	74.9 in 1960	7	70.8 in 2014	7	18.83 in 2004	7	5.37 in 1954
	74.9 in 1959	8	71.1 in 1956	8	17.75 in 2016	8	5.47 in 2012
9	74.2 in 1948	9	71.3 in 2002	9	17.32 in 2001	9	5.85 in 2000
10	74.1 in 2009	10	71.5 in 1996	10	16.51 in 1988	10	6.14 in 1996
	74.1 in 2007						

Average Temperature for Sep 1 - Nov 21, 2026 = 74.9°
Normal Temperature for Autumn at INVF1 = 71.9°

Total Rainfall for Sep 1 – Nov 21, 2026 = 15.59 inches
Normal Rainfall for Autumn at INVF1 = 10.56 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

BROOKSVILLE AREA (records began in January 1892):

	Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	73.2 in 2015	57.5 in 1901	9.31 in 1916	0.00 in 1967
2	72.7 in 1948	60.3 in 2008	9.17 in 1987	Trace in 2016
3	72.6 in 1946	60.5 in 1892	8.30 in 1951	Trace in 1931
4	71.0 in 2020	60.8 in 2014	7.08 in 2014	0.01 in 1978
	71.0 in 1958	61.1 in 1923	6.64 in 1937	0.05 in 1928
6	70.7 in 1994	61.3 in 2000	6.56 in 1980	0.10 in 2025
7	70.5 in 1973	61.4 in 2012	6.28 in 1999	0.12 in 2001
	70.5 in 1896	61.4 in 1917	6.14 in 1972	0.15 in 1913
9	70.1 in 1905	61.8 in 2002	5.49 in 1932	0.18 in 1940
10	69.8 in 2022	61.9 in 1962	5.14 in 1988	0.22 in 1956
	69.8 in 1988		5.14 in 1920	0.22 in 1924
	69.8 in 1929			0.22 in 1900

Average Temperature for November 1-25, 2026 = 69.1°
Normal Temperature for November at BKV = 65.1°

Total Rainfall for November 1-25, 2026 = 3.17 inches
Normal Rainfall for November at BKV = 1.59 inches

	Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1	76.6 in 2020	69.3 in 1892	27.84 in 1950	3.41 in 2025
2	76.0 in 1911	69.5 in 1901	24.74 in 1912	3.58 in 2008
3	75.9 in 2015	70.2 in 1920	22.68 in 1894	3.58 in 1978
4	75.7 in 1905	70.3 in 2008	21.62 in 1947	3.87 in 1967
5	75.4 in 1941	70.4 in 1923	21.50 in 1922	3.97 in 1909
	75.4 in 1919	70.5 in 2000	21.46 in 1995	4.10 in 2010
	75.4 in 1915	70.8 in 2006	21.24 in 1921	4.58 in 1940
8	75.3 in 1946	70.9 in 2014	20.56 in 1938	4.61 in 1991
	75.3 in 1927	70.9 in 1894	20.36 in 1911	5.37 in 2015
10	75.2 in 2018	71.0 in 1953	19.88 in 1988	5.61 in 1961
	75.2 in 1973			

Average Temperature for Sep 1 - Nov 25, 2026 = 75.9°
Normal Temperature for Autumn at BKV = 72.7°

Total Rainfall for Sep 1 – Nov 25, 2026 = 16.13 inches
Normal Rainfall for Autumn at BKV = 10.17 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

ST LEO (records began in April 1895):

	Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	75.1 in 1986	60.8 in 1917	12.48 in 1988	Trace in 1960
2	73.6 in 1985	61.3 in 1901	8.34 in 1951	0.02 in 1978
3	73.2 in 1946	61.7 in 1910	7.36 in 1987	0.03 in 1931
4	73.1 in 1948	62.2 in 1930	7.21 in 2014	0.03 in 1928
5	72.0 in 1998	62.3 in 2014	6.72 in 2022	0.06 in 2016
6	71.8 in 2015	62.5 in 1923	6.22 in 1916	0.08 in 2012
	71.8 in 1994	62.6 in 1970	6.12 in 1963	0.18 in 2024
8	71.5 in 1982	62.8 in 1933	6.06 in 1972	0.21 in 1993
9	71.4 in 1958	62.8 in 1932	5.84 in 1911	0.22 in 1940
10	71.3 in 2020	62.8 in 1904	5.61 in 1918	0.23 in 1913
	71.3 in 1978			

Average Temperature for November 2026 = Not Available Yet
Normal Temperature for November at STLF1 = 66.8°

Total Rainfall for November 2026 = Not Available Yet
Normal Rainfall for November at STLF1 = 1.86 inches

	Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1	77.9 in 1985	69.8 in 1917	25.80 in 1988	1.52 in 1978
2	77.4 in 1986	70.1 in 1903	25.13 in 1912	3.19 in 1940
3	76.5 in 2020	70.2 in 1930	24.87 in 2024	3.56 in 2010
	76.5 in 1998	70.7 in 1920	24.60 in 1922	3.81 in 1909
5	76.4 in 2007	71.0 in 1976	22.73 in 1953	4.14 in 1967
6	76.2 in 1946	71.0 in 1923	21.77 in 1997	4.76 in 1991
7	76.1 in 2024	71.1 in 1910	21.48 in 1982	5.09 in 2008
	76.1 in 2009	71.4 in 1943	21.40 in 1950	5.11 in 2018
	76.1 in 1941	71.5 in 2014	21.29 in 1921	5.33 in 1931
10	75.9 in 2004	71.8 in 1956	20.71 in 1949	5.63 in 1961
		71.8 in 1922		

Average Temperature for Autumn 2026 = Not Available Yet
Normal Temperature for Autumn at STLF1= 73.6°

Total Rainfall for Autumn 2026 = Not Available Yet
Normal Rainfall for Autumn at STLF1 = 11.55 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

TARPON SPRINGS (records began in January 1892):

	Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	75.9 in 1986	59.6 in 2004	9.13 in 1988	0.00 in 2016
2	74.4 in 1985	60.0 in 1901	8.18 in 1916	Trace in 1939
3	74.3 in 1946	61.5 in 1917	6.99 in 1997	Trace in 1931
4	73.5 in 2015	61.7 in 1962	6.63 in 1992	0.02 in 1978
5	72.6 in 1994	61.7 in 1892	6.09 in 2014	0.06 in 1933
6	72.3 in 2024	61.9 in 1910	5.80 in 1963	0.08 in 1942
	72.3 in 1998	62.5 in 1904	5.57 in 1920	0.09 in 1940
8	71.8 in 2003	62.6 in 2014	5.49 in 2020	0.09 in 1928
9	71.6 in 1896	62.6 in 1970	5.19 in 1955	0.10 in 1930
10	71.4 in 1982	63.0 in 1976	5.18 in 1896	0.13 in 1924
		63.0 in 1912		

Average Temperature for November 1-19, 2026 = 71.4°
Normal Temperature for November at TRPF1 = 67.5°

Total Rainfall for November 1-19, 2026 = 1.87 inches
Normal Rainfall for November at TRPF1 = 1.90 inches

	Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1	78.1 in 1985	70.8 in 1917	28.87 in 1911	1.85 in 2005
2	78.0 in 1986	70.8 in 1892	28.34 in 1988	2.23 in 2025
3	77.9 in 1919	71.4 in 1903	24.31 in 2014	3.33 in 1978
4	77.6 in 2018	71.5 in 1976	22.61 in 2024	3.44 in 1967
5	77.1 in 2024	71.7 in 1967	22.25 in 1997	4.03 in 2023
6	76.8 in 2020	71.7 in 1901	21.71 in 1983	4.62 in 2008
	76.8 in 1946	71.9 in 1963	21.70 in 1912	4.85 in 2010
8	76.7 in 2015	71.9 in 1962	21.43 in 1975	4.86 in 1927
	76.7 in 1994	71.9 in 1940	20.78 in 1995	5.57 in 1909
10	76.6 in 2019	71.9 in 1904	20.78 in 1959	5.74 in 1930
	76.6 in 1998	71.9 in 1899		

Average Temperature for Sep 1 - Nov 19, 2026 = 77.2°
Normal Temperature for Autumn at TRPF1 = 74.8°

Total Rainfall for Sep 1 - Nov 19, 2026 = 16.94 inches
Normal Rainfall for Autumn at TRPF1 = 12.12 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

TAMPA AREA (records began in April 1890):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	76.3 in 1986	1	61.4 in 1901	1	6.12 in 1963	1	Trace in 1960
2	76.2 in 2015	2	61.9 in 1970	2	5.97 in 1988	2	0.01 in 2016
3	74.6 in 2020	3	62.3 in 1968	3	5.40 in 2020		0.01 in 1978
4	73.7 in 1946	4	62.5 in 1962	4	5.38 in 1944	4	0.04 in 1931
5	73.6 in 1948	5	62.8 in 1976	5	5.26 in 2014	5	0.05 in 1928
	73.6 in 1985	6	62.9 in 1969	6	5.18 in 2022	6	0.07 in 2025
7	73.0 in 2024		62.9 in 1917	7	4.89 in 1953	7	0.08 in 1927
8	72.7 in 1958	8	63.3 in 1910	8	4.85 in 1925	8	0.10 in 2001
9	72.6 in 2022	9	63.4 in 1923	9	4.75 in 1941		0.10 in 1942
10	72.5 in 1998	10	63.7 in 1949	10	4.36 in 1987	10	0.11 in 2007

Average Temperature for November 1-25, 2026 = 71.5°
Normal Temperature for November at TPA = 69.8°

Total Rainfall for November 1-25, 2026 = 3.61 inches
Normal Rainfall for November at TPA = 1.40 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	79.7 in 2020	1	71.0 in 1976	1	29.57 in 2024	1	1.16 in 2025
2	79.0 in 2015	2	71.6 in 1903	2	24.38 in 1894	2	3.19 in 2010
3	78.9 in 2018		71.6 in 1891	3	22.83 in 1912	3	3.30 in 1909
4	78.4 in 1986	4	71.7 in 1968	4	20.45 in 1997	4	3.62 in 1961
5	78.1 in 2024	5	71.8 in 1917	5	19.80 in 1922	5	4.06 in 1942
	78.1 in 2019		71.8 in 1901	6	19.62 in 1988	6	4.21 in 1940
7	77.9 in 2017	7	71.9 in 1923	7	19.07 in 1947	7	4.25 in 1913
8	77.8 in 1985	8	72.2 in 1892	8	18.57 in 2022	8	4.35 in 1974
9	77.7 in 2016	9	72.3 in 1962	9	18.15 in 1953	9	5.07 in 1967
10	77.5 in 1919	10	72.4 in 1956	10	17.60 in 1890	10	5.22 in 1984
			72.4 in 1910				

Average Temperature for Sep 1 - Nov 25, 2026 = 77.7°
Normal Temperature for Autumn at TPA = 76.6°

Total Rainfall for Sep 1 – Nov 25, 2026 = 14.08 inches
Normal Rainfall for Autumn at TPA = 9.83 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

ST PETERSBURG (records began in August 1914):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	77.4 in 1986	1	63.9 in 1917	1	6.94 in 1988	1	0.00 in 1931
2	76.3 in 1985	2	64.3 in 1962	2	6.85 in 1953	2	0.02 in 1960
3	74.9 in 2015	3	64.7 in 1949	3	6.80 in 1987	3	0.03 in 2016
4	74.8 in 1946	4	65.1 in 1976	4	6.18 in 2020		0.03 in 1942
5	74.5 in 1948	5	65.2 in 1995	5	6.04 in 1963	5	0.04 in 2001
6	74.3 in 2020		65.2 in 1951	6	5.71 in 1916	6	0.10 in 1978
7	73.8 in 2005	7	65.3 in 1950	7	5.63 in 1925	7	0.12 in 1974
8	73.7 in 1998	8	65.4 in 1954	8	5.08 in 1954	8	0.14 in 1930
	73.7 in 1978	9	65.7 in 1956	9	5.03 in 1968	9	0.15 in 2025
10	73.6 in 2024		65.7 in 1923	10	5.02 in 1915		0.15 in 1928

Average Temperature for November 1-25, 2026 = 72.2°
Normal Temperature for November at SPG = 70.6°

Total Rainfall for November 1-25, 2026 = 3.12 inches
Normal Rainfall for November at SPG = 1.46 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	80.0 in 1985	1	72.6 in 1917	1	32.75 in 1988	1	2.13 in 2010
2	79.9 in 1986	2	73.2 in 1956	2	30.04 in 1953	2	2.95 in 2025
3	79.8 in 2005	3	73.4 in 1952	3	26.31 in 1986	3	4.00 in 1990
4	79.3 in 2024	4	73.5 in 1954	4	26.30 in 1952	4	4.49 in 1967
	79.3 in 2020		73.5 in 1953	5	21.83 in 1997	5	4.69 in 2008
6	79.1 in 2015	6	73.6 in 1976	6	21.06 in 1922	6	4.84 in 1964
7	79.0 in 2018		73.6 in 1962	7	20.14 in 1954	7	5.01 in 1940
8	78.9 in 2019		73.6 in 1923	8	19.12 in 1918	8	5.52 in 1927
9	78.4 in 2013	9	73.7 in 1943	9	19.07 in 2001	9	5.61 in 1966
	78.4 in 1941	10	73.9 in 1950	10	18.52 in 1959	10	5.73 in 1965

Average Temperature for Sep 1 - Nov 25, 2026 = 78.2°
Normal Temperature for Autumn at SPG = 77.0°

Total Rainfall for Sep 1 – Nov 25, 2026 = 12.38 inches
Normal Rainfall for Autumn at SPG = 10.28 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

PLANT CITY (records began in September 1892):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	75.7 in 1986	1	61.8 in 1932	1	7.88 in 1953	1	0.00 in 1960
2	74.6 in 2015	2	62.0 in 1930	2	7.34 in 1988		0.00 in 1931
3	74.3 in 1948	3	62.1 in 1917	3	6.89 in 2020		0.00 in 1905
4	74.2 in 2020	4	62.4 in 1933	4	6.75 in 2014	4	0.01 in 2007
5	73.9 in 1946	5	62.6 in 1904	5	6.46 in 1963	5	0.05 in 2012
6	73.8 in 2022	6	62.9 in 1912	6	5.90 in 1918	6	0.10 in 1928
7	72.7 in 1985	7	63.1 in 2014	7	5.56 in 1971		0.10 in 1924
8	72.5 in 1896	8	63.3 in 1962	8	4.89 in 2022	8	0.13 in 1940
9	72.3 in 1994		63.3 in 1949	9	4.63 in 1980	9	0.15 in 2017
	72.3 in 1958	10	63.4 in 1926	10	4.52 in 1987		0.15 in 1978

Average Temperature for November 1-25, 2026 = 72.0°
Normal Temperature for November at PLCF1 = 69.4°

Total Rainfall for November 1-25, 2026 = 5.45 inches
Normal Rainfall for November at PLCF1 = 1.76 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	79.6 in 2020	1	70.4 in 1930	1	25.05 in 1947	1	1.89 in 1909
2	78.8 in 2024	2	70.8 in 1932	2	23.63 in 2024	2	1.99 in 1961
3	78.4 in 2018	3	71.2 in 1940	3	23.20 in 1894	3	3.56 in 1940
4	78.3 in 2019	4	71.5 in 2000	4	23.04 in 1988	4	4.08 in 1991
5	77.9 in 1986	5	71.6 in 1976	5	21.72 in 1953	5	4.29 in 1927
6	77.4 in 2015	6	71.7 in 1943	6	20.54 in 2020	6	4.41 in 1990
7	77.2 in 2022	7	72.0 in 1937	7	20.48 in 2022	7	4.55 in 2010
	77.2 in 1985		72.0 in 1909	8	20.36 in 2014	8	4.57 in 1939
9	76.8 in 2023	9	72.2 in 1968	9	20.15 in 2004	9	4.63 in 1967
10	76.5 in 1946	10	72.4 in 1926	10	20.06 in 1998	10	4.67 in 2008

Average Temperature for Sep 1 - Nov 25, 2026 = 77.6°
Normal Temperature for Autumn at PLCF1 = 76.1°

Total Rainfall for Sep 1 – Nov 25, 2026 = 17.45 inches
Normal Rainfall for Autumn at PLCF1 = 11.33 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

LAKELAND AREA (records began in January 1915):

	Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	76.9 in 1986	62.6 in 1970	7.56 in 2014	0.00 in 1924
2	75.4 in 2015	62.9 in 1962	7.19 in 1988	Trace in 2016
3	73.4 in 1985	63.0 in 1969	6.08 in 1987	Trace in 1960
4	73.3 in 1994	63.4 in 1949	5.94 in 1941	Trace in 1917
	73.3 in 1948	63.5 in 1976	5.80 in 2020	0.03 in 1931
6	73.1 in 1946	63.5 in 1951	5.71 in 1963	0.05 in 1928
7	73.0 in 2020	63.5 in 1950	5.54 in 1980	0.07 in 1950
8	72.6 in 2022	63.7 in 1968	5.37 in 1953	0.08 in 2012
9	71.9 in 2024	63.9 in 2008	4.59 in 2018	0.10 in 1991
10	71.6 in 2003	64.0 in 1923	4.48 in 1997	0.11 in 1940
	71.6 in 1988			

Average Temperature for November 1-24, 2026 = 73.1°
Normal Temperature for November at LLDF1 = 69.2°

Total Rainfall for November 1-24, 2026 = 3.20 inches
Normal Rainfall for November at LLDF1 = 1.93 inches

	Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1	79.2 in 1986	71.5 in 1976	31.68 in 2024	2.99 in 1961
2	78.6 in 2020	72.1 in 1943	22.45 in 2014	3.21 in 1940
3	78.3 in 2015	72.2 in 1923	21.46 in 2004	4.16 in 1942
4	78.1 in 1985	72.3 in 2006	19.78 in 1947	4.25 in 1927
5	78.0 in 2018	72.3 in 1968	19.52 in 1918	4.28 in 1934
6	77.5 in 2024	72.3 in 1956	18.91 in 2022	4.58 in 2010
7	77.4 in 2019	72.4 in 1967	18.47 in 1998	4.69 in 2008
8	77.0 in 1994	72.5 in 1940	18.39 in 1929	5.01 in 1967
9	76.8 in 2009	72.6 in 1954	18.29 in 1953	5.12 in 1978
10	76.7 in 1990	72.7 in 1962	17.36 in 1997	5.14 in 2025
		72.7 in 1953		
		72.7 in 1924		

Average Temperature for Sep 1 - Nov 24, 2026 = 78.7°
Normal Temperature for Autumn at LLDF1 = 75.7°

Total Rainfall for Sep 1 – Nov 24, 2026 = 17.29 inches
Normal Rainfall for Autumn at LLDF1 = 12.59 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

WINTER HAVEN AREA (records began in January 1941):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	76.8 in 1986	1	63.1 in 1962	1	7.81 in 1988	1	0.00 in 1960
2	75.6 in 1948	2	63.2 in 1970	2	7.13 in 1987		0.00 in 1950
3	75.1 in 2015	3	63.9 in 2008	3	6.76 in 1953	3	Trace in 2011
4	74.9 in 1985		63.9 in 1968	4	6.27 in 1963	4	0.01 in 2012
5	74.5 in 1946	5	64.1 in 1976	5	5.32 in 1994	5	0.07 in 2016
6	73.8 in 2024	6	64.5 in 1949	6	5.21 in 1980	6	0.13 in 1966
7	73.5 in 2020	7	64.6 in 1969	7	4.94 in 1951	7	0.16 in 1942
8	73.1 in 1994	8	64.7 in 1981	8	4.07 in 1995	8	0.19 in 1985
9	72.6 in 1988	9	64.9 in 1950	9	4.00 in 2020	9	0.20 in 2017
10	72.5 in 2022	10	65.0 in 2012	10	3.97 in 1968		0.20 in 1991
			65.0 in 1951				0.20 in 1967

Average Temperature for November 1-25, 2026 = 71.6°
Normal Temperature for November at GIF = 69.8°

Total Rainfall for November 1-25, 2026 = 5.89 inches
Normal Rainfall for November at GIF = 1.45 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	79.2 in 2020	1	71.8 in 1976	1	21.86 in 1987	1	2.72 in 1961
2	79.1 in 2018	2	72.2 in 1968	2	20.61 in 1947	2	3.11 in 2009
3	79.0 in 1986	3	72.5 in 1962	3	20.57 in 1953	3	4.27 in 1967
4	78.7 in 2019	4	73.0 in 1963	4	20.35 in 1960	4	4.29 in 2008
5	78.6 in 2024	5	73.2 in 2006	5	18.82 in 1959	5	4.91 in 1985
6	78.4 in 1985	6	73.3 in 2008	6	18.11 in 1950	6	5.14 in 1942
7	78.0 in 2015		73.3 in 1981	7	17.84 in 2014	7	5.33 in 2025
8	77.2 in 1998		73.3 in 1953	8	17.59 in 2001	8	5.44 in 1978
	77.2 in 1989	9	73.4 in 1943	9	17.16 in 1988	9	5.54 in 2006
	77.2 in 1946	10	73.5 in 2000	10	16.36 in 2020	10	5.78 in 1990
	77.2 in 1941						

Average Temperature for Sep 1 - Nov 25, 2026 = 77.9°
Normal Temperature for Autumn at GIF = 76.4°

Total Rainfall for Sep 1 – Nov 25, 2026 = 13.65 inches
Normal Rainfall for Autumn at GIF = 8.98 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

BARTOW (records began in June 1892):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	76.4 in 1986	1	60.9 in 1917	1	7.40 in 1987	1	0.00 in 2016
2	75.3 in 2015	2	61.5 in 1970	2	7.36 in 2002		0.00 in 1960
3	74.5 in 1948	3	62.0 in 1910	3	6.52 in 1963	3	0.02 in 1931
4	73.6 in 2013	4	62.3 in 1901	4	6.33 in 1988	4	0.04 in 1966
	73.6 in 1985	5	62.6 in 1904	5	5.97 in 1953		0.04 in 1928
6	73.5 in 1946		62.6 in 1892	6	5.80 in 1951	6	0.05 in 2012
7	73.0 in 1994	7	62.9 in 1962	7	5.18 in 2022	7	0.06 in 1950
8	72.9 in 1958	8	63.5 in 2008	8	4.75 in 1911	8	0.09 in 1923
9	72.5 in 2020		63.5 in 1912	9	4.71 in 1937	9	0.10 in 2007
	72.5 in 1998	10	63.6 in 1939	10	4.68 in 2015		0.10 in 1974

Average Temperature for November 2026 = Not Available Yet
Normal Temperature for November at BARF1 = 68.3°

Total Rainfall for November 2026 = Not Available Yet
Normal Rainfall for November at BARF1 = 1.49 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	77.8 in 2020	1	71.0 in 1894	1	31.36 in 2022	1	3.71 in 1942
	77.8 in 2015	2	71.1 in 1892	2	26.99 in 1894	2	4.88 in 2010
3	77.2 in 1998	3	71.4 in 1917	3	21.30 in 1947	3	5.00 in 1940
4	77.1 in 2018	4	71.8 in 1976	4	20.97 in 1917	4	5.02 in 1990
5	76.8 in 2009	5	72.1 in 1895	5	20.77 in 1922	5	5.25 in 1961
	76.8 in 1946	6	72.3 in 1914	6	20.38 in 1959	6	5.26 in 1939
7	76.7 in 2024	7	72.4 in 1970	7	20.31 in 1982	7	5.29 in 1984
8	76.6 in 1919	8	72.5 in 1904	8	19.77 in 1953	8	5.47 in 1974
9	76.5 in 2019	9	72.8 in 1967	9	19.43 in 1902	9	5.57 in 1906
10	76.4 in 1994		72.8 in 1963	10	19.30 in 1960	10	5.88 in 2025
	76.4 in 1958		72.8 in 1935				

Average Temperature for Autumn 2026 = Not Available Yet
Normal Temperature for Autumn at BARF1 = 74.8°

Total Rainfall for Autumn 2026 = Not Available Yet
Normal Rainfall for Autumn at BARF1 = 11.83 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

SARASOTA-BRADENTON AREA (records began in January 1911):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	76.1 in 1986	1	63.2 in 1917	1	9.40 in 1997	1	0.00 in 1931
2	75.4 in 2015	2	63.5 in 1949	2	7.62 in 2020	2	Trace in 1940
3	74.7 in 2020		63.5 in 1923	3	6.81 in 1920		Trace in 1928
4	73.2 in 1948	4	64.2 in 1976	4	6.24 in 1925	4	0.02 in 2016
5	73.1 in 2022	5	64.5 in 2008	5	5.68 in 1953	5	0.06 in 2001
	73.1 in 1958	6	64.6 in 2014	6	5.18 in 1941		0.06 in 1991
7	72.8 in 2024		64.6 in 1981	7	5.15 in 1988	7	0.09 in 1930
8	72.7 in 1994	8	64.7 in 1968	8	4.94 in 1918	8	0.13 in 2024
9	72.4 in 1985	9	64.8 in 1933	9	4.69 in 2002	9	0.16 in 2007
10	72.2 in 2013	10	65.0 in 1962	10	4.55 in 1972	10	0.20 in 1945

Average Temperature for November 1-25, 2026 = 72.4°
Normal Temperature for November at SRQ = 70.1°

Total Rainfall for November 1-25, 2026 = 6.01 inches
Normal Rainfall for November at SRQ = 1.81 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	79.7 in 2020	1	71.3 in 1976	1	28.46 in 1953	1	3.04 in 2025
	79.7 in 2019	2	72.2 in 1930	2	25.64 in 1962	2	3.25 in 2023
3	78.3 in 2016	3	72.3 in 1943	3	23.66 in 1922	3	3.64 in 2010
4	78.2 in 1986	4	72.5 in 1940	4	23.12 in 1997	4	4.01 in 1991
5	78.0 in 2015	5	72.7 in 1923	5	22.26 in 1912	5	5.08 in 1942
6	77.8 in 2018	6	73.0 in 1981	6	22.01 in 1952	6	5.44 in 1974
7	77.6 in 2024		73.0 in 1944	7	21.30 in 1988	7	5.61 in 2012
8	77.3 in 2007		73.0 in 1937	8	20.43 in 1928	8	5.90 in 2019
9	77.2 in 2023	9	73.1 in 1968	9	20.29 in 1957	9	5.95 in 1945
10	77.1 in 1998		73.1 in 1956	10	20.22 in 2024*	10	6.05 in 1944
	77.1 in 1990						

Average Temperature for Sep 1 - Nov 25, 2026 = 78.7°
Normal Temperature for Autumn at SRQ = 76.5°

Total Rainfall for Sep 1 – Nov 25, 2026 = 27.60 inches
Normal Rainfall for Autumn at SRQ = 10.57 inches

** Rainfall missing on October 10, 2024 during part of Hurricane Milton*

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

VENICE (records began in May 1955):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	75.8 in 2015	1	64.2 in 2008	1	7.65 in 1997	1	0.00 in 1991
2	74.1 in 1985	2	64.7 in 1962	2	6.02 in 2020	2	0.02 in 2007
3	73.9 in 2022	3	64.9 in 1981	3	5.85 in 1972	3	0.04 in 2001
4	73.6 in 1998		64.9 in 1970	4	5.56 in 1983	4	0.06 in 2016
	73.6 in 1994	5	65.1 in 1956	5	5.55 in 1963	5	0.15 in 1960
6	73.5 in 2020	6	65.2 in 1976	6	4.77 in 1957	6	0.20 in 1993
7	72.8 in 2024	7	65.4 in 1968	7	4.46 in 1980	7	0.30 in 1956
8	72.5 in 2013	8	65.8 in 2014	8	4.14 in 1998	8	0.31 in 1978
9	72.3 in 2003	9	66.0 in 1969	9	3.77 in 1968	9	0.32 in 2025
10	72.2 in 1978	10	66.8 in 2021	10	3.72 in 2014		0.32 in 2012
			66.8 in 1966				0.32 in 2003

Average Temperature for November 1-24, 2026 = 72.8°
Normal Temperature for November at VNCF1 = 69.9°

Total Rainfall for November 1-24, 2026 = 2.59 inches
Normal Rainfall for November at VNCF1 = 1.54 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	78.9 in 2009	1	71.8 in 1976	1	26.44 in 1983	1	3.04 in 1961
2	78.5 in 1998	2	72.1 in 1968	2	25.83 in 1995	2	3.20 in 2025
3	78.4 in 2015	3	72.8 in 2008	3	25.14 in 2022	3	3.63 in 1981
4	78.3 in 2024		72.8 in 1956	4	21.38 in 1997	4	5.24 in 1978
5	78.0 in 2020	5	73.6 in 1974	5	20.89 in 1960	5	5.68 in 2023
6	77.8 in 2018	6	73.7 in 1987	6	20.27 in 1968	6	5.81 in 2010
	77.8 in 2013		73.7 in 1981	7	19.23 in 1959	7	6.18 in 1964
	77.8 in 1985		73.7 in 1962	8	18.86 in 1982	8	6.59 in 1984
9	77.6 in 2010	9	73.9 in 1977	9	18.67 in 2014	9	7.16 in 1990
10	77.3 in 1994	10	74.0 in 2006	10	18.33 in 1957	10	7.38 in 2011

Average Temperature for Sep 1 - Nov 24, 2026 = 78.3°
Normal Temperature for Autumn at VNCF1 = 76.0°

Total Rainfall for Sep 1 – Nov 24, 2026 = 19.24 inches
Normal Rainfall for Autumn at VNCF1 = 12.05 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

	Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	75.8 in 2015	62.1 in 1962	10.19 in 1997	0.00 in 2001
2	75.6 in 1986	62.4 in 1969	5.55 in 2022	0.02 in 1950
3	73.4 in 1998	62.8 in 1970	5.13 in 1953	0.03 in 1991
4	73.2 in 1985	63.2 in 1968	5.04 in 1947	0.07 in 2016
5	72.8 in 2020	64.1 in 2008	5.01 in 1972	0.13 in 2025
6	72.7 in 1958	65.3 in 2000	4.87 in 1981	0.19 in 2012
7	72.3 in 2022	65.4 in 2012	4.76 in 2020	0.20 in 1944
	72.3 in 1982	65.4 in 1963	4.73 in 1958	0.27 in 2024
9	72.1 in 2013	65.6 in 2021	4.52 in 1963	0.30 in 1996
	72.1 in 1978	65.8 in 1976	4.45 in 2002	0.30 in 1993
				0.30 in 1965

Average Temperature for November 2026 = Not Available Yet
Normal Temperature for November at MKCF1 = 69.1°

Total Rainfall for November 2026 = Not Available Yet
Normal Rainfall for November at MKCF1 = 2.02 inches

	Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1	78.5 in 2015	71.7 in 1962	37.20 in 2022	2.57 in 2025
2	78.3 in 1998	72.6 in 1968	25.70 in 1962	4.57 in 1961
3	78.0 in 2019	72.7 in 1976	23.65 in 1997	5.85 in 1974
	78.0 in 2018	72.8 in 1963	23.43 in 1979	6.07 in 2023
5	77.9 in 1986	73.4 in 1970	21.95 in 2014	6.14 in 1991
6	77.8 in 1985	73.4 in 1969	21.67 in 1995	6.52 in 2008
7	77.7 in 1991	73.5 in 2008	21.13 in 1953	7.52 in 1970
8	77.5 in 2020	73.7 in 2000	20.63 in 1957	7.57 in 1955
9	77.3 in 2024	73.8 in 1992	20.18 in 2001	8.07 in 2012
10	76.8 in 2009	73.9 in 1987	19.62 in 1952	8.67 in 1950
	76.8 in 1990			

Average Temperature for Autumn 2026 = Not Available Yet
Normal Temperature for Autumn at MKCF1 = 75.6°

Total Rainfall for Autumn 2026 = Not Available Yet
Normal Rainfall for Autumn at MKCF1 = 13.66 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

WAUCHULA (records began in January 1933):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	75.7 in 1986	1	61.9 in 2012	1	11.18 in 1987	1	0.02 in 1940
2	74.6 in 2015	2	62.5 in 2014	2	10.38 in 1997	2	0.03 in 1967
3	74.4 in 1948		62.5 in 1949	3	6.43 in 1953	3	0.08 in 1960
4	73.2 in 1946	4	63.2 in 1962	4	5.89 in 1963	4	0.12 in 1991
5	72.7 in 2020	5	63.4 in 1970	5	4.75 in 1972	5	0.16 in 1974
	72.7 in 1985	6	63.5 in 1956	6	4.41 in 2002	6	0.17 in 2016
7	72.7 in 1958	7	63.8 in 2000	7	4.37 in 2014	7	0.19 in 2012
8	71.9 in 2022	8	63.9 in 1969	8	3.93 in 2010	8	0.23 in 1944
9	71.7 in 1988	9	64.0 in 1950	9	3.91 in 1937	9	0.24 in 1966
10	71.4 in 1978	10	64.4 in 1954	10	3.44 in 1988		0.24 in 1956
	71.4 in 1973						

Average Temperature for November 1-23, 2026 = 71.7°
Normal Temperature for November at WAUF1 = 67.8°

Total Rainfall for November 1-23, 2026 = 8.71 inches
Normal Rainfall for November at WAUF1 = 1.96 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	78.1 in 2009	1	71.6 in 2014	1	31.84 in 2022	1	2.12 in 1961
2	77.9 in 2007	2	71.7 in 2012	2	27.02 in 1953	2	3.84 in 1974
3	77.7 in 1985	3	72.0 in 1956	3	23.48 in 1947	3	4.75 in 1967
4	77.6 in 2020	4	72.1 in 1943	4	23.20 in 2024	4	4.92 in 2008
5	77.5 in 2015	5	72.2 in 1954	5	20.13 in 1975	5	5.10 in 1978
6	77.2 in 1941	6	72.5 in 2010	6	20.12 in 1952	6	5.80 in 1991
7	76.9 in 2024		72.5 in 2006	7	19.04 in 1987	7	6.09 in 1976
	76.9 in 2018		72.5 in 1953	8	19.02 in 1960	8	6.10 in 1944
9	76.3 in 1946		72.5 in 1944	9	19.00 in 1997	9	6.32 in 1980
10	76.2 in 1989	10	72.6 in 1976	10	18.33 in 2017	10	6.54 in 2025

Average Temperature for Sep 1 - Nov 23, 2026 = 77.0°
Normal Temperature for Autumn at WAUF1 = 74.6°

Total Rainfall for Sep 1 – Nov 23, 2026 = 21.33 inches
Normal Rainfall for Autumn at WAUF1 = 11.37 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

ARCHBOLD BIO STN (records began in January 1969):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	76.0 in 2015	1	62.2 in 2008	1	5.94 in 1987	1	0.00 in 2016
2	75.6 in 1986	2	63.1 in 2012	2	5.16 in 1998		0.00 in 2008
3	73.7 in 2020	3	63.2 in 1970	3	4.53 in 2022	3	0.04 in 2025
4	73.3 in 2022	4	64.2 in 1969	4	4.52 in 2002	4	0.08 in 1986
5	72.4 in 1992	5	64.4 in 1981	5	4.46 in 1997	5	0.12 in 1970
6	71.7 in 1985	6	65.1 in 2014	6	4.37 in 1992	6	0.13 in 1975
7	71.6 in 1994	7	65.3 in 2006	7	4.17 in 1977	7	0.20 in 1996
8	71.3 in 1978	8	65.4 in 2000	8	4.16 in 1994	8	0.21 in 2012
	71.3 in 1973	9	66.0 in 1991	9	3.80 in 1988	9	0.24 in 2000
10	71.2 in 2013	10	66.3 in 2025	10	3.78 in 2005	10	0.29 in 1973
			66.3 in 1997				

Average Temperature for November 2026 = Not Available Yet
Normal Temperature for November at ACHF1 = 68.9°

Total Rainfall for November 2026 = Not Available Yet
Normal Rainfall for November at ACHF1 = 1.74 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	78.2 in 2015	1	71.6 in 2008	1	22.87 in 2017	1	4.62 in 1996
2	78.0 in 2020	2	72.5 in 2012	2	22.49 in 1987	2	4.86 in 1990
3	77.4 in 1986	3	72.7 in 2006	3	21.60 in 2022	3	5.52 in 2006
4	76.7 in 2024		72.7 in 2000	4	20.74 in 1969	4	5.96 in 1974
5	76.6 in 2018		72.7 in 1976	5	18.09 in 2014	5	6.01 in 2018
6	76.3 in 1985	6	72.8 in 1997	6	17.33 in 1977	6	6.16 in 2010
	76.3 in 1985	7	73.0 in 1981	7	17.04 in 2001	7	6.27 in 2008
8	76.2 in 2017	8	73.1 in 1970	8	16.98 in 2021	8	6.53 in 1980
9	76.0 in 2022	9	73.2 in 2014	9	16.79 in 1998	9	7.16 in 1984
10	75.8 in 2023		73.2 in 1984	10	16.55 in 2016	10	7.36 in 2007
	75.8 in 2016						
	75.8 in 1973						

Average Temperature for Autumn 2026 = Not Available Yet
Normal Temperature for Autumn at ACHF1 = 75.1°

Total Rainfall for Autumn 2026 = Not Available Yet
Normal Rainfall for Autumn at ACHF1 = 12.32 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

PUNTA GORDA AREA (records began in May 1914):

	Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1	78.3 in 1948	63.9 in 1917	8.02 in 2022	0.00 in 1931
2	76.8 in 1986	64.2 in 1970	6.91 in 2020	Trace in 2025
3	75.9 in 1946	64.2 in 1968	5.97 in 1916	0.02 in 2012
4	75.5 in 2015	65.1 in 2008	5.52 in 2002	0.05 in 2016
5	74.3 in 2022	65.7 in 1969	5.07 in 1987	0.05 in 1990
	74.3 in 2020	65.8 in 1966	4.60 in 2014	0.07 in 2007
7	74.2 in 1985	66.1 in 1976	4.54 in 1965	0.08 in 1940
8	74.1 in 1958	66.1 in 1923	4.40 in 1972	0.09 in 1993
9	73.8 in 1961	67.0 in 2012	4.31 in 1921	0.10 in 1929
10	73.7 in 2024	67.0 in 1939	4.16 in 1951	0.11 in 1973
		67.0 in 1914		

Average Temperature for November 1-25, 2026 = 72.6°
Normal Temperature for November at PGD = 70.2°

Total Rainfall for November 1-25, 2026 = 2.62 inches
Normal Rainfall for November at PGD = 2.12 inches

	Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1	79.6 in 1948	72.4 in 1917	31.25 in 1959	5.37 in 2008
2	79.5 in 2024	73.0 in 1976	24.77 in 2022	5.75 in 1961
3	79.4 in 1986	73.0 in 1968	24.61 in 1922	5.87 in 1974
4	79.3 in 2020	73.5 in 1923	23.01 in 1962	5.91 in 1927
5	79.1 in 1946	73.7 in 1930	21.28 in 1953	5.95 in 1973
6	78.7 in 2018	73.8 in 1914	20.82 in 1995	6.00 in 1931
	78.7 in 1985	73.9 in 1943	20.64 in 1947	6.22 in 1991
8	78.2 in 2023	73.9 in 1940	20.39 in 1924	6.33 in 1970
9	78.1 in 2015	74.0 in 1970	18.72 in 1929	6.62 in 1978
	78.1 in 1947	74.1 in 2008	18.66 in 1951	6.82 in 1920
		74.1 in 1969		
		74.1 in 1966		

Average Temperature for Sep 1 - Nov 25, 2026 = 78.0°
Normal Temperature for Autumn at PGD = 76.5°

Total Rainfall for Sep 1 – Nov 25, 2026 = 11.76 inches
Normal Rainfall for Autumn at PGD = 12.01 inches

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***

FORT MYERS AREA (records began in January 1902):

	Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers
1	78.3 in 1986	1	64.1 in 1917	1	8.06 in 1987	1	Trace in 2025
2	76.7 in 2015	2	64.9 in 1910	2	7.58 in 1998		Trace in 2016
3	76.6 in 2022	3	65.4 in 1956	3	5.67 in 2002		Trace in 2000
4	75.6 in 1985	4	65.7 in 1949	4	4.60 in 1921		Trace in 1944
	75.6 in 1948	5	65.9 in 1923	5	4.47 in 2014	5	0.01 in 1990
6	75.4 in 1994	6	66.1 in 1962	6	4.21 in 2020	6	0.02 in 1950
7	75.0 in 1946	7	66.2 in 1969	7	4.11 in 1997	7	0.03 in 1945
8	74.9 in 2020	8	66.3 in 1903	8	3.85 in 1972	8	0.04 in 1978
9	74.2 in 1978	9	66.6 in 1950	9	3.75 in 2005	9	0.06 in 1905
10	74.0 in 2024	10	66.7 in 1976	10	3.71 in 1922	10	0.08 in 1942
	74.0 in 2017		66.7 in 1970				
	74.0 in 1988						

Average Temperature for November 1-25, 2026 = 73.9°
Normal Temperature for November at FMY = 71.5°

Total Rainfall for November 1-25, 2026 = 3.46 inches
Normal Rainfall for November at FMY = 1.78 inches

	Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns
1	80.4 in 1986	1	72.5 in 1903	1	32.14 in 1922	1	5.16 in 1988
2	80.2 in 1985	2	72.7 in 1910	2	27.85 in 1969	2	5.95 in 1942
3	79.8 in 2019	3	72.9 in 1976	3	26.80 in 1924	3	5.96 in 1974
4	79.3 in 2022	4	73.7 in 1908	4	23.34 in 1947	4	5.97 in 1907
5	79.1 in 2024	5	73.8 in 1913	5	23.33 in 1953	5	6.11 in 1992
	79.1 in 2020	6	74.0 in 1923	6	22.99 in 1962	6	6.12 in 1906
	79.1 in 2015	7	74.1 in 1953	7	22.36 in 2020	7	6.31 in 2004
8	78.8 in 1979	8	74.3 in 1909	8	21.74 in 1998	8	6.50 in 1966
9	78.7 in 1994	9	74.4 in 1943	9	21.44 in 1952	9	6.67 in 1978
10	78.6 in 2018		74.4 in 1914	10	20.90 in 2011	10	6.78 in 1904

Average Temperature for Sep 1 - Nov 25, 2026 = 78.9°
Normal Temperature for Autumn at FMY = 77.2°

Total Rainfall for Sep 1 – Nov 25, 2026 = 10.30 inches
Normal Rainfall for Autumn at FMY = 13.86 inches

For more local climate information, please visit our web page at https://www.weather.gov/tampabay and look within the “Climate and Past Weather" drop down menu above the map of the area.

Contact: Paul Close, Paul.Close@noaa.gov ***Date: 11/26/2026***