



NOAA - National Weather Service


Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570



813-645-2323 <http://weather.gov/tampabay>

July 2018 Top Ten Climate Data for West Central and Southwest Florida

Temperatures across West Central and Southwest Florida ranged from about 1.5 degrees below to 3 degrees above average for July 2018 and this placed a few locations in the Top Ten Warmest/Coollest for July.



July 2018 Avg Temp



July 2018 Dep fm Avg




JULY TEMPERATURE (deg F - Top Ten Warmest):

Location	Rank	July 2018 Avg Temp	Normal July Temp	Departure fm Normal
Punta Gorda Area	1st (tie)	84.3°	83.0°	+1.3°
Plant City	3rd	84.6°	81.7°	+2.9°
Archbold Bio Stn	5th (tie)	82.3°	80.6°	+1.7°
Venice	8th (tie)	84.0°	82.3°	+1.7°
Tampa Area	8th	84.1°	83.0°	+1.1°
Myakka River St Pk	9th	83.2°	82.0°	+1.2°


JULY TEMPERATURE (deg F - Top Ten Coolest):

Location	Rank	July 2018 Avg Temp	Normal July Temp	Departure fm Normal
Inverness 3 SE	2nd	79.9°	81.5°	-1.6°

As for rainfall, it was highly variable across the region this month with areas from the Nature Coast south into inland portions of the Tampa Bay area and east across Polk County seeing above normal rainfall (purple areas on right image below). Meanwhile, others close to the coast from the Tampa Bay area south, as well as over some parts of the southern interior, were below normal (yellow/orange/red areas on right image below).



July 2018 Rainfall



July 2018 Dep fm Avg

JULY RAINFALL (inches - Top Ten Wettest):

Location	Rank	July 2018 Rainfall	Normal July Rain	Departure fm Normal
Chiefland 5 ESE	3rd	16.78	8.24	+8.54
Winter Haven Area	4th	13.14	7.50	+5.64
Inverness 3 SE	5th	13.17	7.39	+5.78
Myakka River St Pk	9th	14.23	9.66	+4.57
Lakeland	9th	13.31	7.49	+5.82
St. Leo	10th	12.53	7.88	+4.65

JULY RAINFALL (inches - Top Ten Driest):

Location	Rank	July 2018 Rainfall	Normal July Rain	Departure fm Normal
Venice	8th	3.14	7.32	-4.18

Following are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Julys at some official NWS locations, which include the average/total for this July where available, and the 1981-2010 Normal (average) temperature and rainfall for the month of July.

Chiefland 5 ESE (Records Began July 1956):

Warmest Julys	Coolest Julys	Wettest Julys	Driest Julys
1 83.8 in 2016	1 76.5 in 1967	1 20.80 in 2001	1 2.89 in 2007
2 83.1 in 1983	2 79.0 in 1964	2 19.40 in 1964	2 3.38 in 1972
3 83.0 in 1998	3 79.2 in 1975	3 16.78 in 2018	3 3.75 in 2006
83.0 in 1987	4 79.3 in 1974	4 16.72 in 2013	4 4.06 in 1977
5 82.8 in 2015	5 79.4 in 1994	5 16.11 in 1978	5 4.23 in 2014
6 82.6 in 2017	6 79.5 in 2009	6 13.43 in 1975	6 4.31 in 1956
82.6 in 1999	79.5 in 1965	7 13.49 in 1980	7 4.33 in 2008
8 82.2 in 1993	8 79.6 in 1984	8 13.00 in 2017	8 4.55 in 1995
82.2 in 1981	79.6 in 1969	9 12.53 in 1974	9 5.38 in 1983
10 82.1 in 2005	79.6 in 1956	10 12.16 in 1965	10 5.43 in 2016
11 82.0 in 2018			
82.0 in 1992			

Normal July Temp at CHIF1 = 80.3°

Normal July Rain at CHIF1 = 8.24 in.

Inverness 3 SE (Records Began July 1948):

Warmest Julys	Coolest Julys	Wettest Julys	Driest Julys
1 84.6 in 2016	1 78.2 in 1994	1 16.28 in 1948	1 2.61 in 1952
2 84.0 in 2010	2 79.9 in 2018	2 14.71 in 1964	2 3.15 in 2016
3 83.8 in 1969	3 80.0 in 2004	3 14.45 in 2013	3 3.71 in 1972
4 83.5 in 1979	80.0 in 1984	4 14.40 in 1960	4 3.91 in 1992
5 83.2 in 1998	5 80.1 in 1995	5 13.17 in 2018	5 4.22 in 2011
83.2 in 1981	6 80.2 in 2003	6 13.06 in 2002	6 4.24 in 2006
7 83.1 in 1953	7 80.3 in 1986	7 12.82 in 1965	7 4.27 in 1983
8 82.9 in 1952	8 80.5 in 2000	8 12.79 in 2007	8 4.49 in 1994
9 82.8 in 2011	80.5 in 1988	9 11.45 in 1953	9 4.56 in 1970
10 82.6 in 1970	10 80.6 in 2017	10 11.37 in 2015	10 4.72 in 1996
82.6 in 1963	80.6 in 2001		
	80.6 in 1948		

Normal July Temp at INVF1 = 81.5°

Normal July Rain at INVF1 = 7.39 in.

Bushnell 1 E (Records Began July 1948) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.4 in 1992	1 79.4 in 1974	1 15.07 in 1948	1 1.65 in 2008
2 83.1 in 1998	2 79.5 in 1965	2 13.95 in 1960	2 2.21 in 1992
3 82.8 in 2016	3 79.6 in 2013	3 13.87 in 1959	3 3.29 in 1976
4 82.4 in 1995	79.6 in 1967	4 13.13 in 2001	4 3.30 in 1989
82.4 in 1993	5 79.7 in 1984	5 12.85 in 1967	5 3.60 in 1979
82.4 in 1979	6 79.8 in 2008	6 12.49 in 1965	6 3.71 in 1996
7 82.3 in 1960	7 80.0 in 1964	7 11.92 in 1991	7 3.81 in 1970
8 82.0 in 1981	8 80.1 in 1983	8 11.63 in 2015	8 3.88 in 1973
82.0 in 1969	9 80.2 in 2014	9 11.30 in 1984	9 3.89 in 1972
82.0 in 1962	80.2 in 1988	10 11.12 in 1958	10 4.12 in 2004
	80.2 in 1955		

Avg Temp for July 2018 = Not Avbl
Normal July Temp at BSHF1 = 81.4°

Rain Total for July 2018 = Not Avbl
Normal July Rain at BSHF1 = 6.43 in.

Brooksville Area (Records Began January 1892) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.6 in 1930	1 78.5 in 1921	1 20.60 in 1906	1 1.96 in 1930
83.6 in 1927	2 78.7 in 1947	2 19.89 in 1909	2 2.04 in 1970
3 83.5 in 1931	3 79.0 in 1894	3 17.22 in 2015	3 2.06 in 1996
4 83.3 in 1942	4 79.1 in 1950	4 17.03 in 1943	4 2.83 in 1892
5 83.2 in 1979	5 79.2 in 1898	5 16.90 in 1924	5 3.53 in 1902
6 83.1 in 1928	6 79.3 in 1974	6 16.33 in 1964	6 4.13 in 1989
7 83.0 in 2016	79.3 in 1904	7 15.72 in 1960	7 4.35 in 1968
8 82.9 in 1981	8 79.5 in 1922	8 15.37 in 2008	8 4.46 in 2010
82.9 in 1926	9 79.6 in 1984	9 15.36 in 1945	9 4.65 in 1931
10 82.7 in 2011	79.6 in 1920	10 14.81 in 1935	10 4.66 in 1955
82.7 in 1993			
...	
45 81.2 in 2018	68 81.2 in 2018	24 11.92 in 2018	99 11.92 in 2018

Normal July Temp at BKV = 80.7°

Normal July Rain at BKV = 8.04 in.

St. Leo (Records Began April 1895):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.3 in 2005	1 78.1 in 1921	1 18.52 in 1945	1 2.09 in 1979
84.3 in 1998	2 78.3 in 1935	2 16.10 in 1948	2 2.30 in 1899
3 83.9 in 1942	3 78.7 in 1918	3 15.74 in 1935	3 2.58 in 1930
4 83.8 in 1896	4 78.8 in 1922	4 15.05 in 1933	4 2.98 in 2010
5 83.7 in 1900	78.8 in 1919	5 14.34 in 1960	5 3.08 in 1989
6 83.5 in 1983	6 78.9 in 1923	6 14.17 in 1909	6 3.34 in 1902
83.5 in 1932	7 79.3 in 1920	7 14.11 in 2004	7 3.91 in 1952
8 83.4 in 2006	79.3 in 1904	8 13.66 in 1906	8 4.28 in 1999
83.4 in 1999	9 79.5 in 1947	9 13.35 in 1901	9 4.31 in 1942
83.4 in 1987	79.5 in 1929	10 12.53 in 2018	10 4.42 in 2016
83.4 in 1981			
...	...		
86 80.9 in 2018	32 80.9 in 2018		
in 1978	in 1978		
in 1964	in 1964		
in 1955	in 1955		
in 1933	in 1933		
in 1915	in 1915		

Normal July Temp at STLf1 = 82.6° Normal July Rain at STLf1 = 7.88 in.

Tarpon Springs (Records Began January 1892):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.2 in 1932	1 79.1 in 1904	1 22.55 in 2015	1 0.95 in 2003
2 85.0 in 1993	2 79.5 in 1900	2 20.76 in 1960	2 0.98 in 2007
3 84.8 in 1942	79.5 in 1895	3 17.03 in 1909	3 2.23 in 1970
4 84.7 in 2016	4 79.6 in 1899	4 15.48 in 1947	4 2.43 in 1932
84.7 in 1997	5 79.7 in 1908	5 15.46 in 1899	5 2.45 in 1976
6 84.6 in 2004	6 79.8 in 1974	6 15.45 in 2009	6 2.47 in 1993
7 84.3 in 1996	79.8 in 1910	7 15.31 in 2012	7 2.76 in 1914
84.3 in 1931	79.8 in 1896	8 15.12 in 2008	8 3.41 in 1940
9 84.2 in 2014	79.8 in 1894	9 15.02 in 1919	9 3.48 in 1952
10 84.1 in 1998	10 79.9 in 1939	10 14.66 in 1921	10 3.67 in 1972
...
15 83.6 in 2018	110 83.6 in 2018	44 9.09 in 2018	82 9.09 in 2018

Normal July Temp at TRPF1 = 82.0° Normal July Rain at TRPF1 = 8.09 in.

Tampa Area (Records Began April 1890):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.9 in 2016	1 79.7 in 1899	1 20.59 in 1960	1 1.65 in 1981
84.9 in 1932	2 80.2 in 1968	2 15.53 in 1899	2 2.03 in 1932
3 84.6 in 1942	80.2 in 1890	3 13.92 in 1906	3 2.11 in 1893
4 84.4 in 2011	4 80.3 in 1965	4 13.77 in 1950	4 2.31 in 1962
5 84.3 in 2010	80.3 in 1955	5 13.68 in 1946	5 2.72 in 1996
6 84.2 in 2017	80.3 in 1947	6 13.32 in 1925	6 2.75 in 1908
84.2 in 2005	80.3 in 1910	7 12.95 in 1998	7 2.77 in 1970
8 84.1 in 2018	8 80.4 in 1906	8 12.68 in 2014	8 2.80 in 1992
9 84.0 in 1980	9 80.5 in 1909	9 12.32 in 1933	9 2.92 in 1993
84.0 in 1931	80.5 in 1904	10 12.30 in 1896	10 3.38 in 2005
	
		90 6.04 in 2018	40 6.04 in 2018

Normal July Temp at TPA = 83.0°

Normal July Rain at TPA = 7.07 in.

St Petersburg (Records Began August 1914):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 86.7 in 2005	1 80.7 in 1947	1 18.97 in 1945	1 2.09 in 1996
2 85.7 in 1932	2 80.8 in 1921	2 18.30 in 1921	2 2.40 in 1982
3 85.5 in 2017	3 81.0 in 1974	3 16.77 in 1947	3 2.44 in 1918
85.5 in 2016	81.0 in 1968	4 16.46 in 1960	4 2.65 in 1970
5 85.3 in 1931	5 81.2 in 1919	5 14.97 in 1919	5 2.72 in 1930
6 85.2 in 2010	6 81.3 in 1954	6 14.70 in 2000	6 2.78 in 1972
7 84.9 in 1979	7 81.4 in 1938	7 14.66 in 1922	7 2.92 in 2012
8 84.8 in 1987	8 81.5 in 1965	8 14.32 in 2015	8 3.05 in 1942
9 84.7 in 1992	9 81.6 in 1956	9 13.64 in 1954	9 3.06 in 2003
84.7 in 1973	81.6 in 1950	10 13.33 in 1965	10 3.13 in 1966
	81.6 in 1922
16 84.2 in 2018	83 84.2 in 2018	80 4.90 in 2018	25 4.90 in 2018
in 2014	in 2014		
in 2011	in 2011		
in 1998	in 1998		
in 1981	in 1981		
in 1962	in 1962		

Normal July Temp at SPG = 83.9°

Normal July Rain at SPG = 7.34 in.

Plant City (Records Began February 1893):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.2 in 2016	1 78.3 in 1907	1 21.74 in 1960	1 2.75 in 1970
2 84.8 in 2017	2 79.0 in 1929	2 15.67 in 1943	2 2.96 in 1996
3 84.6 in 2018	3 79.2 in 1925	3 15.62 in 1910	3 3.04 in 1932
4 83.6 in 1969	4 79.4 in 1935	4 15.22 in 1925	4 3.45 in 1915
5 83.5 in 2010	5 79.5 in 1947	5 15.20 in 1933	5 3.48 in 1956
6 83.3 in 1916	6 79.8 in 1933	6 14.19 in 1929	6 3.54 in 1902
7 83.2 in 2005	7 79.9 in 1926	7 14.11 in 2017	7 3.82 in 1988
83.2 in 1981	8 80.0 in 1938	8 14.08 in 1945	8 3.92 in 1913
83.2 in 1913	80.0 in 1906	14.08 in 1905	9 3.97 in 1912
10 83.1 in 1992	10 80.2 in 1930	10 13.25 in 1965	10 4.32 in 1958
	80.2 in 1910
		19 11.64 in 2018	101 11.64 in 2018

Normal July Temp at PLCF1 = 81.7°

Normal July Rain at PLCF1 = 7.60 in.

Lakeland (Records Began January 1915):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.1 in 2016	1 79.4 in 1921	1 20.07 in 2017	1 2.49 in 1992
2 84.9 in 1992	79.4 in 1919	2 15.67 in 1960	2 3.09 in 1961
3 84.8 in 1987	3 79.6 in 1947	3 14.74 in 1994	3 3.17 in 1942
4 84.5 in 2010	79.6 in 1923	4 14.34 in 1948	4 3.50 in 1996
5 84.4 in 1993	5 80.0 in 1974	5 13.79 in 1946	5 3.51 in 1972
84.4 in 1932	6 80.3 in 1975	6 13.77 in 1988	6 4.06 in 1983
7 84.2 in 1942	80.3 in 1950	7 13.56 in 2001	7 4.14 in 1936
8 84.0 in 1995	8 80.5 in 2007	8 13.37 in 2015	8 4.30 in 1930
9 83.9 in 1989	9 80.6 in 1965	9 13.31 in 2018	9 4.37 in 1932
10 83.7 in 1981	10 80.8 in 1955	10 13.23 in 1991	10 4.49 in 1958
...	80.8 in 1954		
17 83.3 in 2018	80.8 in 1945		
in 2015	80.8 in 1920		
in 2005	80.8 in 1918		
in 1979			

Normal July Temp at LLDF1 = 82.0°

Normal July Rain at LLDF1 = 7.49 in.

Winter Haven Area (Records Began March 1941) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.5 in 2016	1 79.7 in 1968	1 16.45 in 1945	1 1.95 in 1972
2 85.0 in 2005	2 79.9 in 1947	2 13.73 in 1948	2 2.72 in 1986
3 84.8 in 2010	3 80.0 in 1974	3 13.69 in 1946	3 2.95 in 2011
84.8 in 1989	4 80.1 in 1972	4 13.14 in 2018	4 3.36 in 1996
5 84.2 in 1998	80.1 in 1971	5 12.73 in 1991	5 3.40 in 2009
6 84.1 in 1992	6 80.6 in 1975	6 12.07 in 1973	6 3.44 in 1961
7 84.0 in 2017	7 80.7 in 1976	7 12.05 in 1981	7 3.46 in 1999
8 83.9 in 1999	8 80.8 in 1965	8 11.82 in 1995	8 3.69 in 1988
83.9 in 1997	80.8 in 1963	9 11.68 in 1941	9 3.76 in 2012
10 83.8 in 2012	10 81.0 in 1950	10 11.37 in 1960	10 4.06 in 1975
...			
16 83.2 in 2018			
in 2004			

Normal July Temp at GIF = 82.9°

Normal July Rain at GIF = 7.50 in.

Bartow (Records Began January 1892) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.4 in 2014	1 79.3 in 2006	1 17.58 in 1960	1 2.35 in 1892
2 84.7 in 1932	2 79.4 in 1947	2 16.91 in 1924	2 2.91 in 1961
3 84.5 in 1969	3 79.7 in 1935	3 14.55 in 1897	3 3.16 in 1910
4 84.2 in 2016	79.7 in 1894	4 14.00 in 1991	4 3.19 in 1972
5 84.1 in 2013	5 79.8 in 1938	5 13.84 in 1998	5 3.55 in 1932
84.1 in 1998	6 80.0 in 1974	6 13.82 in 1989	6 3.80 in 1999
7 84.0 in 2012	7 80.2 in 1918	7 13.36 in 1945	7 3.97 in 1902
8 83.9 in 1992	80.2 in 1896	8 13.32 in 1995	8 4.08 in 1958
83.9 in 1987	9 80.4 in 1975	9 13.31 in 1909	9 4.11 in 1936
10 83.8 in 2010	10 80.5 in 1936	10 13.01 in 1933	10 4.15 in 1985
...	
42 82.4 in 2018	73 82.4 in 2018	15 12.26 in 2018	
in 1988	in 1988		
in 1964	in 1964		
in 1959	in 1959		
in 1939	in 1939		
in 1900	in 1900		

Normal July Temp at BARF1 = 82.8°

Normal July Rain at BARF1 = 9.15 in.

Sarasota-Bradenton Area (Records Began January 1911):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.4 in 2016	1 78.4 in 1947	1 20.60 in 1921	1 0.93 in 1970
2 84.2 in 1998	2 79.4 in 1911	2 20.15 in 1960	2 1.80 in 1917
3 84.0 in 1962	3 79.5 in 1929	3 17.20 in 1965	3 2.15 in 2014
4 83.9 in 2014	4 79.7 in 1976	4 16.28 in 1984	4 2.30 in 1930
5 83.4 in 2006	5 79.9 in 1974	5 14.25 in 1987	5 2.88 in 1953
6 83.3 in 2010	6 80.0 in 1937	6 14.02 in 1919	6 3.51 in 1981
83.3 in 2005	7 80.1 in 1921	7 13.87 in 1978	7 3.58 in 1976
8 83.2 in 1992	8 80.2 in 1913	8 13.57 in 1935	8 3.66 in 1973
9 83.1 in 1993	9 80.3 in 1971	9 12.95 in 2001	9 3.70 in 1996
83.1 in 1989	80.3 in 1955	10 12.94 in 1988	10 3.75 in 1967
11 83.0 in 2018	
in 2012		50 7.88 in 2018	58 7.88 in 2018
in 1995			
in 1987			

Normal July Temp at SRQ = 82.4°

Normal July Rain at SRQ = 7.98 in.

**Myakka River State Park (Temperature Records Began March 1956/
Rainfall Records Began September 1943):**

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.0 in 1998	1 80.2 in 1985	1 19.34 in 1973	1 1.81 in 1972
2 84.2 in 2016	80.2 in 1965	2 18.17 in 2015	2 3.35 in 1963
3 84.1 in 2005	3 80.3 in 1974	3 17.73 in 1975	3 3.47 in 1992
4 84.0 in 2017	4 80.4 in 1959	4 17.08 in 1995	4 3.55 in 1962
5 83.9 in 1999	5 80.5 in 1984	5 15.47 in 1984	5 3.84 in 1952
6 83.8 in 1996	6 80.6 in 1962	6 14.86 in 1960	6 3.88 in 1993
7 83.6 in 1997	7 80.7 in 1975	7 14.44 in 1945	7 4.48 in 1956
8 83.5 in 2010	80.7 in 1963	8 14.33 in 1965	8 4.53 in 1996
9 83.2 in 2018	9 80.8 in 2001	9 14.23 in 2018	9 4.87 in 1957
10 83.0 in 2012	10 80.9 in 1986	10 14.21 in 2004	10 5.17 in 2009
83.0 in 1969	80.9 in 1973		

Normal July Temp at MKCF1 = 82.0°

Normal July Rain at MKCF1 = 9.66 in.

Venice (Records Began May 1955):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 86.6 in 1989	1 80.5 in 1975	1 15.61 in 1995	1 2.02 in 1962
2 86.2 in 2010	80.5 in 1974	2 14.22 in 2006	2 2.12 in 1981
3 85.0 in 1998	3 80.7 in 1978	3 12.91 in 1984	3 2.33 in 1967
4 84.9 in 2011	80.7 in 1977	4 12.72 in 2015	4 2.61 in 1972
5 84.5 in 2012	80.7 in 1961	5 12.67 in 2001	5 2.98 in 1992
6 84.2 in 1996	6 80.8 in 2008	6 12.00 in 1991	6 3.04 in 1970
7 84.1 in 2016	80.8 in 1984	7 11.89 in 2008	7 3.06 in 2016
8 84.0 in 2018	8 80.9 in 1972	8 11.23 in 1971	8 3.14 in 2018
84.0 in 2003	80.9 in 1956	9 11.14 in 1987	9 3.31 in 2002
84.0 in 1997	10 81.0 in 1985	11.14 in 1974	10 3.34 in 2009
	81.0 in 1976		

Normal July Temp at VNCF1 = 82.3°

Normal July Rain at VNCF1 = 7.32 in.

Wauchula 2 N (Records Began January 1933):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.5 in 2009	1 77.9 in 1950	1 15.54 in 1946	1 1.99 in 2016
2 83.9 in 1992	2 79.6 in 2013	2 14.60 in 1960	2 2.21 in 1981
3 83.8 in 1942	79.6 in 1947	3 13.76 in 1965	3 2.80 in 1962
4 83.6 in 2007	4 80.0 in 2001	4 13.72 in 2008	4 2.90 in 1999
5 83.5 in 2016	80.0 in 1955	5 13.62 in 1945	5 2.91 in 1992
83.5 in 2008	6 80.1 in 1974	6 13.43 in 2009	6 3.63 in 1985
7 83.4 in 1993	7 80.3 in 1965	7 13.31 in 2001	7 3.71 in 1996
83.4 in 1969	80.3 in 1956	8 13.27 in 1948	8 4.00 in 1934
9 83.2 in 2005	80.3 in 1954	9 12.46 in 1977	9 4.06 in 1950
10 83.1 in 1979	10 80.5 in 2012	10 12.45 in 1988	10 4.17 in 1980
	80.5 in 1951
	80.5 in 1938	57 7.09 in 2018	29 7.09 in 2018
...	...		
21 82.2 in 2018	62 82.2 in 2018		

Normal July Temp at WAUF1 = 83.3°

Normal July Rain at WAUF1 = 7.94 in.

Arcadia (Records Began November 1899):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.4 in 1942	1 79.7 in 1938	1 17.52 in 1965	1 1.93 in 1932
2 83.1 in 1981	2 79.9 in 1974	2 16.39 in 1905	2 2.32 in 1972
3 83.0 in 2016	79.9 in 1910	3 16.06 in 1951	3 2.46 in 1962
83.0 in 2005	4 80.0 in 1970	4 15.21 in 1945	4 3.11 in 1961
83.0 in 1932	80.0 in 1956	5 14.99 in 1974	5 3.31 in 1912
83.0 in 1902	6 80.1 in 1984	6 14.61 in 1948	6 3.50 in 1955
7 82.5 in 2010	80.1 in 1947	7 14.04 in 1973	7 3.91 in 1990
82.5 in 1940	80.1 in 1923	8 13.82 in 2001	3.91 in 1980
82.5 in 1912	9 80.2 in 1971	9 13.48 in 2013	9 3.99 in 1970
82.5 in 1901	10 80.3 in 1929	10 12.99 in 2009	10 4.11 in 1981
...
54 81.5 in 2018	54 81.5 in 2018	48 8.28 in 2018	66 8.28 in 2018
in 1978	in 1978		
in 1948	in 1948		

Normal July Temp at ARCF1 = 81.6°

Normal July Rain at ARCF1 = 7.71 in.

Archbold Bio Stn (Records Began January 1969):

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 83.5 in 2016	1 79.0 in 1974	1 17.27 in 2001	1 3.64 in 1994
2 83.2 in 2010	2 79.3 in 1984	2 16.89 in 1974	2 3.90 in 1972
3 82.6 in 2017	3 79.6 in 2008	3 14.85 in 2013	3 4.02 in 2003
82.6 in 1969	4 79.9 in 1985	4 13.09 in 1984	4 4.15 in 2011
5 82.3 in 2018	79.9 in 1982	5 12.79 in 2014	5 4.52 in 1987
82.3 in 2005	79.9 in 1975	6 12.06 in 2008	6 4.67 in 1992
7 82.2 in 1998	79.9 in 1972	7 11.05 in 2002	7 4.68 in 1977
8 82.0 in 2015	8 80.0 in 2006	8 11.03 in 1993	8 5.06 in 2000
82.0 in 2011	80.0 in 1994	9 10.93 in 2010	9 5.34 in 1999
10 81.9 in 1980	10 80.1 in 1976	10 10.89 in 1990	10 5.57 in 1996
	80.1 in 1971
		20 8.94 in 2018	31 8.74 in 2018

Normal July Temp at ACHF1 = 80.6°

Normal July Rain at ACHF1 = 8.20 in.

Punta Gorda Area (Records Began June 1914) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 84.3 in 2018	1 79.4 in 1929	1 18.25 in 1947	1 1.75 in 1932
84.3 in 2005	2 80.3 in 1938	2 15.10 in 1924	2 2.23 in 1963
3 84.1 in 1980	3 80.5 in 1925	3 14.66 in 1933	3 2.41 in 1930
84.1 in 1963	80.5 in 1917	4 14.22 in 1995	4 3.09 in 1966
5 84.0 in 2016	5 80.6 in 1974	5 13.23 in 2006	5 3.24 in 1962
84.0 in 1962	80.6 in 1919	6 13.15 in 1982	6 3.52 in 1990
84.0 in 1932	7 80.7 in 1949	7 12.91 in 1948	3.52 in 1979
8 83.8 in 2014	8 80.8 in 1971	8 12.40 in 2008	3.52 in 1934
9 83.6 in 2011	80.8 in 1922	9 12.14 in 2013	9 3.58 in 1917
83.6 in 1995	10 80.9 in 1955	10 11.89 in 1936	10 3.86 in 1970
83.6 in 1993	
83.6 in 1992		18 9.82 in 2018	86 9.82 in 2018
83.6 in 1951			

Normal July Temp at PGD = 83.0°

Normal July Rain at PGD = 7.89 in.

Fort Myers Area (Records Began January 1902) :

Warmest Julys	Coollest Julys	Wettest Julys	Driest Julys
1 85.7 in 1981	1 79.0 in 1904	1 15.28 in 1941	1 2.28 in 1980
85.7 in 1979	2 79.1 in 1910	2 15.22 in 1920	2 2.92 in 2014
3 84.8 in 1997	3 80.2 in 1909	3 14.51 in 1991	3 3.50 in 1932
84.8 in 1996	80.2 in 1906	4 14.47 in 1974	4 3.53 in 1944
5 84.5 in 2016	80.2 in 1903	5 14.43 in 2006	5 3.93 in 1985
84.5 in 1992	6 80.5 in 1929	6 14.38 in 1987	6 4.05 in 1913
84.5 in 1942	80.5 in 1917	7 13.94 in 2001	7 4.06 in 1931
8 84.3 in 1982	80.5 in 1907	8 13.90 in 1905	8 4.29 in 1973
84.3 in 1980	80.5 in 1902	9 13.76 in 1960	9 4.60 in 2001
10 84.2 in 2010	10 80.6 in 1955	10 13.32 in 1949	10 4.65 in 1964
84.2 in 1962	80.6 in 1913
...	...	70 8.01 in 2018	47 8.01 in 2018
30 83.1 in 2018	88 83.1 in 2018		
in 1986	in 1986		
in 1936	in 1936		

Normal July Temp at FMY = 83.2°

Normal July Rain at FMY = 9.04 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past Weather drop down menu above the graphical forecast images.