



NOAA - National Weather Service


Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570


813-645-2323 <http://weather.gov/tampabay>

September 2018 Climate Data

September 2018 was one of the warmest September on record at several sites across the region with many locations about 2 to 5 degrees above normal.



Sept 2018 Avg Temp




Sept 2018 Dep fm Normal

SEPTEMBER TEMPERATURE (°F) :


Location	Sep 2018 Rank	Sep 2018 Avg Temp	Normal Sep Temperature	Dep fm Normal	Records Began
Tampa Area*	1st	85.8°	81.7°	+4.1°	1890
Winter Haven Area	1st	85.0°	81.5°	+3.5°	1941
Plant City	1st	84.9°	80.3°	+4.6°	1892
Punta Gorda Area	1st	84.6°	82.0°	+2.6°	1914
Tarpon Springs	1st	84.2°	80.2°	+4.0°	1892
Lakeland Area	1st	83.8°	80.2°	+3.6°	1915
Myakka River St Pk	1st	83.8°	81.1°	+2.7°	1956
Chiefland 5 ESE	1st	83.2°	77.8°	+5.4°	1956
Brooksville Area	1st	82.8°	79.3°	+3.5°	1892
Arcadia	1st	82.3°	80.2°	+2.1°	1899
St Petersburg Area	3rd(tie)	84.4°	82.3°	+2.1°	1914
Sarasota-Bradenton Area	3rd	82.6°	81.4°	+1.2°	1911
Wauchula 2 N	3rd	82.6°	82.1°	+0.5°	1933
Bartow	4th(tie)	82.8°	81.4°	+1.4°	1892
Archbold Bio Stn	4th	81.7°	79.7°	+2.0°	1969
St Leo	5th	82.1°	80.9°	+1.2°	1895
Venice	6th	83.1°	81.0°	+2.1°	1955
Inverness 3 SE	7th(tie)	81.2°	79.4°	+1.8°	1948
Fort Myers-Page Field	8th(tie)	83.1°	82.4°	+0.7°	1902

* This was the warmest month on record at Tampa surpassing June 1998 which had an average temperature of 85.6°.

Rainfall was highly variable this September with some areas well above normal while others were well below normal. The wettest areas as seen in the maps below were generally closer to the coast while many inland locations were drier. Amounts for the month range from a little over 2 inch in parts of Desoto and Sumter counties to over 10 inches in parts of eastern Manatee and Sarasota counties, as well as some areas in Lee County.



Rainfall Sept 2018



Percent of Normal

In the table below is the list of locations that were in the Top Ten Driest for September.

SEPTEMBER RAINFALL (inches):

Driest		Sep 2018		Normal Sep	Dep fm	Records
Location	Rank	Rain	Total	Rainfall	Normal	Began
Arcadia	5th	2.28 in.		7.28 in.	-5.00 in.	1899
St Leo	8th	2.23 in.		6.81 in.	-4.58 in.	1895
Archbold Bio Stn	8th	3.67 in.		6.46 in.	-2.79 in.	1969

Wettest		Sep 2018		Normal Sep	Dep fm	Records
Location	Rank	Rain	Total	Rainfall	Normal	Began
Myakka River St Pk	7th	12.47 in.		7.91 in.	+4.56 in.	1943

Following are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Septembers at some official NWS locations, which include the average/total for this September, and the 1981-2010 Normal (average) temperature and rainfall for the month of September.

CHIEFLAND 5 SE (records began in June 1956):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 83.2 in 2018	1 75.8 in 1967	1 21.39 in 2004	1 0.86 in 1972
2 81.0 in 2016	2 76.1 in 1969	2 20.12 in 1988	2 1.06 in 1968
81.0 in 1970	76.1 in 1956	3 16.04 in 1964	3 1.10 in 2008
4 80.8 in 1986	4 76.3 in 2001	4 14.77 in 1998	4 1.23 in 1978
80.8 in 1980	5 76.7 in 2006	5 13.65 in 1983	5 1.74 in 1997
6 80.5 in 1988	6 76.9 in 1985	6 10.49 in 1979	6 1.97 in 1967
7 80.4 in 1998	7 77.0 in 1994	7 10.18 in 2017	7 1.99 in 2003
80.4 in 1959	77.0 in 1966	8 10.16 in 1989	8 2.15 in 1961
9 80.3 in 1973	9 77.6 in 2008	9 10.11 in 2005	9 2.20 in 1958
10 80.2 in 2002	77.6 in 1982	10 10.03 in 1966	10 2.23 in 1992
80.2 in 1977	
80.2 in 1974		40 4.25 in 2018	24 4.25 in 2018
80.2 in 1958			

Normal Temperature for September at CHIF1 = 77.8°
 Normal Rainfall for September at CHIF1 = 6.89 inches

INVERNESS 3 SE (records began in July 1948):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 82.3 in 1954	1 76.8 in 1994	1 16.73 in 2016	1 0.76 in 1961
2 82.2 in 1958	2 77.0 in 2001	2 16.54 in 1950	2 1.07 in 2008
3 82.0 in 1970	3 77.1 in 1997	3 16.49 in 2017	3 1.21 in 1967
4 81.8 in 1974	4 77.3 in 1956	4 16.27 in 2004	4 1.25 in 1972
5 81.7 in 2010	5 77.7 in 1976	5 15.67 in 2001	5 1.74 in 1954
6 81.4 in 2009	6 77.9 in 1984	6 15.24 in 1960	6 1.76 in 2012
7 81.2 in 2018	7 78.0 in 1981	7 13.15 in 1979	7 1.80 in 1990
81.2 in 1977	8 78.1 in 2006	8 12.23 in 1982	8 1.96 in 1996
9 81.1 in 2016	78.1 in 1983	9 11.92 in 1964	9 2.04 in 2005
81.1 in 1965	10 78.4 in 1996	10 10.89 in 1988	10 2.10 in 1978
81.1 in 1951	
		28 6.60 in 2018	43 6.60 in 2018

Normal Temperature for September at INVF1 = 79.4°
 Normal Rainfall for September at INVF1 = 6.00 inches

BROOKSVILLE AREA (records began in January 1892):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 82.8 in 2018	1 77.2 in 2001	1 22.34 in 1950	1 0.48 in 1972
2 82.5 in 1926	2 77.5 in 1894	2 17.32 in 1979	2 0.90 in 2008
3 81.9 in 1906	3 77.6 in 1956	3 15.87 in 1894	3 1.39 in 1910
4 81.8 in 1958	4 77.7 in 1940	4 15.53 in 1912	4 1.69 in 1991
81.8 in 1925	5 77.8 in 1892	5 15.16 in 1935	5 1.74 in 1990
6 81.7 in 1930	6 77.9 in 1953	6 14.12 in 1988	6 1.90 in 1958
7 81.6 in 1911	7 78.0 in 1983	7 13.88 in 1947	7 2.02 in 1961
8 81.5 in 2002	8 78.1 in 1994	8 13.77 in 1938	8 2.09 in 1909
81.5 in 1991	78.1 in 1897	9 13.33 in 2016	9 2.29 in 2007
10 81.4 in 2017	10 78.2 in 2003	10 12.84 in 1960	10 2.50 in 1915
81.4 in 1915	78.2 in 1967
	78.2 in 1893	95 3.62 in 2018	31 3.62 in 2018

Normal Temperature for September at BKV = 79.3°

Normal Rainfall for September at BKV = 6.56 inches

ST LEO (records began in April 1895):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 83.5 in 1925	1 76.3 in 1922	1 17.44 in 2004	1 0.75 in 1990
2 82.5 in 2002	2 77.1 in 1935	2 17.38 in 1929	2 1.17 in 1972
3 82.3 in 1900	77.1 in 1918	3 17.03 in 1950	3 1.21 in 1978
4 82.2 in 2009	4 77.4 in 1903	4 16.81 in 1912	4 1.76 in 1995
5 82.1 in 2018	5 77.9 in 1927	5 16.52 in 1960	5 1.97 in 2008
6 82.0 in 1944	77.9 in 1917	6 15.07 in 1935	6 2.05 in 1991
7 81.9 in 2008	77.9 in 1914	7 15.01 in 1933	7 2.10 in 1910
81.9 in 2007	8 78.0 in 1940	8 14.93 in 1949	8 2.23 in 2018
9 81.8 in 2005	9 78.1 in 1897	9 14.70 in 1953	9 2.24 in 1911
81.8 in 1958	10 78.3 in 1956	10 13.33 in 1982	10 2.41 in 2010
81.8 in 1951	78.3 in 1920		
	78.3 in 1916		

Normal Temperature for September at STL1 = 80.9°

Normal Rainfall for September at STL1 = 6.81 inches

TARPON SPRINGS (records began in January 1892):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 84.2 in 2018	1 78.2 in 1894	1 18.13 in 1988	1 0.44 in 2005
2 84.0 in 1925	2 78.4 in 1967	2 15.80 in 2006	2 0.58 in 1972
3 83.5 in 1933	78.4 in 1899	3 15.54 in 1971	3 0.82 in 2008
4 83.2 in 1996	4 78.5 in 1956	4 15.39 in 1935	0.82 in 1921
5 83.0 in 1921	5 78.6 in 1940	5 15.28 in 2014	5 1.97 in 1910
6 82.9 in 1944	78.6 in 1916	6 14.27 in 1911	6 2.05 in 1967
7 82.7 in 1997	7 78.7 in 1900	7 13.21 in 1959	7 2.16 in 2007
8 82.6 in 1926	78.7 in 1896	8 13.12 in 1898	2.16 in 1952
9 82.3 in 1951	78.7 in 1895	9 12.79 in 1983	9 2.65 in 1919
82.3 in 1930	10 78.8 in 1983	10 12.70 in 1960	10 2.69 in 1978
	78.8 in 1918
	78.8 in 1903	52 7.76 in 2018	76 7.76 in 2018

Normal Temperature for September at TRPF1 = 80.2°
 Normal Rainfall for September at TRPF1 = 6.99 inches

TAMPA AREA (records began in April 1890):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 85.8 in 2018	1 77.5 in 1897	1 18.93 in 1912	1 0.79 in 2005
2 83.8 in 2016	2 78.4 in 1914	2 17.28 in 1894	0.79 in 1910
3 83.4 in 2017	3 78.5 in 1956	3 13.98 in 1979	3 1.05 in 1937
4 83.2 in 2010	4 78.6 in 1981	4 13.56 in 1988	4 1.13 in 2010
83.2 in 1925	78.6 in 1940	5 13.29 in 1929	5 1.28 in 1972
6 83.1 in 1944	6 78.8 in 1903	6 13.04 in 1947	6 1.58 in 1921
7 82.9 in 2005	7 78.9 in 1922	7 12.84 in 1997	7 1.68 in 1904
82.9 in 1958	8 79.1 in 1913	8 12.40 in 2006	8 1.90 in 1927
9 82.8 in 2015	79.1 in 1894	9 11.76 in 2001	9 2.08 in 1915
82.8 in 1990	10 79.2 in 2001	10 11.56 in 1953	10 2.20 in 1967
82.8 in 1974	79.2 in 1967
82.8 in 1933	79.2 in 1899	26 9.20 in 2018	104 9.20 in 2018

Normal Temperature for September at TPA = 81.7°
 Normal Rainfall for September at TPA = 6.30 inches

*** The September 2018 average temperatures of 85.8° set a new record for the Warmest Month since records began in April 1890 in Tampa. The previous warmest month had an average temperature of 85.6° set in June 1998.**

ST PETERSBURG (records began in August 1914):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 85.7 in 2005	1 79.0 in 1956	1 25.51 in 1988	1 1.09 in 2008
2 84.8 in 1925	2 79.6 in 1953	2 18.60 in 1953	2 1.40 in 1967
3 84.4 in 2018	3 79.7 in 2001	3 16.39 in 2001	3 1.48 in 1972
84.4 in 2010	79.7 in 1950	4 14.40 in 1929	4 1.61 in 2010
5 84.3 in 1933	79.7 in 1940	5 14.03 in 1962	5 1.84 in 1990
6 83.8 in 2017	6 80.0 in 1994	6 13.39 in 1928	6 1.90 in 2005
83.8 in 1970	80.0 in 1914	7 13.07 in 1933	7 2.13 in 1915
8 83.7 in 2008	8 80.2 in 1983	8 12.63 in 1997	8 2.30 in 1944
9 83.6 in 1986	9 80.4 in 1918	9 12.46 in 2004	9 2.35 in 1925
83.6 in 1944	10 80.5 in 1947	10 12.36 in 1926	10 2.52 in 1964
83.6 in 1941	80.5 in 1917
		83 4.31 in 2017	23 4.31 in 2017

Normal Temperature for September at SPG = 82.3°

Normal Rainfall for September at SPG = 7.76 inches

PLANT CITY (records began in September 1892):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 84.9 in 2018	1 77.7 in 1940	1 18.43 in 1894	1 0.71 in 1972
2 83.4 in 2017	2 77.9 in 1907	2 18.21 in 2004	2 0.75 in 1909
3 82.9 in 2016	3 78.0 in 1932	3 17.09 in 1947	3 0.97 in 1915
81.8 in 1958	78.0 in 1918	4 16.77 in 1998	4 1.12 in 1991
5 81.8 in 1951	5 78.4 in 1953	5 15.42 in 1988	5 1.26 in 1961
81.7 in 1974	78.4 in 1931	6 15.12 in 1960	6 1.27 in 1937
81.7 in 1970	7 78.6 in 1910	7 14.75 in 1933	7 1.50 in 1911
8 81.6 in 2010	78.6 in 1909	8 14.20 in 1979	8 1.64 in 1990
81.6 in 1977	9 78.7 in 1956	9 13.38 in 1912	9 2.15 in 1978
10 81.6 in 1925	78.7 in 1913	10 12.49 in 1929	2.15 in 1967
	
		69 5.57 in 2018	51 5.57 in 2018

Normal Temperature for September at PLCF1 = 80.3°

Normal Rainfall for September at PLCF1 = 7.09 inches

LAKELAND (records began in January 1915):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 83.8 in 2018	1 78.0 in 1940	1 19.67 in 2004	1 0.31 in 1921
2 83.0 in 1987	2 78.6 in 1947	2 15.52 in 1929	2 0.81 in 1972
82.9 in 2016	3 78.7 in 1967	3 15.47 in 1998	3 1.26 in 1944
82.9 in 1989	78.7 in 1956	4 15.18 in 1989	4 1.45 in 2008
5 82.8 in 1998	5 78.9 in 2001	5 13.75 in 1933	5 1.55 in 1961
6 82.7 in 2010	6 79.0 in 1953	6 13.67 in 2001	6 2.42 in 1927
82.7 in 1990	7 79.1 in 1928	7 12.99 in 2014	7 2.57 in 1925
8 82.6 in 1986	79.1 in 1918	8 12.33 in 1979	8 2.59 in 1937
9 82.5 in 2015	9 79.2 in 2006	9 12.16 in 2017	9 2.68 in 1991
82.5 in 1991	79.2 in 1950	10 11.68 in 1947	10 2.86 in 1971
	
		70 4.51 in 2018	34 4.51 in 2018

Normal Temperature for September at LLDF1 = 80.2°
 Normal Rainfall for September at LLDF1 = 7.44 inches

WINTER HAVEN AREA (records began in January 1941):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 85.0 in 2018	1 79.2 in 1976	1 17.26 in 1998	1 1.08 in 2008
2 84.0 in 1989	79.2 in 1968	2 14.79 in 2001	2 1.10 in 1972
3 83.2 in 1991	79.2 in 1956	3 13.46 in 1948	3 1.22 in 1961
4 82.9 in 2016	4 79.4 in 1981	4 12.84 in 2014	4 1.61 in 2005
5 82.6 in 2002	79.4 in 1962	5 12.83 in 1947	5 1.96 in 2015
82.6 in 1951	6 79.6 in 2001	6 12.47 in 1979	1.96 in 1952
7 82.5 in 2010	7 79.7 in 1983	7 12.47 in 1979	7 2.16 in 1990
82.5 in 2007	79.7 in 1959	8 11.32 in 1987	8 2.33 in 2009
82.5 in 1995	9 79.8 in 1967	9 10.51 in 1998	9 2.35 in 2006
10 82.4 in 2005	79.8 in 1964	10.51 in 1950	10 2.47 in 1944
82.4 in 1986	79.8 in 1947
82.4 in 1944		35 5.79 in 2018	43 5.79 in 2018

Normal Temperature for September at GIF = 81.5°
 Normal Rainfall for September at GIF = 6.25 inches

BARTOW (records began in June 1892):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 83.5 in 2014	1 77.0 in 1894	1 17.24 in 2004	1 1.04 in 1972
2 83.3 in 1925	2 77.7 in 1913	2 16.91 in 1894	2 1.73 in 2005
3 83.2 in 1988	3 77.8 in 1914	3 16.61 in 1928	3 1.76 in 1904
4 82.8 in 2018	4 78.1 in 1918	4 15.96 in 1998	4 2.35 in 1942
82.8 in 2002	5 78.5 in 1940	5 15.77 in 1933	5 2.41 in 1961
6 82.7 in 1987	78.5 in 1916	6 15.59 in 1960	6 2.47 in 1937
7 82.6 in 1951	7 78.6 in 1895	7 15.06 in 1979	7 2.51 in 1991
82.6 in 1949	78.6 in 1893	8 14.64 in 1982	8 2.52 in 1910
9 82.5 in 1958	9 78.9 in 1922	9 14.25 in 1947	9 2.57 in 1990
82.5 in 1944	10 79.0 in 1975	10 13.72 in 1908	10 2.88 in 1954
	79.0 in 1967
	79.0 in 1897	102 3.67 in 2018	25 3.67 in 2018
	79.0 in 1892		

Normal Temperature for September at BARF1 = 81.4°

Normal Rainfall for September at BARF1 = 6.55 inches

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 83.9 in 2016	1 78.2 in 1927	1 21.16 in 1962	1 1.07 in 2005
2 82.7 in 2007	2 78.4 in 1931	2 19.14 in 1953	2 1.17 in 2010
3 82.6 in 2018	3 78.6 in 1916	3 17.31 in 1928	3 1.94 in 2012
4 82.5 in 1951	4 78.7 in 1940	4 16.92 in 1929	4 2.02 in 1945
82.5 in 1925	5 78.9 in 1956	5 16.65 in 1912	5 2.27 in 1921
6 82.3 in 2010	6 79.0 in 2001	6 15.86 in 1926	6 2.33 in 1984
82.3 in 2009	79.0 in 1984	7 15.65 in 1960	7 2.37 in 1944
82.3 in 2005	79.0 in 1922	8 15.57 in 1988	8 2.41 in 1972
82.3 in 1989	9 79.1 in 1976	9 14.50 in 1979	9 2.74 in 1991
10 82.2 in 2011	79.1 in 1935	10 13.40 in 1989	10 2.85 in 1915
82.2 in 2002	
82.2 in 1991		59 6.15 in 2018	50 6.15 in 2018
82.2 in 1900			

Normal Temperature for September at SRQ = 81.4°

Normal Rainfall for September at SRQ = 7.10 inches

VENICE (records began in April 1955):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 85.4 in 1989	1 78.1 in 1968	1 16.20 in 1960	1 1.72 in 1961
2 84.5 in 2009	2 78.7 in 1956	2 14.77 in 1962	2 1.84 in 1981
3 84.1 in 2010	3 78.9 in 1976	3 14.23 in 1983	3 1.93 in 2005
4 83.6 in 2011	4 79.8 in 1967	4 13.10 in 2013	4 2.22 in 1993
5 83.2 in 2012	5 79.9 in 2001	5 12.49 in 2003	5 2.61 in 1986
6 83.1 in 2018	79.9 in 1984	6 12.31 in 1968	6 3.25 in 2011
7 83.0 in 1998	7 80.1 in 1987	7 12.22 in 2014	7 3.43 in 1958
8 82.9 in 2002	8 80.2 in 1961	8 11.96 in 1994	8 3.69 in 1965
9 82.5 in 1995	80.2 in 1960	9 11.95 in 1995	9 3.79 in 1990
10 82.4 in 2017	10 80.3 in 1985	10 11.44 in 1975	3.79 in 1984
82.4 in 2015	80.3 in 1983
82.4 in 2013		37 6.77 in 2018	28 6.77 in 2018
82.4 in 1996			

Normal Temperature for September at VNCF1 = 81.0°
 Normal Rainfall for September at VNCF1 = 6.93 inches

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
 and Rainfall records began in Sep 1943):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 83.8 in 2018	1 78.9 in 2001	1 22.49 in 1962	1 1.48 in 2005
2 82.8 in 2016	78.9 in 1959	2 21.08 in 1979	2 2.29 in 1972
3 82.6 in 2009	3 79.4 in 1962	3 18.10 in 2001	3 2.36 in 1961
4 82.5 in 2010	4 79.7 in 1976	4 14.65 in 2014	4 2.40 in 1986
82.5 in 1991	79.7 in 1963	5 14.04 in 1960	5 2.65 in 2008
6 82.3 in 2015	6 80.1 in 1994	6 12.82 in 1957	6 2.74 in 1990
82.3 in 1998	80.1 in 1971	7 12.47 in 2018	7 3.76 in 1991
82.3 in 1990	80.1 in 1968	8 12.42 in 1995	8 4.19 in 1984
9 82.2 in 2002	9 80.3 in 1984	9 11.98 in 1982	9 4.24 in 1966
82.2 in 1996	80.3 in 1972	10 11.96 in 1994	10 4.33 in 1993
82.2 in 1993	80.3 in 1969		

Normal Temperature for September at MKCF1 = 81.1°
 Normal Rainfall for September at MKCF1 = 7.91 inches

WAUCHULA 2 N (records began in January 1933):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 84.5 in 2009	1 78.1 in 1956	1 18.06 in 1947	1 1.19 in 1961
2 83.4 in 2008	2 78.4 in 2001	2 14.38 in 1953	2 1.44 in 1972
3 82.6 in 2018	78.4 in 1953	3 13.91 in 1948	3 1.61 in 1933
4 82.5 in 2007	4 78.7 in 1940	4 13.83 in 1960	4 1.91 in 2008
5 82.4 in 1989	5 78.8 in 2012	5 11.77 in 2017	5 2.00 in 1980
6 82.2 in 1988	6 78.9 in 2013	6 11.56 in 1979	6 2.21 in 1991
82.2 in 1933	7 79.1 in 1984	7 11.41 in 1962	7 2.70 in 1978
8 82.0 in 2017	8 79.2 in 1982	8 11.33 in 2015	8 3.26 in 1976
82.0 in 1974	79.2 in 1947	9 10.95 in 1982	9 3.35 in 1987
10 81.9 in 2016	10 79.3 in 1981	10 10.47 in 2000	10 3.46 in 2002
	79.3 in 1968
		67 4.58 in 2018	18 4.58 in 2018

Normal Temperature for September at WAUF1 = 82.1°
 Normal Rainfall for September at WAUF1 = 6.09 inches

ARCADIA (records began in November 1899):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 82.3 in 2018	1 75.7 in 1990	1 17.71 in 1940	1 1.40 in 1961
2 81.8 in 1905	2 77.9 in 1971	2 17.05 in 1960	2 2.02 in 1925
3 81.7 in 1974	3 78.5 in 1976	3 16.10 in 2017	3 2.05 in 1909
81.7 in 1933	4 78.7 in 1985	4 15.67 in 1908	4 2.24 in 1980
81.7 in 1925	78.7 in 1910	5 15.66 in 1930	5 2.28 in 1928
81.7 in 1902	6 78.8 in 1984	6 14.81 in 1929	6 2.39 in 1972
7 81.6 in 1912	78.8 in 1968	7 14.67 in 2001	7 2.44 in 1911
8 81.5 in 2011	8 78.9 in 1969	8 13.74 in 1979	8 2.60 in 1990
81.5 in 1991	78.9 in 1909	9 13.30 in 2003	9 2.75 in 1932
81.5 in 1944	10 79.0 in 2001	13.30 in 1962	10 2.98 in 1996
81.5 in 1900	79.0 in 1940		

Normal Temperature for September at ARCF1 = 80.2°
 Normal Rainfall for September at ARCF1 = 7.28 inches

ARCHBOLD BIO STN (records began in January 1969):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 82.3 in 2016	1 78.3 in 1994	1 14.54 in 2017	1 0.70 in 1996
2 82.0 in 2017	2 78.5 in 2001	2 14.15 in 1979	2 2.37 in 1983
3 81.8 in 2015	78.5 in 1984	3 12.78 in 2016	3 2.41 in 1988
4 81.7 in 2018	4 78.6 in 1982	4 12.54 in 2004	4 2.92 in 1980
5 81.2 in 1974	5 79.0 in 1976	5 11.55 in 2001	5 3.22 in 2008
6 81.1 in 2002	6 79.3 in 2012	6 11.47 in 2014	6 3.30 in 2005
7 80.9 in 2010	79.3 in 1999	7 10.69 in 2012	7 3.58 in 2011
80.9 in 2009	79.3 in 1997	8 10.65 in 1982	8 3.67 in 2018
9 80.9 in 1989	79.3 in 1985	9 9.97 in 1973	9 3.79 in 2006
10 80.7 in 1990	79.3 in 1981	10 9.92 in 1987	10 3.83 in 2010
	79.3 in 1971		3.83 in 2007

Normal Temperature for September at ACHF1 = 79.7°

Normal Rainfall for September at ACHF1 = 6.46 inches

PUNTA GORDA AREA (records began in May 1914):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 84.6 in 2018	1 78.5 in 1940	1 17.09 in 1959	1 1.23 in 1978
2 84.2 in 1951	2 78.8 in 2001	2 16.54 in 1929	2 2.94 in 1952
3 83.0 in 1988	3 79.1 in 1969	3 16.47 in 1962	3 3.33 in 1990
4 82.9 in 2009	4 79.2 in 1922	4 16.13 in 1947	4 3.36 in 1991
5 82.8 in 1986	5 79.4 in 1917	5 14.86 in 1935	5 3.44 in 1987
6 82.7 in 2017	79.4 in 1914	6 14.17 in 2001	6 3.71 in 1972
82.7 in 1933	7 79.5 in 1956	7 14.15 in 1928	7 3.74 in 1986
8 82.6 in 2011	79.5 in 1929	8 14.03 in 1979	8 3.76 in 1965
82.6 in 1989	9 79.9 in 1938	9 13.77 in 1926	9 3.81 in 1927
10 82.5 in 2016	79.9 in 1928	10 13.67 in 2003	10 3.86 in 1925
82.5 in 1944	
		42 7.58 in 2018	63 7.58 in 2018

Normal Temperature for September at PGD = 82.0°

Normal Rainfall for September at PGD = 7.23 inches

FORT MYERS AREA (records began in January 1902):

Warmest Sept	Coolest Sept	Wettest Sept	Driest Sept
1 84.7 in 1980	1 78.5 in 1917	1 17.35 in 1922	1 1.93 in 1988
2 84.0 in 1996	2 78.7 in 1908	2 17.21 in 2003	2 2.33 in 1972
3 83.7 in 1988	78.7 in 1903	3 16.60 in 1969	3 2.48 in 1956
4 83.6 in 1997	4 78.9 in 1922	4 16.32 in 1947	4 2.80 in 1961
5 83.5 in 1986	78.9 in 1909	5 15.58 in 1953	5 3.04 in 1937
83.5 in 1979	6 79.0 in 1913	6 15.44 in 1929	6 3.07 in 1904
7 83.4 in 1990	7 79.1 in 1902	7 14.86 in 2008	7 3.24 in 1925
8 83.1 in 2018	8 79.2 in 1910	8 14.54 in 1962	8 3.39 in 1906
83.1 in 2011	9 79.3 in 1976	9 14.49 in 1935	9 3.48 in 1951
83.1 in 2010	79.3 in 1918	10 14.14 in 2001	10 3.56 in 1944
83.1 in 1995	79.3 in 1904		3.56 in 1936
83.1 in 1987	
83.1 in 1985		93 4.95 in 2018	23 4.95 in 2018
83.1 in 1981			

Normal Temperature for September at FMY = 82.4°

Normal Rainfall for September at FMY = 8.31 inches

For more Climate information visit our web site at the following link:
<http://www.weather.gov/tampabay> and then go to the Climate and Past
 Weather drop down menu above the graphical forecast images.