NOAA Technical Memorandum NWS WR-123

STUDY OF A HEAVY PRECIPITATION OCCURRENCE IN REDDING, CALIFORNIA

Christopher E. Fontana

National Weather Service Office (Fire Weather) Redding, California June 1977

BITED STATES

EPARTMENT OF COMMERCE

Maita M. Kreps, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION Robert M. White, Administrator

/ NATIONAL WEATHER SERVICE George P. Cressman, Director



CONTENTS

Ei a	•	Page
гīģu	res	iii
1.	Introduction	1
11.	Synoptic Discussion	1
111.	Precipitation Pattern)
١٧.	Conclusion	2
٧.	Acknowledgements	_
VI.	Addendum	<i>-</i> 7
VII.	References	3
		4

FIGURES

	rage
Table I.	Rainfall reports from local Redding residents 5
Figure 1.	50 kPa (500 mb) analysis 12Z August 13, 1976 6
Figure 2.	50 kPa (500 mb) analysis I2Z August 14, 1976 6
Figure 3.	24-hour height fall chart (50 kPa) 12Z August 12, 1976. 7
Figure 4.	24-hour height fall chart (50 kPa) 12Z August 13, 1976. 7
Figure 5.	24-hour height fall chart (50 kPa) 12Z August 14, 1976. 7
Figure 6.	30 kPa (300 mb) analysis I2Z August I4, 1976 8
Figure 7.	Surface analysis I5Z August 14, 1976 9
Figure 8.	Surface analysis 18Z August 14, 1976 10
Figure 9.	Surface analysis 00Z August 15, 1976
Figure 10.	3-hourly isallobaric analysis for period ending at 00Z August 15, 1976
Figure II.	1630Z August 14 1976 Medford radar overlay 13
Figure 12.	1730Z August 14, 1976 Medford radar overlay 13
Figure 13.	1830Z August 14, 1976 Medford radar overlay 13
Figure 14.	1930Z August 14, 1976 Medford radar overlay 13
Figure 15.	2330Z August 14, 1976 Sacramento radar overlay !4
Figure 16.	0030Z August 15, 1976 Sacramento radar overlay 14
Figure 17.	0130Z August 15, 1976 Sacramento radar overlay !4
Figure 18.	0230Z August 15, 1976 Sacramento radar overlay 14
Figure 19.	0330Z August !5, 1976 Sacramento radar overlay 14
Figure 20.	0530Z August 15, 1976 Sacramento radar overlay 14
Figure 21.	Precipitation Depth-Duration-Frequency Table for Redding Station ISE (5 minutes through 24 hours) 15
Figure 22.	Precipitation Depth-Duration-Frequency Table for Redding Fire Station (I day through 365 days) 16
igure 23.	LFM 24-hr. Forecast Panels valid 0000Z Aug. 15, 1976 . 17
igure 24.	LFM 24-hr. Forecast Panels valid 1200Z August 1976. Based on 12 hours later data than Figure 23 18
Figure 25.	Verifying Analysis and 24-hr. LFM 50-kPa Prognosis valid I2Z August 15, 1977

Chris Fontana Weather Service Office (Fire Weather) National Weather Service Western Region, NOAA Redding, California

I. INTRODUCTION

On August 14 and 15, 1976, heavy thunderstorms moved through northern California. The heaviest area of precipitation was in the area west and north of Redding, California. The rain fell at such a rapid rate that normal drains could not handle the water, and several areas of the city received water and mud damage from the overflow. The Army Corps of Engineers dispatched personnel to the Redding area to compile and verify rainfall amounts measured by the local residents. Their findings showed rain amounts in excess of 8 inches, with rainfall rates of 2-1/2 inches per hour. This paper discusses the synoptic pattern preceding and during the thunderstorms. The precipitation pattern is discussed, using the radar displays from the WSR-57 radars at Medford, Oregon and Sacramento, California.

II. SYNOPTIC DISCUSSION

Saucier (5) states that short waves are those progressive waves in the atmosphere that "have associated divergence and vertical motion patterns which produce the important daily weather phenomena". It was one of these short waves that triggered the Redding deluge. The upper air pattern during the time in question consisted of a large high near longitude 160°W and a trough along the west coast (Figure 1). A dramatic deepening of the west coast trough took place during the 24 hours ending at 12Z August 14 (Figures I and 2). This deepening is the result of the short wave trough phasing with the long wave trough.

This can be shown using the method described by Riehl and others (4). This method uses the 24-hour height fall areas at 50 kPa (500 mb). If these fall areas are followed for several periods, they trace out the long wave pattern and seem to intensify as they move into the long wave trough position. Figures 3, 4 and 5 are successive 24-hour height-change charts for the period from 12Z August II to 12Z on August 14, 1976. Figure 3 shows the short wave to be located off the coast just west of Redding. The 30 kPa (300 mb) analysis for 12Z August 14 (Figure 6) shows a wind maximum associated with this short wave in the west side of the trough which is another indication of the intensification this system is undergoing.

In response to these dynamic changes in the upper levels, several significant things were occurring on the surface. Figures 7, 8 and 9 are surface maps for 15Z and 18Z on the 14th and 00Z on the 15th of August. During the early morning of the 14th, a frontal system passed through northern Calfiornia. In response to the short wave aloft, a trough line is shown entering the California and Oregon coasts at 15Z. As this trough lowers pressures in northern California and southern Oregon, the weak front in central California begins to move northward toward the trough. This process continues and as the short-wave aloft moves over the front, an "instant occlusion" is formed with a triple point or flat wave just west of Redding. While the 24-hour 500 mb height-change was very useful in locating the short wave, the best indication of what was about to happen was the surface isallobaric field. A simple explanation of the pressure tendency or change is that it is the change in the weight of the column of air over a given point. Therefore, negative pressure tendencies indicate upper level divergence, which would be expected ahead of a short-wave trough. Figure 10 is the 3-hourly isallobaric analysis for the period ending 00Z August 15, 1976. The large fall area in northern California is where the frontal wave was developing. In 1975, Mogil (2) did a similar study of an unforecast snowstorm in the eastern U.S. In that case, as well as this one, when the pressure fall area merged with a quasi-stationary front, vigorous development occurred.

†h

ra

Tw

sy

ev th

wî

is

†h

Dц

ar

ac

ot

Tw

an

ou by

fo ch ho

а

no th

Se

Рe

he

Ed

24

LFi

de

i n

ra

pr

†o

а

III PRECIPITATION PATTERN

As mentioned in the introduction, the Army Corps of Engineers collected data from people in the Redding area. The rainfall reports they consider accurate are shown in Table 1. I deleted individual names and addresses, but all reports are from the areas west and north of Redding. The precipitation originated from mostly shower-type clouds (cumulonimbus) and, therefore, was displayed well on radar. The wave formed between the Medford, Oregon and Sacramento, California radars, and an integration of the two scopes gives a good picture of the precipitation pattern as it moved through northern California. Figures II through 14 are the Medford radar overlays from 1630Z to 1930Z on August 14. These show the progression of echoes associated with the trough line as the trough moved into the Oregon and California coasts. Figures 15 through 20 are the Sacramento overlays from 2130Z August 14 to 0530Z August 15. Considerable shower activity is shown over all of central and northern California, but the strongest returns are in the north end of the valley, closer to where the wave formed on the front. The strongest echoes are shown from 0030Z through 0330Z on August 15 (Figures 16-19). At this time, the radar shows an echo with an intensity of 5 just west of Redding. Reporting station number 13 in Table I is 5 miles west of Redding. This report shows that 2-1/2 inches of rain were measured in one hour during the evening of the 14th. This correlates very well with the theoretical rates shown in the lower left hand corner of the Sacramento overlays. An echo with an intensity of 5 is highly correlated with rainfall rates of 2-5 inches per hour.

A good illustration of how intense this storm was can be shown by checking the depth duration tables in Figures 21 and 22. These show that an hourly rate of 2-1/2 inches will have a return period of 10,000 years and a 24-hour rain of 6-8 inches will return every 50 to over 200 years.

Two other things can be credited with increasing the rainfall from this system. First, the showers occurred in the late afternoon and early evening when convection was at its peak. Secondly, Oertel (3) has shown that under southerly surface flow, the area west and north of Redding will receive heavier rains than other portions of the local area. This is because during southerly flow periods, the air is being forced up and through the Sacramento River canyon.

IV. CONCLUSION

During occurrences like the one just described, good mesoscale forecasts are required. Just using the Numerical Weather Prognoses (NWP) will not achieve this. (Editor's Note: See Addendum). The forecaster must use other charts and aids beside those transmitted on the facsimile circuits. Two of these aids are the 24-hour height-change chart and the isallobaric analysis. The height-change chart, if done for several days, will trace out the long wave pattern and locate the short wave features. As shown by Hess (1), the pressure-tendency field defines the integrated mass divergence in the vertical column. It is this field that really tells the forecaster what to expect over the next several hours. While the height-change chart can be checked daily, the pressure tendency can be followed hourly. In the case described here, following the pressure tendency would have given the forecasters a good clue of what was about to happen in northern California. Use of this information would have aided in refining the required forecasts and warnings.

V. ACKNOWLEDGEMENTS

I would like to thank Mr. Leonard Snellman and all those in the Scientific Services Division who reviewed this paper. I would also like to thank Perry Fontana, hydro-meteorologist with the Army Corps of Engineers for helping with the data collection and analysis.

VI. ADDENDUM

Editor's Note: We thought that it would be of interest to include the 24-hour LFM forecasts valid during the heavy rain incident. The overall LFM guidance was good, but as the author stated, you can't expect the details to be indicated. The 12- to 24-hour precipitation forecast covering the period I200Z August 14 to 0000Z August 15 indicated rather heavy rainfall for northern California (see Figure 23). The next 24-hour LFM precipitation forecast based on I2-hour later data for the period 0000Z to 1200Z August 15 (Figure 24), was for less than one half inch of rain


in the Redding area. Considering the strong LFM bias of over-forecasting precipitation amounts, this guidance was not interpreted as indicating abnormally heavy rains. However, the LFM guidance certainly gave the proper indication of expecting precipitation with the front. Also, the LFM 50-kPa prognosis valid Sunday morning verified very well (see Figure 25). The triple-point wave development was not indicated in either LFM forecast.


VII. REFERENCES

- I. Hess, S. L., Introduction to Theoretical Meteorology, New York, Holt, Rinehart and Winston, 362 pp., 1959.
- 2. Mogil, H. M., Pressure Tendency An Overlooked Diagnostic Tool, Washington, D.C., NOAA, NWS, NMC Technical Attachment 75-1, 4 pp., 1975.
- 3. Oertel, A. G., Rainfall Patterns with the Redding Area, 1975 unpublished.
- 4. Riehl, Herbert, et al., <u>Forecasting in Middle Latitudes</u>, Meteorological Monographs Vol. I No. 5, Published by the American Meteorological Society, June 1952.
- 5. Saucier, Walter J., <u>Principles of Meteorological Analysis</u>, University of Chicago Press, 1965.


TABLE I


Number	Report .
I	6.83 inches 8 am 8/14/76 to 8 am 8/15/76
2	8.4 inches storm total measured in a 12-inch wedge guage
3	6.5 inches in a coffee can 24 hour total ending at 8 am 8/15/76
4	6.0 inches in number 10 tin can
5	6.5 inches in a 5-gallon paint can
6	6.0 inches in a 33-gallon garbage can
7	8.8 inches for 24 hours ending morning of 8/15/76
8	8.0 inches in a 5-gallon paint can
9	5.5 inches after 1 pm 8/14/76
<u> </u>	6.25 inches total. 3.75 between 8 am and 5 pm $8/14/76$ and 2.00 inches between 5 pm $8/14/76$ and 8 am $8/15/76$
1.1	2.60 inches 4 pm to 9 pm 8/14/76
12	3.15 inches 5:30 pm to 9:30 pm 8/14/76
13	In one hour's time on evening of 14th, measured 2-1/2 inches
i 4	7.75 inches in 33-gallon garbage can








.












8/1

ETHI # HOTELD TO # HOTELD T

18:

15 mi # 10 mi # 10 mi # 2 mi # 4 mi # 4 mi # 10 mi



ő

870 WHT 0 WHT 870

₩ -


ō

. "6" . "0"

60g

8

Š



PRECIPITATION DEPTH-DURATION-FREQUENCY TABLE

BSN	TION NO. ORDER SUE	3	STATION	I NAME	ELEV	SEC	TWP	RNG	LOT	BWM	LATITUDE	LONGITUDE	COUNTY CODE	•
A00	7295 (0	REDDING	SISE	470)					40.567	122.383	45	
	RETI	JRN PEF	NOD	MAX	KIMUM PRE	CIPITAT	ION FOR	INDICATE	D DURATI	ON D-DA	YS H-HOURS			
		V YEARS		5M	I OM	1.5M	30M	ΙH	2H	3H	6H	I 2H	24H	C-YR
	IC NOCK HR. (.21 .28 .33 .37 .39 .39 .43 .47 .51 .59 .71	.3I .42 .49 .56 .58 .59 .64 .70 .75 .88 I.06 2.09	.40 .54 .63 .71 .73 .75 .81 .89 .96 I.12 I.35 2.66	.53 .71 .83 .94 .97 .99 1.07 1.17 1.26 1.48 1.78 3.51	.75 1.01 1.17 1.32 1.37 1.40 1.52 1.66 1.79 2.10 2.52 4.96 .798	1.00 1.34 1.56 1.77 1.83 1.86 2.02 2.21 2.39 2.80 3.36 6.63	1.20 1.61 1.87 2.12 2.19 2.23 2.42 2.64 2.86 3.35 4.02 7.93	2.18 2.54 2.87 2.97 3.02 3.28 3.59 3.88 4.54 5.45 10.75	2.27 3.05 3.55 4.02 4.16 4.23 4.60 5.02 5.43 6.36 7.63 15.05	3.18 4.27 4.97 5.62 5.83 5.93 6.44 7.03 7.61 8.90 10.69 21.08 3.390 1.000	37.12 47.98 54.13 59.46 61.06 64.27 65.74 70.09 74.19 83.01 94.45 222.33 37.941 1.000
	CULATED S EGIONAL S SDEW U	SKEW JSED	 	.964 .100 .100	1.066 1.100 1.100	1.516 1.100 1.100	1.087 1.100 1.100	1.923 1.100 1.100	2,295 1,100 1,100	1.928 1.100 1.100	1.286 1.100 1.100	1.036 1.100 1.100	.637 1.100 1.100	.865 .400 .400
NOI CALO REGI	RECORD Y CORD MAXI RMALIZED C. COEF. N. COEF. ED COEF.	N YEAR IMUM MAX VAR VAR	2	.109 36 1966 .500 .589 .469 .348	4.891 36 1942 .820 3.059 .473 .348	7.098 36 1942 1.200 3.592 .503 .348	4.622 36 1966 1.300 2.818 .464 .348	7.766 42 1966 2.460 3.869 .538 .348	10.638 42 1966 3.450 4.338 .516 .348	7.700 41 1966 3.480 3.683 .470 .348	4.418 41 1966 3.510 2.784 .370 .348 .348	4.738 41 1964 5.080 3.155 .348 .348	4.093 41 1964 6.350 2.950 .296 .348 .348	4.177 42 1941 64.370 2.757 .253 .324 .324
	RP1 RP2 RP5 RP100 RP1000	00/A	•	0060 0087 0102 0113 0123 0156 0188 0370	.0088 .0130 .0152 .0168 .0183 .0232 .0279	.0113 .0165 .0194 .0214 .0234 .0296 .0355 .0701	.0149 .0218 .0255 .0282 .0308 .0390 .0468	.0210 .0309 .0362 .0400 .0436 .0552 .0663	.0281 .0412 .0483 .0533 .0582 .0738 .0885 .1747	.0336 .0493 .0578 .0638 .0697 .0883 .1059	.0456 .0668 .0783 .0865 .0945 .1197 .1436	.0638 .0935 .1096 .1212 .1323 .1675 .2011	.0893 .1310 .1536 .1697 .1853 .2346 .2816	1.0000 1.4266 1.6092 1.7327 1.8474 2.1878 2.4894 5.8600

PEARSON TYPE III DISTRIBUTION USED
PROBABLE MAXIMUM PRECIPITATION ESTIMATE BASED ON 15 STANDARD DEVIATIONS
WHERE N IS SMALL RESULTS ARE NOT DEPENDABLE


PRECIPITATION DEPTH-DURATION-FREQUENCY TABLE


STATION NO.		STATION NAME			ELEV S	SEC TWP	ENG LOT	HWW L	ATITUDE	LONGITUDE COUNT				
ASN CADER SU ADD 7296		DING FS 2		119	577	35 32N	05W	М	40.583	122.4	-	45		
MAXIMUM PRECIPITATION FOR INDICATED DURATION D-DAYS H-HOURS														
	N PERIOD YEARS	10	20	. 30	4D	50	6D	80	100	150	S0D	30D	60D	365D
	2	3.14	4.26	4.94	5.37	5.81	6.24	6.95	7.73	8.88	9,96	12.15	17.85	35,48
•	5	4.12	5.61	6.52	7.10	7,63	8.23	9.15	10.39	12.32	13.98	16.89	24.97	47,39
	10	4.78	6.52	7.56	8.25	8.84	9.56	10.62	12.16	14.61	16.67	20.05	29.71	54.30
	50	5.41	7.37	8,55	9.34	9.98	10.82	.12.01	13.84	16.77	19.21	23.03	34.20	60.65
	25	5.60	7.64	8.86	9.68	10.34	11.21	12.45	14.36	17.45	20.00	23.97	35.60	62.51
,	40	6.00	8.20	9.50	10.38	11.09	12.02	13.35	15.45	18.86	21.65	25.91	38.51	66.65 68.53
	50	6.19	8,46	9.80	10.71	11.43	12.41	13.77	15.96	19.52	22.42	26.81	39,88 44,05	74.22
•	100	6.77	9.25	10.72	11.72	12.50	13.57	15.06	17.52	21.53	24.78	29.59	48.13	79.74
	200	7.34	10.03	11.63	12.71	13.54	14.72	16.33	19.04	23.50	27.09	32.31 38.48	57.40	92.09
	1000	8.63	11.80	13,67	14.96	15.91	17.31	19.20	22.51	27.98	32,33 39,62	47.05	70.30	108.97
1	0000	10.42	14.26	16.52	19.08	19.20	20.92	23.20	27,32	34.21 65.13	75.83	89.65	134.31	216,08
	PMP	19.30	26.47	30.64	33,59	35.55	38.82	43.04	51.24	65.13	15413	0,,00	104.01	
•					-									
			. 544	5 200	E 746	6.219	6.694	7.445	8.331	9,656	10.871	13.226	19,460	38.421
	MEAN	3.360	4.564	5.300	5.765		-	2.373	2.860	3,698	4.330	5.096	7.657	11.844
STANDARD		1.063	1.460	1.689	1.855	1.956 1.010	2.142	1.000	1.000	1.000	1.000	1.000	1.000	1.000
L CLOCK HR.		1 • 1 4 0	1.070	1.040	1.020	.895	942	.625	.873	1.066	1.194	.766	.791	.379
O CALCULATED		1.686	1.130	1.135	1.300	1.300	1.300	1.300	1.300	1.300	1.300	1.300	1.300	1.000
PEGIONAL		1.300	1.300	1.300	1.300	1.300	1.300	1.300	1.300	1.300	1.300	1.300	1.300	1.000
SKEW	USED	1.300	1.500	1.300	1.500	1,500	1.500	1,000	14-20	• • • • •		_		
KURT	0010	7.963	4.556	4.494	4.219	3.783	3.985	3.402	4.273	4.741	5,404	3.274	3.582	2.463
NUNI	N	74	74	73	75	75	74	75	75	7 5	75	75	75	76
RECORD		1965	1965	1965	1965	1965	1970	1970	1970	1970	1970	1970	1970	1941
RECORD MAX		7.300	9.460	11.120	11.820	12,270	13.500	14.130	18.180	24.060	28.840	28.840	43.930	68.870
NOFMILIZED		3.707	3.353	3.445	3.264	3.094	3.178	2.817	3.443	3.895	4.150	3.064	3.196	2.571
COEF. OF		•316	.320	.319	•322	. 314	•320	•319	•343	•383	.398	• 385	• 393	•308
•														,
NF	AN/A	.0874	.1188	÷.1380	.1500	.1619	.1742	.1938	.2168	.2513	•2829	.3442	•5065	1.0000
	D/A	.0277	0380	.0440	.0483	.0509	.0557	.0618	.0744	.0962	•1127	•1326	•1993	.3083
	210/A	1245	1697	.1968	.2147	.2300	.2489	.2765	•3165	.3802	.4339	.5218	•7733	1.4132
	25/4	.1458	1989	.2306	.2518	.2692	.2918	.3240	.3738	.4542	•5205	.6239	•9266	1.6297
	59/A	1612	2201	. 2552	.2788	.2976	.3229	.3584	.4153	•5080	•5835	.6979	1.0379	1.7836
	A/00/A	1763	.2408	.2791	.3051	•3253	.3532	.3921	• 4559	•5604	•6448	.7701	1.1464	1.9317
-	A\00	2245	.3071	.355A	.3893	.4141	.4505	.4998	.5858	,7283	.8415	1.0015	1.4940	2.3967
PP100		2711	.3711	4299	.4706	.4998	.5444	.603B	•7111	.8904	1.0313	1.2249	1.8297	2.8363
	PRP/A	.5024	.6889	.7974	.8742	•9254	1.0104	1.1201	1.3336	1.6950	1.9735	2.3336	3.4958	5.6238
·		•												

PEARSON TYPE III DISTRIBUTION USED
PROBABLE MAXIMUM PRECIPITATION ESTIMATE BASED ON 15 STANDARD DEVIATIONS
WHERE N IS SMALL RESULTS ARE NOT DEPENDABLE

FIGURE 22

PROBABLE MAXIMUM PRECIPITATION ESTIMATE BASED OF 12 WHEPE N IS SMALL RESULTS NOT DEPENDABLE








Figure 25. Verifying Analysis and 24-Hr. LFM 50-kPa Prognosis valid I2Z August 15, 1977.

- BAGAYA BODENDERING ARED TEROTERALONAE BRIEFINGARIONE

្នាស់ក្រុម ប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប ក្រុម ប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាព ក្រុម ប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាព ក្រុម ប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រជាពលប្រ

ាន ក្រស់ករដូចក្រស់ព្រះ និងការប្រវត្តិសេខ សេខម៉ាល់ Associate និងស្រែង និងស្រែង និងស្រែង ម៉ែងក្រស់ពី កម្មិចប្រឹក ការប្រជាពលរដ្ឋាន ស្រែង តែប្រែក្រៅស្ថិត បានសម្រេចប្រជាពលរដ្ឋាន

ronicesig\$. It isäkeits i inpolenje dennuv odenje, od informijoje denomines oddo jestosti ominies

ris esper<mark>te de la réspondi</mark>es e concercionales réposes es Caracteristica de grafica maigren es voltagin estes de deser La agrica

The Company of the Co

THE HEALT CAUCATERVICE PURBLE AND NEED THE COME THE COME

ationAs of interest of the panelogical problem in all prices in the particular of th



ការស្វែកស្វាស់ស្រួញស្វេសស្រីក្រុមប្រជាជាក្នុងស្រីស្រីស្រួស ការក្នុងក្រុមប្រកាស្ត្រីស្រាស់ស្រ្តាម៉ាស៊ីប៉ារី