



NOAA TECHNICAL MEMORANDUM NWS WR-95

CLIMATE OF FLAGSTAFF, ARIZONA

Mike Staudenmaier, Jr. Reginald Preston (Retired) Paul Sorenson (Retired) Weather Forecast Office Flagstaff, Arizona

August 2002 Third Revision



NOAA TECHNICAL MEMORANDA National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides The National Weather Service (NWS) Western Hegion (WH) Subsense provides an informal mediumfor the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 25 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS. Out-of-print memoranda are not listed.

Papers 2 to 22, except for 5 (revised edition), are available from the National Weather Service Western Region, Scientific Services Division, 125 South State Street - Rm 1311, Salt Lake City, Utah 84138-1102. Paper 5 (revised edition), and all others beginning with 25 are available from the National Technical Information Service, U.S. Department of Commerce, Sills Building, 5285 Port Royal Road, Springfield, Virginia 22161. Prices vary for all paper copies; microfiche are \$3.50. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda (WRTM)

- Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965
- Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, March 1966.
- D. Diemer, March 1966.
 Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (Revised November 1967, October 1969). (PB-17800)
 Interpreting the RAREP. Herbert P. Benner, May 1966 (Revised January 1967).
 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.
 A Digitalized Summary of Radar Echoes within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overaas, December 1966.

- 17
- and L. b. Overass, December 1966.
 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Coparanis, April 1967.

 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967. 21
- 22

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- 25 Verification of Operation Probability of Precipitation Forecasts, April 1966-March 1967. W. W.
- Verification of Operation Freedom Processes, April 1990-marin 1997. W. Dickey, October 1967. (PB-176240)

 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830)

 Weather Extremes. R. J. Schmidli, April 1968 (Revised March 1986). (PB86 177672/AS). (Revised October 1991 PB92-115062/AS)
- Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB178425)
 Numerical Weather Prediction and Synoptic Meteorology. CPT Thomas D. Murphy, USAF, May
- 1968 (AD 673365)
- Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky, July 1968. (PB 1790841
- Probability Forecasting—A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB 179289)

 Temperature Trends in Sacramento—Another Heat Island. Anthony D. Lentini, February 1969. (PB
- 183055) Disposal of Logging Residues Without Damage to Air Quality. Owen P. Cramer, March 1969. (PB 37
- 183057)
- Upper-Air Lows Over Northwestern United States. A.L. Jacobson, April 1969. PB 184296)
 The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L.W. Snellman, August 1969. 40
- (PB 185068) Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB 43
- 185762)
- Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser, October 1969. (PB 187763)

- 1969. (PB 187763)
 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon.
 L. Yee and E. Bates, December 1969. (PB 190476)
 Statistical Analysis as a Flood Routing Tool. Robert J.C. Burnash, December 1969. (PB 188744)
 Tsunami. Richard P. Augulis, February 1970. (PB 190157)
 Predicting Precipitation Type. Robert J.C. Burnash and Floyd E. Hug, March 1970. (PB 190962)
 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. ohnson, April 1970. (PB 191743) 51 Western Region Sea State and Surf Forecaster's Manual, Gordon C. Shields and Gerald B.
- Burdwell, July 1970. (PB 193102) Sacramento Weather Radar Climatology. R.G. Pappas and C. M. Veliquette, July 1970. (PB 52
- A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B.
- Aronovitch, August 1970.

 Application of the SSARR Model to a Basin without Discharge Record. Vail Schemerhorn and Donal 55
- W. Kuehl, August 1970. (PB 194394) Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck, 56
- September 1970. (PB 194389)
 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcotte, September 1970. (PB 194710)
 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM
- 71 00017)
- Application of PE Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, October 1970. (COM 71 00016)

 An Aid for Forecasting the Minimum Temperature at Medford, Oregon, Arthur W. Fritz, October 1970.
- (COM 71 00120)
- (COM 71 00120)
 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woemer, February 1971. (COM 71 00349)
 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
 Climate of Sacramento, California. Laura Masters-Bevan, NWSO Sacramento, November 1998 (6th
- Revision. (PB99-118424)
- A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 66 1971. (COM 71 00829)
- National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (COM 71 00956)
- Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., February 1972. (COM 72 10433)
- Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM
- A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM 72 10707)
- Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gales, July 1972. (COM 72 11140)

 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. 77

- Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. 78
- Riddiough, July 1972. (COM 72 11146) Climate of Stockton, California. Robert C. Nelson, July 1972. (COM 72 10920)
- 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM 72 10021)
- An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington, Edgar G. 81
- An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Eugar G. Johnson, November 1972. (COM 73 10150)
 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972. (Revised March 1978). (COM 73 10251)
 A comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn 82
- 83 sch, March 1973. (COM 73 10669)
- പ . nasun, waren 1976. (LOM 73 10089) Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM 73 11264) 86
- A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. 87
- A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y.G. Lee, June 1973. (COM 73 11276)
 Objective Forecast Precipitation Over the Western Region of the United States. Julia N. Paegle and Larry P. Klerulif, September 1973. (COM 73 11946/3AS)
 Arizona "Eddy" Tomadoes. Robert S. Ingram, October 1973. (COM 73 10465)
 Smoke Management in the Williamette Valley. Earl M. Bates, May 1974. (COM 74 11277/AS)
- 92
- Smoke Management in the Williamette Valley. Earl M. Bates, May 1974. (COM 74 11277/AS) An Operational Evaluation of 500-mb Type Regression Equations. Alexander E. MacDonald, June 1974. (COM 74 11407/AS)
 Conditional Probability of Visibility Less than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM 74 11555/AS)
 Climate of Flagstaff, Arizona. Reginald W. Preston (Retired), Paul Sorenson (Retired), and updated by Mike Staudenmaier, Jr., August 2002. (PB87 143160/AS)
 Map type Precipitation Probabilities for the Western Region. Glerin E. Rasch and Alexander E. MacDonald, February 1975. (COM 75 10428/AS)
 Eastern Pacific Cut-Off Low of April 21-28, 1974. William J. Alder and George R. Miller, January 1976. (PB 250 711/AS)
- 94
- 95
- 96
- 97
- 98 Study on a Significant Precipitation Episode in Western United States. Ira S, Brenner, April 1976. (COM 75 10719/AS)
- 99 A Study of Flash Flood Susceptibility-A Basin in Southern Arizona. Gerald Williams, August 1975.
- (COM 75 11360/AS) 102
- A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tuft, October 1975. (PB 246 902/AS)
- 103
- October 1973. (PB 249 302/KS)
 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976. (PB 253 053/AS)
 Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, During the Summer Months. Christopher D. Hill, January 1976. (PB 252 866/AS)
 Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976. (PB 254 650)
- Use of MOS Forecast Parameters in Temperature Forecasting. John C. Plankinton, Jr., March
- 1976 (PB 254 649)
- Map Types as Aids in Using MOS PoPs in Western United States. Ira S. Brenner, August 1976. (PB 259 594)
- Other Kinds of Wind Shear. Christopher D. Hill, August 1976. (PB 260 437/AS)
 Forecasting North Winds in the Upper Sacramento Valley and Adjoining Forests. Christopher E.
- Fontana, September 1976. (PB 273 677/AS)
 Cool Inflow as a Weakening Influence on Eastern Pacific Tropical Cyclones. William J. Denney,
- 110 November 1976. (PB 264 655/AS)
 The MAN/MOS Program. Alexander E. MacDonald, February 1977. (PB 265 941/AS)

- 117
- The MAN/MOS Program. Alexander E. MacDonald, February 1977. (PB 265 941/AS) Winter Season Minimum Temperature Formula for Bakersfield, California, Using Multiple Regression. Michael J. Oard, February 1977. (PB 273 694/AS) Tropical Cyclone Kathleen. James R. Fors, February 1977. (PB 273 676/AS) A Study of Wind Gusts on Lake Mead. Bradley Colman, April 1977. (PB 268 847) The Relative Frequency of Cumulonimbus Clouds at the Nevada Test Site as a Function of K-Value. R.F. Quiring, April 1977. (PB 272 831) Moisture Distribution Modification by Upward Vertical Motion. Ira S. Brenner, April 1977. (PB 268 740) 118
- Relative Frequency of Occurrence of Warm Season Echo Activity as a Function of Stability Indices 119 Computed from the Yucca Flat, Nevada, Rawinsonde. Darryl Randerson, June 1977. (PB 271
- 290/AS) Climatological Prediction of Cumulonimbus Clouds in the Vicinity of the Yucca Flat Weather Station. R.F. Quiring, June 1977. (PB 271 704/AS)

 A Method for Transforming Temperature Distribution to Normality. Morris S. Webb, Jr., June 1977. (PB 271 742/AS) 121
- 122
- Statistical Guidance for Prediction of Eastern North Pacific Tropical Cyclone Motion Part I.
- Statistical Guidance for Prediction of Eastern North Pacific Topical Cyclone Wolfort Part I. Charles J. Neumann and Preston W. Leftwich, August 1977. (PB 272 661)
 Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion Part II. Preston W. Leftwich and Charles J. Neumann, August 1977. (PB 273 155/AS)
- Climate of San Francisco. E. Jan Null, February 1978. (Revised by George T. Pericht, April 1988 126
- Climate of San Francisco. E. Jan Null, Peruary 1978. (Revised by George 1. Penint, April 1990 and January 1995). (P888 208624/AS)

 Development of a Probability Equation for Winter-Type Precipitation Patterns in Great Falls, Montana. Kenneth B. Mielke, February 1978. (PB 281 387/AS)

 Hand Calculator Program to Compute Parcel Thermal Dynamics. Dan Gudgel, April 1978. (PB 283
- 127
- 128 080/AS)
- 129
- Fire whirls. David W. Goens, May 1978. (PB 283 866/AS)
 Flash-Flood Procedure. Ralph C. Hatch and Gerald Williams, May 1978. (PB 286 014/AS)
 Automated Fire-Weather Forecasts. Mark A. Moliner and David E. Olsen, September 1978. (PB
- 131 289 916/AS) Estimates of the Effects of Terrain Blocking on the Los Angeles WSR-74C Weather Radar. R.G.
- 132 Pappas, R.Y. Lee, B.W. Finke, October 1978. (PB 289767/AS) Spectral Techniques in Ocean Wave Forecasting. John
- 133 John A. Jannuzzi, October 1978. (PB291317/AS)
- Solar Radiation. John A. Jannuzzi, November 1978. (PB291195/AS)
- Solar Hadiation. John A. John M. John Schulber 1976. (PB291397S)
 Application of a Spectrum Analyzer in Forecasting Ocean Swell in Southern California Coastal Waters. Lawrence P. Kierulff, January 1979. (PB292716/AS)
 Basic Hydrologic Principles. Thomas L. Dietrich, January 1979. (PB292247/AS)
 LFM 24-Hour Prediction of Eastern Pacific Cyclones Refined by Satellite Images. John R. Zimmerman and Charles P. Ruscha, Jr., January 1979. (PB294324/AS)
 A Simple Analysis/Diagnosis System for Real Time Evaluation of Vertical Motion. Scott Heflick and

- James R. Fors, February 1979. (PB294216/AS)
 Aids for Forecasting Minimum Temperature in the Wenatchee Frost District. Robert S. Robinson,
- April 1979. (PB298339/AS)
 Influence of Cloudiness on Summertime Temperatures in the Eastern Washington Fire Weather district. James Holcomb, April 1979. (PB298674/AS)
- Comparison of LFM and MFM Precipitation Guidance for Nevada During Doreen. Christopher Hill, April 1979. (PB298613/AS)
- April 1979. (PB296013/AS)
 The Usefulness of Data from Mountaintop Fire Lookout Stations in Determining Atmospheric Stability. Jonathan W. Corey, April 1979. (PB298899/AS)
 The Ibeyth of the Marine Layer at San Diego as Related to Subsequent Cool Season Precipitation Episodes in Arizona. Ira S. Brenner, May 1979. (PB298817/AS)
- Arizona Cool Season Climatological Surface Wind and Pressure Gradient Study. Ira S. Brenner, May 1979. (PB298900/AS)
- The BART Experiment. Morris S. Webb, October 1979. (PB80 155112)
 Occurrence and Distribution of Flash Floods in the Western Region. Thomas L. Dietrich, December 1979. (PB80 160344)
- Misinterpretations of Precipitation Probability Forecasts. Allan H. Murphy, Sarah Lichtenstein,



NOAA TECHNICAL MEMORANDUM NWS WR-95

CLIMATE OF FLAGSTAFF, ARIZONA

Mike Staudenmaier, Jr. Reginald Preston (Retired) Paul Sorenson (Retired) Weather Forecast Office Flagstaff, Arizona

August 2002 Third Revision

This publication has been reviewed and is approved for publication by Scientific Services Division, Western Region

Delain A. Edman, Chief Scientific Services Division

Salt Lake City, Utah

TABLE OF CONTENTS

I.	Narrative Geographical and Climatological Summary	. 1-4
II.	Temperature Records	
	Daily Maximum and Minimum Temperature Extremes Highest and Lowest Average Temperatures by Month Warmest and Coldest Winter, Spring, Summer, and Fall Highest and Lowest Annual Temperatures Average Number of Days Per Month with Maximum Temperatures 80, 85, and 90 Degrees or Higher Average Number of Days Per Month with Minimum Temperatures 40, 32, and 0 Degrees or Lower Freeze and Growing Season Data Greatest Number of Consecutive Days with Maximum Temperatures 85 degrees or Higher Greatest Number of Consecutive Days with Maximum Temperatures 90 degrees or Higher Greatest Number of Consecutive Days with Minimum Temperatures	18-20 21-22 . 23 . 23 . 24 . 24
	0 degrees or Lower	. 25
111.	Precipitation Records	
	Greatest Daily 24-Hour Precipitation (Midnight to Midnight) Maximum and Minimum Precipitation by Months Wettest and Driest Winter, Spring, Summer, and Fall Yearly Precipitation Totals 15 Wettest and Driest Precipitation Years Greatest Number of Days with 0.01 Inch and 0.10 Inch or More, with Average Number of Days Greatest Number of Days with 0.25 Inch and 0.50 Inch	30-31 32-33 . 34 . 35
	or More, with Average Number of Days	
	and 0.25 Inch or More	
	Greatest Number of Consecutive Days without Measurable Precipitation . Excessive Storms	. 38
	Maximum Monthly Snowfalls	43-44
	Seasonal Snowfall Totals	. 46

	Average Number of Days with Snowfall of 1 Inch or More	
2000	Average Number of Days with Thunderstorms	. 48
IV.	Miscellaneous Information	
	Statistics on Sunshine, Cloudiness, and Fog	. 51 52-64
	en de la composition de la composition La composition de la composition de la La composition de la	
	 Section 1988 (1998) Section 1991 And Section 1991 (1998) Section 1991 (1998) Section 1991 (1998) Section 1991 (1998) Section 1991 (1998) Section 1991 (1998) Section 1991 (1998) 	
	en e	
	· The Committee of the	
	en de la composition de la composition La composition de la	
		.V.,
**:		
	park protest with the court of	

ð								
					•			
• •								
							*	
	LAIAD	. D. A. T.I. (P	0506	ND A DI IIC	NAL AND OL		001041 0	
	i. NAH	HAIIVE	GEOG	IKAPHIC	CAL AND CL	IMATOL	OGICAL S	UMWIARY
				-				
								*
0								
0								

CLIMATE OF FLAGSTAFF, ARIZONA

Flagstaff is majestically located on a plateau in the center of the largest stand of Ponderosa Pine in the United States, at the base of the San Francisco Peaks (Arizona's highest mountains, 12,633 feet). The plateau, with an average elevation of around 7,000 feet, is the southern edge of the Colorado Plateau and curves from the Grand Canyon southeastward across mid-Arizona and then eastward into New Mexico. Flagstaff is the hub for north-south and east-west travel across northern Arizona, and is the "gateway" to numerous recreational areas in Arizona, including the Grand Canyon.

Flagstaff's elevation of 7,000 feet assures a variety of weather, including cold winters and mild pleasant summers, moderate and considerable humidity, temperature changes. Only limited farming is carried on because of the shortness of the growing season even though the average precipitation for Flagstaff is 22.91 The average date of the last occurrence of 32° F in the spring is June 13 and that of the first 32° F temperature in the fall is September 21. However, the summers in Flagstaff are one of its best kept secrets, with an average maximum temperature in July of 82.2° F, and an alltime record high of 97° F. On average, only 4 days in the summer have maximum temperatures of 90° F or higher. Summer minimum temperatures are cool and refreshing with temperatures often dipping into the 40s, with an occasional night in the 30s.

The moderate summer heat gives way to a cooler, but nonetheless pleasant, fall period with maximum temperatures generally in the 60s, with minimum temperatures falling below freezing. Winter weather typically

begins by November and becomes well entrenched by December, with frequent light to moderate snows and increasingly colder weather. By December, minimum temperatures are generally in the teens: however, afternoon maximum temperatures still average in the 40s due to the amount of sunshine the station receives. Because of its location with respect to the typical jet stream and high altitude, Flagstaff is one of the 10 most sunny locations for National Weather Service offices in the United States, averaging 78 percent of the possible sunshine throughout the year. Even with all of this winter sunshine, significant snowfall can be expected during the winter with an average snowfall of around 110 inches per year. Between storms, when dry high pressure builds with light winds and fresh snow cover on the around, minimum temperatures can The all-time record low for plummet. Flagstaff is -30°F.

By mid-April, winter weather usually begins to break, and although snow is not uncommon in May, warm spells become more frequent. Snowfall has been reported as late as June. Spring in Flagstaff is typically breezy and dry with little precipitation occurring in May and early June.

There are two distinct periods of precipitation in Flagstaff. The first occurs during the winter months from November through April when the jetstream can be located far enough south to allow Pacific storm systems to move over the state. The other distinct period is classified as the summer rainy season, or "summer monsoon." The monsoon rainy period usually occurs during July and August when most of Arizona is subjected to widespread thunderstorm activity. These

thunderstorms are extremely variable in intensity and location and occur mainly between the hours of 11:00 a.m. and 6:00 p.m.

Prevailing winds at Flagstaff are southerly most of the year. This is due to terrain influences and short-wave weather disturbances moving across the Great Basin region of the West. Winds of damaging force (greater than 60 mph) are rare, but may occur around some of the mountain locations during the winter and spring months. Additionally, some thunderstorms may produce local wind gusts over 60 mph for short durations.

Since there is no concentration of industry, smoke pollution is almost nonexistent, and the air is remarkably free of contaminants of any kind, although smoke from resident's fireplaces can become a problem on some of the colder nights due to strong radiational inversions that develop. During the winter and spring months, fog occasionally forms due to radiational cooling from snow cover on the ground. However, this fog usually breaks up quickly by morning. In spite of the elevation, periods of low ceilings and limited visibilities are usually of short duration.

A HISTORY OF WEATHER OBSERVATIONS AT FLAGSTAFF

The first official weather station in Flagstaff was established 9 September 1898. The office was located at the southeast corner of Aspen Avenue and Park Street in a onestory, five-room brick building known as the "Milligan Cottage." The first observer was Miss Elizabeth Renoe, who later married a young attorney who became the first United States Senator from Arizona, Senator Henry Ashurst.

On 15 March 1912, the station was moved to Sitgreaves and Ellery Streets, which was one-half mile southeast of the previous location. The station remained at this location until 29 October 1919. The station was then moved to 602 North Leroux Street.

On 1 June 1943, the weather station was moved to the Federal Post Office Building in downtown Flagstaff. A first-order weather station was then established.

On 12 January 1950, the weather station was moved to the Flagstaff Municipal Airport, six miles south of Flagstaff. The station and the weather service office remained at the airport until June 1994 when the National Weather Service office moved to the Camp Navajo Army Depot in Bellemont, 10 miles west of Flagstaff. From July 1994 to July 1995, the National Weather Service office was temporarily located in the army barracks while a new office was constructed. On 21 July 1995. the office officially moved to its current location on the Camp Navaio Army Depot. An automated weather station (ASOS) remains at the Flagstaff Municipal Airport recording the official observations for Flagstaff. The ASOS was commissioned 1 July 1994. A The Allertonia

SOME HIGHLIGHTS OF THE WEATHER RECORDS IN FLAGSTAFF

Many unusual weather events have taken place in Flagstaff since official weather observations began on 9 September 1898. The following is a brief description of some of the more extreme conditions recorded since then.

and the second of the second o

The all-time record high temperature for Flagstaff of 97° F occurred on 5 July 1973. Skies were clear and winds were generally light westerly, although by afternoon, winds were generally around 10 mph. The early morning temperature of 51° F was very close to the normal of 48° F. The next day, a weak cold front approached the state, keeping the afternoon high temperature at 89° F.

The all-time record warmest minimum temperature for Flagstaff was broken on back-to-back nights in 2002. On 1 July 2002, the mercury fell to only 67° F, breaking the previous record of 66°F set in 1949. This record was then broken again the next night when the temperature only fell to 68° F. Oddly enough, the dew point temperatures were only in the lower 40s during this period and there was no extensive cloud cover or winds to keep the temperatures from falling rapidly. However, there was a large fire burning to the east of Flagstaff with some smoke in the area that may have contributed to the record warm overnight temperatures.

The longest consecutive stretch of days with maximum temperatures of 90° F or greater in Flagstaff was 11 days. This occurred 21 June through 1 July 1990. The highest temperature reached during this longest stretch of warm weather was 94° F.

The longest consecutive stretch of days with maximum temperatures of 85° F or greater in Flagstaff was 22 days. This occurred 10 June through 1 July 1974.

The maximum number of days in a calender year with temperatures of 90°F or greater was 15 set in 1974. Of note, 14 of those days occurred in June. The maximum number of days in a year with temperatures of 85°F or greater was 48

days which was also set in the warm summer of 1974. Twenty-one of these days occurred in June of that year.

The coldest temperature ever recorded in Flagstaff was -30° F. This was observed on 22 January 1937. The maximum temperature reached that day was +12° F, which was a 42° F diurnal spread.

The maximum number of consecutive days with minimum temperatures of 0° F or lower was eight. This stretch of cold weather occurred from 27 December 1966 through 3 January 1967.

The maximum number of days in a calender year with minimum temperatures of 0° F or lower was 23 set in 1932. The maximum number of days in any month with minimum temperatures of 0° F or lower was 17 set in the extremely cold month of January 1937. The average minimum temperature that month was -2.9° F, which was about 18 degrees below normal.

Snowfall in Flagstaff is highly variable as well. The most snowfall ever recorded during the winter season was 210.0 inches in the winter of 1972-1973. At the other extreme, the least snowfall ever recorded at Flagstaff was 11.2 inches during the winter of 1933-1934.

The all-time record for heaviest precipitation during any calender day at Flagstaff was 3.93 inches which was set on 19 February 1993. Interestingly enough, this precipitation all fell in the form of rain, with temperatures remaining in the middle and upper 30s through the entire 24 hours. Another 1.18 inches of precipitation fell the next day; however, temperatures fell during the morning hours, changing the rain to snow, with a

snow accumulation of 3.2 inches by the end of the day.

February 1993 was the wettest month on record, with 10.05 inches of precipitation falling during that period. Additionally, January 1993 was the wettest January on record, with 9.55 inches of precipitation Thus, almost 20 inches of precipitation (or almost the entire normal precipitation for the year for Flagstaff) fell in a 2-month period of time. December 1992 was the second wettest December on record, giving a 3-month total from December 1992 through February 1993 of 27.38 inches, which is by far the wettest 3month period of time in Flagstaff climatological history. Needless to say, this period was known for the magnitude of flooding which occurred across the area.

The most snowfall to occur within a continuous stormy period occurred from 13-20 December 1967, when an estimated 84.6 inches of snow fell during this period. Due to the large amount of snowfall that fell, estimates of snowfall were used to calculate the official amount. Unofficially, it is estimated that over 100 inches of snowfall likely fell during this event. By the end of this event, 83 inches of snow lay on the ground, essentially paralyzing the city of Flagstaff and most of northern Arizona for over a week.

The greatest number of consecutive days without measurable precipitation was recorded from 24 September to 31 December 1999, a total of 99 days! The greatest number of consecutive days with measurable precipitation was 17 days set during the period of 20 July through 5 August 1968, when a total of 3.29 inches of precipitation fell.

The most precipitation ever recorded in one calender year at Flagstaff was 36.59 inches, set during 1965. The least precipitation recorded in one calender year at Flagstaff was 9.90 inches, set in 1942. Average annual precipitation for Flagstaff is 22.91 inches.

A CONTRACTOR OF THE STATE OF THE STATE OF

and the company of the company of the contract of the contract

the analysis is a second of the second of the second

The control of the co

and the common of the second of the common o

Participate of the State of the Community of the Communit

rent til er i still til et et i fill at et e verk

Control of the Contro

gart de la completa d

Starting Allian and the increasing the activity and 🗱

Particular and the second of t

e mila kaominina dia kaominina mpikambana ara-

garante de la companya della companya della companya de la companya de la companya della company

ng kanakan ing panggalawa sa kanangan Angli Sa manggalawa ng panggalawa na Angli ng panggalawa na kanangan Banggalawa ng panggalawa na kanangan kanangan sa kanangan kanangan kanangan kanangan kanangan kanangan kanang

II. TEMPERATURE RECORDS

MONTH: January

St. order from MET. Chapter of Control of the Control of Control o	High		Low		High		Low	
<u>Date</u>	<u>Max</u>	<u>Year</u>	<u>Max</u>	<u>Year</u>	$\underline{\mathbf{Min}}$	<u>Year</u>	<u>Min</u>	<u>Year</u>
1	61	1981	17	1919	34	1934	-21	1919
2	60	1902	19	#1919	41	1997	-21	1919
3	62	1918	17	1949	30	#1998	-19	#1937
4	64	1927	12	1971	33	#1991	-22	1971
5	61	1948	10	1971	33	#1991	-22	1910
6	61	1969	8	1913	33	1921	-18	1910
7	65	1914	17	1937	34	1993	-17	1913
8	62	2002	23	#1937	39	1962	-12	1989
9	61	1996	22	1937	33	1907	-9	1937
10	65	1990	21	1937	33	1911	-15	1937
	•							
11	63	1990	25	1913	36	1982	-23	1913
12	58	1928	5	1963	35	#1981	-20	1963
13	59	#1996	20	1963	38	1957	-6	#1963
14	65	1943	26	1960	35	1909	-9	1963
15	65	1943	24	1949	35	1938	-12	1937
16	60	#1974	21	1987	36	1976	-8	1915
17	62	1971	21	1960	35	1914	-13	1987
18	64	1971	22	1943	35	1914	-8	1995
19	62	1986	22	1937	32	#1998	-13	1943
20	61	1950	16	#1937	34	#1969	-14	1922
21	60	1944	15	1937	35	1969	-24	1937
22	62	1970	12	1937	31	#1969	-30	1937
23	61	1970	17	1932	31	1923	-15	#1937
24	61	1982	15	1937	42	1999	-15	1964
25	61	1975	24	1937	44	1999	-17	1937
26	60	1987	22	#1979	37	1969	-15	1937
27	59	1986	21	1948	34	#1975	-13	1979
28	63	1986	20	1979	34	1911	-13	1918
29	60	1986	15	1979	36	1911	-12	1932
30	66	1971	24	1916	33	1963	-19	1979
31	63	1971	19	1916	34	#1963	-25	1916
Month	66	1971	5	1963	44	1999	-30	1937

[#] Also occurred in other previous years

MONTH: FEBRUARY

	High			Low			High			Low	
<u>Date</u>	Max	Year		Max	Year	,	Min	Year		Min	<u>Year</u>
	60	1934		17	1917		40	1963		-23	1985
1 2	62	1976		17	1985		37	1935	e .	-14	1922
- 3	64	1953		20	1933	**	34	1928		-22	1922
4	64	1963		23	#1955		34	#1931		-16	1955
 5	67	1963		21	1899		34	1907		-21	1985
: 6	65	1963	150	7	1989	2.1	33	1978		-21	1899
4J	66	1963		14	1933		36	1932		-18	#1903
8	65	1996	e to	22	1929		36	1957		-17	1933
.	64	1996		20 5	1939		37	1922	1.2.4	-21	1929
10	65	1951		21	#1965		35	1922	15.874	-17	1933
The state of the s											
:11	62	1971	Je 100	21	1965		35	#1971	* 1 -	-12	1908
12	58	#2002		21	1905		32	#1936	1. 1	-16	1965
-13	68	1977	V.,	22	1949		35 - 2	1954	1.	-18	1905
14	64	1957		25	1942	2.74	35	1977	A	-15°	1949
-15	65	#1996		25	1990	12.5	33	1941	1 a	-10	1942
16	70	1977	1000	21	1910		35	1904	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-3	#1990
17	66	#1996		27	1917	į.	34	1986	i qri	-8	1956
181	65	1977		24	1917	1	36	#1980	r **	-11	1942
19	65	1981	4.15	25	1918		38	1986	J.	-6	1942
20	65	1977	-12	18	1955	0	41	1996	147	-11	1955
And the shelp the second of th											-
21	60	#1995		23	1913	¥ ⁵	43	1996	\$ 7	-90	1955
22	64	2002	10 1 1 4 4 4 A	25	1913	e filtr	41	1901		-10	1955
23	66	#1946	* - 1	24	1969	No. i	40	1918	* 4 * * * * * * * * * * * * * * * * * *	-6	1960
- 24	66	1904		27	#1987		42	1904	*	-4	1909
25	70	1986	€ 1.5 V.	27.	1987		41	1904	2.5	-10	1919
26.	71	1986	8 2 1	25 [°]	1962	1 1 E	36 -	1989		-7	1977
27	64	1921		25	#1996	M	36	1904		-12	1962
28	65	1999		29	#1997		40	1938	* 44°	-16	1962
29	59	1984		32	1916		33 -	1908		-3	1996
yes, season on											
Month	71	1986		7	1989	* *	43	1996		-23	1985

[#] Also occurred in other previous years

The second of the State of State

MONTH: MARCH

A control of the cont	High		Low		High		Low	
<u>Date</u>	<u>Max</u>	Year	Max	<u>Year</u>	Min	Year	<u>Min</u>	<u>Year</u>
1	66	1921	20	1951	37	1920	-10	1997
2	65	1910	24	1951	36	1974	-1	1971
3	66	1910	24	1966	39	1967	-9	1915
4	68	1910	23	1969	35	1995	-16	1966
5	68	1910	32	#1976	37	#1995	-5	1948
6	68	1910	29	1969	36	1918	-2	1935
The state of the s	66	#1972	26	1969	38	2002	-1	1945
8	67	1989	28	1969	32	#1975	-4	#1969
9	70	1989	30	#1969	40	1943	0	1964
10	70	1989	25	#1969	40	1985	-9	1958
11.	69	1900	26	1917	40	1918	-5	1948
12	72	1900	25	1956	38	1938	-1	1917
13	67	1934	27	1962	40	1989	-9	#1962
14	68	1934	25	1969	39	1984	-4	1990
15	71	1908	29	1917	35	1943	-3	1962
16	70	1908	31	2002	39	1914	-1	#1969
17	69	1921	33	1963	37	1996	3	1991
18	68	#1978	32	1924	33	1974	-1	1954
19	71	1907	31	#1982	36	1912	1	1963
20	70	1997	30	1955	38	1904	-1	1935
A programme of the control of the co								
21	70	1997	. 28	2000	42	1916	5	1948
22	67	#1990	28	1952	37	1929	-1	1952
23	67	1990	30	#1936	36	2002	-1	1973
24	70	1956	28	#1929	37	1943	Ò	1904
25	72	1988	24	1913	39	1899	-1	1913
- 26 ∈	73	1988	32	1950	37	1971	-8	1902
27	70	1986	21	1975	39	#1967	-1	1975
28	.68	#1971	_ 26	1975	39	1967	-7	1975
29	70	1934	27	1998	- 38	#2002	10	1944
30	70	1971	33	1998	39	1903	1	1998
31	73	1966	35	1949	41	1903	3	1912
							•	
Month	73	#1988	20	1951	42	1916	-16	1966

[#] Also occurred in other previous years

MONTH: APRIL

2.7	High		Low			High			Low	
<u>Date</u>	Max	Year	<u>Max</u>	<u>Year</u>		Min	<u>Year</u>		<u>Min</u>	<u>Year</u>
4	73	1966	31	1999	1.7	40	1986	1	2	1970
2	72	#1966	29	1999		42	2001	100	-2	1975
3	71	#1961	30	1999	;	40	2001	$q = \frac{q_1}{q_2} \leq \frac{1}{q_2}$	8	1980
.4	74	1961	27	1999		39	1909		5	1977
.5	75	1959	30	1921		40	1919		8	1958
:4 :6	75	1989	34	1929	1.8	40	1946		4	1922
.7:	80	1989	28	1975		40	1931		10	1922
::8:17	78	1989	30	1975		40	#1989		14	#1999
91	75	1989	32	1943	2 1	40	1962	1111	9	1953
10	74	1989	31	#1979		42	1948	· · · · · ·	13	1999
-11	75	1907	29	1927		47	1989		10	1945
12	75	1904	28	1967	* *	44	1982		7	#1953
13	75	1962	36	1912		40	1988		0	1965
.14	75	1937	33	1938		42	1904	• :	5	1972
15	76	#1948	33	1998	4 1	43	2002	100	11	1965
16	77	1948	30	1976	* * * * **	43	#1937	in the self-	13	1995
17	77	1946	33	#1995	1.7	43	1964	* * *	16	1924
-18	79	1989	32	1995	ě .	46	1981		16	#1978
.19	77	1989	29	1933	100	51 · .	2001		10	1917
-20	78	1989	33	1995	1 94 1	45	1925	10.11	8	#1966
10 10 10 10 10 10 10 10 10 10 10 10 10 1										
21	78	1989	34	1932	**	44	1989	* 1 * * * *	12	#1972
22	76	1949	30	1925	4 .	46	1930	13	11	#1963
23	77	1949	36	#1932	est .	44	1981	1.7.374	14	1963
24#	77	1949	42	#1999	1 1	47	1943	1 1 1 1 1	10	1900
25	78	1996	38	1994		45	1959	111 , 1	13	#1961
.26	79	1996	34	#1985		45	1917		17	#1984
.27	77	#2000	37	1932		44	1946	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10	1984
28	80	1992	30	1970		49	1981		13	1970
29	78	1992	35	1942		51	1981	7.	7	1970
30	78	#1981	34	1915		48	1995		10	1967
					: 3			*		
Month	80	#1992	27	1999		51	#2001		-2	1975

[#] Also occurred in other previous years

MONTH: MAY

	High		Low		High		Low	
<u>Date</u>	Max	Year	<u>Max</u>	<u>Year</u>	Min	Year	Min	<u>Year</u>
1	80	1947	27	1915	44	1981	17	#1972
2	84	1947	33	1915	46	1928	13	1915
3	88	1947	37	1905	41	1945	7	1915
4	88	1947	38	1905	44	#1947	18	#1915
5	86	1947	38	#1975	45	1992	18	1950
6	82	1947	38	1995	48	2000	14	1975
7	81	1989	38	#1964	44	#1934	15	1938
8 = .	85	1989	36	1930	48	1934	17	1965
9	81	1934	38	1922	46	#1989	14	1930
10	82	1934	34	1922	53	2000	19	1953
11	86	1996	39	1933	47	1992	16	1933
12	86	1996	43	#1982	50	1934	20	#1983
13	82	1984	42	1998	48	#1999	18	1953
14	83	1938	41	1977	48	1984	21	#1942
15	81	1937	45	#1957	50	1938	20	1968
16-	80	1970	46	#1953	51	1996	16	1955
17	82	1970	46	1962	48	1974	20	1943
18	82	1970	46	1921	47	1976	21	1977
19	81	1920	37	1902	56	1996	20	1971
20	81	1920	44	1917	52	1901	18	1899
The second secon								
21	81	1942	42	1975	46	#1953	21	1974
22	85	1984	51	1975	46	#1968	21	1972
23	85	#2000	51	1957	47	1929	23	1927
24	83	#1983	41	1965	47	#2000	23	1909
25 ==	84	1951	47	1965	54	1951	18	1980
26	87	1951	52	1917	53	1942	19	1916
27	87	1974	51	1929	48	#1919	23	1916
28	86	#2000	51	1953	51	1925	24	1929
29	86	#2000	39	1971	50	1928	22	1918
30	88	2002	49	1988	51	#1939	18	1918
31	89	2002	49	1917	51	2002	23	1988
Month	89	2002	27	1915	56	1996	7	1915

[#] Also occurred in other previous years

MONTH: JUNE

	High	•	Low			High			Low	
<u>Date</u>	<u>Max</u>	<u>Year</u>	<u>Max</u>	<u>Year</u>		<u>Min</u>	<u>Year</u>		<u>Min</u>	<u>Year</u>
1.1	88	1977	48	1991		50	2002		24	1923
., 2	86	1977	44	1899		54	1910	1,3	22	1955
∴.≅.3∙	86	#1996	53	#1925	*	51	1960	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23	1971
4	89	1990	46	1915		51	1956		23	1908
. 5	87.	1996	56	1932	1 + 2 + 1	51	1968		25	1943
∴⊒:6.	87	2002	54	1934		49	1926		28	#1971
7	89	1985	58	#1941	1	51	#1981		24	1954
. 8	89	1985	49	1907	* * * * *	55	1981		24	1950
9	88	1902	55	1965	-1	53	#1990	. 1 fet	24	1950
10	87	1910	49	1957	1.	61	1978). 2.	28	#1998
11	90	1918	57	1928	1.	57	1911	r 14	26	1954
12.	91	1918	49	1927		53 .	1906		27	#1976
-13	92	1974	50	1955	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	57	1959	1	30	#1976
14	92	1974	60	1901		54	1974		25	2001
:15	92	1974	<i>5</i> 7 ·	1997	P. Comment	55	#1961	V _{grade}	28	#2001
16	92	1940	53	1995		54	1918		24	1907
. 17	92	1940	54	1995	4.19	47	1949	1111	23	1923
18	92	1940	60	#1979	1 ***	54.	#1988		24	1995
: 19	92	1936	64	#1975	11 1 1 1 2	53	1988	1 1 1	25	1979
	92	#1936	60	1923	40.00	57	1922	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	30	1979
21	93	1936	53	1947		57	1918		28	1975
22	94	1954	66	1912	: (1)	59	#1971	ŧ	31	1947
23	93	1974	66	2000		59	1958	filter of	31	1948
√24	94	1974	66	1934	Transfer of the	60	1994	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	32	1975
25	95	1970	68	#1969	a" -	64	1902	1000	30	1965
26	96	1970	63	1965		58	1981	2 - 1 to 4	26	1975
27	94	1974	63	1906	×	62	1980	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26	1965
28	94	1990	58	1988		60	1931	14 19	30	#1965
29	93	#1990	69	1938	£ 2.5	61	1961	()	30	1913
30	92	#1994	69	1911	-	65	1990		31	1913
5 8-7					•			, r =		*
Month	96	1970	44	1899		65	1990		22	1955

[#] Also occurred in other previous years

MONTH: JULY

1 (124) 1 (12 12 (124) 1 (124) 1 (124) 1 (124) 1 (124)	High		Low		High		Low	
<u>Date</u>	<u>Max</u>	<u>Year</u>	<u>Max</u>	<u>Year</u>	<u>Min</u>	<u>Year</u>	Min	<u>Year</u>
1	91	#1990	58	1911	67	2002	35	1997
2	92	1969	72	#1938	68	2002	34	#1997
3	92	1989	62	1912	61	1973	34	1997
4	94	#1985	66	1912	60	1953	32	1912
5	97	1973	66	1952	60	1957	. 32	#1955
6	96	1989	66	1968	62	1996	35	#1978
7	92	1905	66	1982	64	1951	32	1955
8.	92	#2002	66	1950	62	1951	32	1955
9	90	1976	68	1914	60	1985	34	1926
10	92	1958	66	1930	59	1996	37	1926
11.	92	1958	66	#1999	62	1958	40	1979
.12	94	#2002	62	1918	62	1940	39	1952
13	94	1972	67	1912	65	1935	35	1904
14	92	1902	64	1910	61	#2002	38	#1962
15	92	1970	67	1919	60	1903	38	1935
16	92	#1961	71	1986	62	#1961	37	2001
17	91	#1980	64	1902	62	1988	40	1904
18	93	1989	68	1919	60	#1936	42	#1940
19	92	1989	68	1994	60	1925	34	1987
20	91	1939	68	#1991	63	1901	42	1940
21	92	1937	61	1986	62	1964	38	1924
22	92	1996	65	1913	63	1996	38	1995
23	92	#1996	66	1915	66	1949	37	1987
24	91	#1937	64	1955	. 59	#2002	39	1995
25	92	1931	62	1955	61	1929	41	1913
26	92	1935	65	1912	61	1943	40	1913
27	93	1947	68	1912	60	#2002	36	1913
28	94	1995	64	1987	60	1923	36	1913
29	92	2002	64	1905	61	1947	37	1913
30	92	1943	66	1921	60	1963	40	1913
31	91	#1977	67	1921	61	1901	43	1997
Month	97	1973	58	1911	68	2002	32	#1955

[#] Also occurred in other previous years

MONTH: AUGUST

	High			Low			High			Low	
<u>Date</u>	Max	<u>Year</u>		<u>Max</u>	<u>Year</u>		Min	Year		<u>Min</u>	Year
1	92	1977		60	1919		60	#1980		42	#1915
2	93	1902		65.	1964	\$ \$	63	2000	* 4	43	1976
3	91	#1994		66	1907		61	1980	1 -	37	1956
4	91	1994		67°	1929		61	1901		35	1956
54	90	1944	1 1	68	1931	2 . 1 · · ·	65	1903		35	1976
6 -	90	#1983	. ;	70	#1918	1.00	<i>5</i> 7	#1981	ŧ	36	1953
7	92	1978		70	1909		62	1903		39	1991
-8	90	1980		67	1930		60	1965	· · · ·	39	1950
:9	89	1980		64	1918		58	#1970	¥	44	#1999
10	88	#1973	1.5	66	1981		59	1940		40	1900
11	91	#1980		65	1918	*	57	#1986		36	1900
12	92	1944		62	1979	1.5	59 . •	1980		36	1999
13	89	1933	1	66	1916	3 .	60	1980	V.	39	1999
14	87	1 9 88	•	63	#1999		61	1901	9 2	33	1976
15	88	#1962		61	1961		59	1980	1 4	33	1968
16	89	1939		65	1947		58	1963		37	1968
17	87 :	#1991		67	#1979		<i>5</i> 7	1945		38	#1979
18	87	#1992		65	1979		56	#1936		36	1975
19.	88	#1973		65	1979	1.5	57	#1939		35	1979
20	88	#1949	100	67	1920		58	1932	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	35°	1979
21	90	1991	*	64	1921		62	1928		33	1979
22	88	1938		58	1992		60	1928		32	1968
23 :	90	1985	**:	53	1992	F + (+	58	1982	and the first	24	1968
24	91	1985		64	1986		57 -	1944		30	1968
25	88	1985	x · · .	65	1923		57	1988	* * *	37	#1962
26	88	#1974	* *,*	64	1972		58	#1939		37	1989
27	88	1944		62	#1993		57	1937		36	1978
28	89	#1948	1 m	58	1951	1 1 1 T	56	#1967	£ .	33	1920
29	91	1948		57	1951		56	1928		37	1956
30	90	1948	¥	63	#1909	ŧ.,	57	1929		36	#1975
31	89	#1950	. 1	63	1966	* .	55	#1998	+ 1 - 1	35	1957
Month	93	1902		53	1992		65	1903		24	1968

[#] Also occurred in other previous years

MONTH: SEPTEMBER

4 4 4 71 11 11 11 11 11 11 11 11 11 11 11 11 11	High		Low		High		I	.ow	
<u>Date</u>	<u>Max</u>	<u>Year</u>	<u>Max</u>	<u>Year</u>	<u>Min</u>	<u>Year</u>	1	<u>⁄Iin</u>	<u>Year</u>
1	91	1948	63	1913	56	1995		33	1962
2	91	1948	64	#1940	55	1936		35	1953
2	91	1948	62	1961	54	#1989		34	#1973
4.	90	1945	63	1936	57	#1998		27	1961
5	89	1945	59	1939	56	1980		31	1961
6	87	1977	. 55	1975	56	1899		33	1985
7	89	1977	62	#1975	55	1903		35	1970
8	88	#1977	61	1908	57	1919		33	1935
9	87	#1977	58	1912	55	1945		31	2001
10:	87	#1990	65	1996	56	1939		28	1912
11	88	1990	59	1985	54	1952		30	1986
12	88	1990	56	1927	54	1914		25	1985
13	89	1990	56	1927	55	#1970		26	1952
14	88	#2000	57	1911	57	1938		29	#1988
-15	87	#2000	53	1906	52	#1990		26	1903
16	88	2000	59	#1996	60	1929		28	1971
17	88	1956	49	1923	56	1929		27	1903
18	86	1956	46	1965	54	1942		30	#1968
19	84	#1956	51	1965	53	#1992		25	1971
20	83	#2000	54	1965	.53	1939		23	1971
21	84	1943	60	1965	56	1928		23	1955
22	83	1949	57	1986	53	2000		20	1912
23	86	1944	51	1986	56	1931		25	1970
24	85	1947	41	1986	51	1939		25	1918
25	85	1947	46	1986	54	1929		24	#1959
26	84	1899	53	1913	50	1926		22	1934
27	83	1963	52	#1936	49	#1977	•	23	1900
28	82	#1963	51	1945	52	1911		21	1900
29	82	1978	49	1983	50	1911		22	1902
30	83	1980	54	1971	51	1944		24	1907
Month	91	#1948	41	1986	60	1929		20	1912

[#] Also occurred in other previous years

MONTH: OCTOBER

	High			Low			High			Low	
<u>Date</u>	Max	Year		<u>Max</u>	Year	7	<u>Min</u>	<u>Year</u>		<u>Min</u>	<u>Year</u>
1	85	1980		41	1959	4	53	1981		23	#1982
2	82	1991		45	1959		49	1951		18	1971
3	83	1980		46	1908		49	1998		21	1902
4 ::	83	1947		50	1960		50	1900		15	1908
5	80	1991		40	1912		48	1925		14	1969
6	81	1987	V , .	42	1912	F	50	1972	• 12	18	1912
7	80	1965	1	53	1970		47	1923		21	#1955
8	80	#1980		41	1939	+ 13	52	1926	* - 4	21	1900
.9. t.	81	#1996		41	1961		45	#1988		20	1970
10:	81	1996		44	1960		48	1942	$(x_i)^{-1} \in \mathcal{C}^{(i)}$	20	1973
11	80	#1965	1	42	1969		47	1981		19	1920
12	83	1950	\$	39	1947		46	1987		9	1969
13 %	79	1950		41	1920		46	1991		12	1969
14	78	1991	tare of	39	1928		46	1944		18	1975
15	78	1991		38	1960	140	43	#1938		19	1966
16	78	1991		38	1994		44	#1972		13	1984
17	78	1973		31	1971	1.8	43	1969		18	1998
18	78	1921		33	1908	Ą	45	#1972		10	1971
19.	77	1991		38	#1920		44	1979		6	1971
20	74	#1950		32	1920		. 43	#1951	* . [*] *	4	1949
											- * * * -
21	75	#1952		37	#1920	₹ 1,300	46	1901		5	1949
22	75	1954		32	1906		43	2001		9	1906
23	74 ·	1988		38	1920		45	1944		10	1906
24	79 72	1959		42	1919		43	1960		9	1975
25	78 75	1959		37	1971	t t	42	1951		11	1975
26	<i>75</i>	1959		30	1996		43	1927		14	1972
27	74	1995		36	1996	21 0	45	1927		10	1970
28	74	1950		35	1996		46	1981	**	13	1954
29	72	#1950	* 7 *	31	#1971		40 ⁻⁷	1992		9	1971
30	72 70	1934		32	1961		39	1992		-2	1971
31	70	#1999		31	1972		40	1955		7	1935
Month	85	1980		30	1996		53	1981		-2	1971

[#] Also occurred in other previous years

MONTH: NOVEMBER

	High		Low	** *	High	* * *	Lo	
<u>Date</u>	Max	<u>Year</u>	<u>Max</u>	Year	<u>Min</u>	Year	<u>Mi</u>	
1	73	1916	35	1956	39	#1990	11	l #1943
2	73	1977	32	1946	41	1973	10) 1956
3	74	1977	32	1936	41	#1987	. 8	1922
4	73	1975	32	1922	40	2001	-1	. 1922
5	70	#1976	35	1925	41	1960	1	1922
6	72	#1934	34	#1925	41	1960	. 7	1935
7	71	1934	. 33	2000	39	1905	8	1947
8	74	1973	35	1919	44	1931	8	1918
9	71	1973	35	1966	38	#1985	3	1898
10	71	1973	33	#2000	41	1991	5	1946
Carlotte und								
11	73	1973	31	2000	40	1991	7	1950
12	72	1996	30	1972	42	1983	. 3	1898
13	72	1967	22	1916	43	1983	-3	3 2000
14	70	1967	30	1985	39	1962	-5	1985
15	70	#1999	24	1964	37	1965	2	1985
16	70	1981	21	1958	38	1921	-1	1964
17	65	1929	22	1958	36	1982	-1	0 1964
18	68	1898	25	1969	. 38	1913	-1	3 1958
19	69	1949	22	1994	40	1950	-6	1985
20	71	1976	22	1979	33	1968	-5	5 1964
21	70	1950	28	1979	41	1966	-5	1979
22	68	1903	22	1931	41	1919	-2	2 1931
23	69	1954	25	1931	41	1965		1931
24	68	#1970	20	1931	42	1965	-7	7 1902
25	70	1949	24	1931	38	1919	-{	3 1906
26	70	1977	26	1918	35	1958	-{	1906
27	68	1949	25	1976	32	1939	-5	5 #1984
28	68	1980	26	#1919	30	#1982	-3	3 #1905
29	68	1949	24	1975	34	#1954	-8	3 1905
30	66	1995	25	1991	37	1980	-3	
								·
Month	74	1977	20	1931	44	1931	-1	3 1958

[#] Also occurred in other previous years

MONTH: DECEMBER

	High		•	Low			High			Low	
<u>Date</u>	<u>Max</u>	<u>Year</u>		<u>Max</u>	<u>Year</u>		Min	<u>Year</u>		Min	Year
1	63	1926	:	24	1991	1 377	36	1954		-7	1905
2	62:	1946	2.15	27 ⁶	1913	* *	36	1906	$\mathcal{E}^{(i)}$	-5	#1991
3	67	1977	100	27	1913		37	1926	\$ 1.	-2	#1968
4	67	1965	a	26	1909	8 - 1	37	1926	.*.	-4	#1955
5	67	1989		23	1912		37	1921		-1	#1953
6	62	1977	1.73	19	1960		42	1966	400	-6	1951
7	66	1958		10	1978		32	#1925	¥ "	-19	1978
- 8	62	#1976	17.43	12	1978		35	1957		-23	1978
9	62	#1977		19	#1951		32	1965	. 9 *	-8	1951
10	65	1939		23	1898	16.7%	36	1996	-	-2	1956
		٠									
11	68	1950		18	1949		36	1996	4	-11	1961
, 12.	64	1921		26	#1972		33	#1937		-16	#1961
13	66	1921	1 12	17	1967		39	1995		-19	1931
14	66	1946		20	1967	5.	36°	1934	*	-14	#1972
15	63	1929	2.2.4	22	1971	4.74	3 <i>5</i>	1934	A Company	-14	1931
16	63	1958		21	#1971	,4	38	1957		-18	1971
.17	65·	#1980	Programme and the second	22	1967	* ***	32	1929	1 1	-14	1928
18	65	1901	1 5.	22	#1924	4	32	1991		-14	1908
19	62	1958	· ** ,	22	1924	÷	34	1998	** .	-14	1924
20	61	1917	4 12 1 1 1 L	21	1951	i e	35	1921	\$ ·	-12	1924
.21	61	1969	Carried Co	14	1990	*** *** *** *** ***	33	1921	n S	-6	1967
22	64	1901	F	21	1990	å til 📞 til	33	1982	177.	-16	1968
23	63	1901	15.50	16	1990		33	#1955		-23	1990
24	61	1933	ja ana	17	1974		36	1983		-17	1974
25	67	1980	(A)	20	1987		37	1971	A Transfer	-14	1926
26	63	1980	- 18 T	19	1916	* 3	34	1923		-16	1924
27	67	1980	10	18	1916	\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	36	1983		-14	#1926
28	61	1980	V 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25	#1988		35	#1992		-12	1966
29	62	1945	1000	22	1966	100	37	1980		-13	1988
30	62	1917		21	1966		34	1977		-16	1911
31	62	1945		18	1918		36	1909		-16	1911
	3 1					10.5					1818
Month	68	1950		10	1978		42	1966		-23	#1990

[#] Also occurred in other previous years

HIGHEST AND LOWEST AVERAGE TEMPERATURES BY MONTHS WITH YEAR OF OCCURRENCE

(September 1898 - July 2002)

<u>Month</u>	Normal* <u>Monthly</u>	Highest <u>Average</u>	Year	Lowest <u>Average</u>	Year
January	29.7	37.0	1986	12.7	1937
February	32.2	38.2	1947!	19.5	1939
March	36.6	44.9	1934	26.8	1973
April	42.9	50.4	1989	36.2	1975
May	50.8	56.8	1984	44.6	1917!
June	60.1	66.5	1974	53.0	1965
July	66.1	70.0	2002	61.1	1912!
August	64.4	67.5	1944!	59.5	1968
September	57.8	62.1	1947!	52.3	1912!
October	47.1	52.5	1988	38.6	1971
November	36.5	44.9	1949!	29.6	1972
December	30.2	39.8	1980	21.9	1972

^{*}Climatological normals from the years 1971-2000.

! <u>Authors' Note</u>: Due to the fact that weather stations were often moved, especially in the early days of the National Weather Service, some records are more representative than others. Even though all temperature and precipitation observations are valid for their particular locations, some locations have proven to be more representative of the general surrounding area than others. In the Flagstaff climatology, there are two periods of observation which appear to not be as representative due to their locations.

The first of these periods is from 15 March 1912 to 29 October 1919 when the observations were taken near the intersection of Sitgreaves and Ellery Streets. This location appears to have been a cold location, with numerous record lows occurring here. When compared to other locations in Arizona during this same period of time, this unusual cold tendency appears to be due to instrument error, or to improper siting of the instruments. You will note many daily, monthly, and yearly cold records occurring during the 1912-1919 period.

The other period of suspect climate information is during the period from 1 June 1943 to 11 January 1950, when the observations were being recorded at the old Flagstaff post office located downtown. Again, due to improper siting of the instruments on the post office roof, the temperatures occurring at this location appear to be unnaturally too warm when compared to surrounding stations. You will note many daily, monthly, and yearly warm records occurring during the 1943-1950 period.

With time, these biased records will be overwritten by new records; however, until that happens, data from these two periods of record should be viewed cautiously with respect to their siting.

HIGHEST AND LOWEST MONTHLY AVERAGE TEMPERATURES (September 1898 - July 2002)

		Highest Mo Average Tem	-	Lowest Mo Average Tem	•
<u>Month</u>	Normal*	<u>Temp</u>	Year	Temp	<u>Year</u>
JANUARY	29.7	37.0	1986	12.7	1937
		36.2	1981	19.7	1949
		35.0	1953	19.8	1932
		34.4	1999	21.0	1913
1		34.4	1900	21.3	1922
		-			. *
FEBRUARY	32.2	38.2	1947	19.5	1939
		37.9	1907	20.4	1933
	4 1	37.4	1934	20.6	1919
	·	37.2	1995	22.0	1903
		37.2	1957	22.5	1955
MARCH	36.6	44.9	1934	26.8	1973
MARCH	30.0	41.8	1934	27.3	1969
		41.1	1910	28.1	1962
	en en graffen i Kolonia (a.	40.9	1900	28.6	1902
	en de la Companya de La companya de la Co	40.8	1947	29.0	1917
				29.0	1917 1917
APRIL		50.4	1989	36.2	1975
		49.0	1992	36.9	1983
		48.5	1981	37.2	
		48.4	1946	37.4	1970
		47.9	1949	37.5	1999
	ing a Co rp. The second of th		1. V. T.	$\frac{1}{n} = \frac{1}{n} + \frac{1}{n} + \frac{1}{n} + \frac{1}{n}$	7 FR. 2. 18
	50.8	56.8	1984	44.6	1917
		55.6	1934	44.9	1953
			2000	45.1	1915
***		55.3	2001	45.3	1908
		55.3	1947	45.4	1930
	en				WIT-
	60.1				1965
					1907
					1923
			1990		1998
		63.8	1940	55.1	1995
*Monthly normals b	ased on climatological	normals 1971-	2000.	e take i Strowns National Strong	the state of the s

HIGHEST AND LOWEST MONTHLY AVERAGE TEMPERATURES (September 1898 - July 2002)

		Highest Mor Average Temp		Lowest Mo Average Temp	•
Month	Normal*	Temp	Year	Temp	Year
JULY	66.1	70.0	2002	61.1	1912
		69.3	1901	61.7	1955
		69.0	1980	62.6	1911
		68.7	1931	62.7	1914
		68.4	1996	62.7	1913
AUGUST	64.4	67.5	1944	59.5	1968
		67.2	1945	60.5	1979
		66.8	1995	60.6	1916
		66.7	1939	60.7	1906
		66.5	1991	60.8	1956
SEPTEMBER	57.8	62.1	1947	52.3	1912
		61.9	1933	52.8	1900
		61.5	1956	53.0	1986
		60.7	1983	53.0	1971
		60.7	1949	53.1	1985
OCTOBER	47.1	52.5	1988	38.6	1971
		52.1	1950	40.4	1969
		51.2	1964	41.2	1908
		51.1	1952	42.0	1919
		50.9	1933	42.4	1984
NOVEMBER	36.5	44.9	1949	29.6	1972
		42.3	1995	30.4	1952
		41.8	1981	30.7	2000
		41.8	1942	31.2	1979
\$		41.5	1927	31.3	1964
DECEMBER	30.2	39.8	1980	21.9	1972
		37.6	1977	21.9	1932
		37.0	1939	22.0	1911
		36.5	1958	22.1	1909
		36.4	1981	22.2	1905

^{*}Monthly normals based on climatological normals 1971-2000.

WARMEST AND COLDEST WINTER, SPRING, SUMMER, FALL (September 1898 - July 2002)

WINTER (December 21 - March 20) Average = 31.7*

Warme	<u>st</u>		Coldest	
Temp	<u>Year</u>		<u>Temp</u>	Year
37.3	1933-34		22.6	1918-19
36.9	1980-81		23.3	1916-17
36.0	1985-86		24.5	1932-33
35.1	1998-99		24.5	1914-15
34.5	1994-95		24.8	1936-37
34.4	1942-43	4.5	25.0	1912-13
33.9	1999-00		25.4	1954-55
33.9	1995-96	1. 6. 1	25.7	1948-49
33.9	1983-84		25.8	1972-73
33.9	1956-57	÷	26.3	1921-22

SPRING (March 21 - June 20) Average = 48.5 *

Warmest			1. 4.4		Coldest	
<u>Temp</u>	Year	1.4		<u>Temp</u>		<u>Year</u>
52.7	1989	7 - W		43.4		1998
51.9	1981			43.7		1975
51.9	1946			44.3		1965
51.8 11.74	1940			44.3	184	1917
51.6	2002	$\mathcal{L} = \frac{1}{\sqrt{2}} \left(\frac{1}{2} \right)^{\frac{1}{2}}$	* - * * * * * * * * * * * * * * * * * *	44.5		1995
51.6	2000	4	27	44.7		1967
51.4	1947	18 °		45.2		1980
51.3	1974			45.2		1972
51.3	1934			45.3		1983
51.2	2001		3. T	45.3	K V v	1979

^{*}Averages based on climatological normals from 1971-2000.

and the annual major and the control

WARMEST AND COLDEST WINTER, SPRING, SUMMER, FALL (September 1898 - July 2002)

SUMMER (June 21 - September 20) Average = 63.7*

	<u>Warmest</u>	Coldes	<u>st</u>
Temp	Year	Temp	Year
66.3	1945	59.3	1912
66.2	1980	60.8	1906
65.9	1943	60.9	1916
65.6	1937	61.1	1904
65.5	1981	61.2	1911
65.5	1977	61.2	1907
65.4	1901	61.3	1965
65.3	1974	61.3	1915
65.2	1960	61.5	1950
65.2	1939	61.6	1968

FALL (September 21 - December 20)
Average = 40.9*

•	Warmest		<u>Coldest</u>
Temp	<u>Year</u>	<u>Temp</u>	Year
45.4	1977	33.3	1971
45.4	1950	36.0	1972
45.0	1980	36.7	1908
44.6	1942	37.5	1961
44.6	1921	37.8	1931
44.5	1981	37.8	1919
44.3	1937	38.0	1912
44.1	1939	38.3	1951
43.9	1995	38.3	1905
43.9	1910	38.3	1902

^{*}Averages based on climatological normals 1971-2000

HIGHEST AND LOWEST ANNUAL TEMPERATURE (1899-2001)

Highest Annual	Average	en e	Lowest Annual A	Average
Temp	<u>Year</u>		Temp	Year
49.5	1981		43.0	1915!
48.9	1934		43.0	1913!
48.1	1943!		43.4	1912!
48.1	1940		43.5	1979
47.9	1946!		43.7	1971
47.8	1989		43.8	1919
47.7	1977		43.9	1908
47.6	2000		44.0	1972
47.6	1947!	The second of th	44.0	1955
47.5	1980	Market Species	44.0	1917!

Average Annual Temperature* 46.2

AVERAGE NUMBER OF DAYS PER YEAR WITH MAXIMUM TEMPERATURES 80, 85, AND 90 DEGREES OR HIGHER (1971-2000)

80 Degrees or higher	61 days
85 Degrees or higher	25 days
90 Degrees or higher	4 days

^{*} Averages based on climatological normals 1971-2000.

[!] These years should be viewed with caution due to suspect observations.

AVERAGE NUMBER OF DAYS PER YEAR WITH MINIMUM TEMPERATURES 40, 32, AND 0 DEGREES OR LOWER (1971-2000)

40 Degrees or lower2	65	days
32 Degrees or lower2	06	days
0 degrees or lower	6	days

FREEZE AND GROWING SEASON DATA (1899-2000)

	7 days in 1940* 8 days in 1968*
Average growing season	103 days
Average date of the last spring frost (32 degrees) Average date of the first fall frost (32 degrees)	
Average date of the last spring freeze (28 degrees) Average date of the first fall freeze (28 degrees)	•

^{*} Based on the last day of 32 degrees in the spring and the first days of 32 degrees in the fall.

GREATEST NUMBER OF CONSECUTIVE DAYS WITH MAXIMUM TEMPERATURES 85 DEGREES OR HIGHER (September 1898 - July 2002)

<u>Days</u>	<u>Date</u>
22	June 10 - July 1, 1974
20	July 17 - Aug 5, 2000
15	July 24 - Aug 7, 1995
15	July 5 - July 19, 1901
14	June 18 - July 1, 1990
14	June 24 - July 7, 1973
13	July 27 - Aug 8, 1978
13	June 19 - July 1, 1929
12	July 6 - July 17, 1948
12	July 3 - July 14, 1940
11	July 9 - July 20, 1971

Only periods with 11 or more days are tabulated.

GREATEST NUMBER OF CONSECUTIVE DAYS WITH **MAXIMUM TEMPERATURES** 90 DEGREES OR HIGHER

(September 1898 - July 2002)

<u>Days</u>		<u>Date</u>
11		June 21 - July 1, 1990
6	4 4	July 3 - July 8, 1989
5		June 26 - June 30, 1974
4		July 26 - July 29, 1995
4 ()		June 27 - June 30, 1980
4		June 21 - June 24, 1974
4		June 12 - June 15, 1974
4		July 2 - July 5, 1973
4		July 12 - July 15, 1972
4		June 24 - June 27, 1970
4.		July 14 - July 17, 1948
4		July 26 - July 29, 1947
4		July 30 - Aug 2, 1938
4	32.4	July 23 - July 26, 1931
4		June 20 - June 23, 1929

Only periods with 4 or more days are tabulated.

GREATEST NUMBER OF CONSECUTIVE DAYS WITH MINIMUM TEMPERATURES 0 DEGREES OR LOWER (September 1898 - July 2002)

and the pregnate feet on a grown as a constraint feet on the seed

Days	<u>Date</u>
8	Dec 27,1966 - Jan 3, 1967
8	Dec 31, 1918 - Jan 7, 1919
7	Dec 15, 1928 - Dec 21, 1928
7 (1) (1) (1)	Dec 23, 1926 - Dec 29, 1926
6 4 4 1 1 1 1	Dec 22, 1990 - Dec 27, 1990
6	Jan 3, 1971 - Jan 8, 1971
6	Jan 11, 1963 - Jan 16, 1963
6	Jan 1, 1960 - Jan 6, 1960
6	Jan 21, 1937 - Jan 26, 1937
6	Dec 16, 1932 - Dec 21, 1932
6 4 4	Dec 30, 1911 - Jan 4, 1912
6 %	Dec 24, 1909 - Dec 29, 1909
6 1 1	Feb 4, 1903 - Feb 9, 1903

Only periods with 6 or more days are tabulated.

III. PRECIPITATION RECORDS

GREATEST DAILY 24-HOUR PRECIPITATION (INCHES) (Midnight - Midnight) September 1898 - July 2002

	JANU	JARY	FEBRU	JARY	MAR	CH	APR	IL
	24 Hr		24 Hr		24 Hr		24 Hr	
<u>Date</u>	<u>Pcpn</u>	<u>Year</u>	<u>Pcpn</u>	Year	<u>Pcpn</u>	Year	<u>Pcpn</u>	<u>Year</u>
1	2.08	1910	1.01	1919	2.81	1970	2.95	1903
2	1.45	1922	2.30	1901	0.95	1978	0.91	1977
3	0.76	1977	1.35	1901	2.11	1938	1.02	1965
4	1.18	1989	1.44	1958	1.14	1908	1.19	1929
5	1.15	1974	2.29	1976	0.77	1907	0.80	2001
- 6	1.23	1965	1.59	1965	0.85	2000	0.41	2002
7	1.50	1957	1.24	1901	0.52	1918	0.62	1946
8	1.65	1993	2.05	1993	1.27	1918	1.04	1935
9	1.13	1905	2.07	1976	0.70	1926	0.62	1965
10	1.61	1911	1.63	1978	1.85	1912	0.71	1965
11	0.92	1930	0.91	1939	1.91	1982	1.09	1905
<u> </u>	1.00	2001	0.70	1931	1.43	1906	1.67	1941
13	1.12	1997	1.84	1992	1.27	1905	0.65	1976
14	0.42	1969	2.37	1980	1.31	1944	0.71	1976
15	0.92	1978	1.07	1927	0.77	1945	0.48	1976
16	0.84	1917	1.40	1927	1.27	1930	1.80	1934
17	1.83	1979	0.49	1971	0.73	1922	1.67	1917
18:	1.73	1952	0.65	1980	0.64	1982	0.72	1968
19	0.74	1937	3.93	1993	1.58	1994	0.44	1951
20	0.90	1917	1.18	1993	0.69	1981	0.56	1995
21	1.36	1982	1.03	1944	1.02	1991	1.70	1985
22	1.53	1909	0.68	1907	1.28	1954	1.08	1925
23	1.73	1943	0.62	1957	1.09	1954	0.45	!1999
24	1.11	1944	1.19	1987	1.14	1902	1.01	1990
25	1.70	1901	0.84	1958	1.83	1910	0.36	1994
26	0.84	1997	1.17	1902	1.10	1989	1.22	1963
27	1.81	1916	0.80	1905	0.59	1938	0.69	1994
28	0.85	1916	1.80	1991	1.13	1998	1.01	1900
29	2.05	1915	0.73	1960	0.83	1967	0.74	1951
30	1.21	1922			0.84	1970	0.80	1954
31	0.87	1919			1.24	1903		
Month	2.08	1910	3.93	1993	2.81	1970	2.95	1903
! Also od	curred in	other years	3					

GREATEST DAILY 24-HOUR PRECIPITATION (INCHES) (Midnight - Midnight) September 1898 - July 2002

	_ M	AY	JU	NE	. , ,	JUI	LY	AUG	JST
	24 Hr		24 Hr			24 Hr		24 Hr	
<u>Date</u>	Pcpn	Year	<u>Pcpn</u>	Year	;	<u>Pcpn</u>	<u>Year</u>	<u>Pcpn</u>	Year
1	0.77	1915	0.31	1991		0.51	1911	1.38	1906
2	0.62	1905	0.91	1999		1.39	1919	1.71	1963
3	0.97	1908	0.31	1915		0.92	!1944	1.64	1907
4	0.67	1960	0.52	1986		1.85	1986	1.11	1993
	0.55	1992	0.40	1903		1.06	1967	0.76	2000
5 6	0.93	1921	0.55	1993	,	0.55	1990	2.16	1986
7	0.33	1927	0.28	!1912		0.77	1974	1.14	1937
8	0.77	1976	0.34	1907		1.33	1981	1.38	1959
.9	0.85	1922	0.26	1983		0.88	1988	1,40	1977
10	0.63	1944	1.47	1957		0.76	1919	1.30	1953
		.*				147		4 4.1	
11	0.81	1980	0.39	1927		1.03	1918	1.10	1979
12	0.45	1965	1.32	1955		0.69	1918	1.99	1987
13.	0.53	1994	1.58	1955		1.55	1976	3.04	1986
14	0.72	1901	0.88	1921		0.84	1967	1.10	1909
.15	0.52	1951	0.09	1965		2.55	1964	1.10	1921
16	0.30	1951	0.17	1933	<u>.</u>	1.05	1908	0.85	1958
17	0.96	1903	0.70	1933		1.08	1911	1.28	1920
18	0.45	1915	0.89	1949		0.93	1946	1.07	1989
19	0.50	1957	0.45	1967		2.14	1986	0.90	1984
20	0.95	1900	0.32	1925		1.59	1986	0.56	1995
	1							,	
.21	0.52	1975	0.68	1958		1.20	1918	1.88	1932
22	0.31	1919	1.27	1922		1.51	1962	2.75	1992
23	0.97	1919	0.07	1936	## ₁ = 1	1.35	1983	1.62	1988
24	1.11	1965	0.29	1922		1.37	1984	0.96	1907
25	0.23	1994	0.78	1954		1.02	1915	1.10	1931
26,	0.75	1992	0.32	1954		1.61	1969	0.98	1984
27	0.68	1901	0.75	1940		1.13	1905	0.82	1985
28.	0.61	1990	0.66	1938		2.19	1929	2.28	1951
29	0.92	1992	2.40	1956		1.37	1977	1.62	1951
30	0.46	1986	0.39	1956		1.21	1964	1.23	1946
31	0.20	1981		,		0.76	1921	1.79	1963
								٠.	
Month	1.11	1965	2.40	1956		2.55	1964	3.04	1986
! Also oc	curred in	previous year	s.						

GREATEST DAILY 24-HOUR PRECIPITATION (INCHES) (Midnight - Midnight) September 1898 - July 2002

	SEPTE	EMBER	ОСТО	BER	NOVEM	NOVEMBER		DECEMB	
	24 Hr		24 Hr		24 Hr			24 Hr	
Date	Pcpn	<u>Year</u>	<u>Pcpn</u>	Year	<u>Pcpn</u>	Year		<u>Pcpn</u>	Year
1	1.32	1998	0.85	1959	1.53	1987		0.45	1955
2	0.86	1990	1.03	1981	1.30	1957		0.94	1906
3	0.59	1907	1.34	1968	1.46	1957		1.33	1908
4	0.65	1970	1.60	1972	0.48	1925		1.55	1992
5	2.84	1970	1.80	1940	0.71	1987		0.98	1966
6	0.52	1954	2.34	1993	0.95	1915		2.87	1966
7	0.69	1939	1.55	1924	0.76	1969		0.94	1966
8	0.87	1990	1.36	1961	1.80	1966		0.83	1972
9 -	1.18	1949	1.13	1960	0.87	1915		1.10	1965
10	1.40	1924	0.58	1985	1.90	1923		0.97	1961
20 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	, ·								
11	1.97	1985	1.52	1899	3.21	1978		0.98	1927
12	1.80	1927	1.10	1899	1.65	1985		0.88	1937
13	2.75	1941	1.31	1941	0.75	1910		1.52	1967
14	1.50	1999	0.74	1899	1.96	1991		1.41	1967
15	0.46	1906	0.82	1994	1.25	1991		2.08	1908
16	0.60	1925	1.77	1971	0.71	1969		1.74	1908
17	1.71	1925	0.97	1907	1.30	1953		1.20	1978
18 ==	2.11	1965	1.75	1949	0.66	1973		2.65	1978
. 19	0.88	1966	1.52	1972	0.49	1940		2.32	1967
20	1.52	1952	1.18	1979	1.85	1902		1.16	1968
	1				•				
21	0.81	1990	0.93	1932	1.41	1905		1.03	1909
22	1.03	1958	0.60	2000	0.68	1965		1.50	1965
23	2.71	1983	0.57	1921	1.64	1906		1.38	1945
24	1.65	1900	2.42	1992	0.55	1918		0.44	1959
25		1986	1.48	1998	2.00	1985		1.31	1940
26	1.35	1997	0.67	1982	1.85	1919		1.83	1971
27	1.56	1903	0.82	1991	2.96	1919		1.22	1984
28	1.79	1958	0.89	1974	1.86	1975		2.50	1992
29	1.70	1971	1.24	1987	1.42	1985		0.96	1989
30	1.75	1983	1.54	1920	2.13	1982		2.95	1951
31			1.79	1987				1.22	1915
Month	2.84	1970	2.42	1992	3.21	1978		2.95	1951

MAXIMUM AND MINIMUM PRECIPITATION BY MONTHS WITH YEAR OF OCCURRENCE

(September 1898 - July 2002)

Mary 11 Land	1. g#	Maximum Monthly <u>Precipitation</u>			Minimum M Precipita	-
*1*********************************	Normal*	<u>Amount</u>	<u>Year</u>	*** ***	Amount	Year
JANUARY	2.18"	9.55"	1993	11.4	0.00"	1972
1 /		8.16"	1916		0.02"	2002
		7.21"	1949		0.02"	1912
		6.52"	1980	v.	0.08"	1971
		6.13"	1957	. •	0.13"	1925
FEBRUARY	2.56"	10.05"	1993		Trace	1967
	$f \leftarrow 1$	8.36"	1901		0.02"	1972
	* U .	7.81"	1980		0.02"	1912
Exercise 1		5.96"	1976	· * . *	0.07"	2002
		5.79	1905		0.08"	1924
	1.54	Å.		, r	1 1 1 1	
MARCH	2.62"	6.75"	1970	14.5	Trace	1972
	- 1°	6.18"	1973	*	0.03"	1997
		6.05"	1906		0.06"	1933
		6.00"	1991		0.08"	1959
4 & - 4 L		5.69"	1982		0.12"	1956
	Y v		3.3	3		* * * * * * * * * * * * * * * * * * * *
APRIL	1.29"	5.62"	1965	20	Trace	1991
	•	4.47"	1917		0.01"	1989
		4.21"	1900	*	0.06"	1916
		3.85"	1903		0.07"	1996
		3.83"	1988		0.09"	1962
* *	1.		4 +4 ;		1111	1 10
MAY	0.80"	4.14"	1992		0.00"	2002
		2.40"	1915		Trace	1996
		2.27"	1901		Trace	1974
e fyr ac o'i well a common to the design of		2.16"	1979	£1	Trace	1970
g in the second of the second	* **	2.02"	1957	F	Trace	1966!
	. 3 €			13.43		
JUNE	0.43"	2.92"	1955		0.00"	2002
	1	2.79"	1956		0.00"	1998
	£,1%,	2.19"	1949	**	0.00"	1971
		1.93"	1972		0.00"	1942
		1.88"	1903		0.00"	1917!

^{*}Climatological Standard Normals 1971-2000.

[!] Also occurred in earlier years.

MAXIMUM AND MINIMUM PRECIPITATION BY MONTHS WITH YEAR OF OCCURRENCE

(September 1898 - July 2002)

		Maximum Monthly Precipitation		Minimum Mo	•	
	Normal*	Amount	Year	Amount	Year	
JULY	2.40"	7.58"	1919	Trace	1993	
		6.62"	1986	0.21"	1997	
		6.06"	1930	0.23"	1900	
		5.93"	1917	0.30"	2000	
		5.53"	1911	0.32"	1963	
AUGUST	2.89"	8.77"	1904	0.26"	1962	
		8.06"	1986	0.37"	1924	
		6.73"	1909	0.54"	1915	
		6.10"	1902	0.58"	1976	
		5.80"	1992	0.61"	1912	
SEPTEMBER	2.12"	6.75"	1983	Trace	1992	
		6.60"	1958	Trace	1973	
		6.18"	1990	Trace	1957	
		4.85"	1965	Trace	1955	
		4.80"	1986	0.02"	1956	
OCTOBER	1.93"	9.86"	1972	0.00"	1917	
		4.90"	1941	0.00"	1902	
		4.89"	1899	Trace	1999	
		4.64"	1987	Trace	1952	
		4.58"	1907	Trace	1950!	
NOVEMBER	1.86"	7.10"	1905	0.00"	1999	
		6.75"	1902	0.00"	1932	
		6.64"	1985	0.00"	1916	
		6.16"	1978	0.00"	1904	
	*	5.50"	1919	0.00"	1903	
DECEMBER	1.83"	7.30"	1967	0.00"	1917	
		6.78"	1992	Trace	1999	
		6.63"	1965	Trace	1958	
		6.17"	1966	0.01"	1929	
		5.74"	1908	0.03"	1939	

^{*}Climatological Standard Normals 1971-2000.! Also occurred in earlier years.

WETTEST AND DRIEST WINTER, SPRING, SUMMER, FALL (September 1898 - July 2002)

WINTER (December 21 - March 20) Average = 7.21"

Wettes	<u>st</u>	<u>Driest</u>	
<u>Amount</u>	Year	<u>Amount</u>	Year
23.27"	1992-93	0.72"	2001-02
18.66"	1979-80	1.24"	1998-99
14.13"	1977-78	1.41"	1933-34
13.50"	1915-16	1.65"	1899-00
12.78"	1904-05	1.88"	1966-67
12.29"	1981-82	1.97"	1995-96
12.27"	1968-69	1.98"	1983-84
12.00"	1948-49	1.99"	1952-53
11.75"	1900-01	2.09"	1903-04
11.33"	1951-52	2.30"	1963-64

SPRING (March 21 - June 20) Average = 3.06"

Wett	<u>est</u>	. 1. √1. x - 2	<u>Driest</u>	
<u>Amount</u>	Year		Amount	<u>Year</u>
9.75"	1903	* (*)	0.20"	1996
8.75"	1965	70x - 47	0.46"	1966
7.19"	1992		0.63"	1974
6.49"	1915	gard of 1	0.65"	1918
5.88"	1900		0.85"	2002
5.22"	1917		0.93"	1913
5.11"	1973		1.00"	1942
5.09"	1998		1.02"	1948
5.00"	1964	* *	1.02"	1928
4.99"	1926		1.03"	1956

^{*}Averages based on climatological normals from 1971-2000.

WETTEST AND DRIEST WINTER, SPRING, SUMMER, FALL (September 1898 - July 2002)

SUMMER (June 21 - September 20) Average = 7.04"

Wettest		<u>Driest</u>	
Amount	<u>Year</u>	Amount	Year
16.29"	1986	2.28"	1978
13.81"	1904	2.76"	1944
11.79"	1998	2.85"	1991
11.56"	1970	3.12"	1973
11.48"	1927	3.22"	1957
11.34"	1990	3.33"	1979
11.14"	1919	3.51"	1900
10.32"	1909	3.54"	1926
10.11"	1951	3.58"	1948
10.02"	1911	3.80"	1942

FALL (September 21 - December 20) Average = 5.60"

Wettest				<u>Driest</u>	
Amount	<u>Year</u>		Amount		Year
14.60"	1972		0.23"		1929
12.13"	1978		0.45"		1950
10.70"	1905		0.62"		1904
10.50"	1919		0.68"		1917
9.88"	1987		1.14"		1956
9.55"	1967		1.38"		1945
9.53"	1985		1.49"		1999
9.51"	1966		1.52"		1989
9.49"	1983		1.56"		1898
9.24"	1982		1.59"		1976

^{*}Averages based on climatological normals 1971-2000

FLAGSTAFF ARIZONA YEARLY PRECIPITATION RECORD (1899-2001)

			ta April Bridge					
1899	19.32"		•					
			1.37.5					
1900	16.57"		16.42"	¥	1970	24.02"		
1901	21.48"	1936	19.30"		1971	21.01"		
1902	25.86"	1937	19.41"		1972	24.67"		
1903	25.05"	1938	20.48"		1973	19.71		
1904	20.07"	1939	12.91"		1974	17.41"		
1905	34.53"	1940	21.22"		1975	20.10"	, ,	
1906	22.70"	1941	25.02"		1976	20.12"		
1907	25.02"	1942	9.90"		1977	18.77"		
1908	25.91"	1943	17.34"		1978	30.72"	18 g	
1909	22.75"	1944	17.50"		1979	19.68"		
	13.1				1.7			
1910	18.25"	1945	17.62"		1980	29.30"	7	
1911	26.00"	1946	21.74"		1981	23.37"		
1912	17.69"	1947	13.14"		1982	31.09"	* 1 1 1 K	
1913	15.27"	1948	15.39"		1983	29.47"	, , , , , , , , , , , , , , , , , , ,	
1914	17.40"	1949	26.79"		1984	20.09"		
1915	25.54"	1950	10.76"		1985	26.67"		
1916	23.38"	1951	25.79"		1986	32.39"		
1917	18.82"	1952	20.06"		1987	23.98"		
1918	21.29"	1953			1988	21.68"		
1919	28.28"	1954	19.55"		1989	14.44"		
4000	40.000							
1920	19.33"	1955	17.97"		1990	25.67"	,	
1921	22.93"	1956	10.37"		1991	21.83"	. Profile	
1922	25.07"	1957	24.26"		1992	34.71"		
1923	21.07"	1958	21.22"		1993	35.60"		
1924	16.74"	1959	20.42"		1994	21.95"		
	100	Survey of the			1 7 X		100	
1925	19.08"	1960	16.66"		1995	19.09"	\$ 8" Py 3	
1926	16.58"	1961	18.95"		1996	11.81"	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1927	24.03"	1962	18.11"		1997	17.84"	* 1 1 4 2	
1928	14.88"	1963	14.53"		1998	27.37"	1 1	
1929	15.52"	1964	19.04"		1999	15.79"	1 6.9	
	• .				<i>x</i>		* .	
1930	21.24"	1965	36.59"		2000	15.40"	2 12 Th	
1931	20.34"	1966	20.28"		2001	17.60"		
1932	21.94"	1967	22.27"					
1933	15.60"	1968	16.53"	$\frac{\partial}{\partial x} = \frac{\partial}{\partial x} \left(-\frac{1}{2} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x$			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1934	14.80"	1969	23.31"					

15 WETTEST YEARS (January 1899 - December 2001)

Rank	Amount	<u>Year</u>
1	36.59"	1965
2	35.60"	1993
3	34.71"	1992
4	34.53"	1905
5	32.39"	1986
6	31.09"	1982
7	30.72"	1978
8	29.47"	1983
9 .	29.30"	1980
10	28.28"	1919
11	27.37"	1998
12	26.79"	1949
13	26.67"	1985
14	26.00"	1911
15	25.91"	1908

15 DRIEST YEARS (January 1899 - December 2001)

<u>Rank</u>	Amount	<u>Year</u>
1	9.90"	1942
2	10.37"	1956
3	10.76"	1950
4	11.81"	1996
5	12.81"	1953
6	12.91"	1939
7	13.14"	1947
8	14.44"	1989
9	14.53"	1963
10	14.80"	1934
11	14.88"	1928
12	15.27"	1913
13	15.39"	1948
14	15.40"	2000
15	15.52"	1929

^{*}AVERAGE YEARLY PRECIPITATION: 22.91"

^{*} Based on the 30 year average yearly precipitation from 1971-2000.

GREATEST NUMBER OF DAYS WITH 0.01 INCH OR MORE AND 0.10 INCH OR MORE BY MONTH AND YEAR OF OCCURRENCE (1899-2001)

0.01 Inch or more				<u>0.10</u>	Inch or more		
	Average	y (Greatest	A Company	Average	Greatest	
<u>Month</u>	# of Days	<u>#</u>	of Days	<u>Year</u>	# of Days	# of Days	<u>Year</u>
				* T		•	
January	7.3	100	18	1993	4.4	17	1993
February	7.3	1.0	16	1905	4.7	14	1905
March	8.0		21	1973	5.0	15	1973
April	5.9		20	1926	3.3	11	1926
May	4.0		15	1992	1.9	11	1992
June	3.0	S to a	10	1988	1.4	8	1972
July	11.6		21	1959	6.4	16	1919
August	12.4		23	1904	6.9	[*] 18	1904
September	7.0	1.7	16	1997	4.0	13	1996
October	5.1	1 1	15	1972	3.1	13	1972
November	4.8		15	1931	3.0	· 11	1905
December	6.6		18	1984	4.1	12	1984
Annual	82.8!		121	1941	48.3!	73	1905

GREATEST NUMBER OF DAYS WITH 0.25 INCH OR MORE AND 0.50 INCH OR MORE BY MONTH AND YEAR OF OCCURRENCE (1899-2001)

	<u>0.2</u>	5 Inch or more	* . 4 (r	<u>0.50</u>	Inch or more	
	Average	Greatest	was f	Average	Greatest	
Month	# of Days	# of Days	<u>Year</u>	# of Days	# of Days	<u>Year</u>
			40 m 4 m 4			
January	2.6	11	1993	1.3	7	1993*
February	2.8	10	1905	1.2	6	1901
March	2.9	, *** 9	1992*	1.2	5	1978*
April	1.9	8	1965	0.7	6	1965
May	0.9	· iv 6	1992	0.3	3	1992*
June	0.6	4	1903	0.3	2	1988*
July	3.7	14	1919	1.5	5	1936*
August	3.6	10	1934*	1.6	6	1909*
September	2.3	9	1939	1.1	5	1958
October	1.9	9	1972*	1.1	6	1972
November	1.8	9	1905	0.9	5	1905
December	2.5	9	1965	1.0	5	1966*
Annual	27.4!	47	1905	12.2!	24	1965

^{*} Also recorded in earlier years.

[!] May be different than sum of average number of days due to rounding.

GREATEST NUMBER OF CONSECUTIVE DAYS WITH 0.01 INCH OR MORE (Periods with 10 or more days tabulated) (September 1898 - July 2002)

	·	Total
<u>Days</u>	Period	<u>Rainfall</u>
•		
17	July 20 - August 5, 1968	3.29"
13	July 18 - July 30, 1959	1.85"
13	August 23 - September 4, 1925	1.96"
12	July 30 - August 10, 2001	3.43"
11	February 7 - February 17, 1992	3.69"
11	January 19 - January 29, 1969	4.05"
11	January 9 - January 19, 1949	4.52"
11	July 10 - July 20, 1919	4.32"
10	February 13 - February 22, 1980	7.81"
10	August 8 - August 17, 1947	3.21"
10	December 24, 1941 - January 2, 1942	1.56"
10	April 26 - May 5, 1926	1.36"
10	July 17 - July 26, 1909	1.61"
10	July 26 - August 4, 1908	3.30"

GREATEST NUMBER OF CONSECUTIVE DAYS WITH 0.25 INCH OR MORE (Periods with 4 days or more tabulated) (September 1898 - July 2002)

		Total
<u>Days</u>	Period	<u>Rainfall</u>
7	December 13 - December 19, 1967	7.06"
7	July 10 - July 16, 1919	3.50"
6	July 20 - July 25, 1915	4.38"
5	February 17 - February 21, 1980	4.36"
5	October 31 - November 4, 1957	4.57"
5	February 13 - February 17, 1927	3.92"
4	August 7 - August 10, 2001	2.13"
4	February 27 - March 2, 1978	3.75"
4	April 13 - April 16, 1976	2.86"
4	October 27 - October 30, 1974	2.76"
4	July 28 - July 31, 1968	1.55"
4	November 22 - November 25, 1965	4.49"
4	April 1 - April 4, 1965	3.11"
4	March 22 - March 25, 1954	3.08"
4	January 25 - January 28, 1916	3.92"
4	July 24 - July 27, 1912	2.30"
4	December 14 - December 17, 1908	4.38" 。

GREATEST NUMBER OF CONSECUTIVE DAYS WITH 0.50 INCH OR MORE (Periods with 4 or more days tabulated) (September 1898 - July 2002)

<u>Days</u>	100 100 100	Period	$e(y)^{-1}$	Total <u>Rainfall</u>
4 4	**.	February 18 - February 21, 1980 January 25 - January 28, 1916		4.06" 3.92"
4		July 22 - July 25, 1915		3.65"
4	и .,	October 11 - October 14, 1899		4.61"

GREATEST NUMBER OF CONSECUTIVE DAYS WITH 0.75 INCH OR MORE (Periods with 3 or more days tabulated) (September 1898 - July 2002)

				1	400	Total
Days		<u>Period</u>			4.	<u>Rainfall</u>
				D	$\mathcal{A}_{n} = \mathcal{A}_{n} \mathcal{A}^{n} \mathcal{F}_{n}$	
3		December 5 - December 7, 19	66			4.79"
3		January 6 - January 8, 1993				3.89"
3		February 28 - March 2, 1978				3.47"
3		July 23 - July 25, 1915				3.03"
3	100	March 24 - March 26, 1906			* * * * * * * * * * * * * * * * * * *	2.62"
3		October 11 - October 13, 1899)	1. 1. 4.1		3.87"

GREATEST NUMBER OF CONSECUTIVE DAYS WITHOUT MEASURABLE PRECIPITATION (Less than 0.01 inch) DURING AN ENTIRE YEAR (September 1898 - July 2002)

April 1 Commence of the Commen

ng trong pangkan. Banan Banggaran ang pangkan ang

<u>Days</u>	Period	Days Period
99	September 24 - December 31, 1999	67 April 27 - July 3, 2002
93	April 3 - July 4, 1974	64 February 7 - April 10, 1972
77	October 3 - December 18, 1903	63 March 29 - May 30, 1991
77	September 10 - November 25, 1898	63 October 26 - December 27, 1989
75	April 19 - July 2, 1996	62 May 1 - July 1, 1942
69	April 21 - June 28, 1966	61 May 10 - July 9, 1963

EXCESSIVE STORMS* 1898-2001

(tabulated only for storms* with 3.50" or greater)

<u>Days</u>	Period	Total Precip	Highest daily total
10	February 13 - February 22, 1980	7.80"	2.37"
8	December 13 - December 20, 1967	7.20"	2.32"
8	February 14 - February 21, 1993	6.48"	3.93"
5	December 3 - December 7, 1966	5.50"	2.87"
9	January 6 - January 14, 1993	5.40"	1.65"
8	February 27 - March 6, 1978	5.12"	1.41"
7	October 31 - November 6, 1957	4.76"	1.46"
5	October 3 - October 7, 1972	4.70"	1.70"
11	January 9 - January 19, 1949	4.51"	1.09"
7	July 20 - July 26, 1915	4.48"	1.19"
6	January 25 - January 30, 1916	4.32"	1.81"
9	August 21 - August 29, 1904	4.32"	1.44"
11	July 10 - July 20, 1919	4.29"	0.76"
7	February 11 - February 17, 1927	4.20"	1.40"
11	January 19 - January 29, 1969	4.07"	1.30"
6	October 15 - October 20, 1972	3.78"	1.52"
11	February 7 - February 17, 1992	3.74"	1.84"
17	July 20 - August 5, 1968	3.74"	0.50"
6	March 11 - March 16, 1982	3.66"	1.91"
6	February 27 - March 4, 1938	3.60"	2.11"
7	January 14 - January 20, 1916	3.50"	1.32"

^{*} An excessive storm has been defined as a period of time where measurable precipitation falls on consecutive days, leading to 3.50 inches or greater accumulation by the time the precipitation ends.

GREATEST DAILY 24-HOUR SNOWFALL (INCHES) (Midnight - Midnight) September 1898 - July 2002

and the second second	JAN	UARY .	FEBR	UARY	MA	RCH	AI	PRIL
	24 Hr		24 Hr		24 Hr		24 Hr	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
<u>Date</u>	<u>Snow</u>	Year	Snow	<u>Year</u>	Snow	Year	Snow	Year
1-1,	9.8	1907	13.6	1990	26.0	1970	9.0	1999
2	6.2	1990	24.0	1901	9.5	1964	17.8	1997
3	10.0	1922	13.5	1901	11.9	1976	10.2	1965
4	11.4	1989	10.5	1939	11.0	1923	9.8	1999
5	12.1	1974	19.9	1976	6.1	1981	4.0	1999
6	13.0	1992	15.2	1965	14.3	2000	7.2	2001
7	16.5	1937	12.4	1901	7.6	2000	6.0	1998
8	9.1	1985	11.0	1939	13.8	1992	7.4	1975
9	8.8	1980	7.6	1959	8.9	1948	9.9	1965
10	15.1	1949	15.0	1978	17.5	1969	7.8	1965
100 M	Transfer		e*.		1.1	· V.		1 7 9 k
11	10.0	1930	8.7	1973	19.3	1952	6.0	1967
12	8.2	1960	6.1	1959	10.0	1973	12.0	1941
.13	16.4	1997	9.5	1992	7.1	1990	5.4	1976
14.	3.7	1993	13.0	1954	13.0	1944	7.8	1976
15	8.9	1978	10.0	1932	10.6	1987	5.0	1976
16	13.0	1928	5.2	1975	17.6	1986	15.0	1917
17	14.7	1988	4.8	1971	5.8	1963	10.0	1988
18	13.2	1980	16.0	1917	8.7	1982	9.3	1968
. 19	11.0	1935	11.8	1990	9.0	1980	5.0	1966
20	7.1	1954	8.7	1987	7.8	1981	8.9	1995
		e 188			ruero e e e e e e e e e e e e e e e e e e	i a line. Na kabanasa	ing said to the said	it in a second to
21	15.6	1982	10.0	#1944	15.4	1991	11.1	1988
22	7.5	1964	8.0	1913	12.2	1973	7.5	1988
23	17.3	1943	6.0	1948	11.4	1964	3.2	1900
24	19.9	1949	21.1	1987	11.2	1902	4.9	1994
25	16.0	1923	12.4	1998	12.0	1903	4.1	1994
26	13.1	1948	6.1	1962	14.9	1991	8.5	1985
27	16.0	1916	8.4	1951	6.6	1998	8.7	1994
28	7.2	1979	11.0	1991	11.6	1973	10.1	1900
29	18.0	1915	6.4	1960	12.8	1998	9.5	1951
30	9.6	1980			8.9	1970	10.0	1915
31	12.0	1922			6.9	1970		
Month	19.9	1949	24.0	1901	26.0	1970	17.8	1997
** ***	d in pre	vious years						

GREATEST DAILY 24-HOUR SNOWFALL (INCHES)

(Midnight - Midnight) September 1898 - July 2002

	M	AY	Л	UNE	JUI	Υ	AUG	UST
	24 Hr		24 Hr		24 H r		24 Hr	
<u>Date</u>	Snow	Year	<u>Snow</u>	Year	<u>Snow</u>	<u>Year</u>	Snow	Year
1	5.0	1915						
2	7.5	1901	TR	1992				
3	9.0	1904	TR	1949				
4	3.9	1905	TR	#1999				
5	4.6	1969	TR	#1999				
6	4.5	1949	TR					
7	2.1	1964	TR	1992		· ·		
8	4.7	1979	0.5	1907				
9	0.5	1922						
10	TR	#1991	TR	1949				
The second secon								
11	0.3	1957						
12	2.0	1968	•					
13	3.1	1961			en e			
14	0.3	1998						
15	6.0	1951					÷ 3.	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.9	1944						
17	9.0	1903						
18	0.2	1903	4					
19	0.9	1917						
20	0.4	1975						
	4.57	1055		10.47				
21	4.7	1975	TR	1947				
22	TR	1975						
23	0.3	1906		•	•			
24	6.6	1965						
25 26	TR TR	#1996 1993						
20 27	0.8	1993						
28	2.0	1962						
28 29	2.5	1902				1		
30	TR	1971						
31	TR	#1991						
31	11/	π1 221						
Month	9.0	1903	0.5	1907	0.0	ALL	0.0	ALL
		g previous			0. 0		= TRACE	
	2							

GREATEST DAILY 24-HOUR SNOWFALL (INCHES) (Midnight - Midnight) September 1898 - July 2002

SEPTEMBER OCTOBER NOVEMBER DECEMBER 24 Hr 24 Hr 24 Hr 24 Hr Date Snow Year Snow Year Snow Year * Snow Year 1 1959 1.0 #2000 4.2 1982 0.3 2 8.0 1974 0.2 1907 4.5 1947 3 0.2 1986 6.0 1922 6.1 1961 4 TR 1946 5.0 1925 1992 14.6 5 3.6 1912 3.9 1944 8.5 1992 6 0.7 1912 6.2 1977 11.5 1943 7 5.0 2.0 1946 1956 8 5.0 1961 11.2 1966 8.3 1972 9 2.0 1961 1.8 1947 14.0 1931 10 TR 1930 6.2 1982 9.6 1961 11 0.6 1997 11.2 1972 9.6 2001 12 TR 1909 0.2 1947 18.4 1985 14.0 1932 13 TR 1947 5.0 1961 26.8 1967 14 0.5 1923 12.8 1993 15.5 1967 15 4.5 1980 11.8 1991 8.0 1915 16 5.9 1971 11.5 1958 7.2 1990 17 6.7 1971 4.7 1972 10.0 1924 18 TR 1950 5.5 1908 6.5 7.2 1967 19 2.0 1965 4.7 1949 5.5 1979 22.7 1967 20 1920 20.0 7.0 1902 11.2 1968 21 0.6 1984 15.4 1905 19.6 1909 22 1941 5.0 12.7 0.8 1965 23 TR 1989 TR 1941 11.5 1906 9.7 1982 24 0.9 1986 1.0 1920 15.5 1906 4.0 1914 25 9.1 8.0 1983 1972 12.0 1916 1990 26 2.4 1980 6.4 14.1 1979 27 TR 1982 1.5 1940 23.0 1919 4.7 1946 28 5.0 1922 14.2 1975 9.2 1936 29 12.1 0.3 1905 6.0 1922 1985 12.5 1989 9.5 30 1974 13.4 1982 31.0 1915 31 9.0 1920 20.0 1915 2.0 Month 1965 9.5 1974 23.0 1919 31.0 1915 # Occurred during previous years TR = TRACE

MAXIMUM MONTHLY SNOWFALL WITH YEAR OF OCCURRENCE (September 1898 - July 2002)

	Normal*	Amount	<u>Year</u>
JANUARY	22.4"	104.8"	1949
		63.4"	1980
		59.4"	1979
		55.7"	1993
		54.4"	1916
FEBRUARY	20.8"	84.3"	1901
		45.5"	1990
		42.1"	1969
		41.0"	1998
		40.7"	1987
MARCH	23.9"	79.4"	1991
		77.4"	1973
		67.3"	1970
		48.4"	2000
		45.6"	1981
APRIL	11.8"	58.3"	1965
		41.8"	1999
	•	40.3"	1900
		34.5"	1917
	•	33.1"	1988
MAY	1.2"	15.0"	1904
		10.2"	1903
		10.0"	1908
		9.0"	1905
		8.5"	1915
JUNE	0.0"	0.5"	1907
		TR	1999
		TR	1993
		TR	1992
		TR	1949!

st Monthly normals calculated from period 1971-2000.

[!] Also occurred in earlier years.

MAXIMUM MONTHLY SNOWFALL WITH YEAR OF OCCURRENCE (September 1898 - July 2002)

	Normal*	<u>Amount</u>	Year
JULY	0.0"	0.0"	ALL
AUGUST	0.0"	0.0"	ALL
SEPTEMBER	TR	2.0"	1965
		0.9"	1986
	•*	0.3"	1905
		TR	1991
	<u>.</u> 4	TR	1990!
	142 1		
OCTOBER	3.3"	24.7"	1971
•		19.0"	1920
		16.6"	1974
		11.8"*	1972
		11.0"	1996!
NOVEMBER	12.2"	42.6"	1902
		40.7"	1985
		39.5"	1991
		30.3"	1919
		27.9"	1906
	٠, ٢	***	
DECEMBER	13.8"	86.0"	1967
		66.3"	1915
	\$ 100 miles	41.7"	1992
		38.5"	1965
	1 1 1	30.7"	1909
	+ x 1 /		

. .

^{*} Monthly normals calculated from period 1971-2000.

[!] Also occurred in earlier years.

FLAGSTAFF SEASONAL SNOWFALL* (1899-2002)

1900	70.0"!		1935	44.1"			1970	95.7"
1901	124.5"		1936	16.0"			1971	56.6"
1902	76.8"		1937	97.6"			1972	50.3"
1903	128.3"		1938	42.0"			1973	210.0"
1904	41.4"		1939	70.2"		•	1974	70.0"
			1,0,	,			227,	70.0
1905	92.2"		1940	48.4"			1975	141.1"
1906	63.8"		1941	61.5"			1976	131.6"
1907	86.4"		1942	65.0"			1977	70.2"
1908	69.2"		1943	64.4"			1978	116.2"
1909	73.4"		1944	99.5"			1979	145.5"
27 07	,	•	1771	77.5			1717	143.5
1910	82.9"		1945	84.0"			1980	177.1"
1911	34.3"		1946	51.5"			1981	92.4"
1912	70.6"		1947	32.4"			1982	122.4"
1913	65.4"		1948	107.0"			1983	142.6"
1914	39.6"		1949	167.0"			1984	32.0"
					* 4		, + -	
1915	117.0"		1950	63.3"			1985	136.0"
1916	129.5"		1951	73.8"			1986	105.4"
1917	111.1"		1952	105.9"			1987	121.6"
1918	28.7"		1953	60.0"			1988	104.5"
1919	69.8"		1954	84.0"			1989	77.7"
1920	74.7"		1955	67.8"			1990	113.4"
1921	53.3"		1956	42.7"	•		1991	127.9"
1922	96.6"	•	1957	50.1"		ė.	1992	158.9"
1923	96.7"		1958	70.8"			1993	150.0"
1924	54.5"		1959	53.8"			1994	109.5"
1925	49.5"		1960	77.6"			1995	99.1"!
1926	29.3"		1961	53.9"			1996	28.5"!
1927	48.7"		1962	128.5"			1997	107.5"!
1928	39.0"		1963	47.3"			1998	136.7"
1929	50.0"		1964	89.4"			1999	72.0"
1930	57.3"		1965	166.7"			2000	74.4"
1931	18.0"		1966	83.4"			2001	125.1"
1932	92.9"		1967	63.1"			2002	38.9"
1933	66.0"		1968	150.4"				
1934	11.2"		1969	134.7"				

^{*} Snowfall is for the period of July through June ending in the year indicated.

[!] Estimated

15 SNOWIEST SEASONS (July 1899 - June 2002)

 $E_{i_1,\ldots,i_{m-1},\ldots,i_{m-1}}$

111 - 11 7

" []	Rank	<u>Amount</u>	<u>Year</u>
* K. 13.	1	· · · · · · · · · · · · · · · · · · ·	
ST.	. 11	210.0"	1972-1973
45 45	2	177.1"	1979-1980
1.00	3	167.0"	1948-1949
	4	166.7"	1964-1965
	5	158.9"	1991-1992
1,4	6	150.4"	1967-1968
	7	150.0"	1992-1993
* **	. / 8	145.5"	1978-1979
15	9	142.6"	1982-1983
	10	141.1"	1974-1975
9	. 11	136.7"	1997-1998
7 . g	12	136.0"	1984-1985
1.5	13	134.7"	1968-1969
d 21	14	131.6"	1975-1976
400	3. 45	129.5"	1915-1916

sylven a sec

4.,01

" (" (e ' 1000

100

1.04

41.1

Jana Barana

5 (2)

ate de

15 LEAST SNOWIEST SEASONS (July 1899 - June 2002)

Rank	Amount	Year
1	11.2" 4 c 1	1933-1934
2 2 .	16.0"	1935-1936
3.	18.0"	1930-1931
4	28.5"	1995-1996
, 5	28.7"	1917-1918
6	29.3"	1925-1926
· 7	32.0"	1983-1984
8	32.4"	1946-1947
9	34.3"	1910-1911
× 10	38.9"	2001-2002
11	39.0"	1927-1928
12	39.6"	1913-1914
13	41.4"	1903-1904
14	42.0"	1937-1938
15	42.7"	1955-1956

^{*}AVERAGE YEARLY SNOWFALL: 109.4"

^{*} Based on the 30 year average yearly snowfall from 1971-2000.

EXCESSIVE SNOWSTORMS* AT FLAGSTAFF

(January 1899- July 2002)

(tabulated only for storms* with 25" or greater)

<u>Days</u>		Period	Total Snow	Highest daily total
8		December 13 - December 20, 1967	84.6"	26.8"
3		December 29 - December 31, 1915	54.0"	31.0"
9		January 9 - January 17, 1949	48.4"	15.1"
4		February 1 - February 4, 1901	47.4"	24.0"
4		January 22 - January 25, 1949	43.5"	19.9"
5		April 1 -April 5, 1999	41.3"	11.0"
6		January 25 - January 30, 1916	39.0"	16.0"
4		November 20 - November 23, 1902	38.6"	20.0"
6		February 6 - February 11, 1901	33.6"	12.4"
4		February 28 - March 3, 1970	33.3"	26.0"
6	,	April 7 - April 12, 1965	32.6"	9.9"
8		December 25 - January 1, 1937	32.2"	10.8"
4		February 23 - February 26, 1987	31.2"	21.1"
5		January 14 - January 18, 1979	30.7"	14.3"
5		April 1 - April 5, 1997	29.7"	17.8"
8		January 15 - January 22, 1917	29.7"	12.0"
4		April 13 - April 16, 1976	28.7"	10.5"
6		March 5 - March 10, 2000	28.3"	14.3"
3		April 15 - April 17, 1917	27.5"	15.0"
3 .		November 23 - November 25, 1906	27.2"	15.5"
- 3		January 28 - January 30, 1980	27.1"	15.3"
3		February 4 - February 6, 1976	26.9"	19.9"
6		January 20 - January 25, 1962	26.7"	13.7"
9		December 30 - January 7, 1982	26.6"	9.4"
5		January 10 - January 14, 1930	26.5"	10.0"
5		March 26 - March 30, 1998	26.4"	12.8"
2		November 27 - November 28, 1919	26.0"	23.0"
3		January 22 - January 24, 1943	25.9"	17.3"
5		April 1 - April 5, 1965	25.7"	10.2"
3		November 27 - November 29, 1975	25.2"	14.2"

^{*} An excessive snowstorm has been defined as a period of time where measurable snowfall occurs on consecutive days, leading to 25 inches or greater accumulation by the time the snowfall ends.

AVERAGE NUMBER OF DAYS WITH SNOWFALL OF 1 INCH OR MORE (1971-2000)

(
Addition of the State	ter to the	
JANUARY	4.6	
FEBRUARY	4.5	
MARCH	5.4	
APRIL	2.5	
MAY	0.4	
JUNE	0 12	#Property Control
JULY	0	
AUGUST	\mathbf{O}_{x}	
SEPTEMBER	*: .* : .	
OCTOBER	0.8	
NOVEMBER	2.6	1 of
DECEMBER	3.5	and the second
1 7 1	· ·	Control of the
ANNUAL	24.3	The American

AVERAGE NUMBER OF DAYS WITH THUNDERSTORMS (1965-1994)

 $\left(\frac{1}{2} + \frac{1}{2} \frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \frac{1}{2}$

(1

JANUARY	
FEBRUARY	0.3/10 (14) 10 (15)
MARCH	0.6
APRIL	1.3
MAY	2.6 (1) 1 14.2 (1) 1.3 (1)
JUNE	3.7
JULY	16.4
AUGUST	15.6° - 24.5° - 4.0°
SEPTEMBER	6:7 March 1996 (1996)
OCTOBER	2.2
NOVEMBER	0.6
DECEMBER	0.2
ANNUAL	50.1

and the control of the particles of the particles of the control of the control of the particles of the particles of the control of the contr

^{*} Less than 0.1 occurrences.

IV. MISCELLANEOUS INFORMATION

SUNSHINE, CLOUDINESS, AND FOG AT FLAGSTAFF (1965-1994)

	Suns	hine	Sky Cov	Dense Fog		
<u>Month</u>	Percent Possible <u>Sunshine</u>	Avg Amt of Sky <u>Cover</u>	<u>Clear</u>	Partly <u>Cloudy</u>	Cloudy	Number of <u>Days</u>
January	77%	5.2	12.4	6.3	12.3	1.8
February	73%	5.3	10.7	6.0	11.5	1.8
March	76%	5.3	11.6	7.8	11.6	1.6
April	82%	4.7	12.4	8.8	8.7	1.2
May	88%	4.1	15.2	9.3	6.5	0.2
June	86%	3.0	18.5	7.7	3.9	0
July	75%	5.3	9.1	13.1	8.8	0.2
August	76%	5.1	9.8	13.1	8.1	0.3
September	81%	3.7	15.7	9.6	4.7	0.5
October	79%	3.6	17.1	7.0	6.9	0.9
November	75%	4.2	15.4	6.6	8.0	1.2
December	73%	4.8	13.9	6.5	10.7	1.9
Annual	78%	4.5	161.8	101.7	101.6	11.5

Dense fog is when the visibility is restricted to 1/4 mile or less for at least part of the day. Sky cover is expressed in a range from 0 to 10, with 0 representing no clouds or obscuring phenomena, and 10 representing a complete sky cover. A further break-down is as follows:

Clear	0/10 to 3/10 sky cover
Partly Cloudy	4/10 to 7/10 sky cover
Cloudy	8/10 to 10/10 sky cover

NORMAL HEATING DEGREE DAYS FOR FLAGSTAFF (1971-2000)

JANUARY	1099
FEBRUARY	930
MARCH	880
APRIL	668
MAY	446
JUNE	174
JULY	33
AUGUST	56
SEPTEMBER	224
OCTOBER	554
NOVEMBER	850
DECEMBER	1085
ANNUAL	6999

NORMAL COOLING DEGREE DAYS FOR FLAGSTAFF (1971-2000)

1. 1848 81818

JANUARY	0
FEBRUARY	0
MARCH	0
APRIL	. 0
MAY	0
JUNE	23
JULY	64
AUGUST	36
SEPTEMBER	. : 3
OCTOBER	0
NOVEMBER	0
DECEMBER	0
Jan Sant Carlotter	
ANNUAL	126

A degree day is a measure of the departure of the average daily temperature from 65 degrees. Each degree that the daily temperature is below 65 degrees is equal to one heating degree day. Each degree that the daily temperature is above 65 degrees is equal to one cooling degree day. For example, if the average temperature on a particular day was 55 degrees, the heating degree days would then be 65-55=10 heating degree days. If the average daily temperature was 72 degrees, the cooling degree days would then be 72-65=7 cooling degree days. Each day of the month would be calculated in the same fashion, with negative differences counted as zero.

Heating and cooling degree days are useful in the computation of fuel and power consumption and are used by utility companies to determine heating and cooling requirements.

1971 to 2000

Latitude:

35° 08' N

Longitude: 111º 40' W

Elevation:

7003 Feet

The daily values presented in these tables are not simple means of observed daily values. They are interpolated using a much less variable set of monthly normals calculated using the natural spline function.

In leap years, use the February 28th values for the 29th, and adjust the heating degree monthly totals accordingly.

Daily precipitation normals were also computed using the natural spline function and do not exhibit the typical daily random fluctuations. However, they may be used to compute normal precipitation over time intervals.

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

JANUARY

	, 6 s	ng silv s	a e e e e e e e e e e e e e e e e e e e	100		1
	TEM	PERAT	URE	DEGREE	DAY	S PRECIPITATION
<u>DATE</u>	MAX	<u>MIN</u>	<u>AVG</u>	<u>HDD</u>		<u>DAILY</u>
1	42	16	29	36	0	.06
7 - 2 , 7 - 5 2; 4	42		29	36	0	9 (1981)
3	42	16	29	36	0	.06
4	42	16	29	36	0	.06
5	42		29		0	.06
6,	42	**	29	36	0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
7	42	16	29	36	0	
8	42	16	29	36	0	.06
9	43	16	29	36	0	.07
10	43	16	29	36	0	.07
11	43	16	29	36	0	.07
12	43	16	29	36	0	.07
13	43	16	30	36	0	.07
14	43	16	30	36	0	.07
15	43	16	30	35	0	.07
16	43	16	30	35	0	.07
17	43	17	30	35	0	.07
18	43	17	30	35	0	.07
19	43	17	30	35	0	.07
20	43	17	30	35	0	.07
21	43	17	30	35	0	.07
22	43	17	30	35	0	.07
23	43	17	30	35	0	.08
24	43	17	30	35	0	.08
25	43	17	30	35	0	.08
26	43	17	30	35	0	.08
27	44	17	30	35	0	.08
28	44	17	30	35	0	.08
29	44	17	31	35	0	.08
30	44	17	31	35	0	.08
31	44	17	31	35	0	.08
TOTAL				1099	0	2.18
AVG	42.9	16.5	29.7			

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

FEBRUARY

TEMPERATURE		DEGREE	DAYS	PRECIPITATION		
DATE	MAX	\underline{MIN}	<u>AVG</u>	HDD	<u>CDD</u>	DAILY
1	44	17	31	35	0	.08
2	44	18	31	35	0	.08
3	44	18	31	34	0	.08
4	44	18	31	34	0	.09
5	44	18	31	34	0	.09
6	45	18	31	34	0	.09
7	45	18	31	34	0	.09
8	45	18	31	34	0	.09
9 ·	45	18	32	34	0	.09
10	45	18	32	34	0	.09
11	45	18	32	34	0	.09
12	45	18	32	34	0	.09
13	45	19	32	34	0	.09
14	46	19	32	33	0	.09
15	46	19	32	33	0	.09
16	46	19	32	33	0	.09
17	46	19	32	33	0	.09
18	46	19	33	33	0	.09
19	46	19	33	33	0	.09
20	46	19	33	33	0	.09
21	46	19	33	32	0	.09
22	47	20	33	32	0	.10
23	47	20	33	32	0	.10
24	47	20	33	32	0	.10
25	47	20	33	32	0	.10
26	47	20	34	32	0	.10
27	47	20	34	32	0 -	.10
28	47	20	34	31	0	.10
TOTAL				930	0	2.56
AVG	45.6	18.8	32.2			

In leap years, use the February 28 values for February 29 and adjust the monthly totals.

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

MARCH

	TEM	IPERAT	URE	DEGREE	EDAYS	PRE	ECIPITATION
DATE	MAX	MIN	AVG	HDD	CDD	, in the second	DAILY
1	47	21	34	31	0		.10
2	48	21	34	31	0		.10
3	48	[*] 21	34	31	0	•	.10
4	48	21	35	31	0	÷	.10
5	48	21	35	30	0		.09
6 5	48	21	35	30	0	ď.	.09
7	48	22	35	30	0		.09
8	48	22	35	30	0		.09
9	49	22	35	30	0		.09
10	49	22	36	29	0	÷	.09
11	49	22	36	29	0	ï	.09
12	49	22	36	29	0		.09
13	49	22	36	. 29	. 0		.09
14	50	23	36	29	0		.09
15	50	23	36	÷ 29	0	4.4	.09
16	50	23	37	. 28	Ø 12		.09
17	50	23	37	28	⊕0		.09
18	51	23	37	28	0		.08
19	51	-23	37	28	0	Q.	.08
20	51	23	37	28	0	- 1	.08
21	51	23	37	₹ 27	0	155	.08
22	51	24	38	· · · 27	0		.08
23	52	24	38	27	0		.08
24	52	24		27	0		.08
25	52	24	- 38	27	0		.08
26	53	24	38	27	0		.07
27	53	24	39	26	0		.07
28	53	24	39	26	0		.07
29	53	25	39	26	0		.07
30	54	25	39	26	0		.07
31	54	25	39	26	0		.06
TOTAL			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	880	. 0	74. 3	2.62
AVG	50.3	22.8	36.6				

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

APRIL

	TEMPERATURE				DAYS	PRECIPITATION
<u>DATE</u>	MAX	MIN	<u>AVG</u>	HDD	<u>CDD</u>	DAILY
1	54	25	40	25	0	.06
2	55	25	40	25	0	.06
3	55	25	40	25	0	.06
4	55	25	40	25	0	.06
5	55	25	40	25	0	.06
6	56	26	41	24	0	.05
7	56	26	41	24	0	.05
8	56	26	41	24	0	.05
9	57	26	41	24	0	.05
10	57	26	42	24	0	.05
11	57	26	42	23	0	.05
12	57	27	42	23	0	.04
13	58	27	42	23	0	.04
14	58	27	43	23	0	.04
15	58	27	43	22	0	.04
16	59	27	43	22	0	.04
17	59	27	43	22	0	.04
18	59	. 28	43	22	0	.04
19	59	28	44	22	0	.04
. 20	60	28	44	21	0	.04
21	60	28	44	21	0	.04
22	60	28	44	21	0	.04
23	61	29	45	21	0	.04
24	61	29	45	20	0	.03
25	61	29	45	20	0	.03
26	61	29	45	20	0	.03
27	62	30	46	20	0	.03
28	62	30	46	19	0	.03
29	62	30	46	19	0 .	.03
_30	62	30	46	19	0	.03
TOTAL				668	0	1.29
AVG	58.4	27.3	42.9			

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

MAY

	TEM	IPERAT	URE	DEGREI	EDAYS	S PREC	CIPITATIO	NC
DATE	MAX	MIN	<u>AVG</u>	HDD	<u>CDD</u>		<u>DAILY</u>	
1	63	31	47	19	0		.03	
2	63	31	47	18	0	n - 1	.03	
3	63	31	47	18	0		.03	
4	64	31	47	18	0		.03	
5	64	31	48	18	0		.03	
6	64	32	48	· 17	0		.03	
7	64	32	48	17	0	r	.03	
8	65	32	48	: 17	0		.03	
9	65	32	49	. 16	0		.03	
10	65	33	49	16	.0		.03	
11	66	33	49	16	0	T.	.03	
12	66	33	50	16	0		.03	1
13	66	33	50	15	0		.03	,
14	67	34	50	15	0		.03	
15	67	34	50	15	0		.03	
16	67	34	51	14	0	1.1	.03	
17	68	34	51	14	0	1.14	.03	
18 -: .,	68	35	51	14	~ 0		.03	
19	68	35	52	14	0		.03	
20	69	35	52	13	0		.03	
21	69	35	52	13	ë. Q	v 3	.02	
22	70	35	53	13	0		.02	
23	70	36	53	12	0	;	.02	
24	70	36	53	12	0	* ; : :	.02	
25	71	36	53	12	0	,	.02	
26	71	36	54	11	. 0		.02	
27	72	36	54	11	0		.02	
28	72	37	€54	11	0		.02	
29	73	37	- 55	11	0	27	.02	
30	73	37	55	10	0	V.	.01	
31	73	_37	55	10	0		.01	
TOTAL				446	0		0.80	1. 2
AVG	67.6	34.0	50.8					

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

JUNE

	TEMPERATURE			DEGREE	DAYS	PRECIPITATION
DATE	MAX	<u>MIN</u>	<u>AVG</u>	HDD	CDD	DAILY
1	74	37	56	10	0	.01
2 3	74	38	56	9	0	.01
3	75	38	56	9	0	.01
4	75	38	57	9	0	.01
5	76	38	57	8	0	.01
6	76	39	57	8	0	.01
7	76	39	58	8	0	.01
8	77	39	58	8	0	.00
. 9	77	39	58	7	0	.00
10	78	40	59	7	1	.00
11	77	40	59	7	1	.00
12	78	40	59	6	1	.01
13	78	40	59	6	1	.01
14	79	41	60	6	1	.01
15	79	41	60	6	1	.01
16	79	41	60	5	1	.01
17	80	42	61	5	1	.01
18	80	42	61	5	1	.01
19	80	42	61	5	1	.01
20	80	43	61	5	1	.01
21	80	43	62	4	1	.02
22	81	43	62	4	1	.02
23	81	44	62	4	1	.02
24	81	44	63	4	1	.02
25	81	44	63	4	1	.02
26	81	45	63	3	1	.03
27	81	45	63	3	1	.03
28	82	45	64	3	1 .	.03
29	82	46	64	3	2	.04
_30	82	46	64	3	2	.04
TOTAL				174	23	0.43
AVG	78.7	41.4	60.1			

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

JULY -

	TEMPERATURE		DEGREE I	OAYS	PRECIPITATION			
DATE	MAX	MIN	<u>AVG</u>	HDD C	DD		DAILY	
1	82	47	64	2	2		.04	
2	82	47	64				.05	
3	82	47	65	2 2	2		.05	
4	82	48	65	2	2		.05	
5	82	48	65	2	2		.06	
6	82	48	65	2	2		.06	
7 :	82	49	65	2	2		.06	
8	82	49	66	2	2		.06	
9	82	49	66	. 1	2		.07	
10	82	49	66	1	2		.07	
11	82	50	. 66	17 1	2		.07	
12	83	50	÷66	1	2		.07	
13	83	50	- 66	1	2		.08	
14	83	50	66	· · 1	2		.08	
15	83	50	66	1	2		.08	
16	83	50	66	1	2		.08	
17	83	51	67	1	2		.08	
18	82	51	67	1	3		.08	
19	82	51	67	1	3	v.	.09	
20	82	51	67	s . 1	2		.09	
21	82	51	4 67	• • 1	2	e 1	.09	
22	82	51	67	1	2		.09	
23	82	51	67	1	2		.09	
24	82	51 .	67	0	2		.09	
25	82	51	67	0	2		.09	
26 • 1	82	51	67	0	2	1.5	.09	
27	82	51	67	0		*	.09	
28	82	51	67	0	2 2 2		.10	
29	82	51	66	0	2		.10	
30	82	51	66	. 1	2		.10	
31	82	51	66	1	2		.10	
TOTAL				33	64		2.40	
AVG	82.2	49.9	66.1					

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

AUGUST

	TEM	IPERAT	URE	DEGREE 1	DAYS	PRECIPITATION
<u>DATE</u>	MAX	<u>MIN</u>	<u>AVG</u>	HDD (CDD	DAILY
. 1	82	51	66	1	2	.10
2	81	51	66	1	2	.10
3	81	51	66	1	2	.10
4	81	51	66	1	2	.10
5	81	51	66	1	2	.10
6	81	51	66	1	1	.10
7	81	51	66	1	1	.10
8	81	50	66	1	1	.10
9	81	50	66	1	1	.10
10	81	50	65	1	1	.10
11	80	50	65	1	1	.10
12	80	50	65	1	1	.10
13	80	50	65	1	1	.10
14	80	50	65	1	1	.09
15	80	49	65	1	1	.09
16	80	49	65	2	1	.09
17	80	49	64	2	1	.09
18	80	49	64	2	1	.09
19	79	49	64	2	1	.09
20	79	49	64	2	1	.09
21	79	48	64	2	1	.09
22	79	48	64	2	1	.09
23	79	48	63	2	1	.09
24	79	48	63		· 1	.09
25	78	48	63	3 3	1	.09
26	78	47	63	3	1	.09
27	78	47	63	3	1	.09
28	78	47	62	3	1	.09
29	78	47	62	3	1	.08
30	78	47	62	3	1	.08
31	78	46	62	4	1	.08
TOTAL				56	36	2.89
AVG	79.7	49.1	64.4			

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

SEPTEMBER

	TEMPERATURE			DEGREE DAYS PRECIPITATION
DATE	MAX	MIN	<u>AVG</u>	HDD CDD DAILY
1	77	46	62	4 1 .08
2	77	46	61	4 1 .08
3	77	45	61	4 1 .08
4	77	45	61	4 0 .08
5	77	45	61	5 0 .08
6	76	45	61	5 0 .08
7	76	44	60	5 0 .08
8	76	44	60	5 0 .08
9	76	44	60	6 0 .07
10	75	44	60	6 0 .07
11	75	43	. 59	6 0 .07
12	75	43	59	.07
13	75	43	59	7 0 .07
14	74	42	58	7 0 .07
15	74	42	58	7 0 .07
16	74	42	58	7 0 .07
17	74	41	58	8 0 .07
18	73	41	57	8 0 .07
19	73	41	- 57	.07
20	73	40	57	9 0 .07
21	72	40	56	.07
22	72	40	56	9 0 .07
23	72	39	56	9 0 .07
24	72	39	55	.07
25	71	39	55	10 0 .06
26	71	38	55	6 10 0 .06
27	71	38	54	11 0 .06
28	70	38	54	11 0 .06
29	70	37	53	12 0 .06
30 - 4	69	37	53	12 0 .06
TOTAL				224 3 2.12
AVG (1)	73.8	41.7	57.8	e de la companya de La companya de la co

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

OCTOBER

	TEM	PERAT	URE	DEGREE		PRECIPITATION
DATE	\underline{MAX}	\underline{MIN}	<u>AVG</u>		<u>CDD</u>	DAILY
1	69	36	53	12	0	.07
2	69	36	52	13	0	.07
3	68	36	52	13	0	.07
4	68	35	52	13	0	.07
5	68	35	51	14	0	.07
6	67	35	51	14	0	.07
7	67	34	50	15	0	.07
8	66	34	50	15	0	.06
9	66	33	50	15	0	.06
10	66	33	49	16	0	.06
11	65	33	49	16	0	.06
12	65	32	49	16	0	.06
13	64	32	48	17	0	.06
14	64	32	48	17	0	.06
15	64 .	31	47	18	0	.06
16	63	31	47	18	0	.06
17	63	31	47	18	0	.06
18	62	30	46	19	0	.06
19	62	30	46	19	0	.06
20	62	30	46	19	0	.06
21	61	29	45	20	0	.06
22	61	29	45	20	0	.06
23	60	29	44	20	0	.06
24	60	28	44	21	0	.06
25	59	28	44	21	0	.06
26	59	28	43	22	0	.06
27	58	27	43	22	0	.06
28	58	27	43	22	0	.06
29	58	27	42	23	0	.06
30	57	27	42	23	0	.06
_ 31	57	26	42	23_	0	.06
TOTAL			•	554	0	1.93
AVG	63.1	31.1	47.1			

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

NOVEMBER

TEMPERATURE					DEGREE DAYS PRECIPITATI				
DATE	MAX	MIN	<u>AVG</u>		HDD	CDD	10	DAILY	
1	56	26	41		24	0		.06	
2	56	26	41		24	¹ :0	1.	.06	
3	55	25	40		24	0		.06	
4	55	25	40		25	Ö	į.	.06	
5	55	25	40		25	0		.06	
6	54	24	39		25	Ö		.07	
7	54	24	39		26	Ô		.07	
8 -	53	24	39		26	0	•	.07	
9	53	24	· 38		26	0	4	.07	
10	53	23	38		· 27	0		.07	
11	52	23	38		27	0		.07	
12	52	23	37		27	0		.06	
13	51	23	37		28	0	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.06	
14	51	22	37		28	0	1 1	.06	
15	51	22	- 36		28	0		.06	
16	50	22	36		29	Ó		.06	
17	50	22	36		29	¹ O	*	.06	
18	50	21	36		29	0		.06	
19	49	21	35		30	0		.06	
20	49	21	35		30	0	ε*	.06	
21	49	21	35		30	0		.06	
22	48	21	35		30	Ó		.06	
23	48	20	34		31	0	13/2	.06	
24	48	20	34		31	0		.06	
25	48	20	34		31	0		.06	
26	47	20	33		31	0		.06	
27	47	19	33		32	0		.06	
28	47	19	33		32	0		.06	
29	47	19	33		32	0		.06	
30	46	19	33		33	0		.06	
TOTAL					850	0	· ·	1.86	
AVG	50.8	22.1	36.5					¥ *	

1971 to 2000

Latitude: 35° 08' N Longitude: 111° 40' W Elevation: 7003 Feet

DECEMBER

	TEM	IPERAT	URE	DEGREE	EDAYS	PRECIPITATION
DATE	MAX	MIN	<u>AVG</u>	HDD	<u>CDD</u>	DAILY
1	46	18	32	33	0	.06
2	46	18	32	33	0	.06
3	46	18	32	33	0	.06
4	45	18	32	33	0	.06
5	45	18	32	34	0	.06
6	45	18	31	34	0	.06
7	45	17	31	34	0	.06
8	45	17	31	34	0	.06
9	44	16	31	34	0 -	.06
10	44	16	31	34	0	.06
11	44	16	31	35	0	.06
12	44	16	30	35	0	.05
13	44	16	30	35	0	.05
14	44	16	30	35	0	.05
15	44	15	30	35	0	.06
16	43	16	30	35	0	.06
17	43	16	30	35	0	.06
18	43	16	30	36	0	.06
19	43	16	30	36	0	.06
20	43	16	30	36	0	.06
21	43	16	30	36	0	.06
22	43	16	29	36	0	.06
23	43	16	29	36	0	.06
24	43	16	29	36	0	.06
25	43	16	29	36	0	.06
26	43	16	29	36	0	.06
27	43	16	29	36	0	.06
28	42	16	29	36	0	.06
29	42	16	29	36	0	.06
30	42	16	29	36	0	.06
_ 31	42	16	29	36	0	.06
TOTAL				1085	0	1.83
AVG	43.7	16.6	30.2			

o , o , Location: W111 37, N35 13

FLAGSTAFF, ARIZONA Rise and Set for the Sun

Mountain Standard Time

Astronomical Applications Dept. U. S. Naval Observatory Washington, DC 20392-5420

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Day	Rise Set	Rise Set	Rise Set	Rise Set	Rise Set	Rise Set	Rise Set					
	hm hm	hm hm	hm hm	h m h m	hm hm	hm hm	hm hm					
01	0735 1725	0726 1755	0656 1822	0613 1848	0535 1912	-0513 1936	0516 1945	0535 1930	0559 1853	0621 1810	0648 1732	0717 1714
02	0735 1726	0725 1756	0655 1823	0612 1849	0534 1913	0513 1936	0516 1945	0536 1929	0600 1852	0622 1809	0649 1731	0717 1714
03	0735 1727	0724 1757	0654 1824	0611 1850	0533 1914	0513 1937	0517 1945	0537 1928	0600 1851	0623 1808	0650 1730	0718 1714
04	0736 1728	0723 1758	0652 1825	0609 1850	0532 1915	0512 1937	0517 1945	0538 1927	0601 1849	0624 1806	0651 1729	0719 1714
05	0736 1729	0722 1759	0651 1826	0608 1851	0531 1916	0512 1938	0517 1944	0539 1926	0602 1848	0624 1805	0652 1728	0720 1714
06	0736 1729	0722 1800	0650 1826	0606 1852	0530 1916	0512 1939	0518 1944	0539 1925	0603 1846	0625 1803	0653 1727	0721 1714
07	0736 1730	0721 1801	0648 1827	0605 1853	0529 1917	0512 [.] 1939	0519 1944	0540 1924	0603 1845	0626 1802	0654 1726	0722 1714
08	0736 1731	0720 1802	0647 1828	0604 1854	0528 1918	0512 1940	0519 1944	0541 1923	0604 1844	0627 1801	0655 1726	0722 1714
09	0736 1732	0719 1803	0646 1829	0602 1854	0528 1919	0512 1940	0520 1944	0542 1922	0605 1842	0628 1759	0655 1725	0723 1714
10	0735 1733	0718 1804	0644 1830	0601 1855	0527 1920	0511 1941	0520 1943	0542 1921	0606 1841	0628 1758	0656 1724	0724 1714
11	0735 1734	0717 1805	0643 1831	0600 1856	0526 1920	0511 1941	0521 1943	0543 1920	0606 1839	0629 1757	0657 1723	0725 1715
12	0735 1735	0716 1806	0641 1832	0558 1857	0525 1921	0511 1941	0521 1943	0544 1919	0607 1838	0630 1755	0658 1723	0726 1715
13	0735 1736	0715 1807	0640 1832	0557 1858	0524 1922	0511 1942	0522 1942	0545 1917	0608 1836	0631 1754	0659 1722	0726 1715
14	0735 1737	0714 1808	0639 1833	0556 1858	0523 1923	0511 1942	0523 1942	0545 1916	0608 1835	0632 1753	0700 1721	0727 1715
15	0735 1738	0713 1809	0637 1834	0554 1859	0522 1924	0511 1943	0523 1941	0546 1915	0609 1833	0633 1751	0701 1721	0728 1716
16	0734 1739	0712 1810	0636 1835	0553 1900	0522 1924	0512 1943	0524 1941	0547 1914	0610 1832	0633 1750	0702 1720	0728 1716
17	0734 1740	0711 1811	0634 1836	0552 1901	0521 1925	0512 1943	0525 1940	0548 1913	0611 1831	0634 1749	0703 1719	0729 1716
18	0734 1741	0709 1812	0633 1837	0551 1902	0520 1926	0512 1944	0525 1940	0548 1912	0611 1829	0635 1748	0704 1719	0729 1717
19	0733 1742	0708 1813	0632 1837	0549 1902	0520 1927	0512 1944	0526 1939	0549 1910	0612 1828	0636 1746	0705 1718	0730 1717
20	0733 1743	0707 1814	0630 1838	0548 1903	0519 1927	0512 1944	0527 1939	0550 1909	0613 1826	0637 1745	0706 1718	0731 1718
21	0732 1744	0706 1815	0629 1839	0547 1904	0518 1928	0512 1944	0527 1938	0551 1908	0614 1825	0638 1744	0707 1717	0731 1718
22	0732 1745	0705 1816	0627 1840	0546 1905	0518 1929	0513 1944	0528 1937	0551 1907	0614 1823	0639 1743	0708 1717	0732 1719
23	0731 1746	0704 1817	0626 1841	0544 1906	0517 1930	0513 1945	0529 1937	0552 1905	0615 1822	0640 1742	0709 1716	0732 1719
24	0731 1747	0702 1817	0625 1841	0543 1907	0517 1930	0513 1945	0530 1936	0553 1904	0616 1820	0640 1740	0710 1716	0733 1720
25	0730 1748	0701 1818	0623 1842	0542 1907	0516 1931	0513 1945	0530 1935	0554 1903	0617 1819	0641 1739	0711 1716	0733 1720
26	0730 1749	0700 1819	0622 1843	0541 1908	0516 1932	0514 1945	0531 1935	0554 1901	0617 1818	0642 1738	0712 1715	0733 1721
27	0729 1750	0659 1820	0620 1844	0540 1909	0515 1932	0514 1945	0532 1934	0555 1900	0618 1816	0643 1737	0713 1715	0734 1722
28	0729 1751	0657 1821	0619 1845	0539 1910	0515 1933	0514 1945	0532 1933	0556 1859	0619 1815	0644 1736	0714 1715	0734 1722
29	0728 1752		0618 1846	0538 1911	0514 1934	0515 1945	0533 1932	0557 1857	0620 1813	0645 1735	0715 1715	0734 1723
30	0727 1753		0616 1846	0536 1911	0514 1934	0515 1945	0534 1931	0557 1856	0620 1812	0646 1734	0716 1714	0735 1724
31	0726 1754		0615 1847		0514 1935		0535 1931	0558 1855		0647 1733		0735 1724

This table uses military time, so 1930 actually means 7:30 p.m.

This table may be used for the next ten years with an error not exceeding two minutes.

- Barrich Eischhoff and Bohert I. Winkler, February 1980. (PB80 174576)
- Annual Data and Verification Tabulation Eastern and Central North Pacific Tro Hurricanes 1979. Emil B. Gunther and Staff, EPHC, April 1980. (PB80 220486) 150
- odel Performance in the Northeast Pacific. James E. Overland, PMEL-ERL, April 1980. (PB80 196033)
- Climate of Salt Lake City, Utah. William J. Alder, Sean T. Buchanan, William Cope (Retired), James A. Cisco, Craig C. Schmidt, Alexander R. Smith (Retired), Wilbur E. Figgins (Retired), February 1998 Seventh Revision (PB98-130727)
- An Automatic Lightning Detection System in Northern California. James E. Rea and Chris E. Fontana, June 1980. (PB80 225592) 153
- Fontana, June 1980. (PB80 225592)
 Regression Equation for the Peak Wind Gust 6 to 12 Hours in Advance at Great Falls During Strong
 Downslope Wind Storms. Michael J. Oard, July 1980. (PB91 108367)
 A Raininess Index for the Arizona Monsoon. John H. Ten Harkel, July 1980. (PB81 106494)
 The Effects of Terrain Distribution on Summer Thunderstorm Activity at Reno, Nevada. Christopher
 Dean Hill, July 1980. (PB81 102501)
 An Operational Evaluation of the Scoffield/Oliver Technique for Estimating Precipitation Rates from
 Satellite Imagery. Richard Ochoa, August 1980. (PB81 108227)

- 158

- Satellite Imagery. Richard Ochoa, August 1980. (PB81 108227)
 Hydrology Practicum. Thomas Dietrich, September 1980. (PB81 134033)
 Tropical Cyclone Effects on California. Arnold Court, October 1980. (PB81 133779)
 Eastern North Pacific Tropical Cyclone Occurrences During Intraseasonal Periods. Preston W.
 Leftwich and Gail M. Brown, February 1981. (PB81 205494)
 Solar Radiation as a Sole Source of Energy for Photovoltaics in Las Vegas, Nevada, for July and
 December. Darryl Randerson, April 1981. (PB81 224503)
 A Systems Approach to Real-Time Runoff Analysis with a Deterministic Rainfall-Runoff Model.
- 162 Robert J.C. Burnash and R. Larry Ferral, April 1981. (PB81 224495)
 A Comparison of Two Methods for Forecasting Thunderstorms at Luke Air Force Base, Arizona. LTC
- 163 A Comparison of Two Methods for Forecasting Thunderstorms at Luke Air Force Base, Arizona. LTC Keith R. Cooley, April 1981. (PB81 225393)

 An Objective Aid for Forecasting Afternoon Relative Humidity Along the Washington Cascade East Slopes. Robert S. Robinson, April 1981. (PB81 23078)

 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Humicanes 1980. Emil B. Gunther and Staff, May 1981. (PB82 230336)

 Preliminary Estimates of Wind Power Potential at the Nevada Test Site. Howard G. Booth, June 1981. (PB82 127036)

- ARAP User's Guide. Mark Mathewson, July 1981, Revised September 1981. (P882 196783)
 Forecasting the Onset of Coastal Gales Off Washington-Oregon. John R. Zimmerman and William D. Burton, August 1981. (P882 127051)
- A Statistical-Dynamical Model for Prediction of Tropical Cyclone Motion in the Eastern North Pacific Ocean. Preston W. Leftwich, Jr., October 1981. (PB82195298)
- 170 An Enhanced Plotter for Surface Airways Observations. Andrew J. Spry and Jeffrey L. Anderson, October 1981. (PB82 153883)
- Verification of 72-Hour 500-MB Map-Type Predictions. R.F. Quiring, November 1981.
- 172 recasting Heavy Snow at Wenatchee, Washington, James W. Holcomb, December 1981, (PB82-177783)

- Central San Joaquin Valley Type Maps. Thomas R. Crossan, December 1981. (PB82 196064)
 ARAP Test Results. Mark A. Mathewson, December 1981. (PB82 198103)
 Approximations to the Peak Surface Wind Gusts from Desert Thunderstorms. Darryl Randerson, June 1982. (PS82 253089)
- Climate of Phoenix, Arizona. Robert J. Schmidli and Austin Jamison, April 1969 (Revised July 1996). (PB96-191614) 178
- Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1982 E.B. Gunther, June 1983. (PB85 106078) Stratified Maximum Temperature Relationships Between Sixteen Zone Stations in Arizona and
- Stratined Maximum Temperature Helationships Between Sixteen Zone Stations in Anzona and Respective Key Stations. Ira S. Branner, June 1983. (PB83 249904)
 Standard Hydrologic Exchange Format (SHEF) Version I. Phillip A. Pasteris, Vernon C. Bissel, David G. Bennett, August 1983. (PB85 106052)
 Quantitative and Spacial Distribution of Winter Precipitation along Utah's Wasatch Front. Lawrence B. Dunn, August 1983. (PB85 106912)
- 500 Millibar Sign Frequency Teleconnection Charts Winter. Lawrence B. Dunn, December 1983.
- 500 Millibar Sign Frequency Teleconnection Charts Spring. Lawrence B. Dunn, January 1984.
- Collection and Use of Lightning Strike Data in the Western U.S. During Summer 1983. Glenn Rasch and Mark Mathewson, February 1984. (PB85 110534)
 500 Millibar Sign Frequency Teleconnection Charts - Summer. Lawrence B. Dunn, March 1984.
- (PB85 111359) nnual Data and Verification Tabulation ea stern North Pacific Tropical Storms and Hurricanes 1983.
- E.B. Gunther, March 1984, (PB85 109635). 500 Millibar Sign Frequency Teleconnection Charts - Fall. Lawrence B. Dunn, May 1984.
- (PB85-110930) The Use and Interpretation of Isentropic Analyses. Jeffrey L. Anderson, October 1984.
- Annual Data & Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1984.
- E.B. Gunther and R.L. Cross, April 1985. (PB85 1878887AS)
 Great Salt Lake Effect Snowfall: Some Notes and An Example. David M. Carpenter, October 1985. (PB86 119153/AS)
- Large Scale Patterns Associated with Major Freeze Episodes in the Agricultural Southwest. Ronald
- S. Hamilton and Glenn R. Lussky, December 1985. (PB86 144474AS) NWR Voice Synthesis Project: Phase I. Glen W. Sampson, January 1986. (PB86 145604/AS)
- The MCC An Overview and Case Study on Its Impact in the Western United States. Glenn R. Lussky, March 1986. (PB86 170651/AS)

 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1985.
- E.B. Gunther and R.L. Cross, March 1986. (PB86 170941/AS)
 Radid Interpretation Guidelines. Roger G. Pappas, March 1986. (PB86 177680/AS)
- A Mesoscale Convective Complex Type Storm over the Desert Southwest. Darryl Randerson, April
- The Effects of Eastern North Pacific Tropical Cyclones on the Southwestern United States. Walter 197 Smith, August 1986. (P887 106258AS)
 Preliminary Lightning Climatology Studies for Idaho. Christopher D. Hill, Carl J. Gorski, and Michael
- C. Conger, April 1987. (PB87 180196/AS)
 Heavy Rains and Flooding in Montana: A Case for Slantwise Convection. Glenn R. Lussky, April
- 1987. (PB87 185229/AS) Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1986.
 Roger L. Cross and Kenneth B. Mielke, September 1987. (PB88 110895/AS)
- An Inexpensive Solution for the Mass Distribution of Satellite Images. Glen W. Sampson and George Clark, September 1987. (PB88 114038/AS)
- Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1987.

 Roger L Cross and Kenneth B. Mielike, September 1988. (PB88-101935/AS)

 An Investigation of the 24 September 1986 "Cold Sector" Tomado Outbreak in Northem California.
- John P. Monteverdi and Scott A. Braun, October 1988. (PBS) 121297/AS)
 Preliminary Analysis of Cloud-To-Ground Lightning in the Vicinity of the Nevada Test Site. Carven
- Scott, November 1988. (PB89 128649/AS)
 Forecast Guidelines For Fire Weather and Forecasters -- How Nighttime Humidity Affects Wildland Fuels, David W. Goens, February 1989, (PB89 162549/AS)
- A Collection of Papers Related to Heavy Precipitation Forecasti Scientific Services Division, August 1989. (PB89 230833/AS) sting. Western Region Headquarters.

- 207 The Las Vegas McCarran International Airport Microburst of August 8, 1989. Carven A. Scott, June 1990. (PB90-240268)
- Meteorological Factors Contributing to the Canyon Creek Fire Blowup, September 6 and 7, 1988. David W. Goens, June 1990. (PB90-245085) 208
- Stratus Surge Prediction Along the Central California Coast. Peter Felsch and Woodrow Whitlatch, December 1990. (PB91-129239)
- Hydrotools. Tom Egger. January 1991. (PB91-151787/AS)
 A Northern Utah Soaker. Mark E. Struthwolf, February 1991. (PB91-168716)
- 212 Preliminary Analysis of the San Francisco Rainfall Record: 1849-1990. Jan Null, May 1991. (PB91-208439)
 Idaho Zone Preformat, Temperature Guidance, and Verification. Mark A. Mollner, July 1991.
- 213 (PR91-227405/AS)
- 214 Emergency Operational Meteorological Considerations During an Accident
- Chemicals. Peter Mueller and Jerry Galt, August 1991. (PB91-235424)
 WeatherTools. Tom Egger, October 1991. (PB93-184950)
 Creating MOS Equations for RAWS Stations Using Digital Model Data. Dennis D. Gettman, 216 December 1991. (PB92-131473/AS)
- Forecasting Heavy Snow Events in Missoula, Montana. Mike Richmond, May 1992. 217 PR92-196104)
- NWS Winter Weather Workshop in Portland, Oregon. Various Authors, December 1992. 218 (PB93-146785)
- A Case Study of the Operational Usefulness of the Sharp Workstation in Forecasting a Mesocyclone-Induced Cold Sector Tomado Event in California, John P. Monteverdi, March 1993.
- Climate of Pendleton, Oregon, Claudia Bell, August 1993, (PB93-227536)
- Utilization of the Bulk Richardson Number, Helicity and Sounding Modification in the Assessment of the Severe Convective Storms of 3 August 1992. Eric C. Evenson, September 1993. (PB94-131943)
- 222 Convective and Rotational Parameters Associated with Three Tornado Episodes in N Central California, John P. Moriteverdi and John Quadros, September 1993. (PB94-131943)
- Climate of San Luis Obispo, California. Gary Ryan, February 1994. (PB94-162062) Climate of Wenatchee, Washington. Michael W. McFarland, Roger G. Buckman, and Gregory E.
- Matzen, March 1994. (PB94-164308) Climate of Santa Barbara, California. Gary Ryan, December 1994. (PB95-173720)
- Climate of Yakima, Washington. Greg DeVoir, David Hogan, and Jay Neher, December 1994.
- Climate of Kalispell, Montana, Chris Maier, December 1994, (PB95-169488)
- Forecasting Minimum Temperatures in the Santa Maria Agricultural District. Wilfred Pi and Peter Felsch, December 1994. (PB95-171088)
- 220 The 10 February 1994 Oroville Tornado-A Case Study. Mike Staudenmaier, Jr., April 1995.
- Santa Ana Winds and the Fire Outbreak of Fall 1993, Ivory Small, June 1995. (PB95-241865)
- Washington State Tomadoes. Tresté Huse, July 1995. (PB96-107024)
 Fog Climatology at Spokane, Washington. Paul Frisbie, July 1995. (PB96-106604)
- 233
- Fog Climatology at Spokane, Washington, Faul Frisible, July 1935. (PESG-106004)
 Storm Relative Isentropic Motion Associated with Cold Fronts in Northern Utab. Kevin B. Baker,
 Kathleen A. Hadley, and Lawrence B. Dunn, July 1995. (PB96-106596)
 Some Climatological and Synoptic Aspects of Severe Weather Development in the Northwestern
 United States. Eric C. Evenson and Robert H. Johns, October 1995. (PB96-112956)
 Climate of Las Vegas, Nevada. Paul H. Skrbac and Scott Cordero, December 1995. 234
- 235 (PR96-135553)
- Climate of Astoria, Oregon. Mark A. McInemey, January 1996.
- 237 The 6 July 1995 Severe Weather Events in the Northwestern United States: Recent Examples of SSWEs. Eric C. Evenson, April 1996.
- Significant Weather Patterns Affecting West Central Montana. Joe Lester, May 1996. 238 (PRG6-178751)
- Climate of Portland, Oregon. Clinton C. D. Rockey, May 1996. (PB96-17603) First Revision, 239 October 1999
- Downslop Winds of Santa Barbara, CA. Gary Ryan, July 1995. (PB96-191697)
 Operational Applications of the Real-time National Lightning Detection Network Data at the NWSO
- Tucson, AZ. Darren McCollum, David Bright, Jim Meyer, and John Glueck, September 1996. (PB97-108450)
- Climate of Pocatello, Idaho. Joe Heim, October 1996. (PB97-114540) Climate of Great Falls. Montana. Matt Jackson and D. C. Williamson, December 1996. (PB97-
- WSR-88D VAD Wind Profile Data Influenced by Bird Migration over the Southwest United States.

 Jesus A. Haro, January 1997. (PB97-135263)

 Climatology of Cape for Eastern Montana and Northern Wyoming. Heath Hockenberry and Keith
- A Western Region Guide to the Eta-29 Model. Mike Staudenmaier, Jr., March 1997. (PB97-246
- The Northeast Nevada Climate Book, Edwin C. Clark, March 1997. (First Revision January 1998 247 The Northeast Nevada Climate Book. Edwin C. Clark, March 1997. (Pists revision - January 1998 - Andrew S. Gorelow and Edwin C. Clark - P898-123250)
 Climate of Eugene, Oregon. Clinton C. D. Rockey, April 1997. (P897-155303)
 Climate of Tucson, Arizona. John R. Glueck, October 1997
 Northwest Oregon Daily Extremes and Normans. Clinton C. D. Rockey, October 1997
 A Composite Study Examining Five Heavy Snowfall Patterns for South-Central Montana. Jonathan

- 251
- D. Van Ausdall and Thomas W. Humphrey. February 1998. (PB98-125255) Climate of Eureka, California. Alan H. Puffer. February 1998. (PB98-130735) 252
- 253
- Inferenced Oceanic Kelvin/Rossby Wave Influence on North American West Coast Precipitation. Martin E. Lee and Dudley Chelton. April 1998. (PB98-139744)
 Conditional Symmetric Instability—Methods of Operational Diagnosis and Case Study of 23-24 254 ebruary 1994 Eastern Washington/Oregon Snowstorm, Gregory A. DeVoir, May 1998. (PB98-
- 144660) 255 Creation and Maintenance of a Comprehensive Climate Data Base. Eugene Petrescu. August
- Creation and maintenance of a Schrift of State o 256
- Climate of Seattle, Washington, Dana Felton, November 1998, (PB99-113482) 257
- Climate of Sedire, Washington, Dana Petion, November 1996, (1999-119462)
 1985-1998 North Pacific Tropical Cyclones Impacting the Southwestern United States and Northern Mexico: An Updated Climatology, Armando L. Garza, January 1999, (P899-130502)
 Climate of San Jose, California, Miguel Miller, April 1999, (P899-145633)
 Climate of Las Vegas, Nevada, Paul H. Skrbac, December 1999
- 261 Climate of Los Angeles, California. David Bruno, Gary Ryan, with assistance from Curt Kaplan and Jonathan Slemmer. January 2000
- Climate of Miles City, Montana. David A. Spector and Mark H. Strobin. April 2000 262
- Analysis of Radiosonde Data for Spokane, Washington. Rocco D. Pelatti. November 2000 Climate of Billings, Montana. Jeffrey J. Zeltwanger and Mark H. Strobin. November 2000 265
- Climate of Sheridan, Wyoming. Jeffrey J. Zeltwanger, Sally Springer, Mark H. Strobin. March 2001 Climate of Sacramento, California. Laura Masters-Bevan. December 2000 (7th Revision) Sulphur Mountain Doppler Radar, A Performance Study. Los Angeles/Oxnard WFO. August 2001

NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

The National Oceanic and Atmospheric Administration was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications.

PROFESSIONAL PAPERS--Important definitive research results, major techniques, and special investigations.

CONTRACT AND GRANT REPORTS---Reports prepared by contractors or grantees under NOAA sponsorship.

ATLAS--Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

TECHNICAL SERVICE PUBLICATIONS --Reports containing data, observations, instructions, etc. A partial listing includes data serials; prediction and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

TECHNICAL REPORTS--Journal quality with extensive details, mathematical developments, or data listings.

TECHNICAL MEMORANDUMS--Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.



Information on availability of NOAA publications can be obtained from:

NATIONAL TECHNICAL INFORMATION SERVICE

U. S. DEPARTMENT OF COMMERCE

5285 PORT ROYAL ROAD

SPRINGFIELD, VA 22161